

MAJESTIC
Series

PORCELAIN


olympiatile+stone®

MAJESTIC SERIES - **Coloured Base Porcelain (Rectified)**



BIANCO BARGA (White)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.BBG.1212.MT
60 x 60 cm (24" x 24") LF.MJ.BBG.2424.MT




CENERE MURCIA (Grey)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.CNM.1212.MT
60 x 60 cm (24" x 24") LF.MJ.CNM.2424.MT



ORO VERSILIA (White/Gold)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.ORV.1212.MT
60 x 60 cm (24" x 24") LF.MJ.ORV.2424.MT



NERO BILBAO (Black)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.NRB.1212.MT
60 x 60 cm (24" x 24") LF.MJ.NRB.2424.MT


All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

MAJESTIC SERIES - Coloured Base Porcelain (Rectified)




CREMA REZZATO (Cream)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.CRR.1212.MT




BLUE MONTALTO (Blue)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.BLM.1212.MT



ROSSO LEVANTO (Red)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.RLV.1212.MT



VERDE ALPI (Green)
Matte Finish; 9 mm thickness

30x30 cm (12"x12") LF.MJ.VDA.1212.MT

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

MAJESTIC SERIES - **Coloured Base Porcelain (Rectified)**



NERO/BIANCO/BLUE
Matte Squared Mosaic
Nominal sheet size:
30 x 30 cm (12 x 12)
LF.MJ.NRB.1212.SQMOS





CENERE MURCIA/ORO VERSILIA/ CREMA REZZATO
Matte Squared Mosaic
Nominal sheet size:
30 x 30 cm (12 x 12)
LF.MJ.ORC.1212.SQMOS



All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.


MAJESTIC SERIES

Tests Performed -- Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic Co-efficient of Friction	ANSI A137.1/2012	> 0.42	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Deep Abrasion Resistance	ISO 10545-6	≤ 175 mm^3	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

Colour Variation



Member

Member of Canada Green Building Council

Member of U.S. Green Building Council

The Terrazzo, Tile, and Marble Association of Canada

Ceramic Tile Distributors of America (CTDA)

Marble Institute of America

For information concerning LEED, please contact our Sales Representative

Examples of Recommended Applications



Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
12” x 12” Matte (96 faces)	14	13.56	55.02	60
24” x 24” Matte (24 faces)	4	15.50	62.84	30
12” x 12” Squared Mosaic	6	5.81	23.88	60

Flextile Ltd.
INSTALLATION SOLUTIONS SINCE 1946

Recommended FLEXTILE Installation Systems

For other suitable options & complete installation details, visit www.flextile.net

PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	**Exterior**	**Interior**	**Exterior**
TILE BOND COAT	• 66 FlexLite (2x2 size) • 56SR LHT Mortar	• 5400 Maxi-Flex • 51/44 Latex Mortar System	• 56SR LHT Mortar • 5400 Maxi-Flex (2x2 size)	• 5400 Maxi-Flex • 51/44 Latex Mortar System
GROUT	• 500 PM Unsanded • 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout • FlexEpoxy 100 Epoxy Grout	• 600 PM Sanded • 1600UPG PM Grout
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

** For a complete listing of FLEXTILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net*

HG

HG Surface Care Product Guide

Task	Room	Product Recommendation	Dilution with Water	Frequency
Cleaning Mold from Bathroom	Bathroom	HG Mold Stain Cleaner Foam Spray 500ml	Ready to use	As needed
Cleaning Mold & Mildew from Bathrooms	Bathroom	HG Bathroom Mold & Mildew Remover 500ml	Ready to use	As needed
Powerful and buffered grout cleaner	Bathroom	HG Tile Grout Cleaner Spray 500ml	Ready to use	As Needed
Grout Sealer & Protector	Bathroom	HG Tile Grout Sealer and Protector 500ml	Ready to use	As needed (Depending on usage)
Cement remover removes stubborn cement residue	Floor	HG Tile Cement; Mortar & Efflorescence Remover	1:4 Ratio to 1:10 Ratio (degree of residue)	As Needed
Concentrated Mopping Cleaner	Floor	HG Natural Stone Cleaner and Shine Restorer	50ml per 5L	As needed
Removes cement residue and lime film safely	Floor	HG Natural Stone Cement Grout Film Remover	0.5L to 5L 1L to 4L (Intensive Soiling)	As Needed
Removes extremely stubborn dirt and grease	Floor	HG Natural Stone Power Cleaner	1:3 Ratio to 1:10 Ratio	As needed
Extremely strong grease and dirt remover	Floor	HG Tile Extreme Power Cleaner Concentrate	0.5L to 5L 1L to 4L (Intensive Soiling)	As needed
Protects against dirt and grease stain	Floor	HG Tile Impregnating Sealer & Protector	Ready to use	As needed (Depending on usage)
Pre-treatment for marble and other types of natural stone	Floor	HG Natural Stone Impregnating Sealer & Protector	Ready to use	As needed



ORO VERSILIA



NERO BILBAO / ORO VERSILIA



CENERE MURCIA / ROSSO LEVANTO



BIANCO BARGA / VERDE ALPI



BIANCO BARGA / VERDE ALPI



ROSSO LEVANTO

MAJESTIC SERIES: Sample Board MEF-1108 & Folder FL-1708



Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product. Please visit a showroom near you or request a sample from your Olympia Tile Sales Representative.

It is Olympia Tile's policy to stock all items for sale. Should you require additional sizes, finishes or colours, Olympia has a Special Order Department to help find exactly what you are looking for. Please contact your Olympia Tile Sales Representative for more details. Note that minimum order quantities and longer lead times apply to all special order items.

