# LATICRETE® HYDRO BAN® by LATICRETE International

## Health Product Declaration v2.2 created via: HPDC Online Builder

#### HPD UNIQUE IDENTIFIER: 26005

CLASSIFICATION: 09 34 00 Waterproofing-Membrane Tiling

PRODUCT DESCRIPTION: LATICRETE® HYDRO BAN® is a thin, load bearing waterproofing/crack isolation membrane that DOES NOT require the use of fabric in the field, coves or corners. LATICRETE HYDRO BAN is a single component self-curing liquid rubber polymer that forms a flexible, seamless waterproofing membrane. LATICRETE HYDRO BAN bonds directly to a wide variety of substrates.

# Section 1: Summary

## CONTENT INVENTORY

- Inventory Reporting Format
- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- O Material
- O Product

- Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS © Other
- Residuals/Impurities © Considered © Partially Considered © Not Considered Explanation(s) provided for Residuals/Impurities? © Yes © No

# **Basic Method / Product Threshold**

All Substances Above the	e Threshold Indicated Are:				
Characterized	○ Yes Ex/SC   Yes   No				
% weight and role provid	led for all substances.				
Screened	○ Yes Ex/SC   Yes   No				
All substances screened	using Priority Hazard Lists with				
results disclosed.					
Identified	C Yes Ex/SC C Yes O No				
One or more substances	not disclosed by Name				
(Specific or Generic) and Identifier and/ or one or more					
Special Condition did no.	t follow guidance.				

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

LATICRETE HYDRO BAN [ DOLOMITE NoGS WATER BM-4 UNDISCLOSED LT-UNK ZINC OXIDE BM-1 | END | RES | MUL | AQU UNDISCLOSED BM-1 | END | DEV TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | SKI UNDISCLOSED BM-1 | END | MUL UNDISCLOSED BM-2 | END | SKI | MUL | AQU | MAM | EYE 1,2-BENZISOTHIAZOLINE-3-ONE LT-P1 | SKI | MUL | AQU | EYE OCTAMETHYLCYCLOTETRASILOXANE (D4) BM-1 | END | MUL | PBT | REP UNDISCLOSED BM-2 | CAN | END | DEV | PHY | REP *TITANIUM* DIOXIDE COMPOUNDS (TITANIUM DIOXIDE COMPOUNDS) LT-1 | CAN ] Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENTMaterial (g/l): 2.39Regulatory (g/l): N/ADoes the product contain exempt VOCs: NoAre ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (HYDRO BAN) VOC content: TDS 251 "Low VOC LATICRETE® Products"

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? • Yes • No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-08-26 PUBLISHED DATE: 2021-09-01 EXPIRY DATE: 2024-08-26 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE HYDRO BAN				
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND	IMPURITIES	CONSIDERED: Y	/es
RESIDUALS AND IMPURITIES NOT potentially greater than 100 ppm.	ES: Residuals and impurities are measure	d by quantitat	tive methods and	are only displayed when they are
OTHER PRODUCT NOTES: See SD	S at https://laticrete.com for occupational	exposure info	ormation.	
DOLOMITE				ID: 16389-88-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE	: 2021-08-26 17:14:46
%: 30.0000 - 40.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warnin	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	plant of manuf	facture.	
•				
WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE	: 2021-08-26 17:14:47
%: 25.0000 - 35.0000	GS: <b>BM-4</b>	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warnin	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	plant of manuf	facture.	
•				
UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE	: 2021-08-26 17:14:47
%: 22.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
	unt of this component may vary based on p d maintain competitive advantage. The cor			
ZINC OXIDE				ID: <b>1314-13-2</b>

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-26 17:14:48

%: 1.0000 - 2.0000	GS: BM-1 RC:	None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	D SCF	REENING DATE:	2021-08-26 17:14:48
%: 0.3000 - 1.0000	GS: <b>BM-1</b>	RC: No	ne	NANO: No	SUBSTANCE ROLE: Anti-freeze
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS	
END	TEDX - Potential Endocrine Disruptors	•	Poter	ntial Endocrine I	Disruptor
DEV	CA EPA - Prop 65		Deve	lopmental toxici	ity
DEV	US NIH - Reproductive & Developmen Monographs	tal	Clear Toxic		verse Effects - Developmental

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-08-26 17:14:49
%: 0.3000 - 0.5000	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SUBSTANCE NOTES: The amou	int of this component may vary based on p	plant of manufacture.
UNDISCLOSED		ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-26 17:14:49
%: 0.2000 - 0.6000	GS: NoGS	RC: None NANO: No SUBSTANCE ROLE: Desiccant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
		plant of manufacture. This product is shown as undisclosed to nponent CAS # was used to identify associated hazards.
UNDISCLOSED		ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-26 17:14:50
%: 0.2000 - 0.6000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
		plant of manufacture. This product is shown as undisclosed to nponent CAS # was used to identify associated hazards.
UNDISCLOSED		ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-26 17:14:51
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-08-26 17:14:51
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED				ID: Undisclose
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-08-26 17:14:50
%: 0.1000 - 0.2000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
SKI	EU - GHS (H-Statements)			e skin burns and eye damage [Skin Category 1A or 1B or 1C]

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2021-08-26 17:14:52
%: 0.0100 - 0.0300	GS: <b>BM-1</b>	RC: None NANO: No		SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
END	TEDX - Potential Endocrine Disruptors	Po	tential Endocrine I	Disruptor
MUL	German FEA - Substances Hazardous Waters	to Cla	lss 3 - Severe Haz	ard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. There are no known impurities which are greater than 1,000 ppm.

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2021-09-01 16:06:08
%: 0.0100 - 0.0200	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
МАМ	EU - GHS (H-Statements)	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
МАМ	EU - GHS (H-Statements)	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
МАМ	EU - GHS (H-Statements)	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### 1,2-BENZISOTHIAZOLINE-3-ONE

ID: 2634-33-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCR	EENING DATE:	2021-08-26 17:14:53
%: 0.0020 - 0.0100	GS: <b>LT-P1</b>	RC: No	one	NANO: No	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	NINGS	
SKI	МАК		Sensit	tizing Substance	e Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous Waters	ous to Class 2 - Hazard to Waters			/aters
AQU	EU - GHS (H-Statements)			- Very toxic to a nment (acute) -	equatic life [Hazardous to the aquatic Category 1]
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [ sensitization - Category 1]		•	
EYE	EU - GHS (H-Statements)			- Causes seriou ge/eye irritation	s eye damage [Serious eye - Category 1]
SKI	EU - GHS (H-Statements)		H315 Categ		ritation [Skin corrosion/irritation -

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards. No health claims are made for this component.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-26 17:14:53
%: 0.0010 - 0.0100	GS: <b>BM-1</b>	RC: None NANO: No SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
PBT	EU - ESIS PBT	Under PBT evaluation
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
РВТ	EC - CEPA DSL Persistent, Bioaccumulative and inherently Tox to humans	
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
РВТ	EU - SVHC Authorisation List	PBT - Candidate list
РВТ	EU - SVHC Authorisation List	vPvB - Candidate list
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-08-26 17:14:54
%: 0.0005 - 0.0100	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
DEV	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
РНҮ	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

TITANIUM DIOXIDE COMPOUNDS (TITANIUM DIOXIDE COMPOUNDS)       ID: Not registered					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-08-26 17:14:54			
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	CA EPA - Prop 65	C	Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	МАК		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL GreenGuard Gold (HYDRO BAN)			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx? id=3595&t=cs	ISSUE DATE: 2009-07- 07	EXPIRY DATE: 2021- 12-09	CERTIFIER OR LAB: UL Environment	

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08- 12	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE	

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

LATICRETE® HYDRO BAN® meets Living Building Challenge v4.0 requirements, but it does contain a component which is found on the Red Listed Materials or Chemicals. Specifically, LATICRETE HYDRO BAN contains small amounts of Octamethylcyclotetrasiloxane (D4) (0.0018%) and 1,2-Benzisothiazolin-3-one (0.002%) as stated in Section 2 of this HPD. The amount of Octamethylcyclotetrasiloxane (D4) and 1,2-Benzisothiazolin-3-one (0.002%) are below the maximum threshold as stated in the LBC Small Component Clause.

## MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Director, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

• a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.