

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# MAPEI Corporation

1144 E Newport Center Drive, Deerfield Beach, FL, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m<sup>2</sup> per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m<sup>3</sup> and 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-IAQ-06041

Valid from: March 23, 2020 to March 22, 2021



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

## Certification Addendum

# MAPEI Corporation

Certification: Registration # SCS-IAQ-06041 | Valid from: March 23, 2020 to March 22, 2021

### Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m<sup>2</sup> per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m<sup>3</sup> and 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

#### Products: **Sealants:**

**Caulks:** Keracaulk S, Keracaulk U, Mapesil 3D, Mapesil T

**Cement Grouts:** Keracolor S, Keracolor U, Ultracolor Plus FA, Ultracolor Plus MAX

**Coatings and Sealers:** Elastocolor Primer WB, Mapefloor Finish 450, Mapefloor PU 400 LV, Planiseal LVB, Planiseal Traffic Coat, Primer SN, Primer SN Fast, Elastocolor Coat, Elastocolor Flex, Elastocolor Paint, Elastocolor Primer AR, Elastocolor Texture, Mapecrete Protector FF, Mapefinish Wet Look, Mapefloor Finish 415 NA, Mapefloor PU 400 FC, Planiseal HG, Planiseal Traffic Coat FS, Planiseal WR, Planiseal WR 100, Planiseal WR 40

**Construction Grouts:** Planigrout 712, Planigrout 728, Planigrout 740, Planigrout 755, Planigrout 830 SP

**Cure and Seals:** Mapecrete Film, Mapecure DR

**Epoxy Grouts:** Kerapoxy, Kerapoxy CQ, Kerapoxy IEG CQ

**Finishes:** Ultracare High Gloss Sealer & Finish, Ultracare Low Sheen Sealer & Finish

## Certification Addendum

# MAPEI Corporation

Certification: Registration # SCS-IAQ-06041 | Valid from: March 23, 2020 to March 22, 2021

### Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m<sup>2</sup> per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m<sup>3</sup> and 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

#### Products:

**Ready-to-Use Grouts and Mortar:** Flexcolor 3D, Flexcolor CQ, Premium Mortar

**Moisture Control:** Planiseal MSP, Planiseal PMB, Planiseal VS, Planiseal VS Fast, Planiseal MB

**Patching & Skimcoating Products:** Planitex UNS

**Problem Solvers:** Ultracare Grout Refresh, Ultracare Grout Release

**Sealants and Joint Fillers:** Mapeflex EMC-1, Mapeflex P1, Mapeflex P1 SL, Mapeflex P2 SL, Planibond JF, Planiseal RapidJoint 15

**Sealers:** Ultracare Enhancing Plus Stone Sealer, Ultracare Enhancing Stone Sealer, Ultracare Grout Maximizer, Ultracare Grout Sealer, Ultracare Penetrating Plus SB Stone & Porcelain Tile Sealer, Ultracare Penetrating Plus Stone Tile & Grout Sealer, Ultracare Penetrating SB Stone Tile & Grout Sealer, Ultracare Penetrating Stone Tile & Grout Sealer

**Subfloor Treatment Products:** Planiprep AR, Planiprep ET, Planiprep SA

## Certification Addendum

# MAPEI Corporation

Certification: Registration # SCS-IAQ-06041 | Valid from: March 23, 2020 to March 22, 2021

### Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m<sup>2</sup> per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m<sup>3</sup> and 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: **CRS Waterproofing:** Mapelastic, Planiseal 288, Planiseal 88, Planiseal Plug, Resfoam HB 45, Resfoam HL 35, Resfoam PF, Resfoam SS 75

**Waterproofing Membranes:** Mapelastic 315, Mapelastic AquaDefense, Mapelastic HPG, Mapelastic Smart, Mapelastic Turbo, Mapelastic Waterstop