Item Code and Description
    a.   01830-SS . . . Fold-up Support—adjustable leg (stainless steel)

General Product Description
    a.   a polished stainless steel, U-shaped bar with hinge that allows support to swing up and down
    b.   adjustable leg allows height variance to suit user
    c.   mount to a wall
    d.   install where no side wall is available for mounting a standard grab bar
    e.   commonly installed near a toilet to allow unhindered entry and exit while providing user nearby support

Physical Characteristics
    a.   made of stainless steel
    b.   bar diameter: $1\frac{1}{4}$"
    c.   overall projection from wall: $30\frac{3}{8}$"
    d.   mounting plate dimensions: $12\frac{3}{4}$" × 4"
    e.   range of height to top of bar: $26\frac{1}{2}$" to $34\frac{1}{4}$"
    f.   height adjustable in $\frac{3}{4}$" increments
    g.   color: polished stainless steel
    h.   supplied with toilet paper holder (fixed post)
    i.   installation hardware not included

Performance Characteristics
    a.   fold support up or down as needed
    b.   support engages a retaining clip to remain in the upright position
    c.   when folded upright, support allows unhindered access to a fixture (toilet, sink, or bathtub, for example)
    d.   when folded down, support provides a sturdy handhold for balance and leverage
    e.   typically installed where access flexibility is required and a wall is unavailable to position a grab bar
    f.   U-shape allows many options for gripping and leveraging support
    g.   rated for 440 lb. load when properly installed
    h.   installation requires substantial, well secured blocking in or on wall
    i.   use $\frac{1}{4}$" dia. fasteners to mount support to wall blocking (fastener type and length vary depending on wall materials, thickness of wall, and other factors); stainless steel fasteners recommended in wet area locations


Compliance
    a.   meets ICC/ANSI ASTM 117.1 standard
    b.   ADA compliant

Other Information
    a.   5-year limited warranty when installed in commercial settings
    b.   10-year limited warranty when installed in residential settings
    c.   see AKW warranty for details

30 3/8"

12 3/4"

4 1/2"

1 1/4"

26 1/2" to 34 1/4"

19 5/8" to 27 1/2"

Height adjusts
in 3/4" increments

**Mounting Bracket
(support removed for clarity)**

3"

7 1/4"

12 3/4"

4 1/2"

1/2"

4"