

# Single-Phase Dust Extractors

## DC 1800



This machine is particularly suitable for general cleaning and source extraction from handheld power tools (with suction casings up to Ø 125mm/5") and small table saws.

The DC 1800 is equipped with a container. A plastic bag can be used inside the container to facilitate the emptying of dust and other material.

### Part No DC 1800 50/60 Hz

101800	230V /50 Hz, EU
101801	230V /50 Hz Auto start*, EU
101808	230V /50 Hz, CH
101810	115V /50 Hz, UK
101820	230V /50 Hz, UK
101830	115V /60 Hz, US/CAN

\*) DC 1800 Autostart. Plug the handheld power tool into the power socket on the unit. Set the selector switch to the AUTO position. The dust extractor will start automatically when the power tool is started.



### Supplied with (Part No)

Suction hose (Ø38mm), 5 m (2111)  
 Suction hose, antistatic (Ø38/1.5"), 5 m/16 ft (2012)  
 UK/US/CAN models  
 Connecting sleeve (2115)  
 Coupling socket (2108)  
 Floor nozzle B370 /W17" (7235)  
 Suction pipe, steel, Ø38mm/1.5" (7257)  
 Plastic bag (42291)  
 Bag support frame (42369)  
 Fine filter, cellulose (42029)  
 HEPA H13 filter (42027)



### Technical data

H x W x L (cm/inch)	74x38x38 /29"x15"x15"
Weight	10 kg /22 lbs
Hose length	5 m /16 ft Ø38 mm /1.5"
Container	60 l /3.9 US gal
Flow at open inlet	190 m³/h /114cfm
Negative pressure, max 115/230V	21/24 kPa/ 84/96 inwg
Power consumption 115/230V	1285/1340 W
Sound level	68 dB(A)

## DC 1800 XL

The DC 1800 XL is especially suited for parquet grinding and other working operations that produce light dust. Suitable for general cleaning and source extraction from handheld power tools (with up to 5" suction casings) and small table saws. It is slim, lightweight and ideal for those that need a highly portable machine that is powerful enough for source extraction. Equipped with a steel container and a plastic bag used inside the container.

### Part No DC 1800 XL

101880	XL, 230V /50 Hz, EU
101881	XL, 230V /50 Hz, Auto start*, EU
101884	XL, 230V /50 Hz, UK
101885	XL, 115V /60 Hz, USA
101887	XL, 115V /60 Hz, CAN
101888	XL, 230V /50 Hz, CH



### Technical data

H x W x L (cm/inch)	74x38x38 /29"x15"x15"
Weight	10 kg /22 lbs
Hose length	5 m /16 ft Ø38 mm /1.5"
Container	60 l /3.9 US gal
Flow at open inlet	190 m³/h /114cfm
Negative pressure, max 115/230V	21/24 kPa/ 84/96 inwg
Power consumption 115/230V	1285/1340 W
Sound level	68 dB(A)