



**SECTION 1: Identification and Company Details**

**Product Name:** Roberts 7500 Vinyl Seam Sealer  
**Product Code:** 7500  
**Manufacturer/ Supplier:** Roberts Canada Ltd.  
**Address:** 34 Hansen Road S.  
Brampton, ON L6W 3H4  
**Phone:** (905) 791-4444 9am-5pm EST  
**Emergency Phone:** 1(888) 226-8832 (CANUTEC) 24 hour response  
**Recommended Use:** Adhesive

**SECTION 2: Hazard(s) Identification**

**OSHA/HCS status:** While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture:** This product is not classified as hazardous under GHS criteria.

**Signal Word:** No signal word

**SECTION 3: Composition / Information on Ingredients**

**Substance/mixture:** Mixture

	<u>Weight %</u>	<u>CAS #</u>
Titanium dioxide	≥0.3-<1%	13463-67-6

Any concentration shown as a range is to protect confidentially or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

**SECTION 4: First-Aid Measures**

**Inhalation:** Move victim to fresh air and keep at rest in a position comfortable for breathing. Consult physician if necessary.

**Skin Contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Consult physician if necessary.

**Eye Contact:** Flush with copious amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Consult physician if necessary.

**Ingestion:** Do not induce vomiting. Wash mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Consult physician.

**Note to Physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (Section 11)

**SECTION 5: Fire-Fighting Measures**

<b>Extinguishing Media:</b>	Use fire-extinguishing media appropriate for surrounding materials.
<b>Hazardous Combustion Products:</b>	No particular hazards known.
<b>Specific hazards arising from the Chemical:</b>	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal Decomposition products:</b>	Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Metal oxide/oxides
<b>Protection of Firefighters:</b>	Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.
<b>Special protective actions For firefighters:</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

## **SECTION 6: Accidental Release Measures**

<b>Personal Precautions:</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
<b>Emergency responders:</b>	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".
<b>Environmental precautions:</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<b>Methods of Clean-up:</b>	Small spillages stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Large spill stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **SECTION 7: Handling and Storage**

<b>Handling Precautions:</b>	Put on appropriate personal protective equipment (see Section 8). Do not eat, drink or smoke when using this product.
<b>Advice on general Occupational hygiene:</b>	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<b>Storage:</b>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**SECTION 8: Exposure Control / Personal Protection**

<b>Chemical Name / CAS No.</b>	<b>OSHA Exposure Limits</b>	<b>ACGIH Exposure Limits</b>	<b>Other Exposure Limits</b>
Titanium Dioxide/ 13463-67-7	15mg/m <sup>3</sup> TWA (total dust)	10mg/m <sup>3</sup> TWA	Not Established

**Appropriate engineering**

**Controls:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure

**Controls:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection Measures**

**Hygiene measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Hand protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**SECTION 9: Physical and Chemical Properties**

**Appearance:** liquid (paste)

**Odor:** Not available

**Relative Density:** 1.15

**Odor Threshold:** Not available

**Solubility:** Not available

**pH:** 5.5

**Melting Point:** 0°C (32°F)

**Freezing Point:** Not available

**Flash Point:** Not available

**Evaporation Rate:** Not available

**Viscosity:** Not available

**Flammability (Solid/Gas):** Not available

**Upper/Lower Flammability:** Not available

VOC Content: < 1 g/L  
 Vapor Pressure  
 (mmHg at 20c): Not available  
 Boiling Point: 100°C (212°F)

#### SECTION 10: Stability and Reactivity

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients  
**Chemical Stability:** Stable under normal temperature conditions and recommended use.  
**Conditions to Avoid:** No specific data  
**Materials to Avoid:** No specific data  
**Hazardous decomposition:** Under normal conditions of storage and use, hazardous decomposition products should not be produced

#### SECTION 11: Toxicological Information

##### Acute toxicity:

Product/Ingredient name	Result	Species	Dose	Exposure
Titanium dioxide	LD50	Rat	24000 mg/kg	-

##### Irritation/ Corrosion:

Product/Ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin- Mild Irritant	Human	-	72 hours 300 Micrograms Intermittent	-

##### Sensitization

**Mutagenicity** Not available

**Carcinogenicity** Not available

**Conclusion/Summary:** Titanium dioxide in free form (unbound) airborne and at particle size less than 10 microns is listed as a Group 2B, possibly carcinogenic to humans by IARC. Titanium dioxide used in this product is bounded and not considered equivalent to IARC condition as a carcinogen.

##### Classification:

Product/ingredient name	OSHA	IARC	NTP
Titanium dioxide	-	2B	-

**Reproductive toxicity:** Not available

**Teratogenicity:** Not available

**Specific target organ toxicity**

**Single exposure:** Not available

**Specific target organ toxicity**

**repeated exposure:** Not available

**Aspiration hazard:** Not available

**Potential acute health effects:** No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and**

**toxicological characteristics:** No specific data

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure:**

Potential immediate effects: Not available

Potential delayed effects: Not available

**Long term exposure:**

Potential immediate effects: Not available

Potential delayed effects: Not available

**Potential chronic health effects:****General :** No known significant effects or critical hazards.**Carcinogenicity :** No known significant effects or critical hazards.**Mutagenicity :** No known significant effects or critical hazards.**Teratogenicity :** No known significant effects or critical hazards.**Developmental effects :** No known significant effects or critical hazards.**Fertility effects :** No known significant effects or critical hazards.**Numerical measures of toxicity****Acute toxicity estimates:** Not available**SECTION 12: Ecological Information****Toxicity**

Product/ ingredient name	Result	Species	Exposure
Titanium dioxide	Acute EC50 5.83 mg/l Fresh water	Algae –Pseudokirchneriella subcapitata – Exponential growth phase	72 hours
	Acute LC50 3 mg/l Fresh water	Crustaceans – Ceriodaphnia dubia – Neonate	48 hours
	Acute LC50 5.5 ppm Fresh water	Daphnia – Daphnia magna – Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 2.19 mg/l Fresh water	Fish – Oryzias latipes - Larvae	96 hours
	Chronic NOEC 0.984 mg/l	Algae –Pseudokirchneriella subcapitata – Exponential growth phase	72 hours
	Chronic NOEC 0.02 mg/l Fresh water	Daphnia – Daphnia magna – Juvenile (Fledgling, Hatchling, Weanling)	21 days
	Chronic NOEC 0.1 mg/l Fresh water	Fish - Danio rerio - Adult	10 weeks

**Persistence****and degradability:** Not available**Bioaccumulative potential**

Product/ ingredient name	LogP <sub>ow</sub>	BCF	Potential
Titanium dioxide	-	352	low

**SECTION 13: Disposal Considerations****Disposal:**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### SECTION 14: Transport Information

**Road:** DOT Proper Shipping Name: **Non-Regulated**  
DOT Packing Group: N/A  
DOT Label: N/A

UN Number: N/A  
**Ocean:** Proper Shipping Name: **Non-Regulated**  
Sea – IMO/IMDG Class: N/A  
UN Number: N/A  
Label: N/A  
Packing Group: N/A  
Marine Pollutant: N/A  
EMS: N/A

**Air:** Proper Shipping Name: **Non-Regulated**  
Air – ICAO/IATA Class: N/A  
UN Number: N/A  
Label: N/A  
Sub Class: N/A  
Packing Group: N/A

Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### SECTION 15: Regulatory Information

**California Proposition 65:** **WARNING:** This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Titanium dioxide Silica, crystalline-quartz	Yes Yes	No No	No No	No No

U.S Federal regulations TSCA 8(a) PAIR: mequinol

United States Inventory

(TSCA 8b) All components are listed or exempted

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs): Not listed

Clean Air Act Section 602 Class I Substances :

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals): Not listed

SARA 302/304

No products were found

SARA 304 RQ: Not applicable

SARA 311/312 Classification: Not applicable

Composition/information on ingredients:

Name	%	Fire Hazard	Sudden release of pressure	reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Titanium dioxide	≥0.3 - <1	No	No	No	No	Yes

**State regulations:**

**Massachusetts:** None of the components are listed  
**New York:** None of the components are listed  
**New Jersey:** The following components are listed: Kaolin; titanium dioxide  
**Pennsylvania:** The following components are listed: Kaolin; titanium dioxide

**International lists:**

**National Inventory:**

**Australia:** Not determined  
**Canada:** At least one component is not listed in DSL but all such components are listed in NDSL  
**Europe:** Not determined

**SECTION 16: Other Information**

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

**HMIS RATING: HEALTH-1, FLAMMABILITY-1, REACTIVITY-0**

Prepared by: Roberts Consolidated Product Safety & Regulatory Compliance Group, (706) 277-5294

The information herein is given in good faith, but no warranty expressed or implied is made. Roberts Consolidated urges users of this product to evaluate its suitability and compliance with local regulations as Roberts Consolidated cannot foresee the final use of the product, nor the final location of usage.

Date of issue: 12/19/2017