



# Lifetime System Limited Warranty (United States and Canada)

DS-230.99-1120

**Globally Proven  
Construction Solutions**

APPLICATION	PRODUCTS
Underlayment	NXT® Primer NXT Level Plus
Floor Warming <sup>Δ</sup>	STRATA_HEAT™ Wire STRATA_HEAT STRATA_HEAT Thermal Packs ††4-XLT with STRATA_HEAT Thermal Packs
Waterproofing/ Anti-Fracture	HYDRO BAN® 9235 Waterproofing Membrane
Waterproofing	HYDRO BAN Sheet Membrane HYDRO BAN Quick Cure
Shower System	HYDRO BAN Pre-Sloped Shower Pan (and applicable accessories) HYDRO BAN Linear Pre-Sloped Shower Pan (and applicable accessories) HYDRO BAN Shower & HYDRO BAN Shower Kits (and applicable accessories) HYDRO BAN Linear Drain (and applicable accessories) HYDRO BAN Bonding Flange Drain (and applicable accessories) HYDRO BAN Board (and applicable accessories) 4-XLT <sup>Δ</sup>
Uncoupling	STRATA_MAT™ STRATA_MAT XT
Substrate Primer	PRIME-N-BOND™
Thick Bed Mortar	3701 Fortified Mortar Bed 3701 Lite Mortar OR 3701 Lite Mortar R Quick Cure Mortar Bed
Slurry Bond Coat	254 Platinum 257 TITANIUM™
Thin Bed Method	254 Platinum (regular or rapid version) 257 TITANIUM LATAPOXY® 300 Adhesive OR BIOGREEN™ 300
Large, Heavy Tile Method	MULTIMAX™ Lite
Grout	SPECTRALOCK® PRO Premium Grout SPECTRALOCK PRO Grout SPECTRALOCK 1 Pre-Mixed Grout PERMACOLOR® Select
Sealant†	LATASIL™ LATASIL 9118 Primer

† Use of suitable flexible sealant is required per Tile Council of North America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces.

Δ 4-XLT for use to install HYDRO BAN® Pre-Sloped Shower Pans to substrate only.

^ Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE warrants parts and materials for one (1) year from the date of purchase. The sole remedy for the Floor Warming Thermostats and STRATA\_HEAT Thermostats is product replacement (see Data Sheet 230.13 for full details on the LATICRETE® Product Limited Warranty).

††4-XLT with STRATA\_MAT Thermal Packs when used as a large & heavy tile adhesive mortar.

## LIMITED WARRANTY

Subject to the conditions and limitations stated in this limited warranty statement (this “Limited Warranty”), LATICRETE INTERNATIONAL, INC. (“LATICRETE”) warrants that the LATICRETE® products listed on this document (“Products”) will be free from manufacturing defects and will not break down or deteriorate under normal usage when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. For this Limited Warranty to apply, all of the applications that comprise the installation must be performed exclusively with one or more of the Products listed in this document for each application (refer to chart above). This Limited Warranty can also be found online at <https://laticrete.com/en/support-and-downloads/product-support/warranties>. LATICRETE’S responsibility for defective Products is limited to repair or replacement as described below in this Limited Warranty.

## NO ASSIGNMENT; SCOPE OF COVERAGE

LATICRETE extends this Limited Warranty only to the original purchaser of the Product (“you”) and only for the duration of the Warranty Period. This Limited Warranty is not transferable or assignable. It does not extend to any subsequent owner or other transferee of the Product, and therefore there shall be no third party beneficiary to this Limited Warranty. If you purchased your Product from LATICRETE, you may obtain coverage under this Limited Warranty. AS TO ALL OTHERS, LATICRETE MAKES NO AND HEREBY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, COVENANTS, AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE PRODUCTS, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OF THE PRODUCT FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, WHETHER ARISING FROM STATUTE, COMMON LAW, CUSTOM OR OTHERWISE.

## WARRANTY PERIOD

This Limited Warranty starts on the date of your purchase of the Product and lasts for the life of the installation (the “Warranty Period”). The Warranty Period is not extended if LATICRETE repairs or replaces your Product. LATICRETE may change the availability of this Limited Warranty at its discretion, but any changes will not be retroactive.

## DISCLAIMER

**FOR COMMERCIAL CUSTOMERS (INCLUDING SMALL, MEDIUM, AND LARGE BUSINESSES, PROFESSIONAL INSTALLERS, AND GOVERNMENT AND PUBLIC SECTOR CUSTOMERS) AND RESELLERS:** This paragraph only applies to you if you purchase Products from LATICRETE for resale or for commercial or professional purposes. LATICRETE’S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT’S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. EXCEPT FOR THE LIMITED WARRANTY EXPRESSLY STATED ABOVE FOR LATICRETE PRODUCTS, LATICRETE PROVIDES NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OR CONDITION (1) OF MERCHANTABILITY, MERCHANTABILITY QUALITY, FITNESS FOR A PARTICULAR PURPOSE, PERFORMANCE, SUITABILITY OR NONINFRINGEMENT; (2) RELATING TO ANY THIRD-PARTY PRODUCT; OR (3) REGARDING THE RESULTS TO BE OBTAINED FROM THE PRODUCT. LATICRETE EXPRESSLY DISCLAIMS ALL WARRANTIES AND CONDITIONS NOT STATED IN THIS LIMITED WARRANTY.



# Lifetime System Limited Warranty (United States and Canada)

DS-230.99-1120

**Globally Proven  
Construction Solutions**

**FOR CONSUMERS:** This paragraph applies to you only if you purchase Products from LATICRETE that are normally used for personal, family or household purposes other than for resale, or for commercial or professional use. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. LATICRETE LIMITS THE DURATION AND REMEDIES OF ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE WARRANTY PERIOD HAS EXPIRED. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

## LIMITATION OF LIABILITY

THE REMEDIES DESCRIBED BELOW IN THE "EXCLUSIVE REMEDY" SECTION BELOW ARE YOUR SOLE AND EXCLUSIVE REMEDIES, AND LATICRETE'S ENTIRE LIABILITY, FOR ANY BREACH OF THIS LIMITED WARRANTY. LATICRETE'S LIABILITY SHALL, UNDER NO CIRCUMSTANCES, EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL LATICRETE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT.

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

## EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this Limited Warranty is replacement of only the specific portion of the installation that is proven to be defective. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, provided that LATICRETE will not pay more for the replacement than the original purchase price of the portion being replaced as calculated on a square-foot (or, if applicable, square-meter) basis. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective.

In the event that the sole and exclusive remedy described above fails of its essential purpose, the liability of LATICRETE is limited to the

monetary value, on a square-foot (or, if applicable, square-meter) basis, of the original purchase price of the portion being replaced.

## EXCLUSIONS

This Limited Warranty does not cover any damage due to (a) transportation; (b) storage; (c) improper use; (d) failure to follow LATICRETE's Product instructions and industry standard guidelines; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions beyond LATICRETE's reasonable control, including cracking due to structural movement, excessive deflection or other failure in the substrate.

This Limited Warranty excludes any Products used in any submerged, industrial and exterior applications. Please refer to individual product data sheets available at <https://laticrete.com/en/support-and-downloads/product-support/data-sheets> for specific guidelines.

This Limited Warranty also excludes any Products used in any exterior facades with ceramic tile, stone, adhered masonry veneer, or thin brick installed over substrates with steel or wood framing - see Data Sheet 230.15 for such applications.

This Limited Warranty does not apply to the Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE – please see Data Sheet 230.13 for full details on the LATICRETE warranty terms that apply to these products.

**\*\*Note:** Efflorescence is a normal condition of Portland cement mortars and is not a defective condition.

## HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.

### Address your claim to:

LATICRETE International, Inc.  
1 LATICRETE Park North  
Bethany, CT 06524-3423 USA  
Attn.: Technical Services Department

## SEVERABILITY

If any portion of this Limited Warranty is held to be illegal or unenforceable, such partial illegality or unenforceability shall not affect the enforceability of the remainder of the Limited Warranty.



# Lifetime System Limited Warranty (United States and Canada)

DS-230.99-1120

**Globally Proven  
Construction Solutions**

---

## TECHNICAL INFORMATION

Technical assistance and information are available by calling the

### LATICRETE Technical Services Line:

Toll Free: 1.800.243.4788, ext. 1235

Telephone: +1.203.393.0010, ext. 1235

Fax: +1.203.393.1948

Web: [www.laticrete.com](http://www.laticrete.com)

Data Sheets are subject to change without notice. For the latest versions of Data Sheets, please visit our website.

---

**LATICRETE International, Inc.**

One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ [www.laticrete.com](http://www.laticrete.com)

©2020 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.



# 15 Year System Warranty

## For Steel or Wood Framed Exterior Facades (United States and Canada)

DS-230.15-0720

### Globally Proven Construction Solutions

APPLICATION	PRODUCTS
Exterior Veneer Waterproofing/ Anti-Fracture	MVIS™ Air & Water Barrier
Waterproofing/Flashing Mortar	LATAPOXY® Waterproof Flashing Mortar
Thick Bed	MVIS Premium Mortar Bed MVIS Lite Mortar Bed 3701 Fortified Mortar Bed 3701 Lite Mortar Bed
Adhesive Method / Thin Bed Method	MVIS Hi-Bond Veneer Mortar MVIS Veneer Mortar MVIS Thin Brick Mortar MVIS Lightweight Mortar 257 TITANIUM™ 254 Platinum
Large and Heavy Tile Method	MULTIMAX™ Lite
Pointing / Grouting	MVIS Premium Pointing Mortar MVIS Pointing Mortar PERMACOLOR® Grout PERMACOLOR Select
Sealant†	LATASIL™ LATASIL 9118 Primer

† Use of suitable flexible sealant is required per Tile Council of America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces.

#### LIMITED WARRANTY

This limited warranty applies to LATICRETE® System products that are used for steel or wood framed exterior facade installations with ceramic tile, stone, thin brick or adhered masonry veneers.

Subject to the conditions and limitations stated below, LATICRETE International, Inc. ("LATICRETE") warrants that the products listed on this document will be free from manufacturing defects and will not break down or deteriorate under normal usage for a period of fifteen (15) years from the date of purchase when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. For this limited warranty to apply, the applications that comprise the installation must be performed with the products listed in this document for each application (refer to chart). Please refer to individual product data sheets for specific guidelines.

Substrate deflection under all live, dead and impact loads, including concentrated loads, must not exceed L/600 where L=span length. Applications must not exceed 30 ft (9.1 m) in height or 25,000 ft<sup>2</sup> (2,250 m<sup>2</sup>) in area. Installations must conform to all applicable building codes including the International Building Code (IBC) and International Residential Code (IRC) requirements.

#### DISCLAIMER

THIS LIMITED WARRANTY IS GIVEN IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES BASED ON SAMPLES

OR ORAL STATEMENTS, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE OF THIS DOCUMENT. IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED.

#### EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this limited warranty is replacement of only the specific portion of the installation that is proven to be defective\*. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, but LATICRETE will not pay more, calculated on a square-foot (square-meter) basis, for the replacement than the original purchase price of the portion being replaced. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective.

In the event that the sole and exclusive remedy described above fails of its essential purpose, the liability of LATICRETE is limited to the monetary value, on a square-foot (square-meter) basis, of the original purchase price of the portion being replaced.

\* NOTE: Efflorescence is a normal condition of portland cement mortars and is not a defective condition.

#### EXCLUSIONS

LATICRETE is not responsible for workmanship not in accordance with the instructions of LATICRETE and industry standard guidelines. Cracking due to structural movement, excessive deflection or other failure in the substrate is also not covered.

LATICRETE IS NOT LIABLE FOR ANY INCIDENTAL DAMAGES OR CONSEQUENTIAL DAMAGES, INCLUDING LOSSES DUE TO DELAYS, INCURRED BY THE PURCHASER OR ANY OTHER PARTY.

#### NO ASSIGNMENT

This limited warranty is not transferable or assignable.

#### HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.

#### Address your claim to:

LATICRETE International, Inc.  
1 LATICRETE Park North  
Bethany, CT 06524-3423 USA  
Attn.: Technical Services Department

#### TECHNICAL INFORMATION

Technical assistance and information is available by calling the LATICRETE

#### Technical Services Line:

Toll Free: 1.800.243.4788, ext. 235  
Telephone: +1.203.393.0010, ext. 235  
Fax: +1.203.393.1948

#### LATICRETE International, Inc.

One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ www.laticrete.com  
©2020 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.



# Product Limited Warranty

DS-230.13-1120

## Globally Proven Construction Solutions

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

### LIMITED WARRANTY

Subject to the conditions and limitations stated in this limited warranty statement (this "Limited Warranty"), LATICRETE INTERNATIONAL, INC. ("LATICRETE") warrants that the LATICRETE products ("Products") will be free from manufacturing defects and will not break down or deteriorate under normal usage when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. This Limited Warranty can also be found online at <https://laticrete.com/en/support-and-downloads/product-support/warranties>. LATICRETE'S responsibility for defective Products is limited to repair or replacement as described below in this Limited Warranty.

### NO ASSIGNMENT; SCOPE OF COVERAGE

LATICRETE extends this Limited Warranty only to the original purchaser of the Product ("you") and only for the duration of the Warranty Period. This Limited Warranty is not transferable or assignable. It does not extend to any subsequent owner or other transferee of the Product, and therefore there shall be no third party beneficiary to this Limited Warranty. If you purchased your Product from LATICRETE, you may obtain coverage under this Limited Warranty. AS TO ALL OTHERS, LATICRETE MAKES NO AND HEREBY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, COVENANTS, AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE PRODUCTS, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OF THE PRODUCT FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, WHETHER ARISING FROM STATUTE, COMMON LAW, CUSTOM OR OTHERWISE.

### WARRANTY PERIOD

This Limited Warranty starts on the date of your purchase of the Product and lasts for one (1) year (the "Warranty Period"). The Warranty Period is not extended if LATICRETE repairs or replaces your Product. LATICRETE may change the availability of this Limited Warranty at its discretion, but any changes will not be retroactive.

### DISCLAIMER

**FOR COMMERCIAL CUSTOMERS (INCLUDING SMALL, MEDIUM, AND LARGE BUSINESSES, PROFESSIONAL INSTALLERS, AND GOVERNMENT AND PUBLIC SECTOR CUSTOMERS) AND RESELLERS:** This paragraph only applies to you if you purchase

Products from LATICRETE for resale or for commercial or professional purposes. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. EXCEPT FOR THE LIMITED WARRANTY EXPRESSLY STATED ABOVE FOR LATICRETE PRODUCTS, LATICRETE PROVIDES NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OR CONDITION (1) OF MERCHANTABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, PERFORMANCE, SUITABILITY OR NONINFRINGEMENT; (2) RELATING TO ANY THIRD-PARTY PRODUCT; OR (3) REGARDING THE RESULTS TO BE OBTAINED FROM THE PRODUCT. LATICRETE EXPRESSLY DISCLAIMS ALL WARRANTIES AND CONDITIONS NOT STATED IN THIS LIMITED WARRANTY.

**FOR CONSUMERS:** This paragraph applies to you only if you purchase Products from LATICRETE that are normally used for personal, family or household purposes other than for resale, or for commercial or professional use. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. LATICRETE LIMITS THE DURATION AND REMEDIES OF ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE WARRANTY PERIOD HAS EXPIRED. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

### LIMITATION OF LIABILITY

THE REMEDIES DESCRIBED BELOW IN THE "EXCLUSIVE REMEDY" SECTION BELOW ARE YOUR SOLE AND EXCLUSIVE REMEDIES, AND LATICRETE'S ENTIRE LIABILITY, FOR ANY BREACH OF THIS LIMITED WARRANTY. LATICRETE'S LIABILITY SHALL UNDER NO CIRCUMSTANCES EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL LATICRETE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT.





# Product Limited Warranty

DS-230.13-1120

## Globally Proven Construction Solutions

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

### LATICRETE International, Inc.

One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ [www.laticrete.com](http://www.laticrete.com)  
©2020 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.

### EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this Limited Warranty is repair or replacement of the Product (or part thereof) that is proven to be defective. LATICRETE will also pay for shipping and handling fees to return the repaired or replacement Product to you.

### EXCLUSIONS

This Limited Warranty does not cover any damage due to (a) transportation; (b) storage; (c) improper use; (d) failure to follow LATICRETE's Product instructions and industry standard guidelines; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions beyond LATICRETE's reasonable control, including cracking due to structural movement, excessive deflection or other failure in the substrate.

**\*\*Note:** *Efflorescence is a normal condition of Portland cement mortars and is not a defective condition.*

### HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.

#### Address your claim to:

LATICRETE International, Inc.  
1 LATICRETE Park North  
Bethany, CT 06524-3423 USA  
Attn.: Technical Services Department

### SEVERABILITY

If any portion of this Limited Warranty is held to be illegal or unenforceable, such partial illegality or unenforceability shall not affect the enforceability of the remainder of the Limited Warranty.

### TECHNICAL INFORMATION

Technical assistance and information are available by calling the LATICRETE **Technical Services Line:**

Toll Free: 1.800.243.4788, ext. 1235  
Telephone: +1.203.393.0010, ext. 1235  
Fax: +1.203.393.1948  
Web: [www.laticrete.com](http://www.laticrete.com)

Data Sheets are subject to change without notice. For the latest versions of Data Sheets, please visit our website.



# 10 Year System Limited Warranty (United States and Canada)

DS-230.10-1120

**Globally Proven  
Construction Solutions**

APPLICATION	PRODUCTS
Underlayment	NXT® LEVEL SUPERCAP® SC500 SUPERCAP SC500 LW
Primer	NXT PRIMER SUPERCAP Primer Plus PRIME-N-BOND™
Floor Warming <sup>^</sup>	STRATA_HEAT™ Wire STRATA_HEAT STRATA_HEAT Thermal Packs
Vapor Reduction	VAPOR BAN™ Primer ER NXT Vapor Reduction Coating SUPERCAP Moisture Vapor Control
Waterproofing/ Anti-Fracture	HYDRO BAN® 9235 Waterproofing Membrane
Waterproofing	HYDRO BAN Sheet Membrane LATAPOXY® Waterproof Flashing Mortar
Shower System	HYDRO BAN Pre-Sloped Shower Pan (and applicable accessories) HYDRO BAN Linear Pre-Sloped Shower Pan (and applicable accessories) HYDRO BAN Shower & Shower Kits (and applicable accessories) HYDRO BAN Linear Drain (and applicable accessories) HYDRO BAN Bonding Flange Drain (and applicable accessories) HYDRO BAN™ Board (and applicable accessories) 4-XLT <sup>Δ</sup>
Sound Control/Anti-Fracture	170.3 OR 170.5 Sound & Crack Isolation Mat 125 TRI MAX®
Uncoupling	STRATA_MAT™ STRATA_MAT XT
Thick Bed Method	209 Floor Mud mixed with 3701 Mortar Admix
Slurry Bond Coat	254 Platinum 257 TITANIUM™
Thin Bed Method	253 Gold (regular or rapid version) 4-XLT (regular or rapid version) LATICRETE® SELECT-BOND™ (+ Non Sag OR Rapid Kit)
Large, Heavy Tile Method	4-XLT (regular or rapid version)
Grouting	SPECTRALOCK® PRO Premium Grout SPECTRALOCK PRO Grout SPECTRALOCK 1 PERMACOLOR® Grout PERMACOLOR Select
Sealant†	LATASIL™ LATASIL 9118 Primer

† Use of suitable flexible sealant is required per Tile Council of North America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces.

Δ When used to install HYDRO BAN® Pre-Sloped Shower Pan to subfloor only.

<sup>^</sup> Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE warrants parts and materials for one (1) year from the date of purchase. The sole remedy for the Floor Warming Thermostats and STRATA\_HEAT Thermostats is product replacement (see Data Sheet 230.13 for full details on the LATICRETE Product Limited Warranty).

## LIMITED WARRANTY

Subject to the conditions and limitations stated in this limited warranty statement (this “Limited Warranty”), LATICRETE INTERNATIONAL, INC. (“LATICRETE”) warrants that the LATICRETE® products listed on this document (“Products”) will be free from manufacturing defects and will not break down or deteriorate under normal usage when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. For this Limited Warranty to apply, all of the applications that comprise the installation must be performed exclusively with one or more of the Products listed in this document for each application (refer to chart above). This Limited Warranty can also be found online at <https://laticrete.com/en/support-and-downloads/product-support/warranties>.

LATICRETE’S responsibility for defective Products is limited to repair or replacement as described below in this Limited Warranty.

## NO ASSIGNMENT; SCOPE OF COVERAGE

LATICRETE extends this Limited Warranty only to the original purchaser of the Product (“you”) and only for the duration of the Warranty Period. This Limited Warranty is not transferable or assignable. It does not extend to any subsequent owner or other transferee of the Product, and therefore there shall be no third party beneficiary to this Limited Warranty. If you purchased your Product from LATICRETE, you may obtain coverage under this Limited Warranty. AS TO ALL OTHERS, LATICRETE MAKES NO AND HEREBY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, COVENANTS, AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE PRODUCTS, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OF THE PRODUCT FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, WHETHER ARISING FROM STATUTE, COMMON LAW, CUSTOM OR OTHERWISE.

## WARRANTY PERIOD

This Limited Warranty starts on the date of your purchase of the Product and lasts for ten (10) years (the “Warranty Period”). The Warranty Period is not extended if LATICRETE repairs or replaces your Product. LATICRETE may change the availability of this Limited Warranty at its discretion, but any changes will not be retroactive.

## DISCLAIMER

**FOR COMMERCIAL CUSTOMERS (INCLUDING SMALL, MEDIUM, AND LARGE BUSINESSES, PROFESSIONAL INSTALLERS, AND GOVERNMENT AND PUBLIC SECTOR CUSTOMERS) AND RESELLERS:** This paragraph only applies to you if you purchase Products from LATICRETE for resale or for commercial or professional purposes. LATICRETE’S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT’S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. EXCEPT FOR THE LIMITED WARRANTY EXPRESSLY STATED ABOVE FOR LATICRETE PRODUCTS, LATICRETE PROVIDES NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OR CONDITION (1) OF MERCHANTABILITY, MERCHANTABILITY, PERFORMANCE, SUITABILITY OR NONINFRINGEMENT; (2) RELATING TO ANY THIRD-PARTY PRODUCT; OR (3) REGARDING THE RESULTS TO BE OBTAINED FROM THE PRODUCT. LATICRETE EXPRESSLY DISCLAIMS ALL WARRANTIES AND CONDITIONS NOT STATED IN THIS LIMITED WARRANTY.

**FOR CONSUMERS:** This paragraph applies to you only if you purchase Products from LATICRETE that are normally used for personal, family or household purposes other than for resale, or for commercial or professional use. THIS LIMITED WARRANTY GIVES



# 10 Year System Limited Warranty (United States and Canada)

DS-230.10-1120

## Globally Proven Construction Solutions

YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. LATICRETE LIMITS THE DURATION AND REMEDIES OF ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE WARRANTY PERIOD HAS EXPIRED. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

### LIMITATION OF LIABILITY

THE REMEDIES DESCRIBED BELOW IN THE "EXCLUSIVE REMEDY" SECTION BELOW ARE YOUR SOLE AND EXCLUSIVE REMEDIES, AND LATICRETE'S ENTIRE LIABILITY, FOR ANY BREACH OF THIS LIMITED WARRANTY. LATICRETE'S LIABILITY SHALL, UNDER NO CIRCUMSTANCES, EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL LATICRETE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT.

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

### EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this Limited Warranty is replacement of only the specific portion of the installation that is proven to be defective. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, provided that LATICRETE will not pay more for the replacement than the original purchase price of the portion being replaced as calculated on a square-foot (or, if applicable, square-meter) basis. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective.

In the event that the sole and exclusive remedy described above fails of its essential purpose, the liability of LATICRETE is limited to the monetary value, on a square-foot (or, if applicable, square-meter) basis, of the original purchase price of the portion being replaced.

### EXCLUSIONS

This Limited Warranty does not cover any damage due to (a) transportation; (b) storage; (c) improper use; (d) failure to follow

LATICRETE's Product instructions and industry standard guidelines; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions beyond LATICRETE's reasonable control, including cracking due to structural movement, excessive deflection or other failure in the substrate.

This Limited Warranty excludes any Products used in any submerged and industrial applications. Please refer to individual product data sheets available at <https://laticrete.com/en/support-and-downloads/product-support/data-sheets> for specific guidelines.

This Limited Warranty also excludes any Products used in any exterior facades with ceramic tile, stone, adhered masonry veneer, or thin brick installed over substrates with steel or wood framing - see Data Sheet 230.15 for such applications.

This Limited Warranty does not apply to the Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE – please see Data Sheet 230.13 for full details on the LATICRETE warranty terms that apply to these products.

**\*\*Note:** Efflorescence is a normal condition of Portland cement mortars and is not a defective condition.

### HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.

#### Address your claim to:

LATICRETE International, Inc.  
1 LATICRETE Park North  
Bethany, CT 06524-3423 USA  
Attn.: Technical Services Department

### SEVERABILITY

If any portion of this Limited Warranty is held to be illegal or unenforceable, such partial illegality or unenforceability shall not affect the enforceability of the remainder of the Limited Warranty.

### TECHNICAL INFORMATION

Technical assistance and information are available by calling the LATICRETE Technical Services Line:

Toll Free: 1.800.243.4788, ext. 1235  
Telephone: +1.203.393.0010, ext. 1235  
Fax: +1.203.393.1948  
Web: [www.laticrete.com](http://www.laticrete.com)

Data Sheets are subject to change without notice. For the latest versions of Data Sheets, please visit our website.

LATICRETE International, Inc.

One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ [www.laticrete.com](http://www.laticrete.com)

©2020 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.





# 5 Year System Limited Warranty (United States and Canada)

DS-230.05-1120

**Globally Proven  
Construction Solutions**

APPLICATION	PRODUCTS
Underlayment	NXT® LEVEL Flow SUPERCAP® SC500 SUPERCAP SC500 LW
Primer	NXT PRIMER SUPERCAP Primer Plus PRIME-N-BOND™
Floor Warming <sup>^</sup>	STRATA_HEAT™ Mat (Mat Only) STRATA_HEAT Wire (Wire Only)
Vapor Reduction	VAPOR BAN™ Primer ER NXT Vapor Reduction Coating SUPERCAP Moisture Vapor Control
Waterproofing	LATAPOXY® Waterproof Flashing Mortar
Waterproofing / Anti-Fracture	HYDRO BARRIER™
Sound Control	170.3 OR 170.5 Sound & Crack Isolation Mat
Anti-Fracture	FRACTURE BAN™ SC
Uncoupling	STRATA_MAT™ STRATA_MAT XT
Thick Bed Method	209 Floor Mud
Large and Heavy Tile Method	LHT™ LHT Plus
Slurry Bond Coat	254 Platinum
Thin Bed Method	LATICRETE® SELECT-BOND™ (no kits) 252 Silver 333 Flexible Additive mixed with 317
Grouting	PERMACOLOR® Grout PERMACOLOR Select
Sealant <sup>†</sup>	LATASIL™ LATASIL 9118 Primer

† Use of suitable flexible sealant is required per Tile Council of North America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces. \* Available in markets outside of the United States of America and Canada.

<sup>^</sup> Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE warrants parts and materials for one (1) year from the date of purchase. The sole remedy for the Floor Warming Thermostats and STRATA\_HEAT Thermostats is product replacement (see Data Sheet 230.13 for full details on the LATICRETE® Product Limited Warranty).

## LIMITED WARRANTY

Subject to the conditions and limitations stated in this limited warranty statement (this "Limited Warranty"), LATICRETE INTERNATIONAL, INC. ("LATICRETE") warrants that the LATICRETE® products listed on this document ("Products") will be free from manufacturing defects and will not break down or deteriorate under normal usage when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. For this Limited Warranty to apply, all of the applications that comprise the installation must be performed exclusively with one or more of the Products listed in this document for each application (refer to chart above). This Limited Warranty can also be found online at <https://laticrete.com/en/support-and-downloads/product-support/warranties>. LATICRETE'S responsibility for defective Products is limited to repair or replacement as described below in this Limited Warranty.

## NO ASSIGNMENT; SCOPE OF COVERAGE

LATICRETE extends this Limited Warranty only to the original purchaser of the Product ("you") and only for the duration of the Warranty Period. This Limited Warranty is not transferable or assignable. It does not extend to any subsequent owner or other transferee of the Product, and therefore there shall be no third party beneficiary to this Limited Warranty. If you purchased your Product

from LATICRETE, you may obtain coverage under this Limited Warranty. AS TO ALL OTHERS, LATICRETE MAKES NO AND HEREBY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, COVENANTS, AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE PRODUCTS, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OF THE PRODUCT FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT, WHETHER ARISING FROM STATUTE, COMMON LAW, CUSTOM OR OTHERWISE.

## WARRANTY PERIOD

This Limited Warranty starts on the date of your purchase of the Product and lasts for five (5) years (the "Warranty Period"). The Warranty Period is not extended if LATICRETE repairs or replaces your Product. LATICRETE may change the availability of this Limited Warranty at its discretion, but any changes will not be retroactive.

## DISCLAIMER

**FOR COMMERCIAL CUSTOMERS (INCLUDING SMALL, MEDIUM, AND LARGE BUSINESSES, PROFESSIONAL INSTALLERS, AND GOVERNMENT AND PUBLIC SECTOR CUSTOMERS) AND RESELLERS:** This paragraph only applies to you if you purchase Products from LATICRETE for resale or for commercial or professional purposes. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. EXCEPT FOR THE LIMITED WARRANTY EXPRESSLY STATED ABOVE FOR LATICRETE PRODUCTS, LATICRETE PROVIDES NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OR CONDITION (1) OF MERCHANTABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, PERFORMANCE, SUITABILITY OR NON-INFRINGEMENT; (2) RELATING TO ANY THIRD-PARTY PRODUCT; OR (3) REGARDING THE RESULTS TO BE OBTAINED FROM THE PRODUCT. LATICRETE EXPRESSLY DISCLAIMS ALL WARRANTIES AND CONDITIONS NOT STATED IN THIS LIMITED WARRANTY.

**FOR CONSUMERS:** This paragraph applies to you only if you purchase Products from LATICRETE that are normally used for personal, family or household purposes other than for resale, or for commercial or professional use. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR



# 5 Year System Limited Warranty (United States and Canada)

DS-230.05-1120

**Globally Proven  
Construction Solutions**

AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. LATICRETE LIMITS THE DURATION AND REMEDIES OF ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE WARRANTY PERIOD HAS EXPIRED. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

## LIMITATION OF LIABILITY

THE REMEDIES DESCRIBED BELOW IN THE "EXCLUSIVE REMEDY" SECTION BELOW ARE YOUR SOLE AND EXCLUSIVE REMEDIES, AND LATICRETE'S ENTIRE LIABILITY, FOR ANY BREACH OF THIS LIMITED WARRANTY. LATICRETE'S LIABILITY SHALL, UNDER NO CIRCUMSTANCES, EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL LATICRETE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT.

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

## EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this Limited Warranty is replacement of only the specific portion of the installation that is proven to be defective. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, provided that LATICRETE will not pay more for the replacement than the original purchase price of the portion being replaced as calculated on a square-foot (or, if applicable, square-meter) basis. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective.

In the event that the sole and exclusive remedy described above fails of its essential purpose, the liability of LATICRETE is limited to the monetary value, on a square-foot (or, if applicable, square-meter) basis, of the original purchase price of the portion being replaced.

## EXCLUSIONS

This Limited Warranty does not cover any damage due to (a) transportation; (b) storage; (c) improper use; (d) failure to follow LATICRETE's Product instructions and industry standard guidelines; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions beyond LATICRETE's reasonable control, including cracking due to structural movement, excessive deflection or other failure in the substrate.

This Limited Warranty excludes any Products used in any submerged, industrial and exterior applications. Please refer to individual product data sheets available at <https://laticrete.com/en/support-and-downloads/product-support/data-sheets> for specific guidelines.

This Limited Warranty also excludes any Products used in any exterior facades with ceramic tile, stone, adhered masonry veneer, or thin brick installed over substrates with steel or wood framing - see Data Sheet 230.15 for such applications.

This Limited Warranty does not apply to the Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE – please see Data Sheet 230.13 for full details on the LATICRETE warranty terms that apply to these products.

**\*\*Note:** Efflorescence is a normal condition of Portland cement mortars and is not a defective condition.

## HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.

### Address your claim to:

LATICRETE International, Inc.  
1 LATICRETE Park North  
Bethany, CT 06524-3423 USA  
Attn.: Technical Services Department

## SEVERABILITY

If any portion of this Limited Warranty is held to be illegal or unenforceable, such partial illegality or unenforceability shall not affect the enforceability of the remainder of the Limited Warranty.

## TECHNICAL INFORMATION

Technical assistance and information are available by calling the LATICRETE Technical Services Line:

Toll Free: 1.800.243.4788, ext. 1235  
Telephone: +1.203.393.0010, ext. 1235  
Fax: +1.203.393.1948  
Web: [www.laticrete.com](http://www.laticrete.com)

Data Sheets are subject to change without notice. For the latest versions of Data Sheets, please visit our website.

LATICRETE International, Inc.

One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ [www.laticrete.com](http://www.laticrete.com)  
©2020 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.



# 25 Year System Limited Warranty (United States and Canada)

® DS-025.0-1120

**Globally Proven  
Construction Solutions**

APPLICATION	PRODUCTS
Underlayment	NXT® LEVEL PLUS SUPERCAP® SC500 Plus
Primer	NXT PRIMER SUPERCAP Primer Plus PRIME-N-BOND™
Floor Warming <sup>Δ</sup>	STRATA_HEAT™ Wire STRATA_HEAT STRATA_HEAT Thermal Packs ††4-XLT with STRATA_HEAT Thermal Packs
Vapor Reduction	VAPOR BAN™ Primer ER NXT Vapor Reduction Coating SUPERCAP Moisture Vapor Control
Waterproofing/ Anti-Fracture	HYDRO BAN® 9235 Waterproofing Membrane HYDRO BAN Cementitious Waterproofing Membrane
Exterior Veneer Waterproofing / Anti- Fracture Membrane	MVIS™ Air & Water Barrier LATAPOXY® Waterproof Flashing Mortar
Waterproofing	HYDRO BAN Sheet Membrane LATAPOXY Waterproof Flashing Mortar HYDRO BAN Quick Cure
Shower System	HYDRO BAN Pre-Sloped Shower Pan (and applicable accessories) HYDRO BAN Linear Pre-Sloped Shower Pan (and applicable accessories) HYDRO BAN Shower & HYDRO BAN Shower Kits HYDRO BAN Linear Drain (and applicable accessories) HYDRO BAN Bonding Flange Drain (and applicable accessories) HYDRO BAN Board (and applicable accessories) 4-XLT <sup>Δ</sup>
Sound Control/ Anti-Fracture	125 TRI MAX® 170.3 OR 170.5 Sound & Crack Isolation Mat FRACTURE BAN™ 40 OR 90 FRACTURE BAN Primer
Plaza & Deck	Plaza and Deck System
Uncoupling	STRATA_MAT™ STRATA_MAT XT
Thick Bed Method	3701 Fortified Mortar Bed MVIS Premium Mortar Bed MVIS Lite Wall Float 3701 Lite Mortar / 3701 Lite Mortar R Quick Cure Mortar Bed
Slurry Bond Coat	257 TITANIUM™ 254 Platinum
Thin Bed / Adhesive Method	257 TITANIUM 254 Platinum (regular or rapid version) LATAPOXY 300 Adhesive OR BIOGREEN™ 300 Glass Tile Adhesive Lite LATICRETE® SELECT-BOND™ (+ High Performance [ANSI A118.15] Kit) MVIS Hi-Bond Veneer Mortar (regular or rapid version) MVIS Thin Brick Mortar MVIS Lightweight Mortar
Large, Heavy Tile Method	MULTIMAX™ Lite TRI-LITE™ MVIS Veneer Mortar
Spot Bonding	LATAPOXY 310 Stone Adhesive - Standard and Rapid Grade
Grouting / Pointing	SPECTRALOCK® PRO Premium Grout (non-industrial applications) SPECTRALOCK PRO Grout (non-industrial applications) SPECTRALOCK 1 Pre-Mixed Grout PERMACOLOR® Grout PERMACOLOR Select MVIS Premium Pointing Mortar MVIS Pointing Mortar
Sealant†	LATASIL™ LATASIL 9118 Primer

† Use of suitable flexible sealant is required per Tile Council of North America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces.

Δ 4-XLT for use to install HYDRO BAN® Pre-Sloped Shower Pans to substrate only.

Λ Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE warrants parts and materials for one (1) year from the date of purchase. The sole remedy for the Floor Warming Thermostats and STRATA\_HEAT Thermostats is product replacement (see Data Sheet 230.13 for full details on the LATICRETE® Product Limited Warranty).

††4-XLT with STRATA\_HEAT Thermal Packs when used as a large & heavy tile adhesive mortar.

## LIMITED WARRANTY

Subject to the conditions and limitations stated in this limited warranty statement (this “Limited Warranty”), LATICRETE INTERNATIONAL, INC. (“LATICRETE”) warrants that the LATICRETE® products listed on this document (“Products”) will be free from manufacturing defects and will not break down or deteriorate under normal usage when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. For this Limited Warranty to apply, all of the applications that comprise the installation must be performed exclusively with one or more of the Products listed in this document for each application (refer to chart at left). This Limited Warranty can also be found online at <https://laticrete.com/en/support-and-downloads/product-support/warranties>. LATICRETE’S responsibility for defective Products is limited to repair or replacement as described below in this Limited Warranty.

## NO ASSIGNMENT; SCOPE OF COVERAGE

LATICRETE extends this Limited Warranty only to the original purchaser of the Product (“you”) and only for the duration of the Warranty Period. This Limited Warranty is not transferable or assignable. It does not extend to any subsequent owner or other transferee of the Product, and therefore there shall be no third party beneficiary to this Limited Warranty. If you purchased your Product from LATICRETE, you may obtain coverage under this Limited Warranty. AS TO ALL OTHERS, LATICRETE MAKES NO AND HEREBY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, COVENANTS, AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE PRODUCTS, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OF THE PRODUCT FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, WHETHER ARISING FROM STATUTE, COMMON LAW, CUSTOM OR OTHERWISE.

## WARRANTY PERIOD

This Limited Warranty starts on the date of your purchase of the Product and lasts for twenty five (25) years (the “Warranty Period”). The Warranty Period is not extended if LATICRETE repairs or replaces your Product. LATICRETE may change the availability of this Limited Warranty at its discretion, but any changes will not be retroactive.

## DISCLAIMER

**FOR COMMERCIAL CUSTOMERS (INCLUDING SMALL, MEDIUM, AND LARGE BUSINESSES, PROFESSIONAL INSTALLERS, AND GOVERNMENT AND PUBLIC SECTOR CUSTOMERS) AND RESELLERS:** This paragraph only applies to you if you purchase Products from LATICRETE for resale or for commercial or professional purposes. LATICRETE’S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT’S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED



# 25 Year System Limited Warranty (United States and Canada)

® DS-025.0-1120

**Globally Proven  
Construction Solutions**

WARRANTY. EXCEPT FOR THE LIMITED WARRANTY EXPRESSLY STATED ABOVE FOR LATICRETE PRODUCTS, LATICRETE PROVIDES NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OR CONDITION (1) OF MERCHANTABILITY, MERCHANTABILITY QUALITY, FITNESS FOR A PARTICULAR PURPOSE, PERFORMANCE, SUITABILITY OR NONINFRINGEMENT; (2) RELATING TO ANY THIRD-PARTY PRODUCT; OR (3) REGARDING THE RESULTS TO BE OBTAINED FROM THE PRODUCT. LATICRETE EXPRESSLY DISCLAIMS ALL WARRANTIES AND CONDITIONS NOT STATED IN THIS LIMITED WARRANTY.

**FOR CONSUMERS:** This paragraph applies to you only if you purchase Products from LATICRETE that are normally used for personal, family or household purposes other than for resale, or for commercial or professional use. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. LATICRETE LIMITS THE DURATION AND REMEDIES OF ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE WARRANTY PERIOD HAS EXPIRED. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

## LIMITATION OF LIABILITY

THE REMEDIES DESCRIBED BELOW IN THE "EXCLUSIVE REMEDY" SECTION BELOW ARE YOUR SOLE AND EXCLUSIVE REMEDIES, AND LATICRETE'S ENTIRE LIABILITY, FOR ANY BREACH OF THIS LIMITED WARRANTY. LATICRETE'S LIABILITY SHALL, UNDER NO CIRCUMSTANCES, EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL LATICRETE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT.

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

## EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this Limited Warranty is replacement of only the specific portion of the installation that is proven to be defective. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, provided that LATICRETE will not pay more for the replacement than the original purchase price of the portion being replaced as calculated on a square-foot (or, if applicable, square-meter) basis. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective.

In the event that the sole and exclusive remedy described above fails of its essential purpose, the liability of LATICRETE is limited to the monetary value, on a square-foot (or, if applicable, square-meter) basis, of the original purchase price of the portion being replaced.

## EXCLUSIONS

This Limited Warranty does not cover any damage due to (a) transportation; (b) storage; (c) improper use; (d) failure to follow LATICRETE's Product instructions and industry standard guidelines; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions beyond LATICRETE's reasonable control, including cracking due to structural movement, excessive deflection or other failure in the substrate.

Please refer to individual product data sheets available at <https://laticrete.com/en/support-and-downloads/product-support/data-sheets> for specific guidelines.

This Limited Warranty also excludes (a) any Products used in any exterior facades with ceramic tile, stone, adhered masonry veneer, or thin brick installed over substrates with steel or wood framing (see Data Sheet 230.15 for such applications) and (b) any ceramic tile, stone or quarry/packing house tile installed in commercial and industrial kitchens (see Data Sheet 230.10IG for such applications).

This Limited Warranty does not apply to the Floor Warming Thermostat and STRATA\_HEAT™ Thermostat sold by LATICRETE – please see Data Sheet 230.13 for full details on the LATICRETE warranty terms that apply to these products.

**\*\*Note:** Efflorescence is a normal condition of Portland cement mortars and is not a defective condition.

## HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.





# 25 Year System Limited Warranty (United States and Canada)

® DS-025.0-1120

**Globally Proven  
Construction Solutions**

---

**Address your claim to:**

LATICRETE International, Inc.  
1 LATICRETE Park North  
Bethany, CT 06524-3423 USA  
Attn.: Technical Services Department

**SEVERABILITY**

If any portion of this Limited Warranty is held to be illegal or unenforceable, such partial illegality or unenforceability shall not affect the enforceability of the remainder of the Limited Warranty.

**TECHNICAL INFORMATION**

Technical assistance and information are available by calling the LATICRETE **Technical Services Line:**

Toll Free: 1.800.243.4788, ext. 1235  
Telephone: +1.203.393.0010, ext. 1235  
Fax: +1.203.393.1948  
Web: [www.laticrete.com](http://www.laticrete.com)

Data Sheets are subject to change without notice. For the latest versions of Data Sheets, please visit our website.

---

**LATICRETE International, Inc.**

One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ [www.laticrete.com](http://www.laticrete.com)  
©2020 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.