



ENGINEERED PRODUCTS

www.kinesik.ca

© KINESIK ENGINEERED PRODUCTS

CONFIDENTIAL AND PROPRIETARY DOCUMENT
ANY ONE OR MORE OF THE FOLLOWING PATENTS MAY APPLY:
U.S. PATENT NO. 5 303 669, 5 775 835, 6 449 790, AND 6 895 622 BS,
C.D.N. PATENT NO. 2 032 532, 2 070 984,
US PATENTS PENDING.

© KENNETH E. SZEKELY

MATERIAL LIST

ITEM	DESCRIPTION	PART NO.	QTY
1	ARMOR-TILE	ADA-S-2424	1
2	EXPANSION ANCHOR	ADA-FAST	8
3	ARMOR-BOND	ADA-ADHE-EA	1
4	ARMOR-SEAL	ADA-SEAL-EA	1

REFERENCE DRAWINGS

DWG. NO.	DESCRIPTION

No.	DATE	REVISION	APPR.

SCALE
AS NOTED

DESIGNED	KES	DATE	09/15/2014
DRAWN	RWO	DATE	09/15/2014
DRAWN	KES		

PROJECT MANAGER	
-----------------	--





TRADE	TWSI	PART NO.	ADA-S-2424
-------	------	----------	------------

MATERIAL
VITRIFIED POLYMER COMPOSITE

SUBJECT
Armor-Tile™
SOUND AMPLIFYING TACTILE
WALKING SURFACE INDICATOR TILE

PROJECT
**TACTILE WALKING SURFACE
INDICATOR TILE 648x648 SURFACE
APPLIED INLINE DOME TACTILE TILE
PLANS AND DETAILS**

DRAWING NO.	REV. NO.
ADA-S-2424	0





APPLY TACTILE BOND AND SEAL
(PART NO. TBS-010)
PERIMETER SEALANT AT PERIMETER OF TILE
AFTER INSTALLING FASTENERS. TOOL SMOOTH
TO BLEND TILE EDGE WITH ADJACENT SURFACE.

APPLY TACTILE BOND AND SEAL
(PART NO. TBS-010)
STRUCTURAL ADHESIVE AT PERIMETER AND
THROUGH CENTER OF TILE EACH WAY ON
BOSSSED AREAS

6.35mm X 38.1mm LG COLOR
MATCHED EXPANSION ANCHOR
(PART NO. ADA-S-ANCH)

DRILL 6.35mm HOLE
TO 89mm DEEP





ENGINEERED PRODUCTS

www.kinesik.ca

© KINESIK ENGINEERED PRODUCTS

CONFIDENTIAL AND PROPRIETARY DOCUMENT
ANY ONE OR MORE OF THE FOLLOWING PATENTS MAY APPLY:
U.S. PATENT NO. 5 303 060, 5 775 635, 6 449 700, AND 6 805 622 B3,
C.D.N. PATENT NO. 2 032 532, 2 070 064,
US PATENTS PENDING.

© KENNETH E. SZEKELY

MATERIAL LIST

ITEM	DESCRIPTION	PART NO.	QTY
1	ARMOR-TILE	ADA-S-2436	1
2	EXPANSION ANCHOR	ADA-FAST	8
3	ARMOR-BOND	ADA-ADHE-EA	1
4	ARMOR-SEAL	ADA-SEAL-EA	1

REFERENCE DRAWINGS

DWG. NO.	DESCRIPTION

No.	DATE	REVISION	APPR.

SCALE
AS NOTED

DESIGNED	KES	DATE	09/15/2014
DRAWN	RWO	DATE	09/15/2014
DRAWN	KES		

PROJECT MANAGER


TRADE	TWSI	PART NO.	ADA-S-2436
-------	------	----------	------------

MATERIAL
VITRIFIED POLYMER COMPOSITE


SUBJECT
Armor-Tile™
SOUND AMPLIFYING TACTILE
WALKING SURFACE INDICATOR TILE

PROJECT
**TACTILE WALKING SURFACE
INDICATOR TILE 648x892 SURFACE
APPLIED INLINE DOME TACTILE TILE
PLANS AND DETAILS**


DRAWING NO.	ADA-S-2436	REV. NO.	0
-------------	------------	----------	---




PLAN VIEW
SCALE: 1:10




TILE PLAN
TRUNCATED DOME FASTENER LOCATION



TILE SECTION
TRUNCATED DOME FASTENER LOCATION



SECTION A-A
SCALE: 1:1



APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) PERIMETER SEALANT AT PERIMETER OF TILE AFTER INSTALLING FASTENERS. TOOL SMOOTH TO BLEND TILE EDGE WITH ADJACENT SURFACE.

APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) STRUCTURAL ADHESIVE AT PERIMETER AND THROUGH CENTER OF TILE EACH WAY ON BOSSED AREAS

6.35mm X 38.1mm LG COLOR MATCHED EXPANSION ANCHOR (PART NO. ADA-S-ANCH)

DRILL 6.35mm HOLE TO 89mm DEEP

INSTALLATION DETAIL
AT THE TILE PERIMETER



ENGINEERED PRODUCTS

www.kinesik.ca

© KINESIK ENGINEERED PRODUCTS

CONFIDENTIAL AND PROPRIETARY DOCUMENT
ANY ONE OR MORE OF THE FOLLOWING PATENTS MAY APPLY:
U.S. PATENT NO. 5 303 098, 5 775 835, 6 449 790, AND
6 805 622 B9,
C.D.N. PATENT NO. 2 032 532, 2 070 984,
US PATENTS PENDING.

© KENNETH E. SZEKELY

MATERIAL LIST

ITEM	DESCRIPTION	PART NO.	QTY
1	ARMOR-TILE	ADA-S-2448	1
2	EXPANSION ANCHOR	ADA-FAST	8
3	ARMOR-BOND	ADA-ADHE-EA	1
4	ARMOR-SEAL	ADA-SEAL-EA	1

REFERENCE DRAWINGS

DWG. NO.	DESCRIPTION

No.	DATE	REVISION	APPR.

SCALE
AS NOTED

DESIGNED	KES	DATE	09/15/2014
DRAWN	RWO	DATE	09/15/2014
DRAWN	KES		

PROJECT MANAGER	
-----------------	--





TRADE	TWSI	PART NO.	ADA-S-2448
-------	------	----------	------------

MATERIAL	VITRIFIED POLYMER COMPOSITE
----------	-----------------------------

SUBJECT	Armor-Tile™ SOUND AMPLIFYING TACTILE WALKING SURFACE INDICATOR TILE
---------	--

PROJECT	TACTILE WALKING SURFACE INDICATOR TILE 648x1220 SURFACE APPLIED INLINE DOME TACTILE TILE PLANS AND DETAILS
---------	---

DRAWING NO.	ADA-S-2448	REV. NO.	0
-------------	------------	----------	---




APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) PERIMETER SEALANT AT PERIMETER OF TILE AFTER INSTALLING FASTENERS. TOOL SMOOTH TO BLEND TILE EDGE WITH ADJACENT SURFACE.


APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) STRUCTURAL ADHESIVE AT PERIMETER AND THROUGH CENTER OF TILE EACH WAY ON BOSSED AREAS

6.35mm X 38.1mm LG COLOR MATCHED EXPANSION ANCHOR (PART NO. ADA-S-ANCH)

DRILL 6.35mm HOLE TO 89mm DEEP



NOTE:
FIELD LEVEL
MICRO-TEXTURE
41 POINTS PER
SQUARE INCH





ENGINEERED PRODUCTS

www.kinesik.ca

© KINESIK ENGINEERED PRODUCTS

CONFIDENTIAL AND PROPRIETARY DOCUMENT
ANY ONE OR MORE OF THE FOLLOWING PATENTS MAY APPLY:
U.S. PATENT NO. 5 303 060, 5 775 635, 6 449 700, AND 6 805 622 B3,
C.D.N. PATENT NO. 2 032 532, 2 070 064,
US PATENTS PENDING.

© KENNETH E. SZEKELY

MATERIAL LIST

ITEM	DESCRIPTION	PART NO.	QTY
1	ARMOR-TILE	ADA-S-2460	1
2	EXPANSION ANCHOR	ADA-FAST	10
3	ARMOR-BOND	ADA-ADHE-EA	1
4	ARMOR-SEAL	ADA-SEAL-EA	1

REFERENCE DRAWINGS

DWG. NO.	DESCRIPTION

No.	DATE	REVISION	APPR.

SCALE
AS NOTED

DESIGNED	KES	DATE	09/15/2014
DRAWN	RWO	DATE	09/15/2014
DRAWN	KES		

PROJECT MANAGER


TRADE	TWSI	PART NO.	ADA-S-2460
-------	------	----------	------------

MATERIAL
VITRIFIED POLYMER COMPOSITE


SUBJECT
Armor-Tile™
SOUND AMPLIFYING TACTILE
WALKING SURFACE INDICATOR TILE

PROJECT
**TACTILE WALKING SURFACE
INDICATOR TILE 648x1500 SURFACE
APPLIED INLINE DOME TACTILE TILE
PLANS AND DETAILS**


DRAWING NO.	ADA-S-2460	REV. NO.	0
-------------	------------	----------	---




PLAN VIEW
SCALE: 1:10




TILE PLAN
TRUNCATED DOME FASTENER LOCATION



TILE SECTION
TRUNCATED DOME FASTENER LOCATION



SECTION A-A
SCALE: 1:1






APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) PERIMETER SEALANT AT PERIMETER OF TILE AFTER INSTALLING FASTENERS. TOOL SMOOTH TO BLEND TILE EDGE WITH ADJACENT SURFACE.

APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) STRUCTURAL ADHESIVE AT PERIMETER AND THROUGH CENTER OF TILE EACH WAY ON BOSSED AREAS

6.35mm X 38.1mm LG COLOR MATCHED EXPANSION ANCHOR (PART NO. ADA-S-ANCH)

DRILL 6.35mm HOLE TO 89mm DEEP

INSTALLATION DETAIL AT THE TILE PERIMETER



APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) PERIMETER SEALANT AT PERIMETER OF TILE AFTER INSTALLING FASTENERS. TOOL SMOOTH TO BLEND TILE EDGE WITH ADJACENT SURFACE.

APPLY TACTILE BOND AND SEAL (PART NO. TBS-010) STRUCTURAL ADHESIVE AT PERIMETER AND THROUGH CENTER OF TILE EACH WAY ON BOSSED AREAS

6.35mm X 38.1mm LG COLOR MATCHED EXPANSION ANCHOR (PART NO. ADA-S-ANCH)

DRILL 6.35mm HOLE TO 89mm DEEP

INSTALLATION DETAIL AT THE TILE PERIMETER

KINESIK
ENGINEERED PRODUCTS
www.kinesik.ca

© KINESIK ENGINEERED PRODUCTS
CONFIDENTIAL AND PROPRIETARY DOCUMENT
ANY ONE OR MORE OF THE FOLLOWING PATENTS MAY APPLY:
U.S. PATENT NO. 5 303 060, 5 775 635, 6 449 700, AND 6 805 622 B2.
C.D.N. PATENT NO. 2 032 532, 2 070 064, US PATENTS PENDING.
© KENNETH E. SZEKELY

MATERIAL LIST

ITEM	DESCRIPTION	PART NO.	QTY
1	ARMOR-TILE	ADA-S-3648-W	1
2	EXPANSION ANCHOR	ADA-S-ANCH	12
3	TACTILE BOND AND SEAL	TBS-010	2

REFERENCE DRAWINGS

DWG. NO.	DESCRIPTION

No.	DATE	REVISION	APPR.

SCALE
AS NOTED

DESIGNED	KES	DATE	09/15/2014
DRAWN	RWO	DATE	09/15/2014
DRAWN	KES		


PROJECT MANAGER	
TRADE	TWSI
PART NO.	ADA-S-3648-W

MATERIAL	VITRIFIED POLYMER COMPOSITE
SUBJECT	

Armor-Tile™
SOUND AMPLIFYING TACTILE WALKING SURFACE INDICATOR TILE


PROJECT
TACTILE WALKING SURFACE INDICATOR TILE 915X1220 SURFACE APPLIED INLINE DOME TACTILE TILE PLANS AND DETAILS

DRAWING NO.	ADA-S-3648W	REV. NO.	0
-------------	-------------	----------	---




PLAN VIEW
SCALE: 1:10


63.5mm WIDE X 0.76mm DEEP BOSS
AT UNDERSIDE OF TILE FOR STRUCTURAL
ADHESIVE AT PERIMETER AND THROUGH
CENTER OF TILE



TILE PLAN
TRUNCATED DOME FASTENER LOCATION



TILE SECTION
TRUNCATED DOME FASTENER LOCATION





APPLY TACTILE BOND AND SEAL
(PART NO. TBS-010)
PERIMETER SEALANT AT PERIMETER OF TILE
AFTER INSTALLING FASTENERS. TOOL SMOOTH
TO BLEND TILE EDGE WITH ADJACENT SURFACE.

APPLY TACTILE BOND AND SEAL
(PART NO. TBS-010)
STRUCTURAL ADHESIVE AT PERIMETER AND
THROUGH CENTER OF TILE EACH WAY ON
BOSSSED AREAS

6.35mm X 38.1mm LG COLOR
MATCHED EXPANSION ANCHOR
(PART NO. ADA-S-ANCH)

DRILL 6.35mm HOLE
TO 89mm DEEP



KINESIK

ENGINEERED PRODUCTS

www.kinesik.ca

© KINESIK ENGINEERED PRODUCTS

CONFIDENTIAL AND PROPRIETARY DOCUMENT
ANY ONE OR MORE OF THE FOLLOWING PATENTS MAY
APPLY:
U.S. PATENT NO. 5 303 060, 5 775 635, 6 449 700, AND
6 805 622 BS,
C.D.N. PATENT NO. 2 032 532, 2 070 064,
US PATENTS PENDING.

© KENNETH E. SZEKELY

MATERIAL LIST			
ITEM	DESCRIPTION	PART NO.	QTY
1	ARMOR-TILE	ADA-S-3660-W	1
2	EXPANSION ANCHOR	ADA-S-ANCH	15
3	TACTILE BOND AND SEAL	TBS-010	2

REFERENCE DRAWINGS	
DWG. NO.	DESCRIPTION

No.	DATE	REVISION	APPR.

SCALE
AS NOTED

DESIGNED	KES	DATE	09/15/2014
DRAWN	RWO	DATE	09/15/2014
DRAWN	KES		

PROJECT MANAGER

TRADE	TWSI	PART NO.	ADA-S-3660-W
MATERIAL	VITRIFIED POLYMER COMPOSITE		

SUBJECT

Armor-Tile™
SOUND AMPLIFYING TACTILE
WALKING SURFACE INDICATOR TILE

PROJECT

**TACTILE WALKING SURFACE
INDICATOR TILE 915X1524 SURFACE
APPLIED INLINE DOME TACTILE TILE
PLANS AND DETAILS**

DRAWING NO.	ADA-S-3660W	REV. NO.	0
-------------	-------------	----------	---