

In accordance with OSHA 29 CFR 1910.1200

PRO-MSP(TM) Revision Number 2.02 Revision date 08-Dec-2020 Supersedes Date: 12-Mar-2020

1. Identification		
1.1. Product Identifier		
Product Name	PRO-MSP(TM)	
Other means of identification Other information	Not applicable	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
Recommended use Restrictions on use	Adhesives and/or sealants No information available	
1.3. Details of the supplier of the sa	fety data sheet	
Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Phone: +1 (414) 774-2250 (Internatic Fax: +1 (414) 774-8075		
E-mail	msds@bostik.com	
1.4. Emergency telephone number Emergency Telephone	Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887	
2. Hazard(s) identification		
2.1. Classification of the substance	or mixture	
Skin sensitization		Category 1
Hazards not otherwise classified (H Not applicable	NOC)	
2.2. Label Elements	EMERGENCY OVERVIEW	
Warning		
Hazard statements May cause an allergic skin reaction		

PRO-MSP(TM)

Revision Number 2.02

Appearance Paste

Physical state Liquid

Odor Citrus

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

0 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Limestone	1317-65-3	40 - 70
Carbonic acid, calcium salt (1:1)	471-34-1	1 - <5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0.1 - <1
Quartz	14808-60-7	0.1 - <1

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

PRO-MSP(TM) Revision Number 2.02	Revision date 08-Dec-2020 Supersedes Date: 12-Mar-2020		
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately. Small amounts of toxic methanol are released by hydrolysis.		
4.2. Most important symptom	s and effects, both acute and delayed		
Symptoms	Itching. Rashes. Hives. May cause allergic skin reaction.		
4.3. Indication of any immedia	ate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. May cause sensitization by skin contact. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Treat symptomatically.		
5. Fire-fighting measu	Ires		
et i te tigitting mouou			

<u>jj</u>	
Suitable Extinguishing Media Large Fire	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Full water jet.
5.2. Special hazards arising from th	e substance or mixture
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
5.3. Advice for firefighters	
Special protective equipment for fire-fighters	As in any fire, wear pressure-demand, self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures

5.1. Extinguishing media

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Stop leak if you can do it without risk. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.
Refer to protective measures listed in Sections 7 and 8.
Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
ì

6.3. Methods and material for containment and cleaning up

PRO-MSP(TM) Revision Number 2.02	Revision date 08-Dec-2020 Supersedes Date: 12-Mar-2020	
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for cleaning up	Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	
Reference to other sections	See section 8 for more information. See section 13 for more information.	

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial
-	hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after
	handling. Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep away from food, drink and animal feeding stuffs. Keep/store only in original container.
	Protect from moisture. Keep at temperatures between 41 and 95 °F.

7.3 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY
	Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Limestone 1317-65-3	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
		(vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 50 mg/m ³ respirable

PRO-MSP(TM) Revision Number 2.02

Revision date 08-Dec-2020 Supersedes Date: 12-Mar-2020

14808-60-7	particulate matter	excludes construction work,	dust	
		agricultural operations, and	TWA: 0.05 mg/m ³	respirable
		exposures that result from the	dust	
		processing of sorptive clays		
		(vacated) TWA: 0.1 mg/m ³		
		respirable dust		
		: (250)/(%SiO2 + 5) mppcf		
		TWA respirable fraction		
		: (10)/(%SiO2 + 2) mg/m ³		
		TWA respirable fraction		

Chemical name	Argentina	Brazil	Chile	Colombia
Limestone 1317-65-3	TWA: 10 mg/m ³	-	TWA: 7 mg/m ³	-
Quartz 14808-60-7	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.08 mg/m ³	TWA: 0.025mg/m ³

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10mg/m ³	-	TWA: 10 mg/m ³
Quartz 14808-60-7	TWA: 0.025mg/m ³	TWA: 0.05mg/m ³	0.025 mg/m ³ TWA (respirable particulate matter)	TWA: 0.025 mg/m ³

8.2. Exposure controls

OTHER INFORMATION

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³
		(vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³	STEL: 250 ppm STEL: 325 mg/m ³
		(vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³	
		(vacated) S*	

Chemical name	Argentina	Brazil	Chile	Colombia
Methyl alcohol 67-56-1	TWA: 200 ppm Skin	TWA: 156 ppm TWA: 200 mg/m ³	TWA: 175 ppm TWA: 229 mg/m ³	STEL: 250ppm TWA: 200ppm
	STEL: 250 ppm	Skin	Skin	

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
---------------	------------	------	---------	-----------

PRO-MSP(TM)

Revision Number 2.02

Revision date 08-Dec-2020 Supersedes Date: 12-Mar-2020

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Methyl alcohol 67-56-1	TWA: 200ppm STEL: 250ppm	STEL: 250ppm STEL: 328mg/m ³	250 ppm STEL 200 ppm TWA	Skin STEL: 250 ppm TWA: 200 ppm
		TWA: 200ppm TWA: 262mg/m ³		

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold

Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air

Liquid Paste Brown Citrus No information available

Values No data available No data available No data available > 93.3 °C / 200 °F No data available Not applicable for liquids .

Remarks • Method None known

None known None known

None known

None known

PRO-MSP(TM) Revision Number 2.02

Upper flammability or explosive	No data available	
limits Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
9.2. Other information Explosive properties Oxidizing properties Solvent content (%) Solid content (%) Softening Point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available No information available 1.85 g/cm ³ No information available	
10. Stability and reactivity		
10.1. Reactivity		
Reactivity	Product cures with moisture.	
10.2. Chemical stability		
Chemical stability	Stable under normal conditions.	

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoidExtremes of temperature and direct sunlight. Keep from freezing. Protect from moisture.Product cures with moisture.

10.5. Incompatible materials

Incompatible materials Water.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

11. Toxicological information

11.1. Information on toxicological effects

Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the pl	hysical, chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives.
Acute toxicity Numerical measures of tox	icity

The following values are calculated based on chapter 3.1 of the GHS document.ATEmix (dermal)26,592.20 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Carbonic acid, calcium salt (1:1) 471-34-1	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)
N-(3-(trimethoxysilyl)propyl)ethy lenediamine 1760-24-3	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Quartz 14808-60-7	>20000 mg/kg	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	May cause sensitization by skin contact.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization	Guinea pig	Dermal	sensitizing

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х
14808-60-7		-		

PRO-MSP(TM)

Revision Number 2.02

Results Carcinogenic

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen				
IARC (International Agency for Research on Cancer)				
Group 1 - Carcinogenic to Humans				
NTP (National Toxicology Program)				
Known - Known Carcinogen				
OSHA (Occupational Safety and Health Administra	ation of the US Department of Labor)			
X - Present				
Quartz (14808-60-7)				
Method Species				
IARC (International Agency for Research on Human evidence				
Cancer)				

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure Target organ effects	Based on available data, the classification criteria are not met. Respiratory system, Eyes, Skin.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Limestone	CE50 (72h) >200mg/L	CL50 (96h)>10000mg/L	-	CE50 (48h) >1000 mg/L
1317-65-3	Algae (Desmondesmus subspicatus)	(Oncorhynchus mykiss)		Daphnia Magna
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	-	EC50 48H Daphnia >1000 mg/l
N-(3-(trimethoxysilyl)prop yl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	
Limestone	0.9	

PRO-MSP(TM)

Revision Number 2.02

1317-65-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine		-0.3
176	60-24-3	
12.4. Mobility in soil		
Mobility No information available.		
Other adverse effects		
Other adverse effects	No information available.	

13.1. Waste treatment methods	
Waste from residues/unused products	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

14. Transport	information
---------------	-------------

13. Disposal considerations

DOT	Not regulated
	Not regulated
IMDG	Not regulated

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

PRO-MSP(TM)

Revision Number 2.02

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section TWA Ceiling	8: EXPOSURE CONTROLS/PERSONAL TWA (time-weighted average) Maximum limit value	PROTECTION STEL *	STEL (Short Term Exposure Limit) Skin designation	
Prepared By	Product Safety & Re	Product Safety & Regulatory Affairs.		
Revision date	08-Dec-2020			
Revision note	SDS sections update	ed. 2. 3. 4. 5. 6. 7. 8	3. 11. 12. 15.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet