



Acczent™

HETEROGENEOUS SHEET

beautifully **resilient**

 **Tarkett**



ACCZENT

Beyond their reliable strength and resilience, Tarkett’s heterogeneous sheet products deliver warmth and elevated design to a variety of commercial spaces. From timeless wood grains to more contemporary stone and woven visuals, the Acczent collection helps you easily coordinate patterns and colors that greet visitors with comfort and hospitality.

Acczent Wood 29008 Long Modern Oak Greige
Acczent Wood 29403 Scandinavian Oak Medium Beige



There's no need to choose between durability and design—Acczent and Acczent Flourish deliver the best of both. Created with superior strength for today's health and wellness spaces, these design solutions resist the weight of heavy traffic and rolling loads and are easy to clean, for healing environments that are beautiful, safe and restorative.

- **CERTIFIED asthma & allergy friendly®**
- Protected by a UV-cured polyurethane wear layer



1. 28502 / 2. 83207 / 3. 29010 / 4. 83301 / 5. 30000





















Acczent Flourish 83207 Connection

ACCZENT Wood



Acczent Wood 27818 Washed Oak Natural

| | | | | |
|---|--|--|--|--|
|  <p>28141 MODERN MAPLE MAPLE WB 79 Bone White W *</p> |  <p>29010 LONG MODERN OAK NATURAL WG 130 Sisal *</p> |  <p>30000 CABREUVA RED WB TA7 Rusty Nail *</p> |  <p>81029 CHERRY LIGHT CHERRY WB TA7 Rusty Nail *</p> |  <p>30003 CABREUVA BROWN WB TA7 Rusty Nail *</p> |
|  <p>27002 OAK LONGSTRIPE NATURAL WB 461 Wicker WB *</p> |  <p>27818 WASHED OAK NATURAL WB TA3 Castaway CB *</p> |  <p>29008 LONG MODERN OAK GREIGE CB 31 Zephyr CB *</p> |  <p>29009 LONG MODERN OAK NATURAL BROWN TA2 Saddlebrook WB *</p> |  <p>81102 FRENCH OAK NATURAL WB TA7 Rusty Nail *</p> |
|  <p>81100 FRENCH OAK WHITE W TA3 Castaway CB *</p> |  <p>29403 SCANDINAVIAN OAK MEDIUM BEIGE CB TG5 Macadamia WG *</p> |  <p>29005 LONG MODERN OAK WHITE W TA3 Castaway CB *</p> |  <p>27027 BRUSHED OAK LIGHT CB 80 Fawn CB *</p> |  <p>04510 SERENE OAK RED BROWN WB TA2 Saddlebrook WB *</p> |
|  <p>30007 WALNUT NATURAL WB TA2 Saddlebrook WB *</p> |  <p>04511 SERENE OAK WARM BROWN WB 107 Neutrality *</p> |  <p>30008 WALNUT DARK 47 Brown *</p> |  <p>81000 FRENCH OAK DARK GREY WG 29 Moon Rock WG *</p> |  <p>04509 SERENE OAK BROWN GREY CB TA8 Welsh Castle CB *</p> |
|  <p>27026 BRUSHED OAK MEDIUM WG 29 Moon Rock WG *</p> |  <p>04512 SERENE OAK DARK BROWN 47 Brown *</p> |  <p>29400 SCANDINAVIAN OAK DARK GREY CG TB3 Dover CG *</p> |  <p>04508 SERENE OAK MEDIUM GREY CG TA4 Gateway WG *</p> |  <p>29006 LONG MODERN OAK BLACK B 44 Dark Brown B *</p> |


**Suggested colors for finishing borders (wall base). See Specification page for further Coordination Details.*



28502 CONCRETE CHALK WG
27 Mist WG *



28110 GRANITO WARM GREY CG
24 Grey Haze WG *



28501 CONCRETE DARK GREY CG
TA4 Gateway WG *



28500 CONCRETE COOL GREY CG
TA5 Colonial Grey CG *



28507 CONCRETE STEEL BLUE CG
VL4 Cool Metal CG *



Acczent Flourish 83205 Serenade
Acczent Stone 28500 Concrete Cool Grey

**Suggested colors for finishing borders (wall base). See Specification page for further Coordination Details.*

ACCZENT Flourish™



Acczent Flourish 83204 Essence



83207 THRIVE CONNECTION WG
27 Mist WG *

83301 PROSPER SOLSTICE WB
TA1 Tannery WB *



83204 THRIVE ESSENCE CB
80 Fawn CB *



83309 THRIVE ENRICH CB
280 Shoreline *



83304 PROSPER ESSENCE CB
80 Fawn CB *



83309 PROSPER ENRICH CB
280 Shoreline *



83205 THRIVE SERENADE WG
32 Pebble WG *



83208 THRIVE REFLECTION CG
TA5 Colonial Grey CG *



83206 THRIVE STABILITY CG
TA6 Bedrock CG *



83306 PROSPER STABILITY CG
TA6 Bedrock CG *

*Suggested colors for finishing borders (wall base). See Specification page for further Coordination Details.

ACCZENT Weld Rod Chart

| Part Number | Collection | Color | Solid Weld Rod |
|-------------|------------------|--------------|----------------|
| 25127027 | Brushed Oak | Light | 1287732 |
| 25127026 | Brushed Oak | Medium | 1287433 |
| 25030003 | Cabrueva | Brown | 1287032 |
| 25030000 | Cabrueva | Red | 1287050 |
| 25081029 | Cherry | Light Cherry | 1287050 |
| 25128502 | Concrete | Chalk | 1287572 |
| 25128501 | Concrete | Dark Grey | 1287585 |
| 25128500 | Concrete | Cool Grey | 1287254 |
| 25128507 | Concrete | Steel Blue | 1287836 |
| 25081100 | French Oak | White | 1287178 |
| 25081000 | French Oak | Dark Grey | 1287537 |
| 25081102 | French Oak | Natural | 1287011 |
| 25128110 | Granito | Warm Grey | 1287530 |
| 25129008 | Long Modern Oak | Greige | 1287675 |
| 25129005 | Long Modern Oak | White | 1287707 |
| 25029009 | Long Modern Oak | Natural | 1287664 |
| 25029006 | Long Modern Oak | Black | 1287576 |
| 25129010 | Long modern Oak | Natural | 1287777 |
| 25128141 | Modern Maple | Maple | 1290161 |
| 25127002 | Oak Longstripe | Natural | 1287690 |
| 25083306 | Prosper | Stability | 1287548 |
| 25083309 | Prosper | Enrich | 1287714 |
| 25083304 | Prosper | Essence | 1287497 |
| 25083301 | Prosper | Solstice | 1287501 |
| 25129403 | Scandinavian Oak | Medium Beige | 1287848 |
| 25129400 | Scandinavian Oak | Dark Grey | 1287828 |
| 25204511 | Serene Oak | Warm Brown | 1287780 |
| 25204508 | Serene Oak | Medium Grey | 1294727 |
| 25204512 | Serene Oak | Dark Brown | 1287680 |
| 25204509 | Serene Oak | Brown Grey | 1287546 |
| 25204510 | Serene Oak | Red Brown | 1287503 |
| 25083209 | Thrive | Enrich | 1287713 |
| 25083207 | Thrive | Connection | 1287290 |
| 25083208 | Thrive | Reflection | 1287374 |
| 25083206 | Thrive | Stability | 1287183 |
| 25083205 | Thrive | Serenade | 1287457 |
| 25083204 | Thrive | Essence | 1292771 |
| 25030008 | Walnut | Dark | 1287663 |
| 25030007 | Walnut | Natural | 1287287 |
| 25127818 | Washed Oak | Natural | 1287690 |



Accent Flourish 83301 Solstice
Acczent Wood 29010 Long Modern Oak Natural

Tarkett Solution SPECtrum™


At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

The BrillianceSM Digital Color System puts the entire TARKETT SOLUTION SPECtrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space, and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprint.

Speak to your Tarkett sales representative to get started, or visit brilliance.tarkett.com.




Capture 11359
Cloud Base 52703



Accent Flourish
Thrive Reflection 208



iQ Optima
862 Raw Ivory



LinoFloor
Veneto Pebble 604



LinoFloor
Veneto Storm 702



Resonate 11360
Cloud Base 52703



Accent Stone
Cool Grey 500



Diplomat Millwork Wall Base
29 Moon Rock



Silhouette Millwork Wall Base
08 Icicle



Inflection Millwork Wall Base
TA8 Welsh Castle



Accent Wood
French Oak Dark Grey 000



Substance 11449
Terrene 76205



iQ Optima
207 Prairie Dancing

Color may vary from actual swatch. To order a sample and to learn more, please visit tarkett.com.

Proof in Every Step

For years, Tarkett has raised the sustainability standards of our industry. We took the first steps—and are determined to stay a step ahead. And while inspirational words are great, we know impact is in the numbers. Numbers subjected to intense third-party scrutiny. So at Tarkett we don't just say it, we prove it.

When we say our products are consciously made, we mean we set new standards for sustainability. We mean we launched the first full-scale flooring recycling program in 1994, started third-party verification two decades ago, and became phthalate-free while others were still debating phthalate safety. We mean changes Tarkett made a decade ago are today's standards for corporate sustainability.


We purposefully design floors with total transparency to create healthy, safe spaces —inside our walls and out. Our floors' stories don't end when they leave us. They provide a foundation for the start of a healthier, more sustainable future for our partners. And when our floors finally reach their end-of-life, our Tarkett ReStart® program is in place to take back the material so it doesn't have to go to waste. So when we say social and environmental responsibility are core to our business, we don't just talk about it — we back it up with proof in every step.

Our commitment is founded on three central pillars:



CIRCULAR ECONOMY

Closing the loop on waste, preserving our planet's natural resources and reducing the impact on climate change.




GOOD MATERIALS

Subjecting ourselves to relentless scientific scrutiny and offering radical transparency about our products.



INDOOR AIR QUALITY

A commitment to your health and well-being. Creating healthy indoor spaces with the highest standards of Indoor Air Quality.



Before designing any product, we weigh the impact of its manufacture, life, and reclamation on the health of both people and planet.

ACCZENT Specifications


| Technical Data | Standards | |
|-------------------------|---|--|
| Type of Floor Covering | | Heterogeneous Vinyl Sheet |
| Classification | ASTM F1303 | Type I, Grade 1, Class B |
| Wear Layer Thickness | ASTM F410 | .032" (0.8 mm) |
| Polyurethane Reinforced | ASTM F410 | Yes |
| Total Thickness | ASTM F386 | 0.080" Gauge (2.0 mm) |
| Static Load Limit | ASTM F970 | 175 psi, $\leq 0.005"$ |
| Resistance to Heat | ASTM F1514 | $\Delta E \leq 8.0$ |
| Resistance to Light | ASTM F1515 | $\Delta E \leq 8.0$ |
| Slip Resistance | ASTM D2047 | ≥ 0.5 SCOF |
| Flame Resistance | ASTM E648 | Class 1 (≥ 0.45 W/cm ²) |
| Chemical Resistance | ASTM F925 | Passes |
| Colors | | Accent: Stones: [Granito 1 and Concrete 4], Wood 25 Accent Flourish: 6 Thrive, 4 Prosper |
| Roll | Length Width Weight/ yd ² / m ² | Approx 76 linear feet (23 linear meters) 6' 6" nominal (2m) 5.7 lbs/yd ² (3.1 kg/m ²) |

Please visit tarkett.com for the most updated specifications, and installation, cleaning and maintenance instructions.
The weld rods listed are intended to correspond with the denoted flooring colors. Other weld rods can be used for a variety of visual effects.

On the cover:

Acczent Stone 28110 Granito Warm Grey

Acczent Flourish 83208 Reflection



We've identified Color Foundations™ neutrals in the following way:
WB (Warm Beige), **CB** (Cool Beige),
WG (Warm Grey), **CG** (Cool Grey),
B (Black), **W** (White).

000 color name
000 coordinating color*

*Suggested colors for finishing borders (wall base). Coordinated Johnsonite Accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.



Tarkett North America

30000 Aurora Road
Solon, Ohio 44139
800.899.8916

tarkett.com

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample.
All third-party trademarks are the property of their respective owners.