

ADHESIVE TOOLS, TROWEL & SCRAPERS



THIN-SET ADHESIVE SPREADER

"COLOMBO" ADHESIVE SPREADER DEVICE○2

NOTCHED TROWELS

SLANT RIDGE NOTCHED TROWELS 28x13 cm AND 36x13 cm
(11"x5 1/8" AND 14 3/16"x5 1/8").....○3

RUBBER HANDLE NOTCHED TROWELS cm 36x13
(14 3/16"x5 1/8")○4

RUBBER HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4") ○5

WOOD HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4") ○6

NOTCHED TROWELS 48x13 cm (18 7/8"x5 1/8")○7

TRAPEZIAL NOTCHED TROWELS.....○8

OTHER TOOLS FOR ADHESIVE

THINSET SHOES FOR WALKING ON THINSET/ADHESIVE○9

PLATFORMS TO WALK OVER THE FLOOR WITHOUT MOVING

THE TILES○9

"FIDO" ERGONOMIC SUPPORT○9

SCRAPERS AND FINISHING TROWELS

TROWELS AND SCRAPERS○10

SMOOTH STEEL TROWELS○11

MIXING PADDLES AND BUCKETS

MIXING PADDLES AND BUCKETS○12

Everything you need for installation with adhesive. 48 models of notched trowels available with 18 Notch types of teeth, with rubber or wooden handle. In addition to that, "Colombo", the device to spread the adhesive, a special trowel designed for skirting as well as the platforms and shoes to walk on the floor with fresh adhesive. Furthermore we offer a wide range of smooth trowels, bricklayer trowels and spatulas as well as mixing paddles for drills. As regards to the mixing of adhesives, we refer to the previous section "mixers".



THIN-SET ADHESIVE SPREADER "COLOMBO"




397/66



397L36Q8/10



397L36Q6/12



397L36V8/11



397L36T9/15

TECHNICAL FEATURES



PACKAGE



"COLOMBO"

- For tiles up to 66 cm (26").
- Efficient and Easy-to-use.
- Saves the time for spreading the adhesive.
- The adhesive is spread in an upright position with a consistent and even depth.
- Since the "Colombo" is fully adjustable to the width of your tile, there is no possibility of extra

adhesive "skinning over" and creating a potential bond break. Spread only what you need.

- Supplied with: two dual notch blades with 8x8 - 10x10 mm and 6x6 - 12x12 mm 8x8 - 10x10 mm e 6x6 - 12x12 mm (5/16" x 5/16" - 13/32" x 13/32" e 1/4" x 1/4" - 15/32" x 15/32").

Part No.			Description						
397/66	8024648015440	1	"Colombo" for tiles up to 66 cm	11,5 Kg	25.4 lbs	50x50xh 27 cm	20"x20"xh 10 5/8"	14 Kg	30.9 lbs

DUAL NOTCH BLADES

- Interchangeable stainless steel blades with magnetic Quick Change.

Part No.			Notch type	Description	Notch size				
397L36Q8/10	8024648015495	1		Dual notch blades 8/10 mm	8x8 mm 10x10 mm 5/16" x 5/16" 13/32" x 13/32"	1,4 Kg 3 lbs	40x15xh 5cm	3 Kg 6.6 lbs	15"x6"xh 2"
397L36Q6/12	8024648015501	1		Dual notch blades 6/12 mm	6x6 mm 12x12 mm 1/4" x 1/4" 15/32" x 15/32"				
397L36V8/11	8024648015518	1		Dual notch blades V 8/11 mm	8 mm 11 mm 5/16" 7/16"				
397L36T9/15	8024648015525	1		Dual notch blades 9/15 mm	9 mm 15 mm 3/8" 9/16"				



SLANT RIDGE NOTCHED TROWELS 28x13 AND 36x13 cm (11"x5 1/8" AND 14 3/16"x5 1/8")

MADE
IN
E.U.

PATENTED



183HFV10



183HFV8



183HFV6



184HFV10G



184HFV08G

TECHNICAL FEATURES



PACKAGE



SLANT RIDGE NOTCHED TROWELS

- The slanted and rounded notch provide the following advantages:

1. maximum coverage: when placing the tile on adhesive spread with a slanted ridge, the ridges overlap and collapse to provide superior adhesive coverage and consequently avoid any air pocket under the tile/slab;
2. no air pocket under the tile/slab means avoid water infiltration in case of outdoor floors or swim-ming pools. Also, in case of thin slabs (3-7 mm thickness), it avoids any breakages

3. the absence of air under the tile improves the transmission of heat in case of underfloor heating;
 4. the rounded shape of the notch reduces the chance of the adhesive "binding" and ripping away the ridges while troweling. The adhesive does not bind in the rounded corners of this notch so the adhesive ridges stay intact.
- Rubber handle mounted on a die-cast aluminum core.
 - Stainless steel, 100% rust-proof.

SLANT RIDGE NOTCHED 28x13 cm (11"x5 1/8")

Rust proof stainless steel 0.7 mm. Rubber handle mounted on a die-cast aluminum core.


Part No.			Notch type	Notch size									
183HFV10	8024648016737	6		10 mm	13/32"	28x13 cm	11"x5 1/8"	340 gr	12 oz	32x22xh 15 cm	12 1/2"x8 5/8"xh 6"	2,3 Kg	5.1 lbs
183HFV8	8024648016744	6		8 mm	5/16"								
183HFV6	8024648016751	6		6 mm	1/4"								

SLANT RIDGE NOTCHED 36x13 cm (14 3/16"x5 1/8")

- The 36x13 cm (14 3/16" x 5 1/8") size increases of 30% the coverage for each pass (compared to 28x12 cm - 11x4 3/4"); this makes this trowel perfect for larg format tiles.

Part No.			Notch type	Notch size									
184HFV10G	8050532005006	6		10 mm	13/32"	36x13 cm	14 3/16"x5 1/8"	340 gr	12 oz	38x30xh 12 cm	15"x12"x h 4 3/4"	3 Kg	6.6 lbs
184HFV08G	8050532004993	6		8 mm	5/16"								

ADHESIVE SPREADING WITH STANDARD NOTCHED TROWEL



ADHESIVE SPREADING WITH SLANT RIDGE NOTCHED TROWEL




RUBBER HANDLE NOTCHED TROWELS 36x13 cm (14 3/16"x5 1/8")

MADE
IN
ITALY



184Q12G



184Q10G



184Q03G



184V06G



184V09G



184Q08G



184Q06G



184T15G

PACKAGE




CARTON BOX

RUBBER HANDLE NOTCHED TROWELS 36x13 CM (14 3/16"x5 1/8")

- The 36x13 cm (14 3/16" x 5 1/8") size increases of 30% the coverage for each pass (compared to 28x12 cm - 11" x 4 3/4" trowel).
- Perfect for large format tiles.
- Stamped in tempered steel 7/10.

- Handles are made of polished aluminum electro-welded to the blade.
- Rubber handgrips.
- Handgrip provided with anti-rotation device.
- Available in square and round notch as well as V shape.

Part No.	Barcode	Box	Notch type	Notch size		Blade size		Weight		Dimensions		Capacity	
184Q12G	8024648003911	6		12x12 mm	15/32" x 15/32"	36x13 cm	11"x5 1/8"	340 gr	12 oz	38x30xh12 cm	15"x12"xh 4 3/4"	3 Kg	6.6 lbs
184Q10G	8024648003904	6		10x10 mm	13/32" x 13/32"								
184Q03G	8024648003874	6		3x3 mm	1/8" x 1/8"								
184Q06G	8050532001374	6		6x6 mm	1/4" x 1/4"								
184Q08G	8024648086785	6		8x8 mm	5/16" x 5/16"								
184V06G	8024648086716	6		8 mm	5/16"								
184V09G	8024648086723	6		11 mm	7/16"	36x13 cm	11"x5 1/8"	340 gr	12 oz	38x30xh12 cm	15"x12"xh 4 3/4"	3 Kg	6.6 lbs
184T15G	8024648004208	6		15 mm	9/16"								





183 Q12G



183 Q10G



183 Q8G



183 Q6G



183 V9G



183 V6G



183 T15G



183 T9G

PACKAGE



CARTON BOX

RUBBER HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4")


- Stamped in 22 gauge tempered steel $\frac{1}{16}$ (1/4") with anti-corrosion treatment.
- Handles are made of polished aluminum electro-welded to the blade with rubber handgrips
- Rubber handgrips.
- Handgrip provided with anti-rotation device.

Part No.			Notch type	Notch size					
183 Q12G	8024648010483	16		12x12 mm	15/32" x 15/32"	28x12 cm	11"x4 3/4"	340 gr	12 oz
183 Q10G	8024648010490	16		10x10 mm	13/32" x 13/32"				
183 Q8G	8024648010506	16		8x8 mm	5/16" x 5/16"				
183 Q6G	8024648010520	16		6x6 mm	1/4" x 1/4"				
183 Q3G	8024648078490	6		3x3 mm	1/8" x 1/8"	28x12 cm	11"x4 3/4"	340 gr	12 oz
183 V9G	8024648010551	16		11 mm	7/16"				
183 V6G	8024648007759	16		8 mm	5/16"				
183 T15G	8024648010537	6		15 mm	9/16"	28x12 cm	11"x4 3/4"	340 gr	12 oz
183 T9G	8024648010568	6		9 mm	3/8"				



WOOD HANDLE NOTCHED TROWELS 28x12 cm (11"x 4 3/4")


MADE
IN
ITALY




183 12X12



183




183 8X8



183 6X6




183 3X3



183 V9



183 V6



183 V3



183 T15



183 T9

PACKAGE



CARTON BOX

NOTCHED TROWELS 28 x 12 cm (11"x4 3/4") WITH WOOD HANDLE

- Stamped in 22 gauge tempered steel $\frac{1}{16}$ (1/4") with anti-corrosion treatment.
- Handles are made of polished aluminum electro-welded to the blade with waxed wood handgrips fastened by a non-slip screw.


Part No.			Notch type	Notch size									
183 12X12	8024648000194	16		12x12 mm	15/32"x15/32"	28x12 cm	11"x4 3/4"	340 gr	12 oz	63x30xh 12 cm	24 7/8"x11 7/8"xh 4 3/4"	5,8 Kg	12.8 lbs
183	8024648000187	16		10x10 mm	13/32"x13/32"								
183 8X8	8024648000200	16		8x8 mm	5/16"x5/16"								
183 6X6	8024648000217	16		6x6 mm	1/4"x1/4"								
183 3X3	8024648010407	6		3x3 mm	1/8"x1/8"	28x12 cm	11"x4 3/4"	340 gr	12 oz	29x27xh 12 cm	11 3/8"x10 5/8"xh 4 3/4"	2,2 Kg	4.8 lbs
183 V9	8024648000231	16		11 mm	7/16"	28x12 cm	11"x4 3/4"	340 gr	12 oz	63x30xh 12 cm	24 7/8"x11 7/8"xh 4 3/4"	5,8 Kg	12.8 lbs
183 V6	8024648000224	16		8 mm	5/16"								
183 V3	8024648010544	6		3 mm	1/8"								
183 T15	8024648000248	6		15 mm	9/16"								
183 T9	8024648000255	6		9 mm	3/8"	28x12 cm	11"x4 3/4"	340 gr	12 oz	29x27xh 12 cm	11 3/8"x10 5/8"xh 4 3/4"	2,2 Kg	4.8 lbs

LEFT-HANDED WOOD HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4")

Part No.			Notch type	Notch size									
183 S	8024648010513	16		10x10 mm	13/32"x13/32"	28x12 cm	11"x4 3/4"	340 gr	12 oz	63x30xh 12 cm	24 7/8"x11 7/8"xh 4 3/4"	5,8 Kg	12.8 lbs
183 8X8S	8024648007742	16		8x8 mm	5/16"x5/16"								

ADHESIVE TOOLS, TROWEL & SCRAPERS


RAIMONDI




182 12X12




182




182 8X8




182 6X6




182 V9



182 V6



182 T15



182 T9

PACKAGE



CARTON BOX

NOTCHED TROWELS 48x13 cm (18 7/8"x5 1/8")

- Stamped in 21 guage tempered steel 7/10 (1/32") with anti-corrosion treatment.
- Handles are electro-welded to the blade.

- Handles are made of waxed wood handgrips.
- Bridge handle.

Part No.			Notch type	Notch size									
182 12X12	8024648006660	12		12x12 mm	15/32"x15/32"	48x13 cm	18 7/8"x5 1/8"	600 gr	21.2 oz	49x34xh 17 cm	19 1/4"x13 3/8"xh 6 5/8"	7,6 Kg	16.9 lbs
182	8024648000118	12		10x10 mm	13/32"x13/32"								
182 8X8	8024648000125	12		8x8 mm	5/16"x5/16"								
182 6X6	8024648000132	12		6x6 mm	1/4"x1/4"								
182 V9	8024648000156	12		11 mm	7/16"					50x25xh 10 cm	20"x10"xh 4"	2,7 Kg	6 lbs
182 V6	8024648000149	12		8 mm	5/16"								
182 T15	8024648000163	4		15 mm	9/16"								
182 T9	8024648006677	4		9 mm	3/8"								



TRAPEZIAL NOTCHED TROWELS

MADE
IN
ITALY



148



149



148Q10



148Q8



148Q6



148N5



148N3



409 10X10

PACKAGE



CARTON BOX

NOTCHED TROWELS 28 cm (11") WITH PLASTIC HANDLE

NOTCHED TROWELS 25 cm (1") WITH PLASTIC HANDLE													
Part No.			Notch type	Notch size									
148	8024648000279	12		3 mm	1/8"	28 cm	11"	250 gr	8.8 oz	33x33xh 10 cm	13"x13"xh 4"	3,4 Kg	7.5 lbs
149	8024648000286	12		11 mm	7/16"								

NOTCHED TROWELS 20 cm (7 7/8") WITH STEEL HANDLE

NOTCH TYPES TO CHOOSE FROM													
Part No.			Notch type	Notch size									
148 Q10	8024648014481	12		10x10 mm	13/32" x 13/32"	20 cm	7 7/8"	100 gr	3.5 oz	22x15xh 13 cm	8 5/8" x 5 7/8" x h 5 1/8"	1,3 Kg	2.9 lbs
148 Q8	8024648014498	12		8x8 mm	5/16" x 5/16"								
148 Q6	8024648014504	12		6x6 mm	1/4" x 1/4"								
148 N5	8024648007810	12		5 mm	3/16"								
148 N3	8024648007797	12		3.5 mm	9/64"								

"ZOCOLINA" NOTCHED TROWELS FOR SKIRTING


- Notched spatula for skirting/chairrail tiles. The unique design of this "trowel" allow the user to easily apply adhesive to these smaller, narrower tiles without waste or mess.

Part No.			Notch type	Notch size									
409 10X10	8024648004932	12		10x10 mm	13/32"x13/32"	13 cm	5 1/8"	150 gr	5.3 oz	27x15xh 10 cm	10 5/8"x6"xh 4"	1,9 Kg	4.1 lbs

RAIMONDI



137HUSKY



390



174



390BU



THINSET SHOES (FOR WALKING ON THINSET / ADHESIVE)

- Steel bottom, toe-guard made of replaceable nylon.

- Tip guard designed for safety shoes.

Part No.			Description						
137HUSKY	8024648000057	4	Toothed shoes "Husky" (per pair)	1,7 Kg	3.7 lbs	35x27xh 31 cm	14"x10 5/8"xh 12"	7,2 Kg	15.9 lbs

"ISOLA" AND "PENISOLA" (PLATFORMS TO WALK OVER THE FLOOR WITHOUT MOVING THE TILES WHEN LAYING WITH ADHESIVE)

- The platforms have ridges which extend into the joint and enable the user to walk over the floor without disturbing the tiles.
- "Isola": to walk on the floor during installation with adhesive - "+" layout.

- "Penisola": to walk on the floor during installation with adhesive - "T" layout.
- For joint larger then 2 mm (3/32").



Part No.			Description						
390	8024648000064	5	"Isola" To walk over the floor without moving the tiles (for "+" joints only)	1,45 Kg	3.2 lbs	33x33xh 10 cm	13"x13"xh 4"	7,7 Kg	17 lbs
390BU	8024648010667	5	"Penisola" To walk over the floor without moving the tiles (for "T" joints only)	0,75 Kg	1.7 lbs	33x33xh 10 cm	13"x13"xh 4"	4 Kg	8.8 lbs

"FIDO" ERGONOMIC SUPPORT

- Comfortable, stable and safe support during the operation of spreading adhesive, placing, adjusting, cleaning of tiles, etc.
- Thanks to the ergonomic design the weight of the body is distributed in an optimum manner relieving fatigue and increasing the working area range of the operator thus reducing installation time.
- Particularly useful for laying large format tiles.
- It comes with 4 white removable rubber feet (anti-slip and anti-stain): "FIDO" can be used (without feet) on adhesive already spread on the floor without disturbing the adhesive bed or (with feet) on installed tiles.
- Supplied in captivating packaging.

Part No.			Description						
174	8024648086648	2	"FIDO" ergonomic support	0,5 Kg	1.1 lbs	27x15xh10 cm	10 1/2"x6"xh 4"	1,2 Kg	2.6 lbs



TROWELS, BRICKLAYING TROWELS AND PROFESSIONAL SCRAPERS

MADE
IN
ITALY



341PQL



341PTN



342PQN



342MGT127



342PTN



342PAN



342PLG



342PFU



343SSL

PACKAGE



CARTON BOX

TROWELS

- Ergonomic design for a perfect and safe grip.
- Bi-material handle made in shock proof plastic and thermoplastic anti-slip rubber with finger guard. Additional anti-slip holes guarantee maximum grip.
- Sturdy and easy to clean thanks to the plastic injection system that makes the handle and the blade a single piece.
- Made in C55 first quality steel.
- Micro-fusion welding system guaranteed by every breakage and assures maximum strength, flexibility and reliability.
- Protected from rust by a special ecologic varnish.

Part No.			Description					
341PQL160	8024648065759	6	Square point. With anti-slip rubber handle and finger guard	160 mm	6 9/32"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,75 Kg 3.9 lbs
341PQL180	8024648066077	6	Square point. With anti-slip rubber handle and finger guard	180 mm	7"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,80 Kg 4 lbs
341PQL190	8024648066084	6	Square point. With anti-slip rubber handle and finger guard	190 mm	7 1/2"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,85 Kg 4.1 lbs
341PQL200	8024648066091	6	Square point. With anti-slip rubber handle and finger guard	200 mm	6 7/8"	42x16xh 17 cm	16 1/2"x6 1/4"xh 6 5/8"	1,90 Kg 4.2 lbs

Part No.			Description					
341PTN160	8024648065766	6	Round point. With anti-slip rubber handle and finger guard	160 mm	6 9/32"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,70 Kg 3.7 lbs
341PTN180	8024648066152	6	Round point. With anti-slip rubber handle and finger guard	180 mm	7"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,75 Kg 3.9 lbs
341PTN190	8024648066169	6	Round point. With anti-slip rubber handle and finger guard	190 mm	7 1/2"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,80 Kg 4 lbs
341PTN200	8024648066176	6	Round point. With anti-slip rubber handle and finger guard	200 mm	6 7/8"	42x16xh 17 cm	16 1/2"x6 1/4"xh 6 5/8"	1,85 Kg 4.1 lbs

BRICKLAYING TROWELS

- Ergonomic design for a perfect and safe grip.
- Bi-material handle made in shock proof plastic and thermoplastic anti-slip rubber with finger guard. Additional anti-slip holes guarantee maximum grip.
- Sturdy and easy to clean thanks to the plastic injection system that makes the handle and the blade a single piece.
- Made in C55 first quality steel.
- Micro-fusion welding system guaranteed by every breakage and assures maximum strength, flexibility and reliability.
- Protected from rust by a special ecologic varnish.


Part No.			Description					
342PQN140	8024648066268	6	Square point. With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	1 Kg 2.2 lbs
342PTN140	8024648066275	6	Round point. With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,8 Kg 1.8 lbs
342PAN140	8024648066237	6	Pointed trowel. With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,7 Kg 1.6 lbs
342PLG140	8024648066251	6	Cat tongue shape. With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,7 Kg 1.6 lbs
342PFU140	8024648066244	6	Olive leaf shape. With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,65 Kg 1.4 lbs
342MGT127	8024648072535	6	Square point. With anti-slip rubber handle and finger guard	133 mm	5 1/4"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,9 Kg 2 lbs

PROFESSIONAL SCRAPERS

- Made in first quality steel.
- Handle made in beech selected wood.

Part No.			Description					
343SSL020	8024648066282	12	Handle made in beech selected wood	20 mm	6 8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,7 Kg 1.5 lbs
343SSL040	8024648066305	12	Handle made in beech selected wood	40 mm	1 5/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,80 Kg 1.7 lbs
343SSL050	8024648066312	12	Handle made in beech selected wood	50 mm	2"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,90 Kg 2 lbs
343SSL060	8024648066329	12	Handle made in beech selected wood	60 mm	2 3/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,95 Kg 2.1 lbs
343SSL070	8024648066336	12	Handle made in beech selected wood	70 mm	2 3/4"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	1 Kg 2.2 lbs
343SSL080	8024648066343	12	Handle made in beech selected wood	80 mm	3 1/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	1,05 Kg 2.3 lbs
343SSL100	8024648066367	12	Handle made in beech selected wood	100 mm	4"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	1,20 Kg 2.6 lbs

RAIMONDI



182L



183L



183LG



184LG



142INX28



142INX24



142INX20

PACKAGE
CARTON BOX**RECTANGULAR FINISHING TROWELS (STEEL)**

- Stamped in 22 gauge tempered steel $\frac{6}{10}$ ($\frac{1}{42}$ ") with anti-corrosion treatment.
- Handles are made of polished aluminum electro-welded to the blade with waxed wood or rubber handgrips fastened by a non-slip screw.

Part No.			Tipo	Description				
182 L	8024648000170	12		Finishing trowels 7/10	48x13 cm	18 7/8"x5 1/8"	600 gr	21.1 oz
183 L	8024648000262	16		Finishing trowels 6/10	28x12 cm	11"x4 3/4"	340 gr	12 oz
183 LG	8024648007766	16		Finishing trowels 6/10				
184 LG	8024648003867	6		Finishing trowels 7/10	36x13 cm	14 3/16"x5 1/8"	460 gr	16.2 oz

TRAPEZIAL FINISHING TROWELS (STAINLESS STEEL)

- Stamped in stainless steel AISI420- $\frac{6}{10}$ 22 gauge ($\frac{1}{42}$ ").
- Handles are made of polished aluminum electro-welded to the blade with waxed wood handgrips fastened by a non-slip screw.

Part No.			Tipo	Description				
142 INX28	8024648007964	12		Finishing trowels 6/10	12x28 cm	4 3/4"x11"	350 gr	12.3 oz
142 INX24	8024648007957	12		Finishing trowels 6/10	10x24 cm	3 15/16"x9 7/16"	280 gr	9.9 oz
142 INX20	8024648007940	20		Finishing trowels 6/10	8x20 cm	3 1/8"x7 7/8"	240 gr	8.5 oz



MIXING PADDLES AND BUCKETS



178D60

178389E

178 389L
178 389F
178 389G



289CMAN



289IPER



178D80

178S

178



289CICO



289LT27



MIXING PADDLES FOR MIXING DRILLS

- Hexagonal calibrated arm 10 mm (3/8) with anti-corrosion treatment.
Available in double spiral or 4 spoke shape, with screw or chuck fit.

Part No.			Description						
178 389E	8024648009814	1	4-spoke mixing paddle Ø 140 mm (5 3/4")	—	•	—	—	—	—
178 389L	8024648079541	1	Dual spiral mixing paddle Ø 160 mm (6 9/16")	—	•	—	—	—	—
178 389F	8024648017888	1	Dual spiral mixing paddle Ø 140 mm (5 3/4")	—	•	—	—	—	—
178 389G	8024648017895	1	Dual spiral mixing paddle Ø 120 mm (4 3/4")	—	•	—	—	—	—
178 S	8024648000392	10	Dual spiral mixing paddle Ø 90 mm (3 1/2")	—	—	•	61x34xh 20 cm	24"x13 3/8"xh 8"	5,3 Kg 11.7 lbs
178	8024648000385	16	4-spoke mixing paddle Ø 120 mm (4 3/4")	—	—	•	—	—	7,7 Kg 17 lbs
178D60	8024648056887	12	Dual spiral mixing paddle Ø 60 mm (2 3/8")	—	—	•	44x15xh 14 cm	17 1/8"x6"xh 5 1/2"	2,8 Kg 6.2 lbs
178D80	8024648058195	12	Dual spiral mixing paddle Ø 80 mm (3 1/8")	—	—	•	44x19xh 18 cm	17 1/8"x7 1/2"xh 7"	3,1 Kg 6.8 lbs

BUCKETS

- Made of impact resistant plastic. Resists temperatures down to -5°. The reinforced bottom and rim make it suitable for carrying heavy loads (tile waste etc...).

Part No.			Description					
289CMAN	8024648000996	1	Bucket with steel handle	45 lt	12 gal	2,7 Kg	5.9 lbs	—
289IPER	8024648000989	1	Bucket with handles	45 lt	12 gal	2,3 Kg	5 lbs	—
289CICO	8024648007605	1	Bucket with steel handle	27 lt	7 gal	1,8 Kg	4 lbs	—
289LT27	8024648006288	1	Bucket with handles	27 lt	7 gal	1,5 Kg	3.3 lbs	—

