Safety Data Sheet MAPEFLOOR FINISH 450 PART B

Safety Data Sheet dated: 06/16/2021 - version 8

Date of first edition: 05/08/2015



1. IDENTIFICATION

Product identifier

Identification of the substance:

Trade name: MAPEFLOOR FINISH 450 PART B

Trade code: 906UA9999

Recommended use of the chemical and restrictions on use

Recommended use: Solvent free protective paint

Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION









Classification of the chemical

Acute Tox. 2 Fatal if inhaled.

Skin Irrit. 2 Causes skin irritation.

Resp. Sens. 1 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 May cause an allergic skin reaction. STOT SE 3 May cause respiratory irritation.

Aguatic Acute 2 Toxic to aquatic life.

Aquatic Chronic 2 Toxic to aquatic life with long lasting effects.

Eye Irrit. 2B Causes eye irritation.

Label elements

Hazard pictograms and Signal Word





Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.
H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 1 of 9

P302+P352 IF ON SKIN: Wash with plenty of water. P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy P305+P351+P338 to do. Continue rinsing. P312 Call a POISON CENTER if you feel unwell. P321 Specific treatment (see supplementary instructions on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER. P342+P311 P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Substance Identifications: MAPEFLOOR FINISH 450 PART B

Mixtures

Not available

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

tion (% w/w)	Ident. Numb.	Classification	Registration Number
≥ 100 %	CAS:5124-30-1	Acute Tox. 2, H330; Skin Irrit. 2, H315; Eye Irrit. 2B, H320; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Acute 2, H401; Aquatic Chronic 2, H411	

_

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 2 of 9

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: Not available

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Type	Country	Ceiling	Term mg/m3	Term ppm	Term mg/m3	Term ppm	Benaviour	Note
ACGIH				0,005				lower respiratory tract irritation:respiratory

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 3 of 9

ACGIH 0,005

lower respiratory tract irritation; respiratory sensitization

MAK AUSTRIA C 0,054 0,005 0,054 0,005 MAK AUSTRIA C 0,054 0,005

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid
Appearance and colour: clear

Odour: No data available
Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available Initial boiling point and boiling range: 200 °C (392 °F)

Flash point: 200 °C (392 °F) Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: 9.4

Vapour pressure: No data available Relative density: 1.20 g/cm3 Solubility in water: reacts Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: 470.00 °C

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

10. STABILITY AND REACTIVITY

Reactivity

Data not available.

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 4 of 9

Conditions to avoid

Data not available.

Incompatible materials

Data not available.

Hazardous decomposition products

Data not available.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Substancea) acute toxicity

LC50 Inhalation Rat = 434 mg/l 4h LD50 Skin Rabbit > 10000 mg/kg LD50 Oral Rat = 1065 mg/kg LD50 Skin Rabbit > 10000 mg/kg LC50 Inhalation Rat = 434 mg/m3 4h

LD50 Oral Rat = 9900 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Component Ecotox Infos

a) Aquatic acute toxicity: LC50 Fish Brachydanio rerio = 1,2 mg/L 96h IUCLID
a) Aquatic acute toxicity: LC50 Fish Brachydanio rerio 1,2 mg/L 96h IUCLID

Persistence and degradability

Not available

Bioaccumulative potential

Not available

Mobility in soil

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 5 of 9

Other adverse effects

Not available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

UN number

ADR-UN number: 3082 DOT-UN Number: UN3082 IATA-Un number: 3082 IMDG-Un number: 3082

UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. () DOT-Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. () IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. () IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ()

Transport hazard class(es)

ADR-Class: 9

DOT-Hazard Class: 9

IATA-Class: 9
IMDG-Class: 9

Packing group

ADR-Packing Group: III DOT-Packing group: III IATA-Packing group: III IMDG-Packing group: III

Environmental hazards

Marine pollutant: Yes

Environmental Pollutant: Not available

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): 8, 146, 173, 335, IB3, T4, TP1, TP29

DOT-Label(s): 9
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A
DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail (ADR-RID) :

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 6 of 9

ADR-Label: 9

ADR-Hazard identification number: 90

ADR-Transport category (Tunnel restriction code): 3 (-)

Air (IATA):

IATA-Passenger Aircraft: 964 IATA-Cargo Aircraft: 964

IATA-Label: 9

IATA-Subsidiary hazards: -

IATA-Erg: 9L

IATA-Special Provisioning: A97 A158 A197

Sea (IMDG):

IMDG-Stowage Code: Category A

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 274 335 969

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: F-A, S-F IMDG-MFAG: N/A

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

This substance is listed on the TSCA inventory

TSCA listed substances:

is listed in TSCA Section 8b Section 8a - PAIR

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No

Section 304 - Hazardous substances:

No

Section 313 - Toxic chemical list:

Yes

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

None

CAA - Clean Air Act

CAA listed substances:

None

CWA - Clean Water Act

CWA listed substances:

None

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Yes

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Yes

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 7 of 9

Canada - Federal regulations

DSL - Domestic Substances List

DSL (Domestic Substances List)

This substance is listed in the DSL.

NDSL - Non Domestic Substances List

NDSL (Non Domestic Substances List)

This substance is not listed in the NDSL.

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

16. OTHER INFORMATION

Safety Data Sheet dated: 6/16/2021 - version 8

Additional classification information

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: Not available



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H320	Causes eye irritation.
H330	Fatal if inhaled.
H334	$\label{thm:mass} \mbox{May cause allergy or asthma symptoms or breathing difficulties if inhaled.}$
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

Production Name

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

4/20/2023

Date

STOT: Specific Target Organ Toxicity.

MAPEFLOOR FINISH 450 PART B Page n. 8 of 9

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION

Date 4/20/2023 Production Name MAPEFLOOR FINISH 450 PART B Page n. 9 of 9