## **Safety Data Sheet**

## **MAPEFLOOR FINISH 450 NA PART A BASE T**

Safety Data Sheet dated: 06/16/2021 - version 2

Date of first edition: 04/08/2021



#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: MAPEFLOOR FINISH 450 NA PART A BASE T

Trade code: 906UA9990

Recommended use of the chemical and restrictions on use

Recommended use: Solvent free protective paint

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION





#### Classification of the chemical

Eye Irrit. 2A Causes serious eye irritation.

Skin Sens. 1 May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child in contact with skin. Repr. 2

STOT RE 1 Causes damage to organs through prolonged or repeated exposure in contact with skin and if swallowed.

#### Label elements

## Hazard pictograms and Signal Word



Danger

#### **Hazard statements**

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child in contact with skin.

H372 Causes damage to organs through prolonged or repeated exposure in contact with skin and if swallowed.

#### **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapours/spray. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention. P308+P313

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see supplementary instructions on this label).

Print date 09/28/2023 Production Name MAPEFLOOR FINISH 450 NA PART A BASE T 1 of 9 Page n.



P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

## Ingredient(s) with unknown acute toxicity:

None

## Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

N.A.

# Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	silica sand; quartz	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	
1-2.5 %	pentanedione 2,4; acetyl acetone	CAS:123-54-6	Flam. Liq. 3, H226; Acute Tox. 4, H302; Acute Tox. 3, H311; Acute Tox. 3, H331; Eye Dam. 1, H318; STOT SE 3, H336; STOT RE 2, H373	
0.1-0.25 %	dibutyltin dilaurate; dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)] stannane	CAS:77-58-7	Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1, H317; Muta. 2, H341; STOT RE 1, H372; Repr. 2, H361	

#### **4. FIRST AID MEASURES**

#### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

Eye irritation

Eve damages

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## **5. FIRE-FIGHTING MEASURES**

## **Extinguishing media**

Suitable extinguishing media:

Water.

Print date 09/28/2023 Production Name MAPEFLOOR FINISH 450 NA PART A BASE T Page n. 2 of 9

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Country

Ceiling

#### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

Component

## **Community Occupational Exposure Limits (OEL)**

OEL

**Type** 

S	ilica sand; quartz	ACGIH		0,025		5.	 A2 - Suspe Carcinoger fibrosis;
	pentanedione 2,4; acetyl acetone	ACGIH			25		Skin - pote contributio the cutane route;neur impairmen
		MAK	GERMANY	83	20		
		ACGIH			25		Skin - pote

Long Term

ppm

mg/m3

Long Term Short Term Short Term Behaviour

ppm

mg/m3

Notes

contribution the cutane route; neur impairmen

Print date 09/28/2023 Production Name MAPEFLOOR FINISH 450 NA PART A BASE T Page n. 3 of 9

MAK SWITZERLAN 83 20

С

# Appropriate engineering controls: N.A. **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: neutral

Odour: odourless

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available
Initial boiling point and boiling range: No data available

Flash point: 100 °C (212 °F) Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: No data available Solubility in water: No data available Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

## Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## 10. STABILITY AND REACTIVITY

## Reactivity

Stable under normal conditions

# Chemical stability

Data not available.

## Possibility of hazardous reactions

None.

## **Conditions to avoid**

Stable under normal conditions.

**Incompatible materials** 

#### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

#### **Toxicological Information of the Preparation**

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

## Toxicological information on main components of the mixture:

silica sand; quartz

a) acute toxicity

LD50 Oral Rat = 500 mg/kg

pentanedione 2,4; acetyl a) acute toxicity

LC50 Inhalation Rat = 1224 ppm 4h

acetone

LD50 Skin Rabbit = 790 mg/kg LD50 Skin Rabbit = 1370 mg/kg LC50 Inhalation Rat = 1224 ppm 4h

LD50 Oral Rat = 570 mg/kg

LD50 Oral Rat = 760 mg/kg

dibutyltin dilaurate;

dibutyltin dilaurate;

a) acute toxicity

LD50 Skin Rabbit = 630 mg/kg

dibutyl[bis

(dodecanoyloxy)]

stannane

LD50 Oral Rat = 45 mg/kg

## If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

# Substance(s) listed on the IARC Monographs:

silica sand; quartz Group 1

## Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

## Substance(s) listed as NIOSH Carcinogen(s):

silica sand; quartz

## Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the components

Component Ident. Numb. Ecotox Data

silica sand; quartz CAS: 14808-60- a) Aquatic acute toxicity: LC50 carp > 10000,00000 mg/L 72h

7

pentanedione 2,4; acetyl acetone CAS: 123-54-6 a) Aquatic acute toxicity: LC50 Fish Pimephales promelas 98,3 mg/L 96h EPA

a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus 50,3 mg/L 96h EPA
 a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 64,1 mg/L 96h EPA
 a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 34,4 mg/L 48h

IÚCLÍD

Persistence and degradability

N.A.

**Bioaccumulative potential** 

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

## **UN** number

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

## **UN** proper shipping name

ADR-Shipping Name: N.A.
DOT-Proper Shipping Name: N.A.
IATA-Technical name: N.A.
IMDG-Technical name: N.A.

## Transport hazard class(es)

ADR-Class: N.A. DOT-Hazard Class: N.A. IATA-Class: N.A. IMDG-Class: N.A.

**Packing group** 

ADR-Packing Group: N.A. DOT Packing Group: N.A.

IATA-Packing group: N.A. IMDG-Packing group: N.A.

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NΑ

## **Special precautions**

Department of Transportation (DOT):

N.A

Road and Rail ( ADR-RID ):

N.A.

Air ( IATA ):

NI A

Sea ( IMDG ):

N.A.

#### 15. REGULATORY INFORMATION

## **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

#### **TSCA** inventory:

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

silica sand; quartz is listed in TSCA Section 8b

pentanedione 2,4; acetyl acetone is listed in TSCA Section 8b Section 8a - PAIR Section 12b

is listed in TSCA Section 8b

Section 5a - SNUR

dibutyltin dilaurate; dibutyltin

dilaurate;

dibutyl[bis(dodecanoyloxy)]

stannane

#### **SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:** 

No substances listed

#### Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

## CAA - Clean Air Act

## **CAA listed substances:**

No substances listed

## **CWA - Clean Water Act**

## **CWA listed substances:**

No substances listed

## **USA - State specific regulations**

## **California Proposition 65**

## Substance(s) listed under California Proposition 65:

silica sand; quartz Listed as carcinogen

#### Massachusetts Right to know

## Substance(s) listed under Massachusetts Right to know:

silica sand; quartz

pentanedione 2,4; acetyl acetone

# Pennsylvania Right to know

# Substance(s) listed under Pennsylvania Right to know:

silica sand; quartz

#### New Jersey Right to know

## Substance(s) listed under New Jersey Right to know:

silica sand: quartz

pentanedione 2,4; acetyl acetone

## Canada - Federal regulations

#### **DSL - Domestic Substances List**

**DSL (Domestic Substances List)** 

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

NDSL (Non Domestic Substances List)

No substances listed

#### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

#### 16. OTHER INFORMATION

Safety Data Sheet dated: 6/16/2021 - version 2

#### **Additional classification information**

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H361	Suspected of damaging fertility or the unborn child in contact with skin.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H372	Causes damage to organs through prolonged or repeated exposure in contact with skin and if swallowed.	
H373	May cause damage to organs through prolonged or repeated exposure.	

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

NFPA

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION

Print date 09/28/2023 Production Name MAPEFLOOR FINISH 450 NA PART A BASE T Page n. 9 of 9