

## Safety Data Sheet

### MAPECURE AP

Safety Data Sheet dated: 06/16/2021 - version 5

Date of first edition: 08/11/2015



## 1. IDENTIFICATION

### Product identifier

Mixture identification:

Trade name: MAPECURE AP

Trade code: 9016918

### Recommended use of the chemical and restrictions on use

Recommended use: Sealant

Restrictions on use: Not available

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



### Classification of the chemical

Flam. Liq. 3	Flammable liquid and vapour.
Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Carc. 1B	May cause cancer if inhaled, in contact with skin and if swallowed.
STOT SE 3	May cause respiratory irritation.
Aquatic Acute 3	Harmful to aquatic life.
Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.

### Label elements

#### Hazard pictograms and Signal Word



Danger

### Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer if inhaled, in contact with skin and if swallowed.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Precautionary statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.

P261	Avoid breathing mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER if you feel unwell.
P321	Specific treatment (see supplementary instructions on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire, use a foam fire extinguisher to extinguish.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.

**Ingredient(s) with unknown acute toxicity:**

None

**Hazards not otherwise classified identified during the classification process:**

None

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substances**

Not available

**Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

**List of components**

Concentration (w/w)	Name	Ident. Numb.	Classification	Registration Number
50-75 %	naphthenic oil; Low boiling point naphtha - unspecified	CAS:64742-95-6	Asp. Tox. 1, H304; Flam. Liq. 3, H226; Carc. 1B, H350	
10-20 %	1,2,4-trimethyl-benzene; pseudocumene	CAS:95-63-6	Flam. Liq. 3, H226; Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Aquatic Chronic 2, H411; Acute Tox. 4, H332	
2.5-5 %	trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene	CAS:25551-13-7	Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Asp. Tox. 1, H304; Aquatic Acute 2, H401; Aquatic Chronic 2, H411	
1-2.5 %	xylenes; 1,2 dimethylbenzene	CAS:1330-20-7	Flam. Liq. 3, H226; Acute Tox. 4, H332; Acute Tox. 4, H312; Skin Irrit. 2, H315	
0.49-1 %	cumene; Isopropylbenzene	CAS:98-82-8	Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H335; Aquatic Chronic 2, H411	

**4. FIRST AID MEASURES**

**Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.  
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

#### **Most important symptoms/effects, acute and delayed**

Eye irritation  
Eye damages  
Skin Irritation  
Erythema

#### **Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

---

## **5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Suitable extinguishing media:

### **Unsuitable extinguishing media:**

None in particular.

### **Specific hazards arising from the chemical**

Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.  
Hazardous combustion products: Not available  
Explosive properties: Not available  
Oxidizing properties: Not available

### **Special protective equipment and precautions for fire-fighters**

Use suitable breathing apparatus.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.  
Remove all sources of ignition.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
Provide adequate ventilation.  
Use appropriate respiratory protection.  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Limit leakages with earth or sand.

### **Methods and material for containment and cleaning up**

Suitable material for taking up: absorbing material, organic, sand  
Retain contaminated washing water and dispose it.

---

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Exercise the greatest care when handling or opening the container.  
Do not use on extensive surface areas in premises where there are occupants.  
Use localized ventilation system.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage temperature: Not available

Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Avoid accumulating electrostatic charge.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Safety electric system.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
1,2,4-trimethyl-benzene; pseudocumene	EU			100	20			Indicative	
	MAK	GERMANY		100	20				
	MAK	AUSTRIA		100	20	150	30		
trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene	ACGIH				25				asthma;CNS impairment;hematologic effects;
	MAK	GERMANY		100	20				
	ACGIH				25				asthma;CNS impairment;hematologic effects
	MAK	AUSTRIA		100	20	150	30		
xylenes; 1,2 dimethylbenzene	MAK	SWITZERLAND		100	20				
	OSHA			435	100				
	ACGIH				100		150		A4 - Not Classifiable as a Human Carcinogen;CNS impairment;eye and upper respiratory tract irritation;
	EU			221	50	442	100	Indicative	Possibility of significant uptake through the skin;
	MAK	GERMANY		220	50				
	ACGIH				100		150		A4 - Not Classifiable as a Human Carcinogen;CNS impairment;eye and upper respiratory tract irritation
	MAK	AUSTRIA		221	50	442	100		
	MAK	SWITZERLAND		435	100				
cumene; Isopropylbenzene	EU			221	50	442	100	Indicative	Possibility of significant uptake through the skin (pure)
	OSHA			245	50				prevent or reduce skin absorption;
	ACGIH				50				CNS impairment;eye, skin and upper respiratory tract irritation;
	EU			100	20	250	50	Indicative	Possibility of significant uptake through the skin;

MAK	GERMANY	50	10					
OSHA		245	50					prevent or reduce skin absorption
ACGIH			50					CNS impairment; eye, skin and upper respiratory tract irritation
MAK	AUSTRIA	100	20	250	50			
MAK	SWITZERLAND	100	20					
EU		100	20	250	50	Indicative		Possibility of significant uptake through the skin

### Biological Exposure Index

Component	CAS-No.	Value	UoM	Medium	Biological Indicator	Sampling Period
xylenes; 1,2 dimethylbenzene	1330-20-7	1,5	GGCREAT	Urine	Methyl uric Acid	End of turn

Appropriate engineering controls: Not available

### Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: viscous liquid clear

Odour: Like: Hydrocarbons, aromatic

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available

Initial boiling point and boiling range: 148 °C (298 °F)

Flash point: 43 °C (109 °F)

Evaporation rate: <1 (Butyl Acetate)

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available

Vapour pressure: No data available

Relative density: 0.91 g/cm<sup>3</sup>

Solubility in water: insoluble

Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

Solid/gas flammability: No data available

### Other information

Substance Groups relevant properties No data available

Miscibility: No data available

Fat Solubility: No data available

Conductivity: No data available

---

## 10. STABILITY AND REACTIVITY

### Reactivity

It may generate dangerous reactions (See subsections below)

### Chemical stability

It may generate dangerous reactions (See subsections below)

### Possibility of hazardous reactions

None.

### Conditions to avoid

Avoid accumulating electrostatic charge.

### Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

### Hazardous decomposition products

None.

---

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological information of the product:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information of the main substances found in the product:

naphthenic oil; Low boiling point naphtha - unspecified	a) acute toxicity	LD50 Skin Rabbit > 2000 mg/kg  LC50 Inhalation Rat = 3400 ppm 4h LD50 Oral Rat = 8400 mg/kg
1,2,4-trimethyl-benzene; pseudocumene	a) acute toxicity	LD50 Skin Rabbit > 3160 mg/kg  LC50 Inhalation Rat = 18 g/m <sup>3</sup> 4h LD50 Oral Rat = 3280 mg/kg LC50 Inhalation Rat = 18 g/m <sup>3</sup> 4h
trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene	a) acute toxicity	LD50 Oral Rat = 8970 mg/kg
xylenes; 1,2 dimethylbenzene	a) acute toxicity	LC50 Inhalation Rat = 47635 mg/l 4h  LD50 Oral Rat = 4300 mg/kg LD50 Skin Rabbit > 4350 mg/kg LC50 Inhalation Rat = 29,08 mg/l 4h LD50 Oral Rat = 3500 mg/kg
cumene; Isopropylbenzene	a) acute toxicity	LD50 Skin Rabbit = 12300 µL/kg  LC50 Inhalation Rat 20 mg/l 6h LD50 Oral Rat = 1400 mg/kg LD50 Skin Rabbit = 12300 µL/kg LC50 Inhalation Rat > 3577 ppm 6h LD50 Oral Rat = 1400 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure  
Toxicological kinetics, metabolism  
and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

**Substance(s) listed on the IARC Monographs:**

- xylene; 1,2 dimethylbenzene      Group 3
- cumene; Isopropylbenzene      Group 2B

**Substance(s) listed as OSHA Carcinogen(s):**

- cumene; Isopropylbenzene

**Substance(s) listed as NIOSH Carcinogen(s):**

- None

**Substance(s) listed on the NTP report on Carcinogens:**

- cumene; Isopropylbenzene

---

**12. ECOLOGICAL INFORMATION**

**Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of components with eco-toxicological properties**

Component	Ident. Numb.	Ecotox Infos
naphthenic oil; Low boiling point naphtha - unspecified	CAS: 64742-95-6	G : LC50 Avian Colinus virginianus > 6500 ppm 5d IUCLID  G : LD50 Avian Colinus virginianus > 2250 mg/kg IUCLID a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 9,22 mg/L 96h IUCLID a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 6,14 mg/L 48h IUCLID
1,2,4-trimethyl-benzene; pseudocumene	CAS: 95-63-6	G : LC50 Avian Colinus virginianus > 6500 ppm 5d IUCLID  G : LD50 Avian Colinus virginianus > 2250 mg/kg IUCLID a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 7,19 mg/L 96h EPA a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 6,14 mg/L 48h IUCLID
trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene	CAS: 25551-13-7	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 7,72 mg/L 96h
xylene; 1,2 dimethylbenzene	CAS: 1330-20-7	a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio = 780 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 13,4 mg/L 96h EPA  a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 2,661 mg/L 96h EPA  a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 13,5 mg/L 96h IUCLID  a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 13,1 mg/L 96h EPA

		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 19 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 7,711 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 23,53 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio > 780 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata 30,26 mg/L 96h EPA
		a) Aquatic acute toxicity : EC50 Daphnia water flea = 3,82 mg/L 48h
		a) Aquatic acute toxicity : LC50 Daphnia Gammarus lacustris = 0,6 mg/L 48h
cumene; Isopropylbenzene	CAS: 98-82-8	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 6,04 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 4,8 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 2,7 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata = 5,1 mg/L 96h EPA
		a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 0,6 mg/L 48h IUCLID
		a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna 7,9 mg/L 48h EPA
		a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 2,6 mg/L 72h EPA

#### **Persistence and degradability**

Not available

#### **Bioaccumulative potential**

Not available

#### **Mobility in soil**

Not available

#### **Other adverse effects**

Not available

### **13. DISPOSAL CONSIDERATIONS**

#### **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### **14. TRANSPORT INFORMATION**

#### **UN number**

ADR-UN number: 1993

DOT-UN Number: UN1993

IATA-Un number: 1993

IMDG-Un number: 1993

#### **UN proper shipping name**



ADR-Shipping Name: FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa, boiling point of more than 35 °C) (naphthenic oil; Low boiling point naphtha - unspecified - )

DOT-Proper Shipping Name: Flammable liquids, n.o.s. (naphthenic oil; Low boiling point naphtha - unspecified - )

IATA-Technical name: FLAMMABLE LIQUID, N.O.S. (naphthenic oil; Low boiling point naphtha - unspecified - )

IMDG-Technical name: FLAMMABLE LIQUID, N.O.S. (naphthenic oil; Low boiling point naphtha - unspecified - )

#### **Transport hazard class(es)**

ADR-Class: 3

DOT-Hazard Class: 3

IATA-Class: 3

IMDG-Class: 3

#### **Packing group**

ADR-Packing Group: III

DOT-Packing group: III

IATA-Packing group: III

IMDG-Packing group: III

#### **Environmental hazards**

Marine pollutant: Yes

Environmental Pollutant: Not available

#### **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not available

#### **Special precautions**

Department of Transportation (DOT):

DOT-Special Provision(s): B1, B52, IB3, T4, TP1, TP29

DOT-Label(s): 3

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A

DOT-Non-Bulk: N/A

Road and Rail ( ADR-RID ) :

ADR exempt: No

ADR-Label: 3

ADR-Hazard identification number: -

ADR-Transport category (Tunnel restriction code): 3 (E)

Air ( IATA ) :

IATA-Passenger Aircraft: 355

IATA-Cargo Aircraft: 366

IATA-Label: 3

IATA-Subsidiary hazards: -

IATA-Erg: 3L

IATA-Special Provisioning: A3

Sea ( IMDG ) :

IMDG-Stowage Code: Category A

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 223 274 955

IMDG-Page: N/A

IMDG-Label: N/A

IMDG-EMS: F-E, S-E

IMDG-MFAG: N/A

---

## **15. REGULATORY INFORMATION**

### **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

##### **TSCA inventory:**

All the components are listed on the TSCA inventory

**TSCA listed substances:**

naphthenic oil; Low boiling point naphtha - unspecified is listed in TSCA Section 8b

1,2,4-trimethyl-benzene; pseudocumene is listed in TSCA Section 8b

trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene is listed in TSCA Section 8b

xylenes; 1,2 dimethylbenzene is listed in TSCA Section 8b

cumene; Isopropylbenzene is listed in TSCA Section 8b

**SARA - Superfund Amendments and Reauthorization Act****Section 302 - Extremely Hazardous Substances:**

No substances listed

**Section 304 - Hazardous substances:**

xylenes; 1,2 dimethylbenzene

cumene; Isopropylbenzene

**Section 313 - Toxic chemical list:**

1,2,4-trimethyl-benzene; pseudocumene

xylenes; 1,2 dimethylbenzene

cumene; Isopropylbenzene

**CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act****Substance(s) listed under CERCLA:**

xylenes; 1,2 dimethylbenzene Reportable quantity: 100 pounds

cumene; Isopropylbenzene Reportable quantity: 5000 pounds

**CAA - Clean Air Act****CAA listed substances:**

xylenes; 1,2 dimethylbenzene is listed in CAA Section 112(b) - HAP Section 112(b) - HON

cumene; Isopropylbenzene is listed in CAA Section 112(b) - HAP Section 112(b) - HON

**CWA - Clean Water Act****CWA listed substances:**

xylenes; 1,2 dimethylbenzene is listed in CWA Section 311

**USA - State specific regulations****California Proposition 65****Substance(s) listed under California Proposition 65:**

cumene; Isopropylbenzene Listed as carcinogen

**Massachusetts Right to know****Substance(s) listed under Massachusetts Right to know:**

1,2,4-trimethyl-benzene; pseudocumene

trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene

xylenes; 1,2 dimethylbenzene

cumene; Isopropylbenzene

**Pennsylvania Right to know****Substance(s) listed under Pennsylvania Right to know:**

1,2,4-trimethyl-benzene; pseudocumene

trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene

xylenes; 1,2 dimethylbenzene

cumene; Isopropylbenzene

**New Jersey Right to know****Substance(s) listed under New Jersey Right to know:**

1,2,4-trimethyl-benzene; pseudocumene

trimethylbenzenes; reaction mass of 1,2,4-trimethylbenzene and mesitylene

xylenes; 1,2 dimethylbenzene

cumene; Isopropylbenzene

**Canada - Federal regulations**

## DSL - Domestic Substances List

### DSL (Domestic Substances List)

All the substances are listed in the DSL.

## NDSL - Non Domestic Substances List

### NDSL (Non Domestic Substances List)

No substances listed

## NPRI - National Pollutant Release Inventory

### NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

## 16. OTHER INFORMATION

Safety Data Sheet dated: 6/16/2021 - version 5

### Additional classification information

NFPA Health: 1 = Slight

NFPA Flammability: 2 = Combustible liquid

NFPA Reactivity: 0 = Minimal

NFPA Special Risk: Not available



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H350	May cause cancer if inhaled, in contact with skin and if swallowed.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

**Paragraphs modified from the previous revision:**

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 16. OTHER INFORMATION