



Parallel®USA 20 | Parallel®USA 12



The Right Combination of Performance, Design and Price


Manufactured in the US, Parallel® USA Luxury Flooring is readily available and just a truck delivery away. No overseas lead-time or tariffs to worry about. New Urethane Plus coating provides enhanced resistance to scratches, stains and scuffs compared to standard urethane coatings.



The curated collection features sophisticated fabric designs in a tile format, an array of wood species and a stone-inspired wood plank to balance the collection.



J5251 | J5151 Jace, Pier Beige



J5250 | J5150 Jace, Silver Gray



J5252 | J5152 Jace, Ebony Gray



J5260 | J5160 Havana, Toast



J5262 | J5162 Havana, Heather




J5263 | J5163 Havana, Henna



J5261 | J5161 Havana, Biscuit Beige

Jace and Havanna are sophisticated fabric designs in subtle neutrals offered in 18 in. x 18 in. tiles.




Building Better

We share your commitment to transparency and building a better environment together.

- Low VOC emissions and FloorScore® certified
- Free of ortho-phthalates and heavy metals
- Recyclable through the On&On® Recycling Program
- Health Product Declaration (HPD) and third-party certified Environmental Product Declaration (EPD) available
- Made in the USA with global and domestic content



A mix of modern oak, hickory, and walnut visuals are available in 6 in. x 48 in. planks.



Choose Parallel® USA 20 for areas where commercial flooring performance is a requirement.

Choose Parallel® USA 12 for light commercial spaces, Main Street businesses, and residential areas in mixed use properties.






Create Quiet

Parallel® USA paired with S-1841 Quiet Comfort Floating Underlayment, or S-1840 Quiet Comfort Luxury Flooring Underlayment is ideal for spaces where noise reduction is important.



J5255 | J5155 Brushed Essence, Enchanted



- 1. Urethane Plus Coating
- 2. Rigid Wear Layer
- 3. Print Film
- 4. Foundation Layer

Commercial Limited Warranty

Parallel USA 20:

Supported by a 15 Year Commercial Limited Warranty.

Parallel USA 12:

Supported by a 7 Year Commercial Limited Warranty.

Add 10 years of overall warranty coverage by using Strong System™ subfloor preparation products.
Visit ArmstrongFlooring.com for more information.

Product Information

Construction - Solid Vinyl Tile (Luxury Vinyl Tile / LVT) **International Specifications** - ASTM F1700, Class III,

Type B, embossed surface

Overall Thickness - Parallel USA 20: 0.100 in. (2.5 mm)

Parallel USA 12: 0.080 in. (2.0 mm)

Wear Layer Thickness - Parallel USA 20: 0.020 in. (0.5 mm)

Parallel USA 12: 0.012 in. (0.3 mm)

Size - 6 in. x 48 in. / 18 in. x 18 in. Factory Finish - Urethane Plus

Installation - S-1000, S-995, S-319 Roll Strong[™]

Maintenance Options - No Polish - No Buff, Polish Optional

Color and visual variation is inherent in all resilient products. Prior to installation, we recommend reviewing multiple tiles.

ArmstrongFlooring[®]

Walk On. Walk Strong.





Visit ArmstrongFlooring.com

for complete Product, Technical, Adhesives, Installation and Maintenance recommendations.

Parallel USA 20 Parallel USA 12

Print#: FP7440F10372-821