



Theorem Luxury Flooring



Design for Discovery

Our innate desire to collaborate is a large part of our success story – and it's a critical component of a brighter future. With Theorem™, spark curiosity and collaboration in the next generation of doers, thinkers, influencers and connectors with a carefully curated palette of color and pattern.



Algebra 1 and **Algebra 2** are a play on scale, featuring a unique pattern to inspire joy and productivity for dynamic learning. Each design is available in. 6 in. x 36 in. planks.



ST985 Algebra 1, Einstein



ST995 Algebra 2, Einstein Blue



ST982 Algebra 1, deGrasse



ST992 Algebra 2, deGrasse Green



ST984 Algebra 1, Newton



ST994 Algebra 2, Newton Gray



ST983 Algebra 1, Pythagorean



ST993 Algebra 2, Pythagorean Ash



Building Better

We share your commitment to transparency and building a better environment together.

- Low VOC emissions and FloorScore® certified
- Free of ortho-phthalates and heavy metals
- Recyclable through the On&On® Recycling Program
- Health Product Declaration (HPD) and third-party certified Environmental Product Declaration (EPD) available
- Made in the USA with global and domestic content



Available in a 6 in. x 36 in. plank, **Alchemy** was carefully formulated to strike a harmony between pattern and contrasting color, ranging from brights to rich dark shades.








Breakthrough Innovation

Diamond 10[®] Technology is a patented innovation that uses cultured diamonds to provide the ultimate in scratch, stain, and scuff resistance.

With Diamond 10 Technology, you'll never compromise the look you want for the durability you need. Made to stand up to the wear and tear of commercial settings, this low-maintenance solution keeps floors looking newer, longer.







1. Diamond 10® Technology

Patented innovation that uses cultured diamonds to provide category-leading scratch, stain, and scuff resistance from edge-to-edge

2. Rigid Wear Layer

The combination of Diamond 10° Technology and the unique rigid wear layer results in enhanced durability and abrasion resistance

- 3. Realistic Printed Visual
- 4. Foundation Layer

5. Eased Edge

Designed to blend seamlessly into the next plank for ease of maintenance and cleanability

20 Year Commercial Limited Warranty

Supported by a 20 Year
Commercial Limited Warranty.
Add 10 years of overall
warranty coverage by using
Strong System™ subfloor
preparation products. Visit
ArmstrongFlooring.com for
more information.



Product Information

Construction - Solid Vinyl Tile (Luxury Vinyl Tile / LVT) **International Specifications** - ASTM F1700, Class III,

Type B, embossed surface

Overall Thickness - 2.5 mm / 0.100 in. Wear Layer Thickness - 20 mil / 0.020 in.

Size - 6 in. x 36 in.

Factory Finish - Diamond 10® Technology

Installation - Adhesives: S-1000, S-995, S-319 Roll Strong™
Maintenance Options - No Polish - No Buff, Polish Optional

Color and visual variation is inherent in all resilient products. Prior to installation, we recommend reviewing multiple tiles.

ArmstrongFlooring[®]

Walk On. Walk Strong.





Visit ArmstrongFlooring.com

for complete Product, Technical, Adhesives, Installation and Maintenance recommendations.



Print#: FP7440F10484-1121