## **Safety Data Sheet EPOJET PART A**

Safety Data Sheet dated: 12/08/2022 - version 5

Date of first edition: 03/07/2017



## 1. Identification

## **Product identifier**

Mixture identification:

Trade name: EPOJET PART A

Trade code: 9015611

Recommended use and restrictions on use Recommended use: Epoxy resin for injection

Restrictions on use: Not available

Supplier's details

Company: MAPEI INC. (Canada)

2900 Francis-Hughes Avenue H7L 3J5 - Laval - QC - CAN

Phone: 1-450-662-1212

Responsable: RDProductSafety@mapei.com

**Emergency phone number** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. Hazard identification







## Classification of the product

Skin irritation, Category 2

Serious eye damage, Category 1

Skin Sensitization, Category 1B

Chronic (long-term) aquatic hazard - Category 2

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

## **Label elements**

## **Pictograms and Signal Words**



#### Danger

### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P261 Avoid breathing mist/vapours/spray. P264 Wash skin thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. P272

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a doctor.

P321 Specific treatment (see supplementary instructions on this label) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

Print date 12/08/2022 Production Name **EPOJET PART A** 1 of 9 Page n.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Other hazards

None

## Ingredient(s) with unknown acute toxicity

None

## 3. Composition/information on ingredients

#### **Substances**

Not Relevant

#### **Mixtures**

Hazardous components within the meaning of WHMIS 2015 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
25-50 %	bisphenol a epoxy resin; 1-Chloro- 4 Trifluromethyl Bisphenol A Epoxy Resin		Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
25-50 %	phenol, polymer with formaldehyde, glycidyl ether; 2- (chloromethyl)oxirane; Formaldehyde; Phenol		Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411	N.A.
25-50 %	1,4-bis(2,3-epoxypropoxy)butane; butanedioldiglycidyl ether	EC:219-371-7	Skin Irrit. 2, H315; Acute Tox. 4, H312; Acute Tox. 4, H332; Acute Tox. 4, H302; Eye Dam. 1, H318; Skin Sens. 1, H317	

The actual concentration of the components listed above is withheld as a trade secret.

## 4. First-aid measures

#### **Description of necessary first-aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

## Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## 5. Fire-fighting measures

## Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

Print date 12/08/2022 Production Name EPOJET PART A Page n. 2 of 9

None in particular.

#### Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

## Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

## 7. Handling and storage

## Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Wash skin thoroughly after handling.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

## 8. Exposure controls/personal protection

## **Control parameters**

No data available

# **Appropriate engineering controls**

Not available

## Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

## Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Print date 12/08/2022 Production Name EPOJET PART A Page n. 3 of 9

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: clear

Odour: Characteristic

Odour threshold: No data available

pH: 7.00

Melting point / freezing point: No data available Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: 100 °C (212 °F) Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: No data available Solubility in water: Insoluble Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## 10. Stability and reactivity

### Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

## Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

## **Incompatible materials**

None in particular.

## **Hazardous decomposition products**

None.

## 11. Toxicological information

## Information on toxicological effects

Likely routes of exposure:

Skin contact, skin absorption, eye contact, inhalation and ingestion.

## **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation The product is classified: Skin irritation, Category 2(H315)

c) serious eye damage/irritation The product is classified: Serious eye damage, Category 1(H318) d) respiratory or skin sensitisation The product is classified: Skin Sensitization, Category 1B(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Print date 12/08/2022 Production Name EPOJET PART A Page n. 4 of 9

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

# Toxicological information on main components of the mixture: a) acute toxicity

phenol, polymer with

formaldehyde, glycidyl

ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol

LD50 Skin Rabbit > 5000 mg/kg

LD50 Oral Rat > 11400 mg/kg

1,4-bis(2,3a) acute toxicity LD50 Oral Rat = 1134 mg/kg

epoxypropoxy)butane; butanedioldiglycidyl ether

# Substance(s) listed on the IARC Monographs:

None

## Substance(s) listed as OSHA Carcinogen(s):

None

## Substance(s) listed as NIOSH Carcinogen(s):

None

## Substance(s) listed on the NTP report on Carcinogens:

None

# 12. Ecological information

## **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

### List of Eco-Toxicological properties of the product

The product is classified: Chronic (long-term) aquatic hazard - Category 2(H411)

### Persistence and degradability

N.A.

## **Bioaccumulative potential**

NΑ

## Mobility in soil

N.A.

## Other adverse effects

N.A.

### 13. Disposal considerations

## Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

# Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Print date 12/08/2022 Production Name **EPOJET PART A** 5 of Page n.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## 14. Transport information

#### **UN** number

TDG-UN number: UN3082 ADR-UN number: 3082 DOT-UN Number: UN3082 IATA-Un number: 3082 IMDG-Un number: 3082

## **UN** proper shipping name

TDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol a epoxy resin; 1-Chloro-4

Trifluromethyl Bisphenol A Epoxy Resin - phenol, polymer with formaldehyde, glycidyl ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol)

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol a epoxy resin; 1-Chloro-4

Trifluromethyl Bisphenol A Epoxy Resin - phenol, polymer with formaldehyde, glycidyl ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol)

DOT-Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (bisphenol a epoxy resin; 1-Chloro-4 Trifluromethyl

Bisphenol A Epoxy Resin - phenol, polymer with formaldehyde, glycidyl ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol)

IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol a epoxy resin; 1-Chloro-4

Trifluromethyl Bisphenol A Epoxy Resin - phenol, polymer with formaldehyde, glycidyl ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol)

IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol a epoxy resin; 1-Chloro-4

Trifluromethyl Bisphenol A Epoxy Resin - phenol, polymer with formaldehyde, glycidyl ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol)

## Transport hazard class(es)

TDG-Class: 9

ADR-Class: 9

DOT-Hazard Class: 9

IATA-Class: 9
IMDG-Class: 9

#### Packing group

TDG-Packing Group: III ADR-Packing Group: III DOT Packing Group: III IATA-Packing group: III IMDG-Packing group: III

#### **Environmental hazards**

Marine pollutant: Yes

Environmental Pollutant: Not Applicable

DOT-RQ: Not Applicable

## Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

Not Applicable

## Special precautions in connection with transport or conveyance

TDG:

TDG Special provisions: 16, 99 Department of Transportation (DOT):

DOT-Special Provision(s): 8, 146, 173, 335, IB3, T4, TP1, TP29

DOT-Label(s): 9
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A
DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail (ADR-RID):
ADR exempt: No

ADR-Label: 9

Print date 12/08/2022 Production Name EPOJET PART A Page n. 6 of 9

ADR-Hazard identification number: 90

ADR-Transport category (Tunnel restriction code): 3 (-)

## Air (IATA):

IATA-Passenger Aircraft: 964 IATA-Cargo Aircraft: 964

IATA-Label: 9

IATA-Subsidiary hazards: -

IATA-Erg: 9L

IATA-Special Provisions: A97 A158 A197

#### Sea (IMDG):

IMDG-Stowage Code: Category A

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisions: 274 335 969

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: F-A, S-F IMDG-MFAG: N/A

## 15. Regulatory information

### Canada - Federal regulations

#### **DSL - Domestic Substances List**

## **DSL (Domestic Substances List)**

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

**NDSL (Non Domestic Substances List)** 

No substances listed

### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

## **USA** - Federal regulations

# **TSCA - Toxic Substances Control Act**

## **TSCA** inventory:

All the components are listed on the TSCA inventory

### **TSCA listed substances:**

bisphenol a epoxy resin; 1-Chloro- is listed in TSCA Section 8b 4 Trifluromethyl Bisphenol A Epoxy Resin

phenol, polymer with is listed in TSCA Section 8b formaldehyde, glycidyl ether; 2-

(chloromethyl)oxirane; Formaldehyde; Phenol

1,4-bis(2,3-epoxypropoxy)butane; is listed in TSCA Section 8b butanedioldiglycidyl ether

## **SARA - Superfund Amendments and Reauthorization Act**

## Section 302 - Extremely Hazardous Substances:

No substances listed

## Section 304 - Hazardous substances:

No substances listed

# Section 313 - Toxic chemical list:

No substances listed

## CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

# CAA - Clean Air Act

#### **CAA listed substances:**

Print date 12/08/2022 Production Name **EPOJET PART A** 7 of 9 Page n.

No substances listed

#### CWA - Clean Water Act

**CWA listed substances:** 

No substances listed

### **USA - State specific regulations**

## **California Proposition 65**

Substance(s) listed under California Proposition 65:

No substances listed

## Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed

### Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed

## New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed

#### 16. Other information

Safety Data Sheet dated: 12/8/2022 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
A.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.2/2	Skin Irrit. 2	Skin irritation, Category 2
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1
A.4.2/1B	Skin Sens. 1B	Skin Sensitization, Category 1B
CAN-HAE/C2	Aquatic Chronic 2	Chronic (long-term) aquatic hazard - Category 2

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

Print date 12/08/2022 Production Name EPOJET PART A Page n. 8 of 9

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION

Print date 12/08/2022 Production Name EPOJET PART A Page n. 9 of 9