

2007  
2008



RUBITOLS®  
RUBIQUIP®  
RUBINET®



GENERAL CATALOGUE



## PLANNING AND MEASURING

Page

Markers and Templates	96
Levelling Systems	122
Measuring Systems	130



## INDEX BY WORKS



## STRUCTURAL ERECTIONS, ENCLOSURES AND DECORATIVE CONCRETE

Page

Manual Cutters for Building Materials	52
Trowels	56
Brick Trowels	68
Floats	80
Scrapers	90
Decorative Concrete Tools	138



## INSTALLATIONS

Page

Tools for Drilling Tiles, Stoneware, Marble, Granite, Glass and Other Materials	40
Markers and Templates	96
Mallets, Mason Picks, Picks, Shovels, Chisels, Point Chisels and Nippers	112
Grinders, Polishers, Vacuums, Drills and Hammers	174
Abrasive Blades	180
Works Machinery and Tools	214



## CERAMIC CUTTING, TILING AND POINTING

Page

Manual Tile Cutters	16
Trowels and Notched Trowels	56
Rubber Trowels and Sponges	80
Accessories for Tiling	96
Tile Spacers	106
Nippers	112
Electric Saws	144
Diamond Blades	166
Mixers and Joint Applicators for Mortar	186
Vibrators, Cleaners and Polishers	198



## DEMOLITION AND RECYCLING OF RESIDUES

Page

Shovels, Picks and Mattocks	112
Generators and Electrical Accessories	208
Works Machinery and Tools	214



## SHUTTERINGS

Page

Frammer Hammers	112
Works Machinery and Tools	214



## SAFETY EQUIPMENT

Page

RUBIQUIP®	224
-----------	-----



## CONSTRUCTION CLEANING

Page

Spatulas and Construction Cleaning Brushes	90
RUBINET®	236



## INDEX BY CONTENTS

**RUBITOOLS**  
MANUAL tools  
for building

**RUBITOOLS**  
ELECTRIC tools  
for building

**RUBIQUIP**

**RUBINET**

DISPLAYS

Manual Tile Cutters



16

Tools for Drilling Tiles, Stoneware,  
Marble, Granite, Glass and Other Materials



40

Manual Cutters for Building Materials



52

Trowels and Notched Trowels



56

Brick Trowels



68

Floats, Rubber Trowels and Sponges



80

Spatulas, Scrapers and Brushes



90

Markers, Templates  
and Accessories for Tiling



96

Tile Spacers



106

Mallets, Mason Picks, Picks, Shovels,  
Chisels, Point Chisels and Nippers



112

Levelling Systems



122

Measuring Systems



130

Product Kits



136

Tools and Mats for Decorative Concrete



138

Electric Saws



144

Diamond Blades



166

Grinders, Diamond Wall Chasers,  
Vacuum-Cleaners, Drills and Hammers



174

Abrasive Blades



180

Mixers and Joint Applicators for Mortar



186

Vibrators, Cleaners and Polishers



198

Generators and Electrical Accessories



208

Works Machinery and Tools



214

Safety Equipment



224

Products and Accessories for Cleaning,  
Protection and Maintenance of Tile





236

Displays  
Index by references and Pictograms



252



# Past, Present, Future of a great Brand

## Consolidation of an idea

**Germans Boada, S.A., RUBI®**, has its origins in 1951 with the invention of a manual cutter for hydraulic mosaic work, created by the Boada brothers.

This new tool had an excellent reception receiving a diploma of honour and the gold medal at the first national exhibition of inventions, held in Barcelona in 1953.

The new tool, christened with the name of **RUBI®** served as a foundation pillar for this company which now designs, manufactures and distributes machinery and tools for the construction industry specialising in tile laying equipment and along with other building materials.

Based on the high quality and characteristics of our products during these past fifty years, **Germans Boada, S.A., RUBI®**, has introduced its products internationally, making the **RUBI®** cutter known by professionals all over the world. The development of the **RUBI®** brand name during this past half century has been accompanied by the introduction of a wide range of building tools and machinery that are highly regarded by professionals internationally.

Half a century of experience, a well known international brand, a complete range of products and a great professional team are the elements **Germans Boada, S.A., RUBI®** will use to face the challenges of the new century.

## Facilities

In order to meet its growth requirements, the company has refurbished its headquarters located in the town of Rubí, near Barcelona (Spain).

Our research laboratories, engineering departments, production plants, warehouses, and distribution centers have been efficiently adapted to the growing needs of the group.

The new **Germans Boada, S.A.** logistics and industrial centre has recently begun operation. This new 215,000 sq. ft. (20,000 m<sup>2</sup>) facility features the latest technology for managing orders and stocks, improving the speed and efficiency of packing and preparation tasks.





An important sector of this new logistics centre has been designated to increasing **Germans Boada, S.A.**'s capacity for production through the introduction of new assembly lines. At the same time, a new annex has been specially designed to house a large show room, which includes an auditorium, the **RUBI®** museum and an area exclusively dedicated to training.

These facilities are used in conjunction with various branches and allow the company to cover every market efficiently and react quickly to develop and introduce new products.

### **Germans Boada Group, subsidiaries international**

The ongoing work of **Germans Boada, S.A., RUBI®** both in Spain and abroad, together with the quality, performance, and wide range of products, has achieved a solid position for the brand in every market, along with an enthusiastic following by expert professionals in all five continents.

Intent on providing personalised service to its customers and adapting to the needs of each market, **Germans Boada, S.A., RUBI®**, has, in addition to its direct distribution channels in Spain, branches in Portugal (**LUSARUBI Lda.**), Italy (**RUBI ITALIA S.r.l.**), France (**RUBI FRANCE S.A.R.L.**), United States of America (**RUBI TOOLS USA Inc.**), Germany (**RUBI DEUTSCHLAND GmbH.**), Holland (**RUBI NEDERLAND, BV.**),

United Kingdom (**RUBI UK, Ltd.**), China (**SUZHOU RUBI TECHNOLOGIES Co., Ltd.**), and Poland (**RUBI POLSKA Sp. z o.o.**) and a special distributor in Mexico, **RUBI DE MEXICO S.A. C.V.**

The different divisions include a highly qualified sales team, which possesses its own fleet of **RUBI®** mobile units to meet the training needs of each country. Such an active presence in each market enhances the global experience of **Germans Boada S.A.**, leading to continued improvements in **RUBI®** products and the services we are able to offer our clients.

In addition, the structure of our international department services a distributor network covering over 140 countries in order to provide superior logistics and technical support and serve our professional customers around the world.





# The latest technology to serve the user

## Technology

The RUBI® production process is undoubtedly, the best production process in the world for the manufacturing of tools for the building industry.

RUBI® takes measures to control quality at each stage and each process of production for their machines and tools.

All components that are incorporated into each of their products are fully inspected in accordance with strict standards, resulting in incident free production cycles and ensuring punctuality in all shipments.

The assembly lines for the manual tile cutting machines are the result of ongoing research and provide a total guarantee of quality for the end product.


The assembly process of the diamond blade cutting machines has been described as a model by safety organisations and insures perfect operation of all cutting machines at all times. Each of these machines is thoroughly tested at the voltage and frequency of the destination country before being packed for final shipment.

The manufacture of hand tools is fully controlled from start to finish for optimal craftsmanship.

The selection of steels used for RUBI® floats, trowels and jagged trowels is a very strict process. The steels are first screened through spectrographic analysis to determine their composition, followed by stringent chemical and physical testing. Once the steels have been approved, always originating from the world's leading steelmakers, they enter the cutting and shaping process where they are closely monitored by expert technicians.

The final processes for finishing hand tools, the placement of handles, protective glazes and final labelling, are all carried out by task-specific, high technology machinery. Finally, all tools are closely inspected individually by quality control experts who certify their final quality.





## Homologations and certifications

Through a gradual fine tuning of internal processes and a constant application of the most modern production processes, business systems and quality control, **Germans Boada, S.A., RUBI®**, holds the ISO 9001 certification, a truly international guarantee of quality assurance through strict audit systems.

This international certification is another sign of **Germans Boada, S.A., RUBI®**'s vision to offer top quality to its customers, guaranteeing all its processes and internal methods under strict international norms.

On a parallel direction and directly linked to the quality of the **RUBI®** products, the company carries out world-wide homologations for its products, such as CE, GS, B, DIN GOST, PCT and MEEI.

The granting of these certifications and homologations in accordance with the strictest international directives and under the most demanding security norms is due to the modern production processes introduced by **Germans Boada, S.A., RUBI®**.

## 5 years warranty

The **RUBI®** brand is the only one in the world which guarantees its professional manual cutters with a five-year warranty against all manufacturing defects. Our stringent quality controls enable us to offer this guarantee that nobody else can match. Our electrical cutters with diamond blades are guaranteed for two years against manufacturing all defects.

Only **RUBI®** with its strict quality control and top quality materials, can offer this level of guarantee which is unparalleled in the industry. Professional training after-sales service

All **RUBI®** machinery includes an after-sales service and supply warranty through our specialized technical service network in Europe, USA and Latin America or through our distributors around the world.

The after-sales **RUBI®** service includes our webpage ([www.rubi.com](http://www.rubi.com)) and is freely available for distributors and customers, as well as those professionals who wish to register online at the same site.





# RUBI<sup>®</sup>, the most complete line for the construction professional

## The RUBI<sup>®</sup> catalogue

Germans Boada, S.A., RUBI<sup>®</sup>, offers the construction professional the right tools, accessories, and machines necessary to carry out all types of wall and floor tiling jobs using ceramic tiles, stoneware, marble, granite and similar materials.

This catalogue contains all the tools needed to finish your construction and renovation projects at a professional level of quality. With RUBI<sup>®</sup> tools you can do a lot more in less time, with unbeatable quality.

## RUBITOOLS<sup>®</sup>, professional tools

This is the brand name used for the complete contents of the RUBI<sup>®</sup> tools catalogue, tools that are designed for the building professional, tools that simplify his work and are constant companions throughout his working life.

Tools that ease building tasks, helping the professional to complete all types of tasks in less time, and with greater efficiency.

With the different ranges of RUBITOOLS<sup>®</sup>, the construction worker will find all that he or she needs to do their work using the very best equipment. From our emblematic manual tile cutters to electric saws, the builder will find that RUBI<sup>®</sup> offers the very best range of high-quality manual tools.

Our ranges of trowels, notched trowels, brick trowels, scrapers, rubber trowels, mallets and cold chisels have been extremely well received by the building sector, not only for their exceptional quality but also for their designs and ergonomics.

Such an important process in tile laying as is the mixing of the adhesive material is dealt with perfectly by the widest of ranges of electrical mixers and mixing blades. From the practical Rubimix-8 (designed for liquids) and Rubimix-10 to

high capacity mixers such as Rubimix-25 and Rubimix-50, the user will find that the RUBITOOLS<sup>®</sup> range offers the right product for all your mixing needs.

We also offer a wide range of cleaners and polishers for finishing off your work, including both manual and roller vibrators. There are also those products that are part of our major works section, including the innovative T-4000-N waste grinder, and the DJ-130 concrete saw with its range of adjustable diamond discs).

In this catalogue, you will find all these and other highly respected ranges, such as our levelling systems, cutting discs, and a seemingly endless supply of highly specialised products.

## RUBIQUIP<sup>®</sup>, protection and equipment

With RUBIQUIP<sup>®</sup> products, it is our intention to provide the professional not only with the necessary protec-





tive gear to prevent on-the-job accidents and occupational hazards but also provide him with those items of personal equipment which are most suitable for his work environment.

Among the different **RUBIQUIP®** product lines, builders will find all kinds of highly specialised and specifically designed products that will make their work much easier.

The **RUBIQUIP®** range offers a wide selection of protection and padding to make everyday working conditions as safe as possible. The range includes different models of protective gloves, adapted to the needs of every worker.

As well as our comfortable and practical professional clothing, **RUBI®** also offers special working shoes. All of our different models comply with the different international regulations.

One of the areas that **RUBIQUIP®** has been paying particular attention to recently is safety for workers operating in extreme conditions. As well as safety harnesses and belts, we now also offer different holding and fixing elements and shock absorbers.

### **RUBINET®, cleaning, protection and maintenance**

Always aiming to improve the working conditions of professionals in the construction industry, **Germans Boada, S.A.**, **RUBI®** has widened its range of **RUBIQUIP®** products by adding a large number of articles designed for the professional's safety, comfort and convenience.

**Germans Boada S.A.**'s chemical laboratory at our headquarters is constantly adapting the **RUBINET®** range to the physical characteristics of the latest ceramic materials that appear on the market.

Thanks to this continued research process, the **RUBINET®** range now includes specifically formulated products for the treatment of any material.

In the **RUBINET®** range, the user will find cleaning products for different materials, including stain removers, anti-adhesives, sealers, polishers, protectors and other more specific products.

The **RUBINET®** range is completed by an extensive series of specially designed accessories that make **RUBINET®** tools even more user-friendly.





# Integral RUBI® service warranty of success

## Internet orders

Since [www.rubi.com](http://www.rubi.com) was created, with its wide range of services, has become a benchmark for the industry. A large number of RUBI® distributors now make their orders via Internet. This service offers customised lines of work and a high level of security, giving the client flexibility with regard to time and the opportunity to immediately check his order history or recuperate common orders.

All orders received in this way are 100% error-free and are automatically installed in the **Germans Boada S.A.** central computer system.

It also includes other features that help with sales, such as technical files for every product, along with photographs, demonstration videos, and even 360° 3D simulations.

## Catalogue on CD-Rom

RUBI®'s catalogue of its wide range of products is also available on CD-Rom. This format comes in all the languages of the printed version and also features presentation videos of the different product families.

The versatility and large volume of information included on the CD-Rom catalogue mean that it is of particular value to our distributors, as it makes it much easier to decide which product is most appropriate for each individual client.

## Mobile units and demonstrations


Another of RUBI®'s different promotional tools is its remarkable fleet of mobile units. Equipped with the whole range of RUBI® machines and tools,

these vans are used for demonstrations at points of sale all over the world. Request a visit and watch how your clients discover the advantages of RUBI® in an immediate, hands-on way.

## Urgent and planned delivery

Such large investments in the RUBI® logistics centre were principally aimed at being able to continue offering the same level of quality in the way we deliver to our clients. Therefore, the available stock for all references, combined with the very latest management systems, means that orders can be met within a short, planned period of time, which is of great help to our clients when managing their warehouses.





### Promotions at the sales-point and new implantations

Fully aware of how competitive the market is, RUBI® has all kinds of different displays, stands, and Pal boxes to present its products in the most attractive way.

Thanks to the different promotional elements at the sales-point, the RUBI® distributor can fully exploit all the available exhibition space and the client will get a better idea of the quality of the RUBI® range.

Similarly, RUBI® provides its clients with a commercial advice service, helping them to design the best RUBI® display, considering the available space, the target market and its characteristics, and not forgetting stock rotation, investment returns and the composition of the offer.

### Promotion, advertising, and trade fairs

As well as directly promoting to users by means of demonstrations, RUBI® also makes its presence felt at a large number of international trade fairs. This continued presence raises the profile of RUBI® products, which in turn increases the sales of RUBI® distributors.

The specialised press also takes an interest in RUBI®, regularly publishing articles that detail the features of our products and their characteristics.

### Club RUBI®

The first club for construction professionals, Club RUBI® is attracting more and more members in the different countries in where it has been implemented.

Since it was formed, one of the main aims of Club RUBI® has been to keep builders informed about the ongoing expansion of our product range. At RUBI® we believe that all users have the right to be fully informed about the range of tools at their disposal, so that they can order them from their usual distributor and take advantage of the very latest developments. As a member of Club RUBI®, you will also be able to benefit from attractive promotions.





# RUBI<sup>®</sup>, commitment with the training of the professionals

## Professional training

Parallel to its regular business activities, **Germans Boada, S.A.**, RUBI<sup>®</sup>, carries out a series of important educational activities, participating in all kinds of contests related to the building trade, while providing technical assistance to professional training schools.

**Germans Boada, S.A.**, RUBI<sup>®</sup>, runs a fleet of 20 mobile units that demonstrate our products to wholesales, retailers and final consumers in order to support their sales efforts.

The result of this strategy translates into the extensive range of tools which we are pleased to present in this catalogue.

## New RUBI<sup>®</sup> School for Professional Constructors

In accordance with its vocation for education and training, **Germans Boada, S.A.** opens a new training and refresher school for professionals working in the sector.

Located at the Santa Oliva plant, the new school, the result of collaboration between **Germans Boada, S.A.** and the Institut Gaudí de la Construcció, represents a high-level training opportunity for professionals of the sector working in the counties of Baix and Alt Penedès.

This school has a classroom for theory training, a room for testing and demonstrating machines, and a large area for practical work, with individual cubicles for each student. These cubicles reproduce, in a small space,

all of the typical construction problems in order to teach students how to get the perfect finish in any given circumstance.

Equipped with all the necessary tools and instructed by professional tutors, the students will be able to improve their technique and refresh their knowledge in the face of developments in tools and materials.

## Changes to the "Construction Tools" Thematic Space

The Thematic Space for Construction Tools, situated in the **Germans Boada, S.A.** plant in Santa Oliva offers the visitor a peaceful vision of the development of construction tools. This space, which includes different attractions of major interest to visi-





tors, is receiving increasingly more visitors, including students, professionals, and all kinds of associations.

The visitors that have already visited the facility have been able to enjoy a historical and cultural space that integrates the museum of construction tools and a showroom that presents the evolution and use of modern-day tools in a didactic way. The thematic area is complemented by the R&C boutique, offering a whole range of products, the Van der Rohe terrace and the dry-stone hut, built using the county's centuries-old traditional method.

To maintain visitor interest, the exhibition of antique tools will be extended this year with the inclusion of new and perfectly restored collections, along with the incorporation of inter-

active areas that will make the visit even more enjoyable.

### RUBI® Construction Library


In keeping with the deliberate vocational focus that **Germans Boada, S.A.** has maintained since it was founded, a few years ago we created the **RUBI®** Construction Library.

This collection was designed as a clear and didactic manual for professionals and trainees in the sector. Two publications have already been printed. The first is a step-by-step explanation of how to make a rustic bathroom, while the second does likewise for a more conventional bathroom.

These books explore the process of laying tiles. Naturally, they also examine the preparation of the support and the cutting of the pieces. They are graphically supported by numerous photographs that illustrate each step in detail, showing how to use the appropriate tool for each task.

This collection has been so well received that **Germans Boada, S.A.** is now working on a new book, which we hope will prove just as useful as the others.





# RUBI<sup>®</sup> Technology Center: Research + Innovation + Design + Development

Germans Boada, S.A. RUBI<sup>®</sup> has, right from the start engaged a great part of its resources to the research and development of new products. The R&D&I process has been carried out by its engineering department which also counts on the regular collaboration of external researchers and universities.

The new RUBI<sup>®</sup> TECHNOLOGY CENTER has recently been launched with the objective of expanding the business' capacity to succeed in the


different areas of research, thus allowing the company to maintain its technological leadership in this competitive sector.

This new R&D centre situated next to the headquarters of the Rubi Group (in Barcelona), has allowed for more specialised and professional R&D activities; increasing the capacity for creativity without detriment to research activities, and achieving competitive advantages through innovation.

RUBI<sup>®</sup> TECHNOLOGY CENTER counts on a team of researchers and engineers of great experience who are educated and specialised in several areas of research. This multidisciplinary research team is also afforded the most advanced technological means.

RUBI<sup>®</sup> TECHNOLOGY CENTER has an office area equipped with the most advanced computer aided design equipment, a common meeting area for both research and development teams, a test area, and individual workshops for prototypes and models.





Besides this, it has five laboratories each dedicated to different specialties; a materials laboratory, an electromechanical applications laboratory, a chemical trials laboratory, a pharmaceutical laboratory and a metrology laboratory.

The materials laboratory allows **Germans Boada, S.A. RUBI®** to investigate the exact resistance and behaviour of the materials used in the production of the machinery and tools.

The electromechanical applications laboratory allows the performance

evaluation of motors, switches and other electric components.


The chemical trials laboratory has all necessary instrumentation to expand and improve the **RUBINET®** range of cleaning and maintenance products, as well as to carry out chemical resistance testing of the materials and components used in the production process.


The pharmaceutical laboratory is used in important research related to Health & Safety for construction professionals.

The metrology laboratory (which is endorsed by the Directorate-General for Consumer Affairs and Industrial Safety of the Government of Catalonia), guarantees the quality and accuracy of the flexometers.

**RUBI® TECHNOLOGY CENTER** is an excellent example of **RUBI®**'s constant search for innovation and improvement. This results in new and better products being available to construction professionals across all five continents.







## MANUAL TILE CUTTERS

### PROFESSIONAL RANGE

Designed to suit the needs of professionals all over the world, **RUBI**® cutters are fitted with a multiple point or single point breaking system with powerful breaking strength at any angle, highly accurate measuring systems, carrying case, and a wide range of accessories for all types of cutting and finishing on any type of tiles.

The excellent quality of the components and modern manufacturing processes used by **Germans Boada S.A. RUBI**®, means that these machines are the only ones on the market offering a full 5 year guarantee.

### STANDARD RANGE

In addition to professional cutters, **RUBI**® also offers a wide range of standard cutters which are ideal to give a perfect finish to smaller jobs. Apart from the renowned, extremely light-weight STAR series, new features are SPEED, STAR-N and STAR-N PLUS series which combine the best features of the range for professionals and do it yourself experts.

We would like to draw your attention to the launch of the new Pocket cutter, a new and revolutionary standard cutter, which incorporates the very latest design for professional service and DIY enthusiasts alike.

THE BEST FEATURES FOR PERFECT FINISHES



TECHNICAL CHARACTERISTICS



**RECTIFIED AND CHROMED STEEL GUIDES**  
Maximum precision.  
Minimum flexion.




**DOUBLE-GUIDE SYSTEM**  
Direct vision of the cutting and scoring line



**SEPARATORS WITH FORCE MULTIPLICATION**  
Separation power of 881.8 Lb (400 kg.) to 2.204.6 Lb (1,000 kg.).



**LATERAL STOPS AND MEASURING SYSTEMS**  
For repetitive cuts and angular measuring systems.



**ADAPTABLE AND INTERCHANGEABLE SCORING WHEELS**  
To all machines for all types of material.



**HIGHLY RESISTANT TRANSPORT CASE**  
Included in series.



**MANUAL DRILLS**  
Systems adaptable to all types of machine.



**5 YEARS WARRANTY**  
Absolute guarantee against all types of manufacturing defects.



RUBI® Labelled  
Authenticity Certificate



**STANDARD**


- 15 mm**  
CUTTING HEIGHT
- 400 KG**  
SEPARATOR POWER
- FIXED SEPARATOR
- REPETITIVE CUTS
- 45°** CUT
- INTERCHANGEABLE SCORING WHEELS
- DIRECT VISION

**ACCESSORIES**

- SQUARE ACCESSORY
- MANUAL DRILL
- MAINTENANCE KIT



Lateral Stop.



Chromed and rectified steel guides.



Single-point breaker.

TS PROFESSIONAL TILE CUTTERS				REF
<b>TS-30</b> - Maximum Cutting Length: 14" (36 cm.).	2	32	8413797189308	18930
<b>TS-40</b> - Maximum Cutting Length: 17" (43 cm.).	2	32	8413797189407	18940
<b>TS-50</b> - Maximum Cutting Length: 22" (57 cm.).	2	24	8413797189506	18950
<b>TS-50-L</b> - Maximum Cutting Length: 24" (60 cm.).	2	24	8413797189551	18955
<b>TS-60</b> - Maximum Cutting Length: 26" (66 cm.).	2	*18	8413797189605	18960

- High Performance Single-point breaker.
  - Chromed and rectified steel guides, with anti-corrosion treatment.
  - Lateral Stop for straight and 45° Repetitive Cutting.
  - Ergonomic Shape and Reinforced Base.
  - Supplied with case and complete set of tools  $\varnothing 1/4"$  (6 mm.) and  $13/32"$  (10 mm.).
  - Direct vision of the scoring and cutting line.
- $\varnothing 1/4"$  (6 mm.) to  $7/8"$  (22 mm.) adaptable and interchangeable scoring wheels.
  - Adaptable accessories:  
Adjustable Square (Ref. 18820 / 21 / 22).  
Manual drill (Ref. 15925 / 27).  
Maintenance Kit (Ref. 18980).

REF					
<b>TS-30</b>	14" (36 cm.)	10x10" (25x25 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	• 13.2 Lb (6 kg.)
<b>TS-40</b>	17" (43 cm.)	12x12" (30x30 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	• 14.3 Lb (6,5 kg.)
<b>TS-50</b>	22" (57 cm.)	16x16" (40x40 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	• 20.5 Lb (9,3 kg.)
<b>TS-50-L</b>	24" (60 cm.)	17x17" (42x42 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	• 20.9 Lb (9,5 kg.)
<b>TS-60</b>	26" (66 cm.)	18x18" (46x46 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	• 29.3 Lb (13,3 kg.)






## TS-PLUS Professional Tile Cutters



### STANDARD



### ACCESSORIES



www.rubi.com



Lateral Stop.



Chromed and rectified steel guides.



Single-point breaker.

### TS PLUS PROFESSIONAL TILE CUTTERS

				REF
<b>TS-40-PLUS</b> - Maximum Cutting Length: 17" (43 cm).	2	32	8413797169409	16940
<b>TS-50-PLUS</b> - Maximum Cutting Length: 22" (57 cm).	2	24	8413797169508	16950
<b>TS-50-L-PLUS</b> - Maximum Cutting Length: 24" (60 cm).	2	*18	8413797169553	16955
<b>TS-60-PLUS</b> - Maximum Cutting Length: 26" (66 cm).	2	*18	8413797169607	16960
<b>TS-70-PLUS</b> - Maximum Cutting Length: 29" (75 cm).	1	*18	8413797169706	16970


- High Performance Single-point breaker.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- Lateral Stop for straight and 45° Repetitive Cutting.
- Ergonomic Shape and Reinforced Base.
- Special Mounting for the Breaking System Lever.
- Supplied with case and complete set of tools Ø 1/4" (6 mm.) and 13/32" (10 mm.).

- New exclusive design
- Direct vision of the scoring and cutting line.
- Ø 1/4" (6 mm.) to 7/8" (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories: Adjustable Square (Ref. 18820 / 21 / 22)  
Manual drill (Ref. 15925 / 27).  
Maintenance Kit (Ref. 18980).

REF					
<b>TS-40-PLUS</b> 16940	17" (43 cm.)	12x12" (30x30 cm.)	1/4-5/8" (6-15 mm.)	1,654 Lb (750 kg.)	• 14.3 Lb (6,5 kg.)
<b>TS-50-PLUS</b> 16950	22" (57 cm.)	16x16" (40x40 cm.)	1/4-5/8" (6-15 mm.)	1,654 Lb (750 kg.)	• 20.5 Lb (9,3 kg.)
<b>TS-50-L-PLUS</b> 16955	24" (60 cm.)	17x17" (42x42 cm.)	1/4-5/8" (6-15 mm.)	1,654 Lb (750 kg.)	• 20.9 Lb (9,5 kg.)
<b>TS-60-PLUS</b> 16960	26" (66 cm.)	18x18" (46x46 cm.)	1/4-5/8" (6-15 mm.)	1,654 Lb (750 kg.)	• 29.3 Lb (13,3 kg.)
<b>TS-70-PLUS</b> 16970	29" (75 cm.)	20x20" (53x53 cm.)	1/4-5/8" (6-15 mm.)	1,654 Lb (750 kg.)	• 33.1 Lb (15 kg.)



# TF Professional Tile Cutters



**STANDARD**

- 15 mm** CUTTING HEIGHT
- 881.8 lb** / **400 KG** SEPARATOR POWER
- FIXED SEPARATOR**
- REPETITIVE CUTS**
- 45° CUT**
- INTERCHANGEABLE SCORING WHEELS**
- DIRECT VISION**
- BASE ACCESSORY**

**ACCESSORIES**

- MANUAL DRILL**
- MAINTENANCE KIT**

[www.rubi.com](http://www.rubi.com)


**VIDEO IMAGES**



Lateral Stop.



Chromed and rectified steel guides.




Single-point breaker.

TF PROFESSIONAL TILE CUTTERS				REF
<b>TF-40</b> - Maximum Cutting Length: 17" (43 cm.).	1	*35	8413797159707	15970
<b>TF-60</b> - Maximum Cutting Length: 26" (66 cm.).	1	*25	8413797159806	15980
<b>TF-60</b> - Maximum Cutting Length: 26" (66 cm.) with case.	1	12	8413797159813	15981

- High Performance Single-point breaker.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- Lateral Stop for straight and 45° Repetitive Cutting.
- Plywood base with phenolic water repellent protection.
- Base accessory for large formats.
- With Scoring Wheel  $\varnothing^{5/16}$  (8 mm). Supplied in cardboard box.

- Direct vision of the scoring and cutting line.
- $\varnothing^{1/4}$  (6 mm) to  $^{7/8}$  (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
Manual Drill (Ref. 15925 / 27).  
Maintenance Kit (Ref. 18980).

REF						
<b>TF-40</b>	15970	17" (43 cm.)	12x12" (30x30 cm.)	$^{1/4}$ - $^{5/8}$ " (6-15 mm.)	881.8 Lb (400 kg.)	— 15.7 Lb (7,1 kg.)
<b>TF-60</b>	15980	26" (66 cm.)	18x18" (46x46 cm.)	$^{1/4}$ - $^{5/8}$ " (6-15 mm.)	881.8 Lb (400 kg.)	— 30 Lb (13,6 kg.)
<b>TF-60</b>	15981	26" (66 cm.)	18x18" (46x46 cm.)	$^{1/4}$ - $^{5/8}$ " (6-15 mm.)	881.8 Lb (400 kg.)	• 34.4 Lb (15,6 kg.)






# TS-CLASSIC Professional Tile Cutters



**STANDARD**




**ACCESSORIES**



Lateral Stop.



Chromed and rectified steel guides.



Single-point breaker.

**TS-CLASSIC PROFESSIONAL TILE CUTTERS**

- TS-CLASSIC-30** - Maximum Cutting Length: 14" (36 cm.).
- TS-CLASSIC-40** - Maximum Cutting Length: 17" (43 cm.).
- TS-CLASSIC-50** - Maximum Cutting Length: 22" (57 cm.).
- TS-CLASSIC-60** - Maximum Cutting Length: 26" (66 cm.).

Box	Case	Barcode	REF
-----	------	---------	-----

2	32	8413797159127	15912
2	32	8413797159189	15918
2	24	8413797159509	15950
2	*18	8413797159400	15940

- High Performance Single-point breaker.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- Lateral Stop for straight and 45° Repetitive Cutting.
- Ergonomic Shape and Reinforced Base.
- Supplied with case and complete set of tools  $\varnothing 1/4''$  (6 mm.) and  $13/32''$  (10 mm.).
- Direct vision of the scoring and cutting line.

- $\varnothing 1/4''$  (6 mm.) to  $7/8''$  (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
Adjustable Square (Ref. 18820 / 21 / 22).  
Manual drill (Ref. 15925 / 27).  
Maintenance Kit (Ref. 18980).

REF	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6
<b>TS-CLASSIC-30</b> 15912	14" (36 cm.)	10x10" (25x25 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	•	13.2 Lb (6 kg.)
<b>TS-CLASSIC-40</b> 15918	17" (43 cm.)	12x12" (30x30 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	•	14.3 Lb (6,5 kg.)
<b>TS-CLASSIC-50</b> 15950	22" (57 cm.)	16x16" (40x40 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	•	20.5 Lb (9,3 kg.)
<b>TS-CLASSIC-60</b> 15940	26" (66 cm.)	18x18" (46x46 cm.)	1/4-5/8" (6-15 mm.)	881.8 Lb (400 kg.)	•	20.9 Lb (9,5 kg.)



# TM Professional Tile Cutters



**STANDARD**

<b>21 mm</b> CUTTING HEIGHT	<b>2,204.6 lb</b> SEPARATOR POWER	<b>FIXED SEPARATOR</b>	<b>REPETITIVE CUTS</b>	<b>45° CUT</b>	<b>INTERCHANGEABLE SCORING WHEELS</b>	<b>DIRECT VISION</b>	<b>BASE ACCESSORY</b>
--------------------------------	--------------------------------------	------------------------	------------------------	----------------	---------------------------------------	----------------------	-----------------------

**ACCESSORIES**

<b>MANUAL DRILL</b>	<b>MAINTENANCE KIT</b>
---------------------	------------------------


www.rubi.com



Lateral Stop.



Chromed and rectified steel guides.



Single-point breaker.

TM PROFESSIONAL TILE CUTTERS				REF
<b>TM-70</b> - Maximum Cutting Length: 28" (70 cm.)	1	*12	8413797169164	16916
<b>TM-90</b> - Maximum Cutting Length: 37" (92 cm.)	1	*10	8413797169171	16917

- High Performance Single-point breaker, adjustable from 1/4" to 7/8" (6 to 21 mm).
- Chromed and rectified steel guides, with anti-corrosion treatment.
- Lateral Stop for straight and 45° Repeated Cutting.
- Base accessory for large formats.
- Supplied with case and complete set of tools Ø 13/32" (10 mm.) and 3/4" (18 mm.).


- New greater resistance transport case.
- With Scoring Wheel Ø 5/16" (8mm.).
- Direct vision of the scoring and cutting line.
- Ø 1/4" (6 mm.) to 7/8" (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
Manual drill (Ref. 15925 / 27).  
Maintenance Kit (Ref. 18980).

	REF						
<b>TM-70</b>	16916	28" (70 cm.)	20x20" (50x50 cm.)	1/4-7/8" (6-21 mm.)	2,204.6 Lb (1.000 kg)	• 47.2 Lb (21,4 kg)	
<b>TM-90</b>	16917	37" (92 cm.)	26x26" (65x65 cm.)	1/4-7/8" (6-21 mm.)	2,204.6 Lb (1.000 kg)	• 53.1 Lb (24,1 kg)	





# TR Professional Tile Cutters



**STANDARD**

- 15 mm** CUTTING HEIGHT
- 600 KG** SEPARATOR POWER
- MOBILE SEPARATOR
- REPETITIVE CUTS
- ANGULAR MEASUREMENT
- INTERCHANGEABLE SCORING WHEELS
- DIRECT VISION
- BASE ACCESSORY
- SHOCK ABSORPTION EFFECT

**ACCESSORIES**

- MANUAL DRILL
- GLASS MOSAIC SEPARATOR
- MAINTENANCE KIT
- VIDEO IMAGES

www.rubi.com



Angular measuring system.



Chromed and rectified steel guides.



Lateral Stop.

## TR PROFESSIONAL TILE CUTTERS

**TR-400** - Maximum Cutting Length. 17" (42 cm.)  
**TR-600** - Maximum Cutting Length: 24" (60 cm.)

				REF
TR-400	2	18	8413797179255	17925
TR-600	2	*24	8413797179262	17926

- High Performance moving breaking system.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- Lateral Stop for straight and 45° Repetitive Cutting.
- Supplied with case and complete set of tools (Ø 1/4" (6 mm.) and 13/32" (10 mm.)).
- Angular measuring system for from 0 to 45° Cutting.
- Base accessory for large formats.

- Direct vision of the scoring and cutting line.
- Ø 1/4" (6 mm.) to 1/8" (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
 Manual Drill (Ref. 15925 / 27).  
 Glass mosaic separator (Ref. 17946).  
 Maintenance Kit (Ref. 18980).

REF						
<b>TR-400</b>	17925	17" (42 cm.)	12x12" (30x30 cm.)	1/4-5/8" (6-15 mm.)	1,322.8 Lb (600 kg)	• 24.3 Lb (11 kg)
<b>TR-600</b>	17926	24" (60 cm.)	17x17" (42x42 cm.)	1/4-5/8" (6-15 mm.)	1,322.8 Lb (600 kg)	• 30 Lb (13,6 kg)





# TR-S Professional Tile Cutters



**STANDARD**

- 5/8" CUTTING HEIGHT
- 1,322.8 lb SEPARATOR POWER
- MOBILE SEPARATOR
- REPETITIVE CUTS
- ANGULAR MEASUREMENT
- INTERCHANGEABLE SCORING WHEELS
- DIRECT VISION
- BASE ACCESSORY
- SHOCK ABSORPTION EFFECT

**ACCESSORIES**

- MANUAL DRILL
- GLASS MOSAIC SEPARATOR
- MAINTENANCE KIT

[www.rubi.com](http://www.rubi.com)

- 3D IMAGES
- VIDEO IMAGES



Angular measuring system.



Chromed and rectified steel guides.



Lateral Stop.

TR-S PROFESSIONAL TILE CUTTERS				REF
<b>TR-400-S</b> - Maximum Cutting Length: 17" (42 cm.)	2	18	8413797179354	17935
<b>TR-600-S</b> - Maximum Cutting Length: 24" (60 cm.)	2	*24	8413797179361	17936
<b>TR-400-S</b> - "Inches" Maximum Cutting Length: 17" (42 cm.)	2	18	8413797179392	17939
<b>TR-600-S</b> - "Inches" Maximum Cutting Length: 24" (60 cm.)	2	*24	8413797179408	17940

- High Performance Adjustable Breaking System.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- One-piece swivel angle plate with central pivot and angular measuring system for making repetitive cuts at 0-45°.
- Supplied with case and complete set of tools
- Ø 1/4" (6 mm.) and 13/32" (10 mm.).
- Lateral Stop for straight and 45° Repetitive Cutting.
- Two-layer base with shock absorption effect.

- Base accessory for large formats.
- Direct vision of the scoring and cutting line.
- Ø 5/16" (8 mm.) to 7/8" (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:
  - Manual drill (Ref. 15925 / 27).
  - Glass mosaic separator (Ref. 17946).
  - Maintenance Kit (Ref. 18980).

REF						
<b>TR-400-S</b> 17935/17939	17" (42 cm.)	12x12" (30x30 cm.)	1/4-5/8" (6-15 mm.)	1,322.8 Lb (600 kg)	• 23.1 Lb (10,5 kg)	
<b>TR-400-S</b> 17936/17940	24" (60 cm.)	17x17" (42x42 cm.)	1/4-5/8" (6-15 mm.)	1,322.8 Lb (600 kg)	• 29.5 Lb (13,4 kg)	





# TX / TX-S Professional Tile Cutters



**STANDARD**

- 20 mm** CUTTING HEIGHT
- 2,204 Lb** SEPARATOR POWER
- MOBILE SEPARATOR
- REPETITIVE CUTS
- ANGULAR MEASUREMENT
- INTERCHANGEABLE SCORING WHEELS
- DIRECT VISION
- BASE ACCESSORY
- SHOCK ABSORPTION EFFECT
- DOUBLE REINFORCED GUIDE

**ACCESSORIES**

- MANUAL DRILL
- GLASS MOSAIC SEPARATOR
- MAINTENANCE KIT
- VIDEO IMAGES


www.rubi.com



Angular measuring system.



Chromed and rectified steel guides.



Lateral Stop.


## TX / TX-S PROFESSIONAL TILE CUTTERS

				REF
<b>TX-700</b> - Maximum Cutting Length: 28" (71 cm.)	1	*10	8413797179019	17901
<b>TX-900</b> - Maximum Cutting Length: 37" (93 cm.)	1	*10	8413797179026	17902
<b>TX-1200-S</b> - Maximum Cutting Length: 50" (125 cm.). (With square accessory)	1	*10	8413797179132	17913

- With moving breaking system.
- New reinforced Breaking-System.
- Double set of rectified steel guides, with anti-corrosion treatment
- Angular measuring system for straight and 45° Cutting.
- For large format tiles.
- Lateral Stop for straight and 45° Repetitive Cutting.
- Supplied with case and complete set of tools Ø 13/32" (10 mm.) and 3/4" (18 mm.).
- Two-layer base with shock absorption effect.
- Base accessory for large formats.
- Direct vision of the scoring and cutting line.


- New greater resistance transport case.
- Ø 5/16" (8 mm.) to 7/8" (22 mm.) adaptable and interchangeable scoring wheels.
- Using the square accessory (Ref. 17850), the TX becomes to TX-S.
- Includes wheel kit for improved mobility (Only TX-1200-S).
- Adaptable accessories:
  - Square accessory (Ref. 17850) Included in TX-1200-S.
  - Manual drill (Ref. 15925 - 26)
  - Glass mosaic separator (Ref. 17946)
  - Maintenance Kit (Ref. 18980).

REF							
<b>TX-700</b>	17901	28" (71 cm.)	20x20" (50x50 cm.)	1/4-13/16" (6-20 mm.)	2,204.6 Lb (1,000 kg)	•	47 Lb (21,3 kg)
<b>TX-900</b>	17902	37" (93 cm.)	26x26" (65x65 cm.)	1/4-13/16" (6-20 mm.)	2,204.6 Lb (1,000 kg)	•	50 Lb (22,7 kg)
<b>TX-1200-S</b>	17913	50" (125 cm.)	34x34" (85x85 cm.)	1/4-13/16" (6-20 mm.)	2,204 Lb (1,000 kg)	•	104.7 Lb (47,5 kg)





# TX-N Professional Tile Cutters



STANDARD								ACCESSORIES			www.rubi.com		
20 mm	2,204 Lb / 1000 KG	MOBILE SEPARATOR	REPETITIVE CUTS	ANGULAR MEASUREMENT	INTERCHANGEABLE SCORING WHEELS	DIRECT VISION	BASE ACCESSORY	SHOCK ABSORPTION EFFECT	DOUBLE REINFORCED GUIDE	MANUAL DRILL	GLASS MOSAIC SEPARATOR	MAINTENANCE KIT	VIDEO IMAGES



Angular measuring system.



Wheels Kit. (TX-1200-N).



Lateral Stop.

TX-N PROFESSIONAL TILE CUTTERS				REF
<b>TX-700-N</b> - Maximum Cutting Length: 28" (71 cm).	1	*12	8413797179606	17960
<b>TX-900-N</b> - Maximum Cutting Length: 37" (93 cm).	1	*10	8413797179613	17961
<b>TX-1200-N</b> - Maximum Cutting Length: 50" (125 cm).	1	*10	8413797179644	17964
<b>TX-700-N</b> - "Inches" Maximum Cutting Length: 28" (71 cm).	1	*12	8413797179620	17962
<b>TX-900-N</b> - "Inches" Maximum Cutting Length: 37" (93 cm).	1	*10	8413797179637	17963
<b>TX-1200-N</b> - "Inches" Maximum Cutting Length: 50" (125 cm).	1	*10	8413797179651	17965

- With moving breaking system.
- New reinforced Breaking-System.
- Double rectified steel guides, with anti-corrosion treatment.
- For large format tiles.
- One-piece swivel angle plate with central pivot and angular measuring system for making repetitive cuts at 0 a 45°.
- Lateral Stop for straight and 45° Repetitive Cutting.
- Supplied with case and complete set of tools. Ø 13/32" (10 mm.) and 3/4" (18 mm.).
- New greater resistance transport case.
- Two-layer base with shock absorption effect.
- Base accessory for large formats.
- Includes wheel kit for improved mobility (Only TX-1200-N).
- Direct vision of the scoring and cutting line.
- Ø 5/16" (8 mm.) to 7/8" (22 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
Manual drill (Ref. 15925 / 27).  
Glass mosaic separator (Ref. 17946).  
Maintenance Kit (Ref. 18980).

REF						
<b>TX-700-N</b> 17960/17962	28" (71 cm.)	20x20" (50x50 cm.)	1/4-13/16" (6-20 mm.)	2,204 Lb (1.000 kg)	•	48.9Lb (22,2 kg)
<b>TX-900-N</b> 17961/17963	37" (93 cm.)	26x26" (65x65 cm.)	1/4-13/16" (6-20 mm.)	2,204 Lb (1.000 kg)	•	53.6Lb (24,3 kg)
<b>TX-1200-N</b> 17964/17965	50" (125 cm.)	34x34" (85x85 cm.)	1/4-13/16" (6-20 mm.)	2,204 Lb (1.000 kg)	•	104.7Lb (47,5 kg)





## SPEED Standard Tile Cutters



**STANDARD**

- 5/8" CUTTING HEIGHT**
- MOBILE SEPARATOR**
- REPETITIVE CUTS**
- 45° CUTS**
- INTERCHANGEABLE SCORING WHEELS**
- DIRECT VISION**
- BASE ACCESSORY**
- SHOCK ABSORPTION EFFECT**

**ACCESSORIES**

- MANUAL DRILL**
- MAINTENANCE KIT**



Lateral Stop.



Chromed and rectified steel guides.



Base accessory. (SPEED-62).

### SPEED STANDARD TILE CUTTERS

				REF
<b>SPEED-42</b> - Maximum Cutting Length: 17" (42 cm.). With case.	2	24	8413797139433	13943
<b>SPEED-62</b> - Maximum Cutting Length: 25" (62 cm.). With case.	2	24	8413797139631	13963
<b>SPEED-42</b> - Maximum Cutting Length: 17" (42 cm.).	2	40	8413797139426	13942
<b>SPEED-62</b> - Maximum Cutting Length: 25" (62 cm.).	2	30	8413797139624	13962

- With moving breaking system.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- With side stop, for Repetitive and 45° square cutting.
- Includes Scoring Wheel Ø 5/16" (8 mm.) TUNGSTEN CARBIDE
- Direct vision of the scoring and cutting line.

- Ø 1/4" (6 mm.) to 13/32" (10 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
Manual drill (Ref. 15925 / 27).  
Maintenance Kit (Ref. 18980).

	REF					
<b>SPEED-42</b>	13943	17" (42 cm.)	12x12" (30x30 cm.)	13/16-5/8" (5-15 mm.)	•	12.1 Lb (5,5 kg)
	13942	17" (42 cm.)	12x12" (30x30 cm.)	13/16-5/8" (5-15 mm.)	—	9.9 Lb (4,5 kg)
<b>SPEED-62</b>	13963	25" (62 cm.)	18x18" (44x44 cm.)	13/16-5/8" (5-15 mm.)	•	18.7 Lb (8,5 kg)
	13962	25" (62 cm.)	18x18" (44x44 cm.)	13/16-5/8" (5-15 mm.)	—	15.7 Lb (7,1 kg)





## STAR-N and STAR-N PLUS Standard Tile Cutters




STAR-N



**STANDARD**



**ACCESSORIES**



STAR-N PLUS



**STANDARD**



**ACCESSORIES**



### STAR-N AND STAR-N PLUS STANDARD TILE CUTTERS

				REF
<b>STAR-40-N</b> - Max. Cutting Length: 17" (42 cm.). With carrying case.	4	48	8413797129915	12991
<b>STAR-50-N</b> - Max. Cutting Length: 21" (51 cm.). With carrying case.	4	48	8413797129939	12993
<b>STAR-60-N</b> - Max. Cutting Length: 24" (61 cm.). With carrying case.	4	48*	8413797129694	12969
<b>STAR-40-N</b> - Max. Cutting Length: 17" (42 cm.).	6	72/108*	8413797129908	12990
<b>STAR-50-N</b> - Max. Cutting Length: 21" (51 cm.).	6	72/108*	8413797129922	12992
<b>STAR-60-N</b> - Max. Cutting Length: 24" (61 cm.).	6	54	8413797129687	12968
<b>STAR-40-N PLUS</b> - Max. Cutting Length: 17" (42 cm.). With carrying case.	4	48	8413797129960	12996
<b>STAR-50-N PLUS</b> - Max. Cutting Length: 21" (51 cm.). With carrying case.	4	48	8413797129984	12998
<b>STAR-60-N PLUS</b> - Max. Cutting Length: 24" (61 cm.). With carrying case.	4	48*	8413797129793	12979
<b>STAR-40-N PLUS</b> - Max. Cutting Length: 17" (42 cm.).	6	72/108*	8413797129953	12995
<b>STAR-50-N PLUS</b> - Max. Cutting Length: 21" (51 cm.).	6	72/108*	8413797129977	12997
<b>STAR-60-N PLUS</b> - Max. Cutting Length: 24" (61 cm.).	6	54	8413797129786	12978

**STAR-N**

- Chromed and rectified steel guides, with anti-corrosion treatment.
- Supplementary base for correct support of the piece.
- With moving Breaking System.
- Includes Scoring Wheel Ø 1/4" (6 mm.) TUNGSTEN CARBIDE.
- Base with shock absorption effect.
- Direct vision of the scoring and cutting line.
- Ø 1/4" (6 mm.) to 13/32" (10 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
 Manual drill (Ref. 15928).  
 Lateral stop for STAR-N/N-PLUS (Ref. 12923)  
 Maintenance Kit (Ref. 18980).

**STAR-N PLUS**

- Chromed and rectified steel guides, with anti-corrosion treatment.
- Supplementary base for correct support of the piece.
- Support with aluminium guides, maximum rigidity.
- With moving Breaking System and locked sliders for better resistance to bending.
- Includes Scoring Wheel Ø 1/4" (6 mm.) TUNGSTEN CARBIDE.
- With high precision side stop for repeated and 45° cutting.
- Base with shock absorption effect.
- Direct vision of the scoring and cutting line.
- Ø 1/4" (6 mm.) to 13/32" (10 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:  
 Manual drill (Ref. 15928).  
 Maintenance Kit (Ref. 18980).


REF					
<b>STAR-40-N</b>	12991	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (<12 mm.)	• 10.4 Lb (4,7 kg.)
	12990	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (<12 mm.)	— 8.6 Lb (3,9 kg.)
<b>STAR-50-N</b>	12993	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (<12 mm.)	• 12.8 Lb. (5,8 kg.)
	12992	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (<12 mm.)	— 9.7 Lb. (4,4 kg.)
<b>STAR-60-N</b>	12969	24" (61 cm.)	17x17" (43x43 cm.)	<1/2" (<12 mm.)	• 12.1 Lb (5,5 kg)
	12968	24" (61 cm.)	17x17" (43x43 cm.)	<1/2" (<12 mm.)	— 9.3 Lb (4,2 kg)
<b>STAR-40-N PLUS</b>	12996	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (<12 mm.)	• 11.5 Lb. (5,2 kg.)
	12995	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (<12 mm.)	— 9.5 Lb. (4,3 kg.)
<b>STAR-50-N PLUS</b>	12998	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (<12 mm.)	• 13.7 Lb. (6,2 kg.)
	12997	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (<12 mm.)	— 10.6 Lb. (4,8 kg.)
<b>STAR-60-N PLUS</b>	12979	24" (61 cm.)	17x17" (43x43 cm.)	<1/2" (<12 mm.)	• 12.1 Lb (5,5 kg)
	12978	24" (61 cm.)	17x17" (43x43 cm.)	<1/2" (<12 mm.)	— 9.3 Lb (4,2 kg)



## STAR and RAPID Standard Tile Cutters



STAR



## STANDARD



## ACCESSORIES



RAPID-42 / 62



## STANDARD



## ACCESSORIES



### STAR AND RAPID STANDARD TILE CUTTERS

				REF
<b>STAR-30</b> - Max. Cutting Length: 13" (32 cm.). With carrying case.	4	*48	8413797129267	12926
<b>STAR-40</b> - Max. Cutting Length: 17" (42 cm.). With carrying case.	4	*48	8413797129311	12931
<b>STAR-50</b> - Max. Cutting Length: 21" (51 cm.). With carrying case.	4	*48	8413797129366	12936
<b>STAR-60</b> - Max. Cutting Length: 24" (61 cm.). With carrying case.	4	*48	8413797129717	12971
<b>STAR-30</b> - Max. Cutting Length: 13" (32 cm.).	6	72/*108	8413797129250	12925
<b>STAR-40</b> - Max. Cutting Length: 17" (42 cm.).	6	72/*108	8413797129304	12930
<b>STAR-50</b> - Max. Cutting Length: 21" (51 cm.).	6	54/*108	8413797129359	12935
<b>STAR-60</b> - Max. Cutting Length: 24" (61 cm.).	6	54	8413797129700	12970
<b>RAPID-42</b> - Maximum Cutting Length: 18" (44 cm.). With carrying case.	2	40	8413797139266	13926
<b>RAPID-62</b> - Maximum Cutting Length: 25" (62 cm.). With carrying case.	2	40	8413797139310	13931
<b>RAPID-42</b> - Maximum Cutting Length: 18" (44 cm.).	4	72	8413797139259	13925
<b>RAPID-62</b> - Maximum Cutting Length: 25" (62 cm.).	4	60	8413797139303	13930

#### STAR

- Chromed and rectified steel guides, with anti-corrosion treatment.
- With moving Breaking System.
- Includes Scoring Wheel  $\varnothing 1/4"$  (6 mm.) TUNGSTEN CARBIDE.
- Base with shock absorption effect.
- Direct vision of the scoring and cutting line.
- $\varnothing 1/4"$  (6 mm.) to  $13/32"$  (10 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:
  - Lateral stop with angle measurement (Ref. 12924).
  - Manual drill (Ref. 15928).
  - Maintenance Kit (Ref. 18980).

#### RAPID

- High Performance Single-point breaker.
- Includes Scoring Wheel  $\varnothing 1/4"$  (6 mm.) TUNGSTEN CARBIDE.
- Chromed and rectified steel guides, with anti-corrosion treatment.
- Direct vision of the scoring and cutting line.
- $\varnothing 1/4"$  (6 mm.) to  $13/32"$  (10 mm.) adaptable and interchangeable scoring wheels.
- Adaptable accessories:
  - Manual drill (Ref. 15925 / 27).
  - Maintenance Kit (Ref. 18980).

REF						
<b>STAR-30</b>	12926	13" (32 cm.)	9x9" (22x22 cm.)	<1/2" (<12 mm.)	•	8.4 Lb (3,8 kg)
	12925	13" (32 cm.)	9x9" (22x22 cm.)	<1/2" (<12 mm.)	—	6.4 Lb (2,9 kg)
<b>STAR-40</b>	12931	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (<12 mm.)	•	9.5 Lb (4,3 kg)
	12930	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (<12 mm.)	—	7.3 Lb (3,3 kg)
<b>STAR-50</b>	12936	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (<12 mm.)	•	10.8 Lb (4,9 kg)
	12935	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (<12 mm.)	—	8.4 Lb (3,8 kg)
<b>STAR-60</b>	12971	24" (61 cm.)	17x17" (43x43 cm.)	<1/2" (<12 mm.)	•	12.1 Lb (5,5 kg)
	12970	24" (61 cm.)	17x17" (43x43 cm.)	<1/2" (<12 mm.)	—	9.3 Lb (4,2 kg)
<b>RAPID-42</b>	13926	18" (44 cm.)	13x13" (32x32 cm.)	<1/2" (<15 mm.)	•	9.9 Lb (4,5 kg)
	13925	18" (44 cm.)	13x13" (32x32 cm.)	<1/2" (<15 mm.)	—	8.8 Lb (4 kg)
<b>RAPID-62</b>	13931	25" (62 cm.)	18x18" (44x44 cm.)	<1/2" (<15 mm.)	•	12.1 Lb (5,5 kg)
	13930	25" (62 cm.)	18x18" (44x44 cm.)	<1/2" (<15 mm.)	—	10.8 Lb (4,9 kg)

# POCKET and TEN BRIC Standard Tile Cutters




**STANDARD**



**POCKET**

**ACCESSORIES**



**STANDARD**



**TEN BRIC**

**POCKET AND TEN BRIC STANDARD TILE CUTTERS**

				<b>REF</b>
<b>POCKET-40</b> - Maximum Cutting Length: 17" (42 cm.) With carrying case.	4	80	8413797129816	12981
<b>POCKET-50</b> - Maximum Cutting Length: 21" (51 cm.) With carrying case.	4	80	8413797129861	12986
<b>POCKET-40</b> - Maximum Cutting Length: 17" (42 cm.)	6	120	8413797129809	12980
<b>POCKET-50</b> - Maximum Cutting Length: 21" (51 cm.)	6	120	8413797129854	12985

• Available in Pal Box. See page 250.

<b>TEN BRIC</b> - Nipper with scraper and separator.	5	680	8413797059755	05975
--	---	-----	---------------	-------


- POCKET**
- Foldable base for transporting.
  - Chromed and rectified steel guides, with anti-corrosion treatment.
  - With moving breaking system.
  - Includes Scoring Wheel Ø 1/4" (6 mm.) TUNGSTEN CARBIDE.
  - Base with shock absorption effect.
  - Direct vision of the scoring and cutting line.
  - Ø 1/4" (6 mm.) to 13/32" (10 mm.) adaptable and interchangeable scoring wheels.
  - Adaptable accessories:
    - Lateral stop with angle measurement (Ref. 12924).
    - Manual drill (Ref. 15928).
    - Maintenance Kit (Ref. 18980).

- TEN BRIC**
- Supplied assembled.
  - With moving breaking system.
  - Includes Scoring Wheel Ø 9/16" (14 mm.).

	<b>REF</b>					
<b>POCKET-40</b>	12981	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (12 mm.)	•	7.5 Lb (3,4 kg)
	12980	17" (42 cm.)	12x12" (30x30 cm.)	<1/2" (12 mm.)	—	6.4 Lb (2,9 kg)
<b>POCKET-50</b>	12986	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (12 mm.)	•	8.8 Lb (4 kg)
	12985	21" (51 cm.)	15x15" (36x36 cm.)	<1/2" (12 mm.)	—	7.5 Lb (3,4 kg)
<b>TEN BRIC</b>	05975	-	-	<13/32" (10 mm.)	—	0.4 Lb (0,2 kg)



## Accessories for Manual Tile Cutters



### SCORING WHEELS AND PUNCHERS FOR PROFESSIONAL CUTTERS




REF

High accuracy scoring wheels specially designed for all types of material. Supplied in blister.

#### TR, TS and TF TILE CUTTERS

<b>TUNGSTEN CARBIDE SCORING WHEEL Ø 1/4" (6 mm.)</b> • For regular tiles. • Patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.	10	8413797019452	01945
<b>TUNGSTEN CARBIDE SCORING WHEEL Ø 5/16" (8 mm.)</b> • For standard tiles and stoneware. • Patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.	10	8413797019582	01958
<b>TUNGSTEN CARBIDE SCORING WHEEL Ø 13/32" (10 mm.)</b> • For stoneware.	10	8413797019469	01946
<b>SCORING WHEEL-GOLD Ø 13/32". Long-life (10 mm.)</b> • For stoneware. • Greater resistance to wear, triple durability.	10	8413797019490	01949
<b>TUNGSTEN CARBIDE SCORING WHEEL Ø 3/4" (18 mm.)</b> • For granulated and difficult to cut stoneware tiles.	10	8413797019506	01950
<b>SCORING WHEEL-GOLD Ø 3/4". Long-life (18 mm.)</b> • For granulated and difficult to cut stoneware tiles. • Greater resistance to wear, triple durability.	10	8413797019520	01952
<b>SCORING WHEEL Ø 7/8" TUNGSTEN CARBIDE (22 mm.)</b> • For sharp cuttings in hard ceramics.	10	8413797019612	01961
<b>SCORING WHEEL TUNGSTEN CARBIDE GOLD Ø 7/8" Long-life (22 mm.)</b> • For granulated and difficult to cut stoneware tiles. • Greater resistance to wear, triple durability.	10	8413797019643	01964
<b>DOUBLE Ø 1/4" SCORING WHEEL (6 mm.)</b>	10	8413797019476	01947
<b>Ø 1/4" and Ø 13/32" SCORING WHEEL SET (6 and 10 mm.)</b>	10	8413797019483	01948
<b>PUNCHING TOOL</b> • Auxiliary cutting tool for wall tiles.	10	8413797019704	01970
<b>45° PUNCHING TOOL</b> • Auxiliary cutting tool for doing 45° cuts in wall tiles.	10	8413797019711	01971
<b>TOOL SET</b> • 1 Scoring Wheel Ø 1/4" Tungsten carbide (6 mm.)+ 1 Punching Tool + 1 45° Punching Tool.	1	8413797019803	01980

## Accessories for Manual Tile Cutters



### SCORING WHEELS FOR PROFESSIONAL CUTTERS



REF

High accuracy scoring wheels specially designed for all types of material. Supplied in blister.

#### TX and TM TILE CUTTERS

##### PLUS TUNGSTEN CARBIDE SCORING WHEEL Ø 5/16" (8 mm.)

- For standard tiles and stoneware.
- Patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

10 8413797019599 01959

##### PLUS TUNGSTEN CARBIDE SCORING WHEEL Ø 13/32" (10 mm.)

- For stoneware.

10 8413797019919 01991

##### PLUS SCORING WHEEL-GOLD Ø 13/32". Long-life (10 mm.)

- For stoneware.
- Greater resistance to wear, triple durability.

10 8413797019933 01993

##### PLUS TUNGSTEN CARBIDE SCORING WHEEL Ø 3/4" (18 mm.)

- For granulated and difficult to cut stoneware tiles.

10 8413797019926 01992

##### PLUS SCORING WHEEL-GOLD Ø 3/4" Long-life (18 mm.)

- For granulated and difficult to cut stoneware tiles.
- Greater resistance to wear, triple durability.

10 8413797019940 01994

##### PLUS TUNGSTEN CARBIDE SCORING WHEEL Ø 7/8" (22 mm.)

- For sharp cuttings in hard ceramics.

10 8413797019629 01962

##### PLUS SCORING WHEEL-GOLD Ø 7/8". Long-life (22 mm.)

- For sharp cuttings in hard ceramics.
- Greater resistance to wear, triple durability.

10 8413797019650 01965



Ref. 01995



Ref. 01996

### SCORING WHEEL KITS



REF

#### SCORING WHEEL KIT 1

- For TS, TF and TR, includes Ø 1/4" (6 mm.) and Ø 13/32" (10 mm.) scoring wheels in plastic box with transparent cover.
- Supplied in blister.

5 8413797019957 01995

#### SCORING WHEEL KIT 2

- For TS, TF and TR, includes 1 scoring wheel of Ø 1/4" (6 mm.), Ø 5/16" (8 mm.), Ø 13/32" (10 mm.), Ø 3/4" (18 mm.), Ø 7/8" (22 mm.) in plastic box with transparent cover
- Supplied in blister.

5 8413797019964 01996



### SCORING WHEELS FOR TILE CUTTERS

#### SPARE TUNGSTEN CARBIDE SCORING WHEEL Ø 3/4" (18 mm.)

- For Tungsten carbide Scoring Wheel Ø 3/4" (Ø 18 mm.) Ref. 01950.
- and Plus Tungsten carbide Scoring Wheel Ø 3/4" (Ø 18 mm.) Ref. 01992.
- Supplied in blister.



REF

10 8413797019513 01951

#### SPARE SCORING WHEEL-GOLD Ø 3/4" Long-life (18 mm.)

- For Tungsten carbide Scoring Wheel Gold Ø 3/4" (Ø 18 mm.) Ref. 01952.
- and Plus Tungsten carbide Scoring Wheel Gold Ø 3/4" (Ø 18 mm.) Ref. 01994.
- Also usable as an accessory for porcelain pliers (Ref. 83942)
- Supplied in blister.

10 8413797019537 01953

#### SPARE TUNGSTEN CARBIDE SCORING WHEEL Ø 7/8" (22 mm.)

- For Spare Scoring Wheel Ø 7/8" (Ø 22 mm.) Tungsten carbide Ref. 01961.
- and Plus Scoring Wheel Ø 7/8" (Ø 22 mm.) Tungsten carbide Ref. 01962.
- Supplied in blister

10 8413797019636 01963

#### SPARE SCORING WHEEL-GOLD Ø 7/8" Long-life (22 mm.)

- For Spare Scoring Wheel Gold Ø 7/8" (Ø 22 mm.) Tungsten carbide Ref. 01964.
- and Plus Scoring Wheel Gold Ø 7/8" (Ø 22 mm.) Tungsten carbide Ref. 01965.
- Supplied in blister.

10 8413797019667 01966

### SCORING WHEELS FOR STANDARD TILE CUTTERS



REF

High accuracy scoring wheels specially designed for all types of material. Supplied in blister.

#### SPEED, STAR, RAPID AND POCKET TILE CUTTERS

##### TUNGSTEN CARBIDE SCORING WHEEL Ø 1/4" (6 mm.)

- For standard tiles.
- Patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

10 8413797019452 01945

##### TUNGSTEN CARBIDE SCORING WHEEL Ø 5/16" (8 mm.)

- For standard tiles and stoneware.
- Patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

10 8413797019582 01958

##### TUNGSTEN CARBIDE SCORING WHEEL Ø 13/32" (10 mm.)

- Special stoneware.

10 8413797019469 01946

##### SCORING WHEEL-GOLD Ø 13/32". Long-life (10 mm.)

- For stoneware.
- Greater resistance to wear, triple durability.

10 8413797019490 01949

##### DOUBLE Ø 1/4" SCORING WHEEL (6 mm.)

10 8413797019476 01947

##### Ø 1/4" and Ø 13/32" SCORING WHEEL SET (Ø6 and Ø10 mm.)

10 8413797019483 01948

#### TEN-BRIC, PRACTIC, KIT AND SMALL BRIC TILE CUTTERS

##### TUNGSTEN CARBIDE SCORING WHEEL Ø 9/16" (14 mm.)

10 8413797019605 01960

#### SIMPLE-BRIC AND COMPLET-BRIC TILE CUTTERS

##### STEEL SCORING WHEEL

- For wall tiles and glass only.

10 8413797019407 01940

##### DIY SCORING WHEEL

- For stoneware, ceramic tiles.


10 8413797019414 01941

SEE PAGE 121 FOR THE RANGE OF WALL AND FLOOR TILE NIPPERS.





MATERIAL TO BE CUT	TS TS-PLUS TF TR TR-S	TM TX TX-N TX-S	SPEED RAPID STAR POCKET
Flooring ceramics	1/4" (6 mm) TUNGSTEN CARBIDE Ref. 01945	5/16" (8 mm) PLUS TUNGSTEN CARBIDE Ref. 01959	1/4" (6 mm) TUNGSTEN CARBIDE Ref. 01945
Porcelain tiles, flooring ceramics and clay	5/16" (8 mm) TUNGSTEN CARBIDE Ref. 01958	5/16" (8 mm) PLUS TUNGSTEN CARBIDE Ref. 01959	5/16" (8 mm) TUNGSTEN CARBIDE Ref. 01958
Clay ceramics	13/32" (10 mm) TUNGSTEN CARBIDE Ref. 01946	13/32" (10 mm) PLUS TUNGSTEN CARBIDE Ref. 01991	13/32" (10 mm) TUNGSTEN CARBIDE Ref. 01946
Clay ceramics	13/32" (10 mm) GOLD Ref. 01949	13/32" (10 mm) PLUS GOLD Ref. 01993	13/32" (10 mm) GOLD Ref. 01949
Granulated or difficult-to-cut ceramics	3/4" (18 mm) TUNGSTEN CARBIDE Ref. 01950	3/4" (18 mm) PLUS TUNGSTEN CARBIDE Ref. 01992	
Granulated or difficult-to-cut ceramics	3/4" (18 mm) GOLD Ref. 01952	3/4" (18 mm) PLUS GOLD Ref. 01994	
For sharp cuttings in hard ceramics	7/8" (22 mm) TUNGSTEN CARBIDE Ref. 01961	7/8" (22 mm) PLUS TUNGSTEN CARBIDE Ref. 01962	
For sharp cuttings in hard ceramics	7/8" (22 mm) GOLD Ref. 01964	7/8" (22 mm) PLUS GOLD Ref. 01965	
Ceramics, for making grooves in glazed ceramic tiles	Punching tool Ref. 01970		
Ceramics, for making mitre cuts in glazed ceramic tiles	45° Punching tool Ref. 01971		

RECOMMENDATIONS FOR GREATER SCORING-WHEEL DURABILITY AND AN OPTIMUM CUTTING QUALITY



\* All RUBI® scoring wheels are protected by international Germans Boada, S.A patents.

The RUBI® scoring wheels are manufactured in highly resistant, durable Tungsten Carbide **GOLD**: Scoring Wheel in Tungsten Carbide with titanium surface treatment, triple durability.



### ACCESSORIES FOR TS PROFESSIONAL CUTTERS

#### ADJUSTABLE SQUARE TS-30/40 and TS-40-PLUS

• Adjustable square up to 20" (52 cm.).



REF

1

8413797188219

18821

#### ADJUSTABLE SQUARE FOR TS-50 and TS-50-PLUS

• Adjustable square up to 26" (68 cm.).

1

8413797188226

18822

#### ADJUSTABLE SQUARE FOR TS-60, TS-60-PLUS AND TS-70-PLUS

• Adjustable square up to 32" (80 cm.).

1

8413797188202

18820

**New**



Ref. 18981

### ACCESSORIES FOR TS, TF AND TR PROFESSIONAL CUTTERS

#### PORTABLE TOOL BOX

• Adjustable and lockable toolbox strap. Maximum carrying weight 33.1 Lb. (15 kg.). Protective sleeve included.



REF

1

8413797189810

18981



Ref. 17850



### ACCESSORIES FOR TX PROFESSIONAL CUTTERS

#### ADJUSTABLE SQUARE FOR TX-700/900

• Adjustable square up to 30" (77 cm.).  
• Through this extra the TX becomes a TX-S.



REF

1

8413797178500

17850



Ref. 17280



Ref. 17967



### ACCESSORIES FOR TX-1200-N and TX-1200-S PROFESSIONAL CUTTERS

#### CARRYING CASE FOR TX-1200-N / TX-1200-S TX-1200-N / TX-1200-S WHEEL KIT

• Two-wheel kit with handle adaptable to TX-1200-N and TX-1200-S before 2003.  
For transporting machines without the need of special equipment.



REF

1

8413797172805

17280

1

8413797179675

17967



Ref. 12924


**ACCESSORIES FOR STAR AND POCKET CUTTERS**


REF

**ADJUSTABLE SQUARE FOR STAR AND POCKET**

1

8413797129243

12924

- Adjustable square up to 10" (25 cm.).



Ref. 17946


**ACCESSORIES FOR PROFESSIONAL CUTTERS**


REF

**GLASS MOSAIC SEPARATOR**

5

8413797179460

17946

- Separator that can be connected to TR and TX manual cutters.
- It can separate mosaic tiles and glass mosaic tiles. Separator strength: 155 Lb (70 kg).



Ref. 07935

**SEPARATORS FOR TILES**


REF

**MAXI SEPARATOR**

1

8413797079357

07935

- For very hard and thick materials, specially gres.
- Maximum breaking thickness: 1 3/8" (32 mm.).
- Breaking length: without limit.
- Breaking power: 2,204.6 Lb (1.000 Kg)



Ref. 18980

**MAINTENANCE KIT FOR CUTTERS**


REF

**MAINTENANCE KIT**

8

8413797189803

18980


- Suitable for perfect maintenance of machines that are assigned for construction: guidance sliding system, axis tipper, spiral, metallic surface.
- Supplied in blister.



## Accessories for Manual Tile Cutters



Ref. 15925



### ACCESSORIES FOR DRILLING TILES



REF

#### RUBI DRILL FOR TR, TS, TF TX, TM AND TS Classic

1

8413797159257

15925

- Drill + adapter to be attached to the TR, TS, TX and TM tile cutters.
- Ø 1" (27 mm.) drill bit included.
- Supplied in blister.



Ref. 15926



### ACCESSORIES FOR DRILLING TILES



REF

#### ADAPTER FOR RUBI DRILL

1

8413797159264

15926

- Set of drill adapters for professional cutters.  
TR, TS-50/60, TS-50/60/70-PLUS, TX, TM, TF-60 and TS-60 Classic.
- Supplied in blister.



Ref. 15927



### ACCESSORIES FOR DRILLING TILES



REF

#### RUBI DRILL FOR TS-30/40, TS-40-PLUS TF-40 AND TS-40 Classic

1

8413797159271

15927

- Drill + Ø 1" (27 mm.) drill bit.
- Supplied in blister.



Ref. 13970



### ACCESSORIES FOR DRILLING TILES



REF

#### RUBI DRILL FOR SPEED-42/62

1

8413797139709

13970

- Supplied in blister.



Ref. 15928



### ACCESSORIES FOR DRILLING TILES



REF

#### RUBI DRILL FOR RAPID, STAR/ -N/ -N PLUS and POCKET

1


8413797159288

15928

- Supplied in blister.



Ref. 17880/81



Ref. 17882/83

**SPARE PARTS FOR MANUAL TILE CUTTERS**
**SQUARE ACCESSORY TR-400**

• Direct measuring up to 15" (38,5 cm.).



REF

1 8413797178814 17881

**SQUARE ACCESSORY TR-600**

• Direct measuring up to 19" (48,5 cm.).

1 8413797178807 17880

**SQUARE ACCESSORY TR-400-S**


• Direct measuring up to 12" (30 cm.).

1 8413797178838 17883

**SQUARE ACCESSORY TR-600-S**

• Direct measuring up to 17" (42 cm.).

1 8413797178821 17882


**SPARE PARTS FOR PROFESSIONAL CUTTERS**
**"N" BREAKER.** For series TS and TF

**"N-PLUS" BREAKER.** For series TS-PLUS (Adaptable to series TS and TF)

**"S" BREAKER CLASSIC.** For the TS CLASSIC series.


REF

1 8413797189339 18933

1 8413797169904 16990

1 8413797079333 07933

**LATERAL STOP TR-400/600**
**LATERAL STOP TS-30/40 and TS-40 CLASSIC**
**LATERAL STOP TS-50**
**LATERAL STOP TS-60 and TS-60 CLASSIC**
**LATERAL STOP TX-700/900**
**LATERAL STOP TM-50/70/90**
**LATERAL STOP TF-40**
**LATERAL STOP TF-60**

1 8413797171549 17154

1 8413797151091 15109

1 8413797157529 15752

1 8413797156522 15652

1 8413797178135 17813

1 8413797168174 16817

1 8413797178876 17887

1 8413797178869 17886

**SEPARATOR LEVER N.** For series: TS, TS CLASSIC, TF and TS-PLUS

**SEPARATOR LEVER TM**

1 8413797078725 15017

1 8413797168723 16872



Ref. 17884/85



Ref. 12923

**SPARE PARTS FOR STANDARD CUTTERS**
**LATERAL STOP SPEED 42**
**LATERAL STOP SPEED 62**
**LATERAL STOP STAR-N / N-PLUS**


REF

1 8413797178852 17885

1 8413797178845 17884

1 8413797129236 12923

\* All transport cases for professional machines are available as spares under order





## TOOLS FOR DRILLING TILES, STONEWARE, MARBLE, GRANITE AND OTHER MATERIALS

RUBI® offers a wide range of tools to drill any type of building material.

The wide range of Tungsten carbide drill bits from Ø 1 to 3 1/4" (27 to 85 mm.) is designed to adapt to the manual drills of RUBI® cutters and electric drills and enables any type of wall tile to be drilled without any effort. The series of core drill bits with Tungsten carbide tips Ø 1 3/4" to 3 1/2" (35 to 90 mm.) enables the professional to drill all types of building materials using an electric drill with percussion.

Completing the range, RUBI® has developed the new easy-to-use, HSS Hole Saws for a perfect finish when drilling wood, sheet metal, plaster and prefabricated plaster partitions.

Finally, another highlight is the wide range of diamond drill bits Ø 3/4" to 4 1/2" (8 to 120 mm.), a must for drilling any type of stoneware, even compact stone and porcelain, as well as granite and marble. These drill bits are designed to be used with the foragres guide and always water cooled. Recently this range has been extended to include the new dry cutting diamond drilling bits used with an electric drill to drill all types of materials.



Ref. 04995



Ref. 04990



Ref. 04991



Ref. 04992



Ref. 04993

3 1/4"  
Ø 85 mm.2 3/4"  
Ø 70 mm.2 1/2"  
Ø 65 mm.2 1/4"  
Ø 55 mm.1 3/4"  
Ø 45 mm.1 3/8"  
Ø 35 mm.1"  
Ø 27 mm.**DRILL BITS****REF**

Drill bits to drill wall tiles with the RUBI® drill and with electric drill without percussion.

**DRILL BIT SET WITH PLASTIC CASE**

1 8413797049954 04995

• With drilling attachment and full set of Tungsten carbide drill bits with diameters of 1", 1 3/8", 1 3/4", 1 3/4", 2 1/2", 2 3/4" and 3 1/4", (27, 35, 45, 55, 65, 70 and 85 mm.), and a plastic case.

**TUNGSTEN CARBIDE DRILL BITS**

Ø 1" (27 mm.)	5	8413797049602	04960
Ø 1 3/8" (35 mm.)	5	8413797049626	04962
Ø 1 3/4" (45 mm.)	5	8413797049640	04964
Ø 2 1/4" (55 mm.)	5	8413797049657	04965
Ø 2 1/2" (65 mm.)	5	8413797049664	04966
Ø 2 3/4" (70 mm.)	5	8413797049671	04967
Ø 3 1/4" (85 mm.)	5	8413797049688	04968

• Supplied in blister.

**ADAPTER FOR ELECTRIC DRILL Ø 1" (27 mm.).**

10 8413797049909 04990

**ADAPTER FOR ELECTRIC DRILL Ø 1 3/8" (35 mm.).**

5 8413797049916 04991

**CENTRAL DRILLING ATTACHMENT**

10 8413797049923 04992


**CENTER BIT (SPARE) Ref. 04992**

10 8413797049930 04993

• Tungsten carbide tipped drill bit for use with electric drills without percussion.


• Can be used with any Tungsten carbide bit.

• Supplied in blister.





Ref. 15925



**ACCESSORIES FOR DRILLING TILES**



**REF**

**RUBI DRILL FOR TR, TS, TF, TX, TM AND TS Classic**

1

8413797159257

15925

- Drill + adapter to be attached to the TR, TS, TX and TM tile cutters.
- Ø 1" (27 mm.) drill bit included.
- Supplied in blister.



Ref. 15926



**ACCESSORIES FOR DRILLING TILES**



**REF**

**ADAPTER FOR RUBI DRILL**

1

8413797159264

15926

- Set of drill adapters for professional cutters. TR, TS-50/60, TS-50/60/70-PLUS, TX, TM, TF-60 and TS-60 Classic.
- Supplied in blister.



Ref. 15927



**ACCESSORIES FOR DRILLING TILES**



**REF**

**RUBI DRILL FOR TS-30/40, TS-40-PLUS, TF-40 AND TS-40 Classic**

1

8413797159271

15927

- Drill + Ø 1" (27 mm.) drill bit.
- Supplied in blister.



Ref. 13970



**ACCESSORIES FOR DRILLING TILES**



**REF**

**RUBI DRILL FOR SPEED-42/62**

1

8413797139709

13970

- Supplied in blister.



Ref. 15928



**ACCESSORIES FOR DRILLING TILES**



**REF**

**RUBI DRILL FOR RAPID, STAR/ -N/ -N PLUS and POCKET**

1

8413797159288

15928

- Supplied in blister.



4 3/4"  
Ø 121 mm.



3 5/8"  
Ø 92 mm.



3 1/4"  
Ø 83 mm.



3"  
Ø 76 mm.



2 5/8"  
Ø 67 mm.



2 1/2"  
Ø 64 mm.



2 3/8"  
Ø 60 mm.



2 1/4"  
Ø 57 mm.



2 1/8"  
Ø 54 mm.



2"  
Ø 51 mm.



1 3/4"  
Ø 44 mm.



1 5/8"  
Ø 41 mm.



1 1/2"  
Ø 38 mm.



1 3/8"  
Ø 35 mm.



1 1/4"  
Ø 32 mm.



1"  
Ø 25 mm.



7/8"  
Ø 22 mm.



3/4"  
Ø 19 mm.



Ref. 04952



Ref. 04938



## HSS HOLE SAWS



REF

Steel drill bits for use with electric drills without percussion for cutting: plaster board, wood, plastic, iron, stainless steel, aluminium, brass and bronze. Extremely hard tempered teeth, variable teeth edge. Reinforced base for minimum vibration.

### HSS HOLE SAWS

Ø 3/4" (19 mm.)	5	8413797049442	04944
Ø 7/8" (22 mm.)	5	8413797049459	04945
Ø 1" (25 mm.)	5	8413797049466	04946
Ø 1 1/4" (32 mm.)	5	8413797049473	04947
Ø 1 3/8" (35 mm.)	5	8413797049480	04948
Ø 1 1/2" (38 mm.)	5	8413797049497	04949
Ø 1 5/8" (41 mm.)	5	8413797049534	04953
Ø 1 3/4" (44 mm.)	5	8413797049398	04939
Ø 2" (51 mm.)	5	8413797049404	04940
Ø 2 1/8" (54 mm.)	5	8413797049541	04954
Ø 2 1/4" (57 mm.)	5	8413797049411	04941
Ø 2 3/8" (60 mm.)	5	8413797049558	04955
Ø 2 1/2" (64 mm.)	5	8413797049428	04942
Ø 2 5/8" (67 mm.)	5	8413797049565	04956
Ø 3" (76 mm.)	1	8413797049435	04943
Ø 3 1/4" (83 mm.)	1	8413797049572	04957
Ø 3 5/8" (92 mm.)	1	8413797049589	04958
Ø 4 3/4" (121 mm.)	1	8413797049596	04959
• Ø 3/4" - 2 5/8" (19-67 mm.) supplied in blister and Ø 3" - 4 3/4" (76-121 mm.) supplied in box.			

### HSS HOLE SAW BIT HEAD

- For use with HSS drills ranging from Ø 1 1/4" to 4 3/4" (32 to 121 mm.).
- Supplied in blister.

10 8413797049527 04952

### HSS MINOR HOLE SAW BIT HEAD

- For use with HSS drill bits ranging from 3/4" to 1" (19 to 25 mm.).
- Supplied in blister.

5 8413797049381 04938

### CENTER BIT FOR HSS HOLE SAW REF. 04952 and REF. 04938

- Adaptable to all sizes of HSS Hole Saws'.
- Supplied in blister.

10 8413797049619 04961



Ref. 04950



Ref. 04951



**HSS HOLE SAWS**



**REF**

High steel speed drill bits for use with electric drills without percussion for cutting: plaster board, wood, plastic, iron, stainless steel, aluminium, brass and bronze. Extremely hard tempered teeth, variable teeth edge. Reinforced base for minimum vibration.

**HSS 11 DRILL BITS SET MODEL 1**

1

8413797049503

04950

- Made up of HSS HOLE SAW BIT HEAD (04952), HSS MINOR HOLE SAW BIT HEAD (Ref. 04938)
- Allen key, HSS hole saws sized at 3/4" (19 mm.), 7/8" (22 mm.), 1" (25 mm.), 1 1/4" (32 mm.), 1 3/8" (35 mm.), 1 1/2" (38 mm.), 1 3/4" (44 mm.), 2" (51 mm.), 2 1/4" (57 mm.), 2 1/2" (64 mm.) and 3" (76 mm.).

**HSS 7 DRILL BITS SET MODEL 2**


1

8413797049510

04951

- Made up of HSS HOLE SAW BIT HEAD (04952).
- Allen key, HSS hole saws sized at 1 5/8" (41 mm.), 2 17/8" (54 mm.), 2 3/8" (60 mm.) 2 5/8" (67 mm.), 3 1/4" (83 mm.), 3 5/8" (92 mm.) and 4 3/4" (121 mm.).




**TUNGSTEN CARBIDE CORE BITS FOR BUILDING MATERIALS**

**REF**

*Tungsten carbide tipped drill bits for negative cuts for use with an electric drill with percussion. Specially designed for all types of bricks, plaster and stucco panels and prestressed concrete blocks. Including Tungsten carbide core drill bit head length 2 1/4" (55 mm.). To use tungsten carbide core bits, RUBI® recommends TP-10 Hammer drill. See page 177.*

**TUNGSTEN CARBIDE CORE DRILL BIT**

Ø 1 3/8" (35 mm.).	1	8413797049787	04978
Ø 1 3/4" (45 mm.).	1	8413797049794	04979
Ø 2 1/2" (65 mm.).	1	8413797049848	04984
Ø 3 1/4" (80 mm.).	1	8413797049855	04985
Ø 3 1/2" (90 mm.).	1	8413797049800	04980
• Ø1 3/8"- 1 3/4" (35-45 mm.) supplied in blister and Ø 2 1/2"- 3 1/2" (65-90 mm.) supplied in box.			

**SPARE CORE BIT**

• Supplied in blister.	1	8413797049947	04994
------------------------	---	---------------	-------

**TUNGSTEN CARBIDE CORE DRILL BIT HEAD LENGTH 2 1/4" (55 mm.).**

• Supplied in blister.	1	8413797049961	04996
------------------------	---	---------------	-------

**TUNGSTEN CARBIDE CORE DRILL BIT HEAD LENGTH 8 3/4" (220 mm.)**

• Supplied in blister. • Adaptable to all Tungsten carbide core drill bits.	1	8413797049978	04997
--	---	---------------	-------





**DRY CUTTING DIAMOND DRILL BITS**



**REF**

For drilling of ceramic tiles and porcelain tiles. Only to be used with grinder. Operational speed between 10,000 and 14,000 r.p.m. Finish with M14 Thread. RUBI® recommends A-115-N and A-125-N grinders. See page 176.

**DRY DIAMOND DRILL BIT**

Ø 1 3/16" (20 mm.).	1	8413797049107	04910
Ø 1 1/8" (28 mm.).	1	8413797049114	04911
Ø 1 3/8" (35 mm.).	1	8413797049121	04912
Ø 1 3/4" (43 mm.).	1	8413797049138	04913
Ø 2" (50 mm.).	1	8413797049145	04914
Ø 2 3/8" (60 mm.).	1	8413797049152	04915
Ø 2 1/2" (65 mm.).	1	8413797049169	04916

• Supplied in blister.



Ref. 50910



Ref. 50917

**DRILLING GUIDE**



**REF**


**DRILLING GUIDE FOR DRY CUTTING BITS**

• System for guiding dry cutting diamond drill bits. Secured with suction pad. Adjustable from Ø 1 3/16" (20 mm.) to 3 1/2" (90 mm.). For use with grinder.

**KIT WITH DRILLING GUIDE FOR DRY CUTTING BITS**

• Made up of foragres centring guide and Ø 1 3/16", 1 1/8", 1 3/8", 1 3/4", 2", 2 3/8", & 2 1/2" (20,28,35,43,50,60 & 65mm.) dry cutting diamond drill bits. With case.





## DIAMOND DRILL BITS



REF

To drill granite, marble and any kind of tiles with electric drill. Always use cooled, with water and non-hammer electric drill. Ø 1 5/8" (Ø 40 mm.) drill, designed for housing of toilet flushing mechanisms. Supplied in individual blisters.

### DETACHABLE DIAMOND DRILL BITS

Ø 1/4" (6 mm.).	1	8413797049862	04986
Ø 5/16" (8 mm.).	1	8413797049824	04982
Ø 13/32" (10 mm.).	1	8413797049831	04983
Ø 1/2" (12 mm.).	1	8413797089985	04998
Ø 9/16" (14 mm.).	1	8413797049367	04936

\* New M12 thread application system adaptable to Ø 1/4" (6mm.), 5/16" (8mm.), 13/32" (10mm.), 1/2" (12 mm.) and 9/16" (14 mm.) drill bits. If the drill bit is replaced due to wear or breakage, only the spare drill bit need be acquired as a replacement. Specially designed to be used with Swivel Connector (Ref. 50907).

### REPLACEMENT DETACHABLE DIAMOND DRILL BITS

Ø 1/4" (6 mm.).	1	8413797049305	04930
Ø 5/16" (8 mm.).	1	8413797049312	04931
Ø 13/32" (10 mm.).	1	8413797049329	04932
Ø 1/2" (12 mm.).	1	8413797049336	04933
Ø 9/16" (14 mm.).	1	8413797049343	04934

\* Spares directly adaptable to M12 thread application of drill bits.

### DIAMOND DRILL BITS

Ø 1 3/16" (20 mm.).	1	8413797049701	04970	Ø 2 3/8" (60 mm.).	1	8413797049879	04987
Ø 1 1/8" (28 mm.).	1	8413797049718	04971	Ø 2 1/2" (65 mm.).	1	8413797049747	04974
Ø 1 3/8" (35 mm.).	1	8413797049725	04972	Ø 3" (75 mm.).	1	8413797049756	04975
Ø 1 5/8" (40 mm.).	1	8413797049633	04963	Ø 3 3/4" (95 mm.).	1	8413797049732	04988
Ø 1 3/4" (43 mm.).	1	8413797049817	04981	Ø 4" (100 mm.).	1	8413797049763	04976
Ø 2" (50 mm.).	1	8413797049732	04973	Ø 4 3/4" (120 mm.).	1	8413797049886	04977
Ø 2 1/4" (55 mm.).	1	8413797049893	04989				

\* Ø 1/4" - 2 1/2" (6-65 mm.) supplied in blister and Ø 3" - 4 3/4" (75-120 mm.) supplied in box.

## DETACHABLE DIAMOND DRILL BITS FOR GLASS MATERIALS



REF

Composition of the diamond specially designed for drilling glass materials. Only for use with the Foragres Plus Guide and Swivel Connector

Ø 1/4" (6 mm.).	1	8413797049008	04900
Ø 5/16" (8 mm.).	1	8413797049015	04901
Ø 13/32" (10 mm.).	1	8413797049022	04902
Ø 1/2" (12 mm.).	1	8413797049039	04903

\* Always use cooled, with water and non-hammer electric drill. Incorporate the new M12 thread application system adaptable Ø 1/4" (6mm.), 5/16" (8mm.), 13/32" (10mm.) and 1/2" (12 mm.) drill bits. If the drill bit is replaced due to wear or breakage, only the spare drill bit need be acquired as a replacement. Only for use with the Foragres Plus Guide and Swivel Connector. Supplied in blister.

### REPLACEMENT DETACHABLE DIAMOND DRILL BITS FOR GLASS MATERIALS

Ø 1/4" (6 mm.).	1	8413797049053	04905
Ø 5/16" (8 mm.).	1	8413797049060	04906
Ø 13/32" (10 mm.).	1	8413797049077	04907
Ø 1/2" (12 mm.).	1	8413797049084	04908

\* Spares directly adaptable to M12 thread application of drill bits. Easily replaced.

FOR INFORMATION ON THE FULL RANGE OF DIAMOND DRILL BITS TO PUNCH SEE PAGE 223



ACCESSORIES FOR DIAMOND DRILL BITS			REF
<b>FORAGRES KIT</b> • Guide and Complete Set of Diamond Bits in Case, (Ø 3/16", 1 1/8", 1 3/8", 2", 2 1/2", 3", 4" and 4 3/4"). Includes Ref. 50915.	1	8413797509038	50903
<b>FORAGRES DRILLING GUIDE</b> • Portable electric drill support. • RUBI® Diamond drill bits enable to drill stoneware any kind of stoneware. Includes Ref. 50915.	1	8413797509007	50900
<b>FORAGRES DRILLING GUIDE WITH PLASTIC CASE</b>	1	8413797509021	50902
<b>DRILL ADAPTOR</b> • To convert the anchorage neck of the FORAGRES GUIDE from Ø 1 3/4" (43 mm.) to Ø 1 1/2" (38 mm.).	1	8413797509151	50915
<b>FORAGRES PLUS GUIDE</b> • High precision guide for drilling glass materials and other ceramic materials. Secured by two suction pads. Permits vertical and horizontal drilling. Includes hose connection to assist with drainage of refrigeration when drilling in vertical position.	1	8413797509120	50912
<b>FORAGRES PLUS KIT</b> • Foragres Plus Guide, Ø 5/16" (8 mm.) and 13/32" (10 mm.) diamond drill bits for glass materials, Ø 1 1/2" - 1 3/4" (38-43 mm.) drill adaptor fitting. • With case. Must be used with Swivel Connector (Ref. 50907) for Ø 1/4" (6 mm.), 5/16" (8 mm.), 13/32" (10 mm.), 1/2" (12 mm.) and 9/16" (14 mm.) drill bits.	1	8413797509182	50918
<b>MINIGRES KIT</b> • Includes SWIVEL CONNECTOR, MINIGRES GUIDE and diamond drill bits Ø 5/16" and 13/32" (8 and 10 mm.). • With case.	1	8413797509090	50909
<b>SWIVEL CONNECTOR</b> • Can be used with electric drill. Allows vertical and horizontal drilling in stoneware, porcelain tiles and granite using Ø 1/4" (6 mm.), 5/16" (8 mm.), 13/32" (10 mm.), 1/2" (12 mm.) and 9/16" (14 mm.).	1	8413797509076	50907
<b>MINIGRES GUIDE</b> • Thanks to vacuum fixation, this guide enables you to drill both horizontally and vertically with drill bits of Ø 1/4", 5/16", 13/32", 1/2" and 9/16" (6, 8, 10, 12 and 14 mm.) at the exact point, thus preventing the drill bit from moving. Not recommended to drill vitreous materials.	1	8413797509069	50906
<b>WATER TRAY - For Foragres, Foragres Plus and Minigres Guide.</b> • Measure: 21 3/8" x 15 3/8" x 3 9/16" (54 x 39 x 9 cm.).	1	8413797501346	50134

		∅ inch/mm	REF	RPM ↻	↑ inch/mm	INSTRUCTION FOR USE	MATERIALS
<b>TUNGSTEN CARBIDE DRILL BITS</b>		1"-(27)	04960	max. 800	1 3/16"-(18)	 RUBI® MANUAL DRILL   ELECTRIC DRILL Without Percussion and Adapter (Ref. 04992)	<b>Ceramic Wall Tiles</b>
		1 3/8"-(35)	04962				
		1 3/4"-(45)	04964				
		2 1/4"-(55)	04965				
		1 1/2"-(65)	04966				
		2 3/4"-(70)	04967				
		3 1/4"-(85)	04968				
<b>HSS HOLE SAWS</b>		3/4"-(19)	04944	max. 690	1 9/16"-(38)	 ELECTRIC DRILL Without Percussion + HSS Hole Saw Bit Head (Ref. 04952) or HSS Minor Hole Saw Bit Head (Ref. 04938)	<b>Plaster</b> <b>Wood</b> <b>Plastic</b> <b>Iron</b> <b>Steel</b> <b>Stainless Steel</b> <b>Aluminium</b> <b>Brass</b> <b>Bronze</b>
		7/8"-(22)	04945	max. 585			
		1"-(25)	04946	max. 525			
		1 1/4"-(32)	04947	max. 410			
		1 3/8"-(35)	04948	max. 375			
		1 1/2"-(38)	04949	max. 345			
		1 1/2"-(41)	04953	max. 315			
		1 3/4"-(44)	04939	max. 295			
		2"-(51)	04940	max. 255			
		2 1/8"-(54)	04954	max. 240			
		2 1/4"-(57)	04941	max. 225			
		2 3/8"-(60)	04955	max. 220			
		2 1/2"-(64)	04942	max. 205			
		2 5/8"-(67)	04956	max. 195			
		3"-(76)	04943	max. 170			
		3 1/4"-(83)	04957	max. 155			
3 5/8"-(92)	04958	max. 140					
4 3/4"-(121)	04959	max. 95					
<b>TUNGSTEN CARBIDE CORE DRILL BITS</b>		1 3/8"-(35)	04978	max. 800	2 1/4" / 10 7/8" •(55) / •(275)	 ELECTRIC DRILL Without Percussion and • Head 2 1/4" / 55mm. (Ref. 04996)* or • Head 8 3/4" / 220mm. (Ref. 04997)* *Including TUNGSTEN CARBIDE core drill bit head 55 mm.	<b>Bricks</b> <b>Cast Plates</b> <b>Plaster</b> <b>Celular Concrete</b>
		1 3/4"-(45)	04979				
		2 1/2"-(65)	04984				
		3 1/4"-(80)	04985				
		3 1/2"-(90)	04980				




Drilling Depth



Recommended Speed



		∅ inch/mm	REF	RPM ↻	↑ inch/mm	INSTRUCTION FOR USE	MATERIALS
<b>DIAMOND DRILL BITS</b>	<b>DRY CUTTING</b> 	3/4"-(20)	04910	Between 10.000 and 14.000	1 7/16" (36 mm)	 <b>GRINDER</b> Recommended A-115-N and A-125-N   <b>ADAPTABLE</b> Drilling Guide (Ref. 50910)	<b>Ceramic Materials</b> <b>Ceramic Tiles</b> <b>Porcelain Tiles</b>
		1 1/8"-(28)	04911				
		1 3/8"-(35)	04912				
		1 3/4"-(43)	04913				
		2"-(50)	04914				
		2 3/8"-(60)	04915				
		2 1/2"-(65)	04916				
	<b>DETACHABLE</b> 	1/4"-(6)	04986	max. 1200	1 3/8"-(35)	 <b>ELECTRIC DRILL</b> Without Percussion with Swivel (Ref. 50907) use with Minigres Drilling Guide (Ref. 50906)	
		5/16"-(8)	04982	max. 1200			
		13/32"-(10)	04983	max. 1200			
		1/2"-(12)	04998	max. 1200			
		9/16"-(14)	04936	max. 1200			
	<b>DETACHABLE FOR GLASS MATERIALS</b> 	3/4"-(20)	04970	max. 900	1 3/16"-(30)	 <b>ELECTRIC DRILL</b> Without Percussion   use with Foragres Drilling Guide (Ref. 50900)	<b>Ceramic Tiles</b> <b>Porcelain Tiles</b> <b>Granite</b> <b>Marble</b>
		1 1/8"-(28)	04971				
		1 3/8"-(35)	04972				
1 5/8"-(40)		04963					
1 3/4"-(43)		04981					
2"-(50)		04973					
2 1/4"-(55)		04989					
2 3/8"-(60)		04987					
2 1/2"-(65)		04974					
3"-(75)		04975					
3 3/4"-(95)		04988					
4"-(100)		04976	max. 450				
4 3/4"-(120)	04977	max. 450	1 3/16"-(30)				
<b>DETACHABLE FOR GLASS MATERIALS</b> 	1/4"-(6)	04900	max. 1200	1 3/8"-(35)	 Swivel Connector (Ref. 50907) Foragres Plus Guide (Ref. 50912)	<b>Glass</b> <b>Materials</b>	
	5/16"-(8)	04901					
	13/32"-(10)	04902					
	1/2"-(12)	04903					







## MANUAL CUTTERS FOR BUILDING MATERIALS

RUBI® provides a wide range of manual cutters for building materials that enable you to make cuts with no need of electric machinery on materials such as terrazzo, concrete blocks, plaster, cellular concrete, roofing tile, slate and so on.

RUBI® sturdy manual cutters are powerful enough to deal with up to 22,000 Lb. (10,000 kg.) and cut material of up to 8" (21 cm.) thick.

The most recent innovation presented by RUBI® is the B-16 brick-cutter to cut bricks, ornamental bricks, facing bricks and other building materials without absolutely no effort and without any unnecessary loss of material. With this product, RUBI® machines satisfy all the material cutting needs of building professionals.

The slab cutters and block cutters in any of their versions and sizes and both Widia saws are tools which are very highly valued by good professionals due to the fact that are quick and easy to use.



T-41

T-51

B-13



B-14

B-14-H

B-15

SLAB CUTTERS				REF
<b>SLAB CUTTER T-41</b> • Maximum cutting length: 16" (41 cm.). Strength: 2,204.6 Lb. (1.000 kg.).	1	10	8413797059007	05900
<b>SLAB CUTTER T-51</b> • Maximum cutting length: 20" (51 cm.). Strength: 2,204.6 Lb. (1.000 kg.).	1	10	8413797059106	05910
BLOCK CUTTERS				REF
<b>BLOCK CUTTER B-13</b> • For cutting concrete blocks. Strength: 9,038.9 Lb. (4.100 kg.). • Maximum cutting length: 12" (31 cm.). Width: 4" (10,5 cm.).	1	16	8413797059250	05925
<b>BLOCK CUTTER B-14</b> • For cutting concrete blocks. Strength: 9,038.9 Lb. (4.100 kg.). • Maximum cutting length: 16" (41 cm.). Width: 5" (14,5 cm.).	1	*8	8413797059304	05930
<b>BLOCK CUTTER B-14-H</b> • Block cutters with hydraulic separator. Strength: 22,046 Lb. (10.000 kg.). • Maximum cutting length: 16" (41 cm.). Width: 5" (14,5 cm.).	1	*5	8413797059458	05945
<b>BLOCK CUTTER B-15</b> • For mix brick and plaster slabs. Strength: 4,409.2 Lb. (2.000 kg.). • Maximum cutting length: 20" (51 cm.). Width: 4" (10 cm.).	1	*5	8413797059151	05915

	REF				
<b>T-41</b>	05900	16" (41 cm.)	1 1/16" (4,2 cm.)	2,204.6 Lb. (1.000 kg.)	66.1 Lb. (30 kg.)
<b>T-51</b>	05910	20" (51 cm.)	2 3/16" (5,5 cm.)	2,204.6 Lb. (1.000 kg.)	97.7 Lb. (44,3 kg.)
<b>B-13</b>	05925	12" (31 cm.)	4 3/16" (10,5 cm.)	9,038.9 Lb. (4.100 kg.)	62.4 Lb. (28,3 kg.)
<b>B-14</b>	05930	16" (41 cm.)	5 3/4" (14,5 cm.)	9,038.9 Lb. (4.100 kg.)	125.7 Lb. (57 kg.)
<b>B-14-H</b>	05945	16" (41 cm.)	5 3/4" (14,5 cm.)	2,204.6 Lb. (10.000 kg.)	121.3 Lb. (55 kg.)
<b>B-15</b>	05915	20" (51 cm.)	4" (10 cm.)	4,409.2 Lb. (2.000 kg.)	119 Lb. (54 kg.)
<b>B-16</b>	05960	6 3/4" (17 cm.)	5 1/8" (13 cm.)	1.102.3 Lb. (500 kg.)	38.6 Lb. (17,5 kg.)



B-16



Ref. 65922



Ref. 65924



Ref. 70930



Ref. 70931

BRICK CUTTER				REF
<b>BRICK CUTTER B-16</b>	1	16	8413797059601	05960
<ul style="list-style-type: none"> <li>• For cutting bricks, ornamental bricks and facing bricks.</li> <li>• New model.</li> <li>• Cutting length: 6 3/4" (17 cm.).</li> <li>• Thickness: 1 7/16" to 5 1/8" (3,5 to 13 cm.). Strength: 1,102 Lb. (500 Kg.). Weight: 38.6 Lb. (17,5 Kg.).</li> </ul>				

OTHER CUTTERS FOR BUILDING MATERIALS				REF
<b>ROOFING TILE CUTTER</b>	1	16	8413797659221	65922
<ul style="list-style-type: none"> <li>• For clay and concrete roofing tiles.</li> <li>• can cut in all directions.</li> <li>• Weight: 15 Lb. (6,8 kg.).</li> </ul>				
<b>NATURAL SLATE SHEAR</b>	1	--	8413797659245	65924
<ul style="list-style-type: none"> <li>• Special shear for slates and fiber-cement.</li> <li>• Supplied in blister.</li> </ul>				

TUNGSTEN CARBIDE SAWS				REF
<b>TUNGSTEN CARBIDE SAW FOR CELLULAR CONCRETE BLOCKS</b>	2	--	8413797709308	70930
<ul style="list-style-type: none"> <li>• Saw with 29 Widia teeth. Length: 29" (75 cm.).</li> <li>• For cutting cellular concrete.</li> </ul>				
<b>TUNGSTEN CARBIDE SAW FOR PLASTER PLATES</b>	2	--	8413797709315	70931
<ul style="list-style-type: none"> <li>• Saw with 29 Widia teeth. Length: 17" (45 cm.).</li> <li>• For cutting plaster and cast plates.</li> </ul>				





## TROWELS AND NOTCHED TROWELS

**RUBI**<sup>®</sup> trowels and notched trowels are manufactured with special plates that are highly resistant to wear and tear. These tools are extremely hard and durable and adapted to the needs of today's professionals.

The variety of sizes and shapes and also the availability of different types of handle, make the line of **RUBI**<sup>®</sup> trowels and notched trowels a complete one that is adapted to the needs and tastes of construction professionals in all five continents.

Other highlights of this family are the new handles developed by **RUBI**<sup>®</sup>, specially the new Rubiflex handle, with a great improved grip and the new wooden handle, very appreciated by professionals for its comfort and high endurance.


The current range of **RUBI**<sup>®</sup> notched trowels offers users the possibility to choose the tool that most meets their requirements, from a wide range of serrated implements, of various sizes and shapes (square, triangular or round), also allowing for the possibility of choosing between special steel plating or long-life stainless steel plating, for all of the models.

## THE WIDEST RANGE OF TROWELS AND NOTCHED TROWELS



WORLD ABSOLUTE LEADER


### SPECIAL AND STAINLESS-STEEL PLATES




Special carbon alloy steel, highly resistant to abrasion.  
 Long lasting stainless steel, highly resistant to wear.




### THE WIDEST RANGE OF JAGGED EDGES ON THE MARKET




The wide range of jagged edges (squared, triangular, or rounded) is adapted to all ceramic materials and formats and different bonding materials.  
 Jagged edges available from 1/8" (3x3 mm.) to 13/16" (20x20 mm.).



### 6 DIFFERENT HANDLES COMBINABLE WITH 2 TYPES OF PLATE AND 12 TYPES OF JAGGED EDGE



Wooden line                      Rubiflex line                      Plastic line



**TROWELS 12" (30 cm.) AND NOTCHED TROWELS 11" (28 cm.) CLOSED WOODEN HANDLE** **REF**


**TROWELS 12" x 5" (30 x 15 cm.)**

	<b>12" (30 cm.)</b>						
	STEEL	6	624	8413797659504	65950		
	STAINLESS STEEL	6	624	8413797659603	65960		
	<b>SHARP EDGED</b>						
	STAINLESS STEEL	6	624	8413797749489	74948		
	<b>TRAPEZOIDAL</b>						
	STEEL	6	546	8413797719062	71906		
	STAINLESS STEEL	6	546	8413797719352	71935		
	<b>ROUND</b>						
	STEEL	6	624	8413797719000	71900		
	STAINLESS STEEL	6	624	8413797719383	71938		

**NOTCHED TROWELS 11" x 4" (28 x 12 cm.)** **A** **B** **R**

	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-			
	STEEL	6	624	8413797659894	65989		
	STAINLESS STEEL	6	624	8413797749007	74900		
	<b>3/16" x 3/16" (4,5 x 4,5 mm.)</b>	3/16"	3/16"	-			
	STEEL	6	624	8413797749458	74945		
	STAINLESS STEEL	6	624	8413797749014	74901		
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-			
	STEEL	6	624	8413797659825	65982		
	STAINLESS STEEL	6	624	8413797749021	74902		
	<b>1/4" x 13/32" (6 x 10 mm.)</b>	1/4"	13/32"	-			
	STEEL	6	624	8413797749465	74946		
	STAINLESS STEEL	6	624	8413797749038	74903		
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-			
	STEEL	6	624	8413797659849	65984		
	STAINLESS STEEL	6	624	8413797749045	74904		
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-			
	STEEL	6	624	8413797659856	65985		
	STAINLESS STEEL	6	624	8413797749052	74905		
	<b>1/2" x 1/2" (12 x 12 mm.)</b>	1/2"	1/2"	-			
	STEEL	6	624	8413797749472	74947		
	STAINLESS STEEL	6	624	8413797749069	74906		
	<b>R-13/32" (10 mm.)</b>	-	-	13/32"			
	STEEL	6	624	8413797659863	65986		
	STAINLESS STEEL	6	624	8413797749076	74907		
	<b>1/4" x 3/16" (6 x 5mm.) Triangular.</b>	1/4"	3/16"	-			
	STEEL	6	624	8413797709063	70906		
	STAINLESS STEEL	6	624	8413797749083	74908		

\* Special high wear resistant steel plate. (STEEL).  
 \* Special high wear resistant stainless steel plate (STAINLESS STEEL).



**TROWELS AND NOTCHED TROWELS 19" (48 cm.) WOODEN HANDLE** **REF**

**TROWELS 19" x 5" (48 x 15 cm.)**

	<b>19" (48 cm.)</b> STEEL	6	312	8413797659887	65988
	STAINLESS STEEL	6	312	8413797729153	72915
	<b>19" (48 cm.) SHARP EDGED</b> STAINLESS STEEL	6	312	8413797749496	74949

**NOTCHED TROWELS 19" x 4" (48 x 12 cm.)** **A** **B** **R**

	<b>1/4" x 1/4" (6 x 6 mm.)</b> STEEL	1/4"	1/4"	-	6	312	8413797659580	65958
	<b>3/8" x 3/8" (8 x 8 mm.)</b> STEEL	3/8"	3/8"	-	6	312	8413797659597	65959
	<b>13/32" x 13/32" (10 x 10 mm.)</b> STEEL	13/32"	13/32"	-	6	312	8413797659832	65983
	<b>1/2" x 1/2" (12 x 12 mm.)</b> STEEL	1/2"	1/2"	-	6	312	8413797739732	73973
	<b>13/16" x 13/16" (20 x 20 mm.)</b> STEEL	13/16"	13/16"	-	6	312	8413797759624	75962
	<b>R-13/32" (10 mm.)</b> STEEL	-	-	13/32"	6	312	8413797659870	65987

• Jagged edge designed for applying mortar to irregular floors. Helps make bonding materials thicker.  
 • Special high wear resistant steel plate. (STEEL).  
 • Special high wear resistant stainless steel plate (STAINLESS STEEL).

**FLAT AND NOTCHED SPATULAS 7" (18 cm.)** **REF**


**FLAT SPATULAS 7" (18 cm.)**

	<b>7" (18 cm.)</b> STEEL	12	4752	8413797719222	71922
	STAINLESS STEEL	12	4752	8413797749502	74950

**NOTCHED SPATULAS 11" (28 cm.)** **A** **B** **R**

	<b>1/8" x 1/8" (3 x 3 mm.)</b> STEEL	1/8"	1/8"	-	12	4752	8413797719239	71923
	STAINLESS STEEL				12	4752	8413797749519	74951
	<b>1/4" x 1/4" (6 x 6 mm.)</b> STEEL	1/4"	1/4"	-	12	4752	8413797719246	71924
	STAINLESS STEEL				12	4752	8413797749526	74952
	<b>3/8" x 3/8" (8 x 8 mm.)</b> STEEL	3/8"	3/8"	-	12	4752	8413797719253	71925
	STAINLESS STEEL				12	4752	8413797749533	74953
	<b>13/32" x 13/32" (10 x 10 mm.)</b> STEEL	13/32"	13/32"	-	12	4752	8413797719260	71926
	STAINLESS STEEL				12	4752	8413797749540	74954
	<b>1/8" x 1/8" (3 x 3 mm.) Triangular.</b> STEEL	1/8"	1/8"	-	12	4752	8413797719277	71927
	STAINLESS STEEL				12	4752	8413797749557	74955
	<b>1/4" x 1/4" (6 x 6 mm.) Triangular.</b> STEEL	1/4"	1/4"	-	12	4752	8413797719284	71928
	STAINLESS STEEL				12	4752	8413797749564	74956

• Special high wear resistant steel plate. (STEEL).  
 • Special high wear resistant stainless steel plate (STAINLESS STEEL).



**TROWELS AND NOTCHED TROWELS 11" (28 cm.) OPEN WOODEN HANDLE** **REF**

**TROWELS 11" x 4" (28 x 12 cm.)**

	<b>11" (28 cm.)</b>							
	STEEL	6	480	8413797729160	72916			
	STAINLESS STEEL	6	480	8413797729184	72918			

**NOTCHED TROWELS 11" x 4" (28 x 12 cm.)** **A** **B** **R**

	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-				
	STEEL	6	480	8413797729009	72900			
	STAINLESS STEEL	6	480	8413797749090	74909			
	<b>3/16" x 3/16" (4,5 x 4,5 mm.)</b>	3/16"	3/16"	-				
	STEEL	6	480	8413797749717	74971			
	STAINLESS STEEL	6	480	8413797749106	74910			
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-				
	STEEL	6	480	8413797729016	72901			
	STAINLESS STEEL	6	480	8413797749113	74911			
	<b>1/4" x 13/32" (6 x 10 mm.)</b>	1/4"	13/32"	-				
	STEEL	6	480	8413797749724	74972			
	STAINLESS STEEL	6	480	8413797749120	74912			
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-				
	STEEL	6	480	8413797729023	72902			
	STAINLESS STEEL	6	480	8413797749137	74913			
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-				
	STEEL	6	480	8413797729030	72903			
	STAINLESS STEEL	6	480	8413797749144	74914			
	<b>1/2" x 1/2" (12 x 12 mm.)</b>	1/2"	1/2"	-				
	STEEL	6	480	8413797749731	74973			
	STAINLESS STEEL	6	480	8413797749151	74915			
	<b>R-13/32" (10 mm.)</b>	-	-	13/32"				
	STEEL	6	480	8413797729047	72904			
	STAINLESS STEEL	6	480	8413797749168	74916			
	<b>1/4" x 3/16" (6 x 5 mm.) Triangular.</b>	1/4"	3/16"	-				
	STEEL	6	480	8413797729054	72905			
	STAINLESS STEEL	6	480	8413797749175	74917			


\* Special high wear resistant steel plate. (STEEL).  
 \* Special high wear resistant stainless steel plate (STAINLESS STEEL).

**LEVELLING TROWELS WOODEN HANDLE** **REF**

**TROWELS 18" x 4" (40 x 11 cm.)**

	<b>18" (40 cm.)</b>						
	ROUND TIP	2	320	8413797609967	60996		
	POINTED TIP	2	320	8413797609974	60997		

\* Special high wear resistant steel plate..



**TROWELS 12" (30 cm.) AND NOTCHED TROWELS 11" (28 cm.) CLOSED RUBIFLEX HANDLE** **REF**


**TROWELS 12" x 5" (30 x 15 cm.)**

	<b>12" (30 cm.)</b>						
	STEEL	6	624	8413797759501	75950		
	STAINLESS STEEL	6	624	8413797759709	75970		
	<b>TRAPEZOIDAL</b>						
	STEEL	6	624	8413797759518	75951		
	STAINLESS STEEL	6	624	8413797759716	75971		
	<b>ROUND</b>						
	STEEL	6	624	8413797759525	75952		
	STAINLESS STEEL	6	624	8413797759723	75972		

**NOTCHED TROWELS 11" x 4" (28 x 12 cm.)**

		A	B	R				
	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-				
	STEEL	6	624	8413797759532	75953			
	STAINLESS STEEL	6	624	8413797759730	75973			
	<b>3/16" x 3/16" (4,5 x 4,5 mm.)</b>	3/16"	3/16"	-				
	STEEL	6	624	8413797759549	75954			
	STAINLESS STEEL	6	624	8413797759747	75974			
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-				
	STEEL	6	624	8413797759556	75955			
	STAINLESS STEEL	6	624	8413797759754	75975			
	<b>1/4" x 13/32" (6 x 10 mm.)</b>	1/4"	13/32"	-				
	STEEL	6	624	8413797759563	75956			
	STAINLESS STEEL	6	624	8413797759761	75976			
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-				
	STEEL	6	624	8413797759570	75957			
	STAINLESS STEEL	6	624	8413797759778	75977			
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-				
	STEEL	6	624	8413797759587	75958			
	STAINLESS STEEL	6	624	8413797759785	75978			
	<b>1/2" x 1/2" (12 x 12 mm.)</b>	1/2"	1/2"	-				
	STEEL	6	624	8413797759594	75959			
	STAINLESS STEEL	6	624	8413797759792	75979			
	<b>R-13/32" (10 mm.)</b>	-	-	13/32"				
	STEEL	6	624	8413797759600	75960			
	STAINLESS STEEL	6	624	8413797759808	75980			
	<b>1/4" x 3/16" (6 x 5 mm.) Triangular.</b>	1/4"	3/16"	-				
	STEEL	6	624	8413797759617	75961			
	STAINLESS STEEL	6	624	8413797759815	75981			

• Special high wear resistant steel plate. (STEEL).  
 • Special high wear resistant stainless steel plate. (STAINLESS STEEL).



**TROWELS AND NOTCHED TROWELS 11" (28 cm.) OPEN RUBIFLEX HANDLE** **REF**


**TROWELS 11" x 4" (28 x 12 cm.)**

	<b>11" (28 cm.)</b>							
	STEEL	6	480	8413797729177	72917			
	STAINLESS STEEL	6	480	8413797729191	72919			


**NOTCHED TROWELS 11" x 4" (28 x 12 cm.)**

	A	B	R					
	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-				
	STEEL				6	480	8413797729061	72906
	STEEL - Special for left handed				6	480	8413797739541	73954
	STAINLESS STEEL				6	480	8413797749366	74936
	<b>3/16" x 3/16" (4,5 x 4,5 mm.)</b>	3/16"	3/16"	-				
	STEEL				6	480	8413797749809	74980
	STEEL - Special for left handed				6	480	8413797739558	73955
	STAINLESS STEEL				6	480	8413797749373	74937
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-				
	STEEL				6	480	8413797729078	72907
	STEEL - Special for left handed				6	480	8413797739565	73956
	STAINLESS STEEL				6	480	8413797749380	74938
	<b>1/4" x 13/32" (6 x 10 mm.)</b>	1/4"	13/32"	-				
	STEEL				6	480	8413797749816	74981
	STEEL - Special for left handed				6	480	8413797739572	73957
	STAINLESS STEEL				6	480	8413797749397	74939
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-				
	STEEL				6	480	8413797729085	72908
	STEEL - Special for left handed				6	480	8413797739589	73958
	STAINLESS STEEL				6	480	8413797749403	74940
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-				
	STEEL				6	480	8413797729092	72909
	STEEL - Special for left handed				6	480	8413797739596	73959
	STAINLESS STEEL				6	480	8413797749410	74941
	<b>1/2" x 1/2" (12 x 12 mm.)</b>	1/2"	1/2"	-				
	STEEL				6	480	8413797749823	74982
	STEEL - Special for left handed				6	480	8413797739749	73974
	STAINLESS STEEL				6	480	8413797749427	74942
	<b>R-13/32" (10 mm.)</b>	-	-	13/32"				
	STEEL				6	480	8413797729108	72910
	STEEL - Special for left handed				6	480	8413797739756	73975
	STAINLESS STEEL				6	480	8413797749434	74943
	<b>1/4" x 3/16" (6 x 5 mm.) Triangular.</b>	1/4"	3/16"	-				
	STEEL				6	480	8413797729115	72911
	STEEL - Special for left handed				6	480	8413797739763	73976
	STAINLESS STEEL				6	480	8413797749441	74944

\* Special high wear resistant steel plate. (STEEL).  
 \* Special high wear resistant stainless steel plate (STAINLESS STEEL).



1. Extremely light, high resistance aluminium reinforcement.
2. Highly rigid join between the reinforcement and the plate.
3. Steel plate with high resistance to abrasion.
4. Ergonomic RUBIFLEX handle with two textures.
5. Transparent glaze for protection against corrosion.
6. Perfect flatness of the plate.



**TROWELS 12" (30 cm.) AND NOTCHED TROWELS 11" (28 cm.) PLASTIC HANDLE** **REF**

**TROWELS 12" x 5" (30 x 15 cm.)**

	<b>12" (30 cm.)</b>						
	STEEL	6	624	8413797659511	65951		
	STAINLESS STEEL	6	624	8413797659610	65961		
	<b>TRAPEZOIDAL</b>						
	STEEL	6	546	8413797719079	71907		
	STAINLESS STEEL	6	546	8413797719369	71936		
	<b>ROUND</b>						
	STEEL	6	624	8413797719017	71901		
	STAINLESS STEEL	6	624	8413797719406	71940		

**NOTCHED TROWELS 11" x 4" (28 x 12 cm.)**

		A	B	R				
	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-				
	STEEL	6	624	8413797659658	65965			
	STAINLESS STEEL	6	624	8413797749182	74918			
	<b>3/16" x 3/16" (4,5 x 4,5 mm.)</b>	3/16"	3/16"	-				
	STEEL	6	624	8413797749748	74974			
	STAINLESS STEEL	6	624	8413797749199	74919			
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-				
	STEEL	6	624	8413797659665	65966			
	STAINLESS STEEL	6	624	8413797749205	74920			
	<b>1/4" x 13/32" (6 x 10 mm.)</b>	1/4"	13/32"	-				
	STEEL	6	624	8413797749755	74975			
	STAINLESS STEEL	6	624	8413797749212	74921			
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-				
	STEEL	6	624	8413797659672	65967			
	STAINLESS STEEL	6	624	8413797749229	74922			
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-				
	STEEL	6	624	8413797659689	65968			
	STAINLESS STEEL	6	624	8413797749236	74923			
	<b>1/2" x 1/2" (12 x 12 mm.)</b>	1/2"	1/2"	-				
	STEEL	6	624	8413797749762	74976			
	STAINLESS STEEL	6	624	8413797749243	74924			
	<b>R-13/32" (10 mm.)</b>	-	-	13/32"				
	STEEL	6	624	8413797659696	65969			
	STAINLESS STEEL	6	624	8413797749250	74925			
	<b>1/4" x 3/16" (6 x 5 mm.) Triangular.</b>	1/4"	3/16"	-				
	STEEL	6	624	8413797709070	70907			
	STAINLESS STEEL	6	624	8413797749267	74926			

• Special high wear resistant steel plate. (STEEL).  
 • Special high wear resistant stainless steel plate. (STAINLESS STEEL).



**TROWELS 12" (30 cm.) AND NOTCHED TROWELS 11" (28 cm.) OPEN PLASTIC HANDLE** **REF**

**TROWELS 12" x 5" (30 x 15 cm.)**

	<b>12" (30 cm.)</b>						
	STEEL	6	480	8413797659559	65955		
	STAINLESS STEEL	6	480	8413797659641	65964		
	<b>TRAPEZOIDAL</b>						
	STEEL	6	420	8413797719086	71908		
	STAINLESS STEEL	6	420	8413797719376	71937		
	<b>ROUND</b>						
	STEEL	6	480	8413797719024	71902		
	STAINLESS STEEL	6	480	8413797719390	71939		

**NOTCHED TROWELS 11" x 4" (28 x 12 cm.)**

	A	B	R				
	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-			
	STEEL	6	480	8413797659993	65999		
	STAINLESS STEEL	6	480	8413797749274	74927		
	<b>3/16" x 3/16" (4,5 x 4,5 mm.)</b>	3/16"	3/16"	-			
	STEEL	6	480	8413797749779	74977		
	STAINLESS STEEL	6	480	8413797749281	74928		
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-			
	STEEL	6	480	8413797659917	65991		
	STAINLESS STEEL	6	480	8413797749298	74929		
	<b>1/4" x 13/32" (6 x 10 mm.)</b>	1/4"	13/32"	-			
	STEEL	6	480	8413797749786	74978		
	STAINLESS STEEL	6	480	8413797749304	74930		
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-			
	STEEL	6	480	8413797659924	65992		
	STAINLESS STEEL	6	480	8413797749311	74931		
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-			
	STEEL	6	480	8413797659931	65993		
	STAINLESS STEEL	6	480	8413797749328	74932		
	<b>1/2" x 1/2" (12 x 12 mm.)</b>	1/2"	1/2"	-			
	STEEL	6	480	8413797749793	74979		
	STAINLESS STEEL	6	480	8413797749335	74933		
	<b>R-13/32" (10 mm.)</b>	-	-	13/32"			
	STEEL	6	480	8413797659948	65994		
	STAINLESS STEEL	6	480	8413797749342	74934		
	<b>1/4" x 3/16" (6 x 5 mm.) Triangular.</b>	1/4"	3/16"	-			
	STEEL	6	480	8413797709087	70908		
	STAINLESS STEEL	6	480	8413797749359	74935		

• Special high wear resistant steel plate. (STEEL).  
 • Special high wear resistant stainless steel plate (STAINLESS STEEL).



**FLAT AND NOTCHED SPATULAS 7" (18 cm.) PLASTIC HANDLE** **REF**

**FLAT- SPATULAS 7" (18 cm.)**

	<b>7" (18 cm.)</b>							
	STEEL	12	4752	8413797749571	74957			
	STAINLESS STEEL	12	4752	8413797749649	74964			

**NOTCHED-SPATULA 7" (18 cm.)**

		A	B	R				
	<b>1/8" x 1/8" (3 x 3 mm.)</b>	1/8"	1/8"	-				
	STEEL				12	4752	8413797749588	74958
	STAINLESS STEEL				12	4752	8413797749656	74965
	<b>1/4" x 1/4" (6 x 6 mm.)</b>	1/4"	1/4"	-				
	STEEL				12	4752	8413797749595	74959
	STAINLESS STEEL				12	4752	8413797749663	74966
	<b>3/8" x 3/8" (8 x 8 mm.)</b>	3/8"	3/8"	-				
	STEEL				12	4752	8413797749601	74960
	STAINLESS STEEL				12	4752	8413797749670	74967
	<b>13/32" x 13/32" (10 x 10 mm.)</b>	13/32"	13/32"	-				
	STEEL				12	4752	8413797749618	74961
	STAINLESS STEEL				12	4752	8413797749687	74968
	<b>1/8" x 1/8" (3 x 3 mm.) Triangular.</b>	1/8"	1/8"	-				
	STEEL				12	4752	8413797749625	74962
	STAINLESS STEEL				12	4752	8413797749694	74969
	<b>1/4" x 1/4" (6 x 6mm.) Triangular.</b>	1/4"	1/4"	-				
	STEEL				12	4752	8413797749632	74963
	STAINLESS STEEL				12	4752	8413797749700	74970

• Special high wear resistant steel plate. (STEEL).  
 • Special high wear resistant stainless steel plate (STAINLESS STEEL).

**19" (48 cm.) DOUBLED HANDLED TROWELS** **REF**

**TROWELS 19" x 5" (48 x 15 cm.)**

	STAINLESS STEEL	6	312	8413797749830	74983
	SHARP STAINLESS STEEL	6	312	8413797749847	74984

**ACCESSORIES FOR TROWELS AND NOTCHED TROWELS** **REF**

**ADAPTER FOR TROWELS AND NOTCHED TROWELS** 1 -- 8413797709230 70923

• Adaptable to the whole range of trowels and notched trowels, enables covering greater surface areas quickly and effortlessly.  
 • Including 10" (25 cm.) handle.

**ALUMINIUM HANDLE** 1 -- 8413797709049 70904

• 4.6 ft. (1.40 m.) handle to fit the ADAPTER FOR TROWELS AND NOTCHED TROWELS (Ref. 70923).

	WOODEN HANDLE				RUBIFLEX HANDLE				PLASTIC HANDLE											
	●	● INOX	●	● INOX	●	● INOX	●	● INOX	●	● INOX	●	● INOX								
	65950	65960	72916	72918	65988	72915	71922	74950	72917	72919	75950	75970	65951	65961	65955	65964	74957	74964		74983
		74948				74949														74984
<b>SHARP</b> 																				
	71906	71935									75951	75971	71907	71936	71908	71937				
	71900	71938									75952	75972	71901	71940	71902	71939				
	65989	74900	72900	74909			71923	74951	72906	74936	75953	75973	65965	74918	65999	74927	74958	74965		
$\frac{3}{16} \times \frac{3}{16} (4,5 \times 4,5)$ 	74945	74901	74971	74910					74980	74937	75954	75974	74974	74919	74977	74928				
$\frac{1}{4} \times \frac{1}{4} (6 \times 6)$ 	65982	74902	72901	74911	65958		71924	74952	72907	74938	75955	75975	65966	74920	65991	74929	74959	74966		
$\frac{1}{4} \times \frac{13}{32} (6 \times 10)$ 	74946	74903	74972	74912					74981	74939	75956	75976	74975	74921	74978	74930				
$\frac{3}{8} \times \frac{3}{8} (8 \times 8)$ 	65984	74904	72902	74913	65959		71925	74953	72908	74940	75957	75977	65967	74922	65992	74931	74960	74967		
$\frac{13}{32} \times \frac{13}{32} (10 \times 10)$ 	65985	74905	72903	74914	65983		71926	74954	72909	74941	75958	75978	65968	74923	65993	74932	74961	74968		
$\frac{1}{2} \times \frac{1}{2} (12 \times 12)$ 	74947	74906	74973	74915	73973				74982	74942	75959	75979	74976	74924	74979	74933				
$\frac{13}{16} \times \frac{13}{16} (20 \times 20)$ 					75962															
<b>R-10</b> 	65986	74907	72904	74916	65987				72910	74943	75960	75980	65969	74925	65994	74934				
$\frac{1}{8} \times \frac{1}{8} (3 \times 3)$ 							71927	74955									74962	74969		
$\frac{1}{4} \times \frac{1}{32} (6 \times 5)$ 	70906	74908	72905	74917					72911	74944	75961	75981	70907	74926	70908	74935				
$\frac{1}{4} \times \frac{1}{4} (6 \times 6)$ 							71928	74956									74963	74970		







## BRICK TROWELS

The complete line of **RUBI**<sup>®</sup> brick trowels presented by Germans Boada, S.A. in this catalogue is the result of advanced technological research to obtain a resistant, high-quality product to which the latest techniques have been applied. With the newly developed models and the adoption of the exclusive Rubiflex handle, as well as the wooden handle in varnished beech and with a nylon plug incorporated, in this catalogue **RUBI**<sup>®</sup> presents the greatest range of trowels in the world.

Specific heat treatment in the plating to give greater flexibility and to avoid wear in the trowel peg, thus increasing its

hardness and rigidity, making **RUBI**<sup>®</sup> trowels a tool of the greatest lightness, offering excellent qualities of resistance and providing great ease of use.

Thanks to their modern manufacturing process, the **RUBI**<sup>®</sup> trowels **RUBI**<sup>®</sup> brick trowels are guaranteed to have absolute uniformity in all batches, perfect flatness and great resistance. Moreover, thanks to the temperature-forged fusion technique, the company offers a life-long warranty against breakage.

TECHNICAL FEATURES



1. Special white nylon lap for tapping without staining.
2. Wooden handle in varnished beech.
3. Nickel-plated ring.
4. Non-detachable fixture between handle and blade tenon.
5. Temperature-forged fusion technique. Life-long warranty against breakage.
6. Perfect flatness in entire plate.
7. Plate protected against rust.
8. Fibres oriented lengthwise during plating.
  - Specific thermal treatment in:
    - Plate to improve hardness and rigidity
    - Blade tenon to improve hardness and rigidity
  - Maximum lightweight quality while maintaining all its resistance qualities.
  - Absolute uniformity in all batches.
  - Perfect adaptation in shapes, sizes and specific characteristics to meet the demands of each market.

RUBIFLEX HANDLE



9. Finished in reinforced material with high impact resistance.



10. Ergonomic RUBIFLEX handle with 2 textures  
 -Rigid inner core for body and consistency.  
 -Elastic coating for better grasp and easier handling



11. Ergonomic grip with elastic nonslipping coating and superficial engraving for better grasp.



PFM01



PFM02



PFM03



PFM04



PFP01



PFP02



PFP03



PFP04

BRICK TROWELS									REF
<b>PFM01-120</b>	4 3/4"	2 7/8"	120 mm.	73 mm.	5.0 oz.	142 gr.	6	8413797350128	35012
<b>PFM01-140</b>	5 17/32"	3"	140 mm.	75 mm.	5.3 oz.	150 gr.	6	8413797350142	35014
<b>PFM01-160</b>	5 5/16"	2 1/16"	160 mm.	76 mm.	5.8 oz.	166 gr.	6	8413797350166	35016
<b>PFP01-120</b>	4 3/4"	2 7/8"	120 mm.	73 mm.	5.3 oz.	150 gr.	6	8413797750126	75012
<b>PFP01-140</b>	5 17/32"	3"	140 mm.	75 mm.	5.6 oz.	158 gr.	6	8413797750140	75014
<b>PFP01-160</b>	5 5/16"	2 1/16"	160 mm.	76 mm.	6.1 oz.	174 gr.	6	8413797750164	75016
• French Type Trowel.									
<b>PFM02-180</b>	7 3/32"	4 5/32"	180 mm.	105 mm.	9.0 oz.	258 gr.	6	8413797351187	35118
<b>PFM02-200</b>	7 7/8"	4 15/32"	200 mm.	113 mm.	9.5 oz.	272 gr.	6	8413797351200	35120
<b>PFM02-210</b>	8 9/32"	4 2/3"	210 mm.	118 mm.	10.0 oz.	286 gr.	6	8413797351217	35121
<b>PFM02-220</b>	8 2/3"	4 25/32"	220 mm.	121 mm.	10.8 oz.	308 gr.	6	8413797351224	35122
<b>PFM02-240</b>	9 15/32"	5 3/32"	240 mm.	129 mm.	11.6 oz.	330 gr.	6	8413797351248	35124
<b>PFP02-180</b>	7 3/32"	4 5/32"	180 mm.	105 mm.	9.4 oz.	267 gr.	6	8413797751185	75118
<b>PFP02-200</b>	7 7/8"	4 15/32"	200 mm.	113 mm.	9.9 oz.	281 gr.	6	8413797751208	75120
<b>PFP02-210</b>	8 9/32"	4 2/3"	210 mm.	118 mm.	10.4 oz.	295 gr.	6	8413797751215	75121
<b>PFP02-220</b>	8 2/3"	4 25/32"	220 mm.	121 mm.	11.2 oz.	317 gr.	6	8413797751222	75122
<b>PFP02-240</b>	9 15/32"	5 3/32"	240 mm.	129 mm.	12 oz.	339 gr.	6	8413797751246	75124
<b>PFM03-180</b>	7 3/32"	4 9/32"	180 mm.	108 mm.	9.6 oz.	274 gr.	6	8413797352184	35218
<b>PFM03-190</b>	7 17/32"	4 3/8"	190 mm.	111 mm.	9.8 oz.	280 gr.	6	8413797352191	35219
<b>PFM03-200</b>	7 7/8"	4 17/32"	200 mm.	115 mm.	10.8 oz.	308 gr.	6	8413797352207	35220
<b>PFM03-210</b>	8 9/32"	4 5/8"	210 mm.	117 mm.	10.9 oz.	312 gr.	6	8413797352214	35221
<b>PFM03-220</b>	8 2/3"	4 3/4"	220 mm.	120 mm.	11.4 oz.	326 gr.	6	8413797352221	35222
<b>PFM03-240</b>	9 15/32"	5 1/16"	240 mm.	128 mm..	11.7 oz.	334 gr.	6	8413797352245	35224
<b>PFP03-180</b>	7 3/32"	4 9/32"	180 mm.	108 mm.	10 oz.	283 gr.	6	8413797752182	75218
<b>PFP03-190</b>	7 17/32"	4 3/8"	190 mm.	111 mm.	10.2 oz.	289 gr.	6	8413797752199	75219
<b>PFP03-200</b>	7 7/8"	4 17/32"	200 mm.	115 mm.	11.2 oz.	317 gr.	6	8413797752205	75220
<b>PFP03-210</b>	8 9/32"	4 5/8"	210 mm.	117 mm.	11.3 oz.	321 gr.	6	8413797752212	75221
<b>PFP03-220</b>	8 2/3"	4 3/4"	220 mm.	120 mm.	11.8 oz.	335 gr.	6	8413797752229	75222
<b>PFP03-240</b>	9 15/32"	5 1/16"	240 mm.	128 mm.	12.1 oz.	343 gr.	6	8413797752243	75224
<b>PFM04-220</b>	8 2/3"	4 13/16"	220 mm.	122 mm.	10.4 oz.	296 gr.	6	8413797353228	35322
<b>PFM04-230</b>	9 1/16"	4 29/32"	230 mm.	124 mm.	10.8 oz.	309 gr.	6	8413797353235	35323
<b>PFM04-240</b>	9 15/32"	4 13/16"	240 mm.	122 mm.	11.2 oz.	321 gr.	6	8413797353242	35324
<b>PFM04-250</b>	10 27/32"	5 7/32"	250 mm.	132 mm.	11.7 oz.	334 gr.	6	8413797353259	35325
<b>PFP04-220</b>	8 2/3"	4 13/16"	220 mm.	122 mm.	10.8 oz.	305 gr.	6	8413797753226	75322
<b>PFP04-230</b>	9 1/16"	4 29/32"	230 mm.	124 mm.	11.2 oz.	318 gr.	6	8413797753233	75323
<b>PFP04-240</b>	9 15/32"	4 13/16"	240 mm.	122 mm.	11.6 oz.	330 gr.	6	8413797753240	75324
<b>PFP04-250</b>	10 27/32"	5 7/32"	250 mm.	132 mm.	12.1 oz.	343 gr.	6	8413797753257	75325



PFM05



PFM06



PFM07



PFM08



PFPO5



PFPO6



PFPO7



PFPO8

BRICK TROWELS								REF	
<b>PFM05-160</b>	6 5/16"	3 9/16"	160 mm.	90 mm.	8.6 oz.	246 gr.	6	8413797354164 35416	
<b>PFM05-180</b>	7 13/32"	4 5/32"	180 mm.	105 mm.	10.0 oz.	286 gr.	6	8413797354188 35418	
<b>PFM05-190</b>	7 17/32"	4 3/16"	190 mm.	106 mm.	10.2 oz.	292 gr.	6	8413797354195 35419	
<b>PFM05-200</b>	7 7/8"	4 1/3"	200 mm.	110 mm.	10.9 oz.	310 gr.	6	8413797354201 35420	
<b>PFM05-210</b>	8 9/32"	4 17/32"	210 mm.	115 mm.	11.4 oz.	326 gr.	6	8413797354218 35421	
<b>PFM05-220</b>	8 2/3"	4 3/4"	220 mm.	120 mm.	12.0 oz.	343 gr.	6	8413797354225 35422	
<b>PFM05-230</b>	9 1/16"	4 15/16"	230 mm.	125 mm.	12.7 oz.	364 gr.	6	8413797354232 35423	
<b>PFM05-240</b>	9 15/32"	5 1/18"	240 mm.	130 mm.	13.7 oz.	390 gr.	6	8413797354249 35424	
<b>PFPO5-160</b>	6 5/16"	3 9/16"	160 mm.	90 mm.	9 oz.	255 gr.	6	8413797754162 75416	
<b>PFPO5-180</b>	7 13/32"	4 5/32"	180 mm.	105 mm.	10.1 oz.	285 gr.	6	8413797754186 75418	
<b>PFPO5-190</b>	7 17/32"	4 3/16"	190 mm.	106 mm.	10.6 oz.	301 gr.	6	8413797754193 75419	
<b>PFPO5-200</b>	7 7/8"	4 1/3"	200 mm.	110 mm.	11.3 oz.	319 gr.	6	8413797754209 75420	
<b>PFPO5-210</b>	8 9/32"	4 17/32"	210 mm.	115 mm.	11.8 oz.	335 gr.	6	8413797754216 75421	
<b>PFPO5-220</b>	8 2/3"	4 3/4"	220 mm.	120 mm.	12.4 oz.	352 gr.	6	8413797754223 75422	
<b>PFPO5-230</b>	9 1/16"	4 15/16"	230 mm.	125 mm.	12.8 oz.	363 gr.	6	8413797754230 75423	
<b>PFPO5-240</b>	9 15/32"	5 1/18"	240 mm.	130 mm.	14.1 oz.	399 gr.	6	8413797754247 75424	
<b>PFM06-160</b>	6 5/16"	4 19/32"	160 mm.	116 mm.	10.4 oz.	116 gr.	6	8413797355161 35516	
<b>PFM06-180</b>	7 3/32"	4 1/8"	180 mm.	130 mm.	11.8 oz.	338 gr.	6	8413797355185 35518	
<b>PFM06-200</b>	7 7/8"	5 13/32"	200 mm.	137 mm.	12.6 oz.	360 gr.	6	8413797355208 35520	
<b>PFM06-220</b>	8 2/3"	5 23/32"	220 mm.	145 mm.	13.9 oz.	396 gr.	6	8413797355222 35522	
<b>PFPO6-160</b>	6 5/16"	4 19/32"	160 mm.	116 mm.	10.8 oz.	307 gr.	6	8413797755169 75516	
<b>PFPO6-180</b>	7 3/32"	4 1/8"	180 mm.	130 mm.	12.2 oz.	347 gr.	6	8413797755183 75518	
<b>PFPO6-200</b>	7 7/8"	5 13/32"	200 mm.	137 mm.	13 oz.	369 gr.	6	8413797755206 75520	
<b>PFPO6-220</b>	8 2/3"	5 23/32"	220 mm.	145 mm.	10.8 oz.	305 gr.	6	8413797755220 75522	
<b>PFM07-160</b>	6 5/16"	3 9/16"	160 mm.	119 mm.	10.2 oz.	290 gr.	6	8413797356168 35616	
<b>PFM07-180</b>	7 3/32"	5 1/6"	180 mm.	128 mm.	11.7 oz.	334 gr.	6	8413797356182 35618	
<b>PFM07-200</b>	7 7/8"	5 17/39"	200 mm.	139 mm.	12.5 oz.	358 gr.	6	8413797356205 35620	
<b>PFPO7-160</b>	6 5/16"	3 9/16"	160 mm.	119 mm.	10.6 oz.	299 gr.	6	8413797756166 75616	
<b>PFPO7-180</b>	7 3/32"	5 1/6"	180 mm.	128 mm.	12.1 oz.	343 gr.	6	8413797756180 75618	
<b>PFPO7-200</b>	7 7/8"	5 17/39"	200 mm.	139 mm.	12.6 oz.	367 gr.	6	8413797756203 75620	
• Marble Trowel.									
<b>PFM08-200</b>	7 7/8"	4 7/32"	200 mm.	107 mm.	8.8 oz.	252 gr.	6	8413797357202 35720	
<b>PFM08-220</b>	8 2/3"	4 1/3"	220 mm.	110 mm.	10.3 oz.	294 gr.	6	8413797357226 35722	
<b>PFPO8-200</b>	7 7/8"	4 7/32"	200 mm.	107 mm.	9.2 oz.	261 gr.	6	8413797757200 75720	
<b>PFPO8-220</b>	8 2/3"	4 1/3"	220 mm.	110 mm.	1.7 oz.	303 gr.	6	8413797757224 75722	



PFM09



PFM10



PFM11



PFM12



PFP09



PFP10



PFP11



PFP12

BRICK TROWELS								REF
<b>PFM09-120</b>	4 3/4"	2 3/8"	120 mm. 60 mm.	4.0 oz.	114 gr.	6	8413797358124	35812
<b>PFM09-130</b>	5 1/8"	2 27/32"	130 mm. 72 mm.	4.3 oz.	122 gr.	6	8413797358131	35813
<b>PFM09-140</b>	5 17/32"	3 3/32"	140 mm. 78 mm.	4.5 oz.	128 gr.	6	8413797358148	35814
<b>PFM09-150</b>	5 29/32"	3 9/32"	150 mm. 83 mm.	4.6 oz.	132 gr.	6	8413797358155	35815
<b>PFM09-160</b>	6 5/16"	3 3/8"	160 mm. 85 mm.	4.8 oz.	136 gr.	6	8413797358162	35816
<b>PFP09-120</b>	4 3/4"	2 3/8"	120 mm. 60 mm.	4.3 oz.	122 gr.	6	8413797758122	75812
<b>PFP09-130</b>	5 1/8"	2 27/32"	130 mm. 72 mm.	4.6 oz.	130 gr.	6	8413797758139	75813
<b>PFP09-140</b>	5 17/32"	3 3/32"	140 mm. 78 mm.	4.8 oz.	136 gr.	6	8413797758146	75814
<b>PFP09-150</b>	5 29/32"	3 9/32"	150 mm. 83 mm.	4.9 oz.	140 gr.	6	8413797758153	75815
<b>PFP09-160</b>	6 5/16"	3 3/8"	160 mm. 85 mm.	5.1 oz.	144 gr.	6	8413797758160	75816
<b>PFM10-130</b>	5 1/8"	2 25/32"	130 mm. 70 mm.	4.1 oz.	118 gr.	6	8413797359138	35913
<b>PFM10-140</b>	5 17/32"	3"	140 mm. 75 mm.	4.4 oz.	126 gr.	6	8413797359145	35914
<b>PFM10-150</b>	5 29/32"	3 5/32"	150 mm. 80 mm.	4.8 oz.	136 gr.	6	8413797359152	35915
<b>PFM10-160</b>	6 5/16"	3 5/16"	160 mm. 84 mm.	5 oz.	144 gr.	6	8413797359169	35916
<b>PFP10-130</b>	5 1/8"	2 25/32"	130 mm. 70 mm.	4.4 oz.	126 gr.	6	8413797759136	75913
<b>PFP10-140</b>	5 17/32"	3"	140 mm. 75 mm.	4.7 oz.	134 gr.	6	8413797759143	75914
<b>PFP10-150</b>	5 29/32"	3 5/32"	150 mm. 80 mm.	5.1 oz.	144 gr.	6	8413797759150	75915
<b>PFP10-160</b>	6 5/16"	3 5/16"	160 mm. 84 mm.	5.4 oz.	152 gr.	6	8413797759167	75916
<b>PFM11-120</b>	4 3/4"	1 3/4"	120 mm. 44 mm.	4.1 oz.	116 gr.	6	8413797360127	36012
<b>PFM11-140</b>	5 17/32"	1 7/8"	140 mm. 47 mm.	4.3 oz.	122 gr.	6	8413797360141	36014
<b>PFM11-160</b>	6 5/16"	2 1/16"	160 mm. 52 mm.	4.6 oz.	130 gr.	6	8413797360165	36016
<b>PFM11-180</b>	7 3/32"	2 7/32"	180 mm. 56 mm.	4.7 oz.	134 gr.	6	8413797360181	36018
<b>PFP11-120</b>	4 3/4"	1 3/4"	120 mm. 44 mm.	4.4 oz.	124 gr.	6	8413797760125	76012
<b>PFP11-140</b>	5 17/32"	1 7/8"	140 mm. 47 mm.	4.6 oz.	130 gr.	6	8413797760149	76014
<b>PFP11-160</b>	6 5/16"	2 1/16"	160 mm. 52 mm.	4.9 oz.	138 gr.	6	8413797760163	76016
<b>PFP11-180</b>	7 3/32"	2 7/32"	180 mm. 56 mm.	5 oz.	142 gr.	6	8413797760187	76018
<b>PFM12-180</b>	7 3/32"	3 3/4"	180 mm. 95 mm.	8.8 oz.	252 gr.	6	8413797361186	36118
<b>PFM12-200</b>	7 7/8"	4 5/32"	200 mm. 105 mm.	9.5 oz.	272 gr.	6	8413797361209	36120
<b>PFM12-220</b>	8 2/3"	4 17/32"	220 mm. 115 mm.	10.4 oz.	296 gr.	6	8413797361223	36122
<b>PFM12-240</b>	9 15/32"	4 27/32"	240 mm. 123 mm.	11.2 oz.	320 gr.	6	8413797361247	36124
<b>PFP12-180</b>	7 3/32"	3 3/4"	180 mm. 95 mm.	9.2 oz.	261 gr.	6	8413797761184	76118
<b>PFP12-200</b>	7 7/8"	4 5/32"	200 mm. 105 mm.	9.9 oz.	281 gr.	6	8413797761207	76120
<b>PFP12-220</b>	8 2/3"	4 17/32"	220 mm. 115 mm.	10.8 oz.	305 gr.	6	8413797761221	76122
<b>PFP12-240</b>	9 15/32"	4 27/32"	240 mm. 123 mm.	11.6 oz.	329 gr.	6	8413797761245	76124



PFM13



PFM14



PFM15



PFM16



PFP13



PFP14



PFP15



PFP16

BRICK TROWELS										REF
<b>PFM13-150</b>	5 29/32"	3 3/32"	150 mm.	78 mm.	4.9 oz.	140 gr.	6	8413797362152	36215	
<b>PFM13-180</b>	7 3/32"	3 3/8"	180 mm.	85 mm.	8.2 oz.	234 gr.	6	8413797362183	36218	
<b>PFM13-200</b>	7 7/8"	3 9/16"	200 mm.	90 mm.	8.5 oz.	244 gr.	6	8413797362206	36220	
<b>PFM13-260</b>	10 1/4"	4 1/8"	260 mm.	104 mm.	11.3 oz.	322 gr.	6	8413797362268	36226	
<b>PFM13-280</b>	11 1/32"	4 9/32"	280 mm.	108 mm.	11.8 oz.	336 gr.	6	8413797362282	36228	
<b>PFP13-150</b>	5 29/32"	3 3/32"	150 mm.	78 mm.	15.2 oz.	148 gr.	6	8413797762150	76215	
<b>PFP13-180</b>	7 3/32"	3 3/8"	180 mm.	85 mm.	8.6 oz.	243 gr.	6	8413797762181	76218	
<b>PFP13-200</b>	7 7/8"	3 9/16"	200 mm.	90 mm.	8.9 oz.	253 gr.	6	8413797762204	76220	
<b>PFP13-260</b>	10 1/4"	4 1/8"	260 mm.	104 mm.	11.7 oz.	331 gr.	6	8413797762266	76226	
<b>PFP13-280</b>	11 1/32"	4 9/32"	280 mm.	108 mm.	12.2 oz.	345 gr.	6	8413797762280	76228	
<b>PFM14-240</b>	9 15/32"	5 1/4"	240 mm.	133 mm.	10.0 oz.	286 gr.	6	8413797363241	36324	
<b>PFM14-260</b>	10 1/4"	5 7/32"	260 mm.	132 mm.	11.0 oz.	314 gr.	6	8413797363265	36326	
<b>PFM14-280</b>	11 1/32"	5 21/32"	280 mm.	143 mm.	11.6 oz.	332 gr.	6	8413797363289	36328	
<b>PFM14-300</b>	11 13/16"	6"	300 mm.	152 mm.	14.1 oz.	402 gr.	6	8413797363302	36330	
<b>PFP14-240</b>	9 15/32"	5 1/4"	240 mm.	133 mm.	10.4 oz.	295 gr.	6	8413797763249	76324	
<b>PFP14-260</b>	10 1/4"	5 7/32"	260 mm.	132 mm.	11.4 oz.	323 gr.	6	8413797763263	76326	
<b>PFP14-280</b>	11 1/32"	5 21/32"	280 mm.	143 mm.	12.1 oz.	341 gr.	6	8413797763287	76328	
<b>PFP14-300</b>	11 13/16"	5"	300 mm.	152 mm.	14.5 oz.	411 gr.	6	8413797763300	76330	
<b>PFM15-260</b>	10 1/4"	5 1/4"	260 mm.	133 mm.	11.3 oz.	322 gr.	6	8413797364262	36426	
<b>PFM15-280</b>	11 1/32"	5 19/32"	280 mm.	142 mm.	12.5 oz.	358 gr.	6	8413797364286	36428	
<b>PFM15-300</b>	11 13/16"	6 1/32"	300 mm.	153 mm.	14.6 oz.	418 gr.	6	8413797364309	36430	
<b>PFP15-260</b>	10 1/4"	5 1/4"	260 mm.	133 mm.	11.8 oz.	334 gr.	6	8413797764260	76426	
<b>PFP15-280</b>	11 1/32"	5 19/32"	280 mm.	142 mm.	13.1 oz.	370 gr.	6	8413797764284	76428	
<b>PFP15-300</b>	11 13/16"	6 1/32"	300 mm.	153 mm.	15.2 oz.	430 gr.	6	8413797764307	76430	
<b>PFM16-6"</b>	6"	3 5/32"	152 mm.	80 mm.	4.9 oz.	140 gr.	6	8413797365061	36506	
<b>PFM16-7"</b>	7"	4 17/32"	178 mm.	115 mm.	8.8 oz.	250 gr.	6	8413797365078	36507	
<b>PFM16-8"</b>	8"	4 3/4"	203 mm.	120 mm.	10.2 oz.	290 gr.	6	8413797365085	36508	
<b>PFM16-9"</b>	9"	4 15/16"	228 mm.	125 mm.	11.6 oz.	330 gr.	6	8413797365092	36509	
<b>PFM16-10"</b>	10"	5 1/8"	254 mm.	130 mm.	11.8 oz.	338 gr.	6	8413797365108	36510	
<b>PFM16-11"</b>	11"	5 11/16"	279 mm.	144 mm.	12.4 oz.	354 gr.	6	8413797365115	36511	
<b>PFM16-12"</b>	12"	6 3/32"	305 mm.	154 mm.	14.8 oz.	424 gr.	6	8413797365122	36512	
<b>PFP16-6"</b>	6"	3 5/32"	152 mm.	80 mm.	5.2 oz.	148 gr.	6	8413797765069	76506	
<b>PFP16-7"</b>	7"	4 17/32"	178 mm.	115 mm.	9.1 oz.	259 gr.	6	8413797765076	76507	
<b>PFP16-8"</b>	8"	4 3/4"	203 mm.	120 mm.	10.5 oz.	298 gr.	6	8413797765083	76508	
<b>PFP16-9"</b>	9"	4 15/16"	228 mm.	125 mm.	12 oz.	339 gr.	6	8413797765090	76509	
<b>PFP16-10"</b>	10"	5 1/8"	254 mm.	130 mm.	12.2 oz.	347 gr.	6	8413797765106	76510	
<b>PFP16-11"</b>	11"	5 11/16"	279 mm.	144 mm.	12.9 oz.	366 gr.	6	8413797765113	76511	
<b>PFP16-12"</b>	12"	6 3/32"	305 mm.	154 mm.	15.4 oz.	436 gr.	6	8413797765120	76512	

• Philadelphia Style Trowel.



PFM17



PFM18



PFM19



PFM20



PFM21



PFP17



PFP18



PFP19



PFP20



PFP21

BRICK TROWELS								REF	
<b>PFM17-9"</b>	9"	4 31/32"	227 mm.	126 mm.	10.8 oz.	308 gr.	6	8413797366099	36609
<b>PFM17-10"</b>	10"	5 1/8"	254 mm.	130 mm.	12.0 oz.	344 gr.	6	8413797366105	36610
<b>PFM17-11"</b>	11"	5 11/16"	278 mm.	144 mm.	13.0 oz.	372 gr.	6	8413797366112	36611
<b>PFM17-12"</b>	12"	6 3/32"	305 mm.	154 mm.	14.8 oz.	424 gr.	6	8413797366129	36612
<b>PFP17-9"</b>	9"	4 31/32"	227 mm.	126 mm.	11.3 oz.	320 gr.	6	8413797766097	76609
<b>PFP17-10"</b>	10"	5 1/8"	254 mm.	130 mm.	12.6 oz.	356 gr.	6	8413797766103	76610
<b>PFP17-11"</b>	11"	5 11/16"	278 mm.	144 mm.	13.5 oz.	384 gr.	6	8413797766110	76611
<b>PFP17-12"</b>	12"	6 3/32"	305 mm.	154 mm.	15.4 oz.	436 gr.	6	8413797766127	76612
<b>PFM18-5"</b>	5"	2 25/32"	132 mm.	70 mm.	4.7 oz.	134 gr.	6	8413797367058	36705
<b>PFM18-6"</b>	6"	3 5/32"	157 mm.	80 mm.	5.0 oz.	144 gr.	6	8413797367065	36706
<b>PFP18-5"</b>	5"	2 25/32"	132 mm.	70 mm.	5 oz.	142 gr.	6	8413797767056	76705
<b>PFP18-6"</b>	6"	3 5/32"	157 mm.	80 mm.	5.4 oz.	152 gr.	6	8413797767063	76706
• Painting London Style Trowel.									
<b>PFM19-80</b>	4 5/16"	3 5/32"	109 mm.	80 mm.	5.0 oz.	144 gr.	6	8413797368086	36808
<b>PFM19-90</b>	5 1/16"	3 9/16"	128 mm.	90 mm.	5.6 oz.	160 gr.	6	8413797368093	36809
<b>PFM19-100</b>	5 1/16"	3 15/16"	128 mm.	100 mm.	6.2 oz.	176 gr.	6	8413797368109	36810
<b>PFP19-80</b>	4 5/16"	3 5/32"	109 mm.	80 mm.	5.4 oz.	152 gr.	6	8413797768084	76808
<b>PFP19-90</b>	5 1/16"	3 9/16"	128 mm.	90 mm.	5.9 oz.	168 gr.	6	8413797768091	76809
<b>PFP19-100</b>	5 1/16"	3 15/16"	128 mm.	100 mm.	6.5 oz.	184 gr.	6	8413797768107	76810
<b>PFM20-120</b>	4 3/4"	2 1/16"	120 mm.	52 mm.	3.9 oz.	110 gr.	6	8413797369120	36912
<b>PFM20-140</b>	5 17/32"	2 15/32"	140 mm.	62 mm.	4.3 oz.	122 gr.	6	8413797369144	36914
<b>PFM20-160</b>	6 5/16"	2 25/32"	160 mm.	70 mm.	4.7 oz.	134 gr.	6	8413797369168	36916
<b>PFP20-120</b>	4 3/4"	2 1/16"	120 mm.	52 mm.	4.2 oz.	118 gr.	6	8413797769128	76912
<b>PFP20-140</b>	5 17/32"	2 15/32"	140 mm.	62 mm.	4.6 oz.	130 gr.	6	8413797769142	76914
<b>PFP20-160</b>	6 5/16"	2 25/32"	160 mm.	70 mm.	5 oz.	142 gr.	6	8413797769166	76916
<b>PFM21-5/1.5"</b>	4 29/32"	1 19/32"	124 mm.	40 mm.	4.1 oz.	116 gr.	6	8413797370010	37001
<b>PFM21-5/2"</b>	4 13/16"	1 31/32"	122 mm.	50 mm.	4.5 oz.	128 gr.	6	8413797370027	37002
<b>PFP21-5/1.5"</b>	4 29/32"	1 19/32"	124 mm.	40 mm.	4.4 oz.	124 gr.	6	8413797770018	77001
<b>PFP21-5/2"</b>	4 13/16"	1 31/32"	122 mm.	50 mm.	4.8 oz.	136 gr.	6	8413797770025	77002
• Margin Trowel.									



BRICK TROWELS									REF
<b>PFM22-150</b>	5 29/32"	4 17/32"	150 mm.	114 mm.	11.7 oz.	333 gr.	6	8413797371154	37115
<b>PFM22-165</b>	6 21/32"	4 11/16"	168 mm.	119 mm.	12.7 oz.	359 gr.	6	8413797371161	37116
<b>PFM22-180</b>	7 1/4"	4 29/32"	184 mm.	124 mm.	13 oz.	370 gr.	6	8413797371185	37118
<b>PFP22-150</b>	5 29/32"	4 17/32"	150 mm.	114 mm.	12 oz.	340 gr.	6	8413797771152	77115
<b>PFP22-165</b>	6 21/32"	4 11/16"	168 mm.	119 mm.	12.9 oz.	366 gr.	6	8413797771169	77116
<b>PFP22-180</b>	7 1/4"	4 29/32"	184 mm.	124 mm.	15.7 oz.	445 gr.	6	8413797771183	77118
<b>PPFM22-180 8x8</b>	7 3/32"	4 29/32"	180 mm.	124 mm.	13.4 oz.	380 gr.	6	8413797371901	37190
<b>PPFP22-180 8x8</b>	7 3/32"	4 29/32"	180 mm.	124 mm.	13.8 oz.	390 gr.	6	8413797771909	77190
• Multi-purpose trowel for amassing and planing glue mortar.									
<b>PFM23-180 A</b>	7 7/32"	4 5/8"	183 mm.	117 mm.	12.5 oz.	354 gr.	6	8413797372588	37258
<b>PFM23-185 B</b>	7 5/32"	4 13/16"	181 mm.	131 mm.	13.5 oz.	383 gr.	6	8413797372687	37268
<b>PFM23-190 C</b>	7 1/2"	4 21/32"	190 mm.	118 mm.	13.4 oz.	380 gr.	6	8413797372793	37279
<b>PFP23-180 A</b>	7 7/32"	4 5/8"	183 mm.	117 mm.	12.7 oz.	361 gr.	6	8413797772586	77258
<b>PFP23-185 B</b>	7 5/32"	4 13/16"	181 mm.	131 mm.	13.8 oz.	390 gr.	6	8413797772685	77268
<b>PFP23-190 C</b>	7 1/2"	4 21/32"	190 mm.	118 mm.	13.6 oz.	387 gr.	6	8413797772791	77279
<b>PPFM23-180 A 8x8</b>	7 3/32"	4 17/32"	180 mm.	115 mm.	10.9 oz.	312 gr.	6	8413797372908	37290
<b>PPFP23-180 A 8x8</b>	7 3/32"	4 17/32"	180 mm.	115 mm.	11.3 oz.	321 gr.	6	8413797772906	77290
• Multi-purpose trowel for amassing and planing glue mortar.									
<b>PFM24-120</b>	4 3/4"	3"	120 mm.	75 mm.	4.5 oz.	129 gr.	6	8413797373127	37312
<b>PFM24-140</b>	5 17/32"	3 3/4"	140 mm.	82 mm.	5.1 oz.	146 gr.	6	8413797373141	37314
<b>PFM24-160</b>	6 5/16"	3 5/8"	160 mm.	92 mm.	5.4 oz.	152 gr.	6	8413797373165	37316
<b>PFM24-180</b>	7 3/32"	4 3/32"	180 mm.	103 mm.	9 oz.	256 gr.	6	8413797373189	37318
<b>PFM24-200</b>	7 7/8"	4 1/3"	200 mm.	110 mm.	9.3 oz.	266 gr.	6	8413797373202	37320
<b>PFM24-220</b>	8 2/3"	4 11/16"	220 mm.	119 mm.	10.4 oz.	294 gr.	6	8413797373226	37322
<b>PFM24-240</b>	9 15/32"	4 31/32"	240 mm.	126 mm.	10.2 oz.	289 gr.	6	8413797373240	37324
<b>PFP24-120</b>	4 3/4"	3"	120 mm.	75 mm.	4.6 oz.	131 gr.	6	8413797773125	77312
<b>PFP24-140</b>	5 17/32"	3 3/4"	140 mm.	82 mm.	5.4 oz.	154 gr.	6	8413797773149	77314
<b>PFP24-160</b>	6 5/16"	3 5/8"	160 mm.	92 mm.	5.4 oz.	153 gr.	6	8413797773163	77316
<b>PFP24-180</b>	7 3/32"	4 3/32"	180 mm.	103 mm.	9.3 oz.	263 gr.	6	8413797773187	77318
<b>PFP24-200</b>	7 7/8"	4 1/3"	200 mm.	110 mm.	9.7 oz.	275 gr.	6	8413797773200	77320
<b>PFP24-220</b>	8 2/3"	4 11/16"	220 mm.	119 mm.	10.6 oz.	301 gr.	6	8413797773224	77322
<b>PFP24-240</b>	9 15/32"	4 31/32"	240 mm.	126 mm.	10.4 oz.	296 gr.	6	8413797773248	77324
• Gauging Trowel.									



BRICK TROWELS								REF	
<b>PFM25-180</b>	7 3/16"	4 11/32"	182 mm.	110 mm.	10.4 oz.	294 gr.	6	8413797374186	37418
<b>PFM25-190</b>	7 17/32"	4 15/32"	190 mm.	113 mm.	10.9 oz.	312 gr.	6	8413797374193	37419
<b>PFM25-200</b>	7 7/8"	4 17/32"	200 mm.	115 mm.	11.1 oz.	316 gr.	6	8413797374209	37420
<b>PFP25-180</b>	7 3/32"	4 1/32"	180 mm.	110 mm.	10.7 oz.	303 gr.	6	8413797774184	77418
<b>PFP25-190</b>	7 17/32"	4 15/32"	190 mm.	113 mm.	11.3 oz.	321 gr.	6	8413797774191	77419
<b>PFP25-200</b>	7 7/8"	4 17/32"	200 mm.	115 mm.	11.5 oz.	325 gr.	6	8413797774207	77420
<b>PFM26-200</b>	7 7/8"	5 7/32"	200 mm.	132 mm.	13.0 oz.	370 gr.	6	8413797375206	37520
<b>PFP26-200</b>	7 7/8"	5 7/32"	200 mm.	132 mm.	13.4 oz.	379 gr.	6	8413797775204	77520
<b>PFM27-10"</b>	10"	4 15/32"	260 mm.	113 mm.	10.9 oz.	312 gr.	6	8413797376104	37610
<b>PFM27-11"</b>	11"	4 3/4"	285 mm.	120 mm.	12.1 oz.	346 gr.	6	8413797376111	37611
<b>PFM27-12"</b>	12"	5 1/8"	305 mm.	130 mm.	13.4 oz.	382 gr.	6	8413797376128	37612
<b>PFP27-10"</b>	10"	4 15/32"	260 mm.	113 mm.	11.4 oz.	324 gr.	6	8413797776102	77610
<b>PFP27-11"</b>	11"	4 3/4"	285 mm.	120 mm.	12.6 oz.	358 gr.	6	8413797776119	77611
<b>PFP27-12"</b>	12"	5 1/8"	305 mm.	130 mm.	13.9 oz.	394 gr.	6	8413797776126	77612
• London Style Trowel.									
<b>PFM28-6"</b>	6"	2 25/32"	152 mm.	70 mm.	4.4 oz.	126 gr.	6	8413797377064	37706
<b>PFP28-6"</b>	6"	2 25/32"	152 mm.	70 mm.	4.7 oz.	134 gr.	6	8413797777062	77706
<b>PFM29-125</b>	4 15/16"	4 3/8"	125 mm.	110 mm.	10.5 oz.	300 gr.	6	8413797386127	38612
<b>PFM30-130</b>	5 1/8"	4 3/8"	130 mm.	110 mm.	10.5 oz.	300 gr.	6	8413797387131	38713
<b>PFM31-130</b>	5 1/8"	5 1/8"	130 mm.	130 mm.	11.8 oz.	335 gr.	6	8413797388138	38813
• Wooden handle. • Special for tile installers.									

**New**



BRICK TROWELS									REF
<b>PFM32-170</b>	6 3/4"	5 5/8"	170 mm.	140 mm.	11.5 oz.	325 gr.	6	8413797389173	38917
<b>PFM32-180</b>	7"	5 3/4"	180 mm.	142 mm.	11.8 oz.	335 gr.	6	8413797389180	38918
<b>PFP32-170</b>	6 3/4"	5 5/8"	170 mm.	140 mm.	11.8 oz.	334 gr.	6	8413797789171	78917
<b>PFP32-180</b>	7"	5 3/4"	180 mm.	142 mm.	12.1 oz.	344 gr.	6	8413797789188	78918
<b>PFM33-170x30</b>	6 3/4"	1 1/4"	170 mm.	30 mm.	4.2 oz.	120 gr.	6	8413797390308	39030
<b>PFM33-170x40</b>	6 3/4"	1 5/8"	170 mm.	40 mm.	4.8 oz.	135 gr.	6	8413797390407	39040
<b>PFM33-170x50</b>	6 3/4"	2"	170 mm.	50 mm.	5.1 oz.	145 gr.	6	8413797390506	39050
<b>PFP33-170x30</b>	6 3/4"	1 1/4"	170 mm.	30 mm.	4.5 oz.	129 gr.	6	8413797790306	79030
<b>PFP33-170x40</b>	6 3/4"	1 5/8"	170 mm.	40 mm.	5.1 oz.	144 gr.	6	8413797790405	79040
<b>PFP33-170x50</b>	6 3/4"	2"	170 mm.	50 mm.	5.4 oz.	154 gr.	6	8413797790504	79050
• Margin Trowel.									
<b>PFM34-161</b>	6 1/32"	2 1/16"	161 mm.	118 mm.	10.5 oz.	300 gr.	6	8413797391169	39116
<b>PFM50-180</b>	7 1/8"	4 1/8"	180 mm.	103 mm.	7.4 oz.	210 gr.	6	8413797379181	37918
<b>PFM50-200</b>	7 1/8"	4 1/8"	200 mm.	110 mm.	8.2 oz.	235 gr.	6	8413797379204	37920
<b>PFP50-180</b>	7 1/8"	4 1/8"	180 mm.	103 mm.	7.7 oz.	219 gr.	6	8413797779189	77918
<b>PFP50-200</b>	7 1/8"	4 1/8"	200 mm.	110 mm.	8.6 oz.	244 gr.	6	8413797779202	77920
• Stainless steel plate.									
<b>PFM51-140</b>	9"	2 2/3"	140 mm.	62 mm.	4.3 oz.	122 gr.	6	8413797380149	38014
<b>PFP51-140</b>	9"	2 2/3"	140 mm.	62 mm.	4.6 oz.	131 gr.	6	8413797780147	78014
• Stainless steel plate.									
<b>PFM52-110</b>	4 1/3"	3 5/32"	110 mm.	80 mm.	4.9 oz.	140 gr.	6	8413797381085	38108
<b>PFP52-110</b>	4 1/3"	3 5/32"	110 mm.	80 mm.	5.2 oz.	149 gr.	6	8413797781083	78108
• Stainless steel plate.									
<b>PFM53-110x75</b>	4 1/3"	3"	110 mm.	75 mm.	7.9 oz.	225 gr.	6	8413797382112	38211
<b>PFP53-110x75</b>	4 1/3"	3"	110 mm.	75 mm.	8.2 oz.	234 gr.	6	8413797782110	78211
• Stainless steel plate. • For dressing inside angles.									



BRICK TROWELS									REF
<b>PFM54-110x75</b>	4 1/3"	2 31/32"	110 mm.	75 mm.	7.9 oz.	225 gr.	6	8413797383119	38311
<b>PFP54-110x75</b>	4 1/3"	2 31/32"	110 mm.	75 mm.	8.2 oz.	234 gr.	6	8413797783117	78311
	• Stainless steel plate. • For dressing inside angles.								
<b>PFM55-145</b>	5 3/4"	4"	145 mm.	100 mm.	8.64 oz.	245 gr.	6	8413797384147	38414
<b>PFM55-165</b>	6 17/32"	4 17/32"	165 mm.	114 mm.	9.8 oz.	280 gr.	6	8413797384161	38416

**SPECIAL SERIES OF FORGED TROWELS**

Range of special forged trowels, with greater resistance to impacts and effects of leverage.

<b>PFM22-150 PLUS</b>	5 29/32"	4 3/8"	150 mm.	111 mm.	12.9 oz.	365 gr.	6	8413797384154	38415
<b>PFM22-165 PLUS</b>	6 21/32"	4 21/32"	168 mm.	118 mm.	14.2 oz.	402 gr.	6	8413797384178	38417
<b>PFM22-180 PLUS</b>	7 3/32"	5 1/32"	180 mm.	127 mm.	14.4 oz.	409 gr.	6	8413797384185	38418
<b>PFP22-150 PLUS</b>	5 29/32"	4 3/8"	150 mm.	111 mm.	13.1 oz.	372 gr.	6	8413797784152	78415
<b>PFP22-165 PLUS</b>	6 21/32"	4 21/32"	168 mm.	118 mm.	14.4 oz.	409 gr.	6	8413797784176	78417
<b>PFP22-180 PLUS</b>	7 3/32"	5 1/32"	180 mm.	127 mm.	14.7 oz.	416 gr.	6	8413797784183	78418
<b>PFM23-180A PLUS</b>	7 1/32"	4 17/32"	178 mm.	114 mm.	12.8 oz.	364 gr.	6	8413797385588	38558
<b>PFM23-185B PLUS</b>	7 3/32"	5 3/32"	180 mm.	129 mm.	13.9 oz.	394 gr.	6	8413797385687	38568
<b>PFM23-190C PLUS</b>	7 1/2"	4 19/32"	190 mm.	116 mm.	14.1 oz.	399 gr.	6	8413797385694	38569
<b>PFP23-180A PLUS</b>	7 1/32"	4 17/32"	178 mm.	114 mm.	13.1 oz.	371 gr.	6	8413797785586	78558
<b>PFP23-185B PLUS</b>	7 3/32"	5 3/32"	180 mm.	129 mm.	14.1 oz.	401 gr.	6	8413797785685	78568
<b>PFP23-190C PLUS</b>	7 1/2"	4 19/32"	190 mm.	116 mm.	14.3 oz.	406 gr.	6	8413797785791	78579
<b>PFM24-120 PLUS</b>	4 17/32"	2 21/32"	114 mm.	67 mm.	5.1 oz.	145 gr.	6	8413797386134	38613
<b>PFM24-160 PLUS</b>	6 15/32"	3 19/32"	164 mm.	91 mm.	7 oz.	198 gr.	6	8413797386165	38616
<b>PFM24-180 PLUS</b>	7 1/4"	4 1/8"	184 mm.	104 mm.	10.5 oz.	297 gr.	6	8413797386189	38618
<b>PFM24-220 PLUS</b>	8 7/16"	4 17/32"	214 mm.	115 mm.	11.6 oz.	330 gr.	6	8413797386226	38622
<b>PFM24-240 PLUS</b>	8 15/16"	4 25/32"	227 mm.	121 mm.	11.9 oz.	337 gr.	6	8413797386240	38624
<b>PFP24-120 PLUS</b>	4 17/32"	2 21/32"	114 mm.	67 mm.	5 oz.	143 gr.	6	8413797786132	78613
<b>PFP24-160 PLUS</b>	6 15/32"	3 19/32"	164 mm.	91 mm.	6.9 oz.	196 gr.	6	8413797786163	78616
<b>PFP24-180 PLUS</b>	7 1/4"	4 1/8"	184 mm.	104 mm.	10.7 oz.	304 gr.	6	8413797786187	78618
<b>PFP24-220 PLUS</b>	8 7/16"	4 17/32"	214 mm.	115 mm.	11.9 oz.	337 gr.	6	8413797786224	78622
<b>PFP24-240 PLUS</b>	8 15/16"	4 25/32"	227 mm.	121 mm.	12.1 oz.	344 gr.	6	8413797786248	78624
<b>PFM25-180 PLUS</b>	7 3/32"	4 5/8"	180 mm.	117 mm.	8.9 oz.	253 gr.	6	8413797387186	38718
<b>PFP25-180 PLUS</b>	7 3/32"	4 5/8"	180 mm.	117 mm.	8.9 oz.	253 gr.	6	8413797787184	78718





## FLOATS, RUBBER TROWELS AND SPONGES

Striving at all times to improve the quality of the work of construction professionals, **RUBI®** offers a complete line of tools and accessories that will facilitate even the most tiring and complicated tiling jobs.

Similarly, **RUBI®** supplies one-piece polyurethane floats, the latest addition to its wide range of special plastering floats with wooden or practical dual-grip handles.

We'd like to make special mention of the wide range of **RUBI®** rubber floats, specially designed for the perfect finis-

hing of joints. To the different durability and densities of the rubber, we have now added a range of different handles. Of particular note is the new system of spare changeable bases.

To complement the range of floats and rubber trowels, **RUBI®** can now offer a varied range of foam rubber trowels for different finishes and smoothness, as well as different sponges of different compositions for maximum absorption and resistance to abrasion.



Ref. 65949

Ref. 65947

Ref. 65948

Ref. 70900

Ref. 70901



RUGOSE BASE



SMOOTH BASE

Ref. 71942  
71947Ref. 71943  
71948Ref. 71941  
71946Ref. 71944  
71949Ref. 71945  
71950

Ref. 83993

New



Ref. 83992

New



## FLOATS WITH WOODEN HANDLE



REF

### PLASTIC FLOAT

10 x 7" (27 x 18 cm.)

10

8413797659498

65949

### PLASTIC FLOAT RECTANGULAR

10 x 7" (27 x 18 cm.)

10

8413797659474

65947

14 x 9" (34 x 23 cm.)

10

8413797659481

65948

14 x 5" (35 x 13 cm.)

10

8413797709001

70900

16 x 6" (42 x 16 cm.)

10

8413797709018

70901

## FLOATS WITH PLASTIC HANDLE



REF

Highly abrasion resistant, long lasting reinforced base (smooth or rough). Highly precise planimetry.

### RUGOSE BASE

#### PLASTIC FLOAT

10 x 5" (27 x 14 cm.)

10

8413797719413

71941

#### RECTANGULAR PLASTIC FLOAT

10 x 5" (27 x 14 cm.)

10

8413797719420

71942

10 x 7" (27 x 18 cm.)

10

8413797719437

71943

14 x 9" (34 x 23 cm.)

10

8413797719444

71944

14 x 7" (35 x 19 cm.)

10

8413797719451

71945

### SMOOTH BASE

#### PLASTIC FLOAT

10 x 5" (27 x 14 cm.)

10

8413797719468

71946

#### RECTANGULAR PLASTIC FLOAT

10 x 5" (27 x 14 cm.)

10

8413797719475

71947

10 x 7" (27 x 18 cm.)

10

8413797719482

71948

14 x 9" (34 x 23 cm.)

10

8413797719499

71949

14 x 7" (36 x 19 cm.)

10

8413797719505

71950

## POREX FLOATS



REF

Used for plastering walls. Its density and hardness allows a homogeneous smoothing.

### NARROW POREX FLOAT

9 x 5" (24 x 14 cm.)

10

8413797839937

83993



### RECTANGULAR POREX FLOAT

9 x 5" (24 x 14 cm.)

10

8413797839920

83992



1. Perfectly flat bases.
2. Ergonomic handle.
3. Base 9/16" (15 mm.) thick, highly resistant to abrasion.
4. Light material with foam core.
5. One piece, highly resistant base and handle.
6. Available in smooth or rough base for different finishes.



POLYURETHANE FLOATS WITH PLASTIC HANDLE				REF
<b>RUGOSE BASE</b>				
<b>TIPPED POLYURETHANE FLOAT</b>				
10 x 5" (27 x 14 cm.)	10	8413797839708	83970	
<b>RECTANGULAR POLYURETHANE FLOAT</b>				
10 x 5" (27 x 14 cm.)	10	8413797839715	83971	
10 x 7" (27 x 18 cm.)	10	8413797839722	83972	
14 x 9" (34 x 23 cm.)	10	8413797839739	83973	
14 x 7" (36 x 19 cm.)	10	8413797839746	83974	
<b>SMOOTH BASE</b>				
<b>TIPPED POLYURETHANE FLOAT</b>				
10 x 5" (27 x 14 cm.)	10	8413797839753	83975	
<b>RECTANGULAR POLYURETHANE FLOAT</b>				
10 x 5" (27 x 14 cm.)	10	8413797839760	83976	
10 x 7" (27 x 18 cm.)	10	8413797839777	83977	
14 x 9" (34 x 23 cm.)	10	8413797839784	83978	
14 x 7" (36 x 19 cm.)	10	8413797839791	83979	



**RUBBER TROWELS**



**REF**

*Trowels for joining ceramic tiles, with ergonomic wooden or plastic handle. Available in different rubber to obtain the best finishing according to the joint width.*

**WOODEN HANDLE**

**RUBBER TROWEL FOR JOINTS**

• Soft rubber with abrasive-resistant sheet.

6 8413797659702 65970

**SOLID RUBBER TROWEL**

• Hard, abrasive-resistant rubber.

6 8413797659757 65975

**TERMOFLEX RUBBER TROWEL**

• Medium-hard rubber.

6 8413797659764 65976

**PLASTIC HANDLE**

**RUBBER TROWEL FOR JOINTS**

• Soft rubber with abrasive-resistant sheet.

6 8413797659719 65971

**SOLID RUBBER TROWEL**


• Hard, abrasive-resistant rubber.

6 8413797659726 65972

**TERMOFLEX RUBBER TROWEL**

• Medium-hard rubber.

6 8413797659733 65973



**RUBBER FOAM TROWELS**



**REF**

*Trowels for the finishing, with ergonomic wooden or plastic handles. The different kinds of soft foams, with the various hardnesses, allow the professional to use these trowels for all types of finishes.*

**WOODEN HANDLE**

<b>SOFT FOAM TROWELL BIG CELL</b> • Rubber-foam orange colour	6	8413797729757	72975
<b>SOFT FOAM TROWELL MEDIUM CELL</b> •Rubber-foam green colour	6	8413797729764	72976
<b>SOFT FOAM TROWELL SMALL CELL</b> •Rubber-foam light blue colour	6	8413797729771	72977
<b>HARD FOAM TROWELL SMALL CELL</b> •Rubber-foam dark blue colour	6	8413797729788	72978

**PLASTIC HANDLE**

<b>SOFT FOAM TROWELL BIG CELL</b> • Rubber-foam orange colour	6	8413797729856	72985
<b>SOFT FOAM TROWELL MEDIUM CELL</b> •Rubber-foam green colour	6	8413797729863	72986
<b>SOFT FOAM TROWELL SMALL CELL</b> •Rubber-foam light blue colour	6	8413797729870	72987
<b>HARD FOAM TROWELL SMALL CELL</b> •Rubber-foam dark blue colour.	6	8413797729887	72988



Ref. 84900



Ref. 84901



Ref. 84902



Ref. 84907



Ref. 84910/12



**RUBBER TROWELS INTERCHANGEABLE BASE**



REF

*Trowels for joining ceramic tiles, with ergonomic wooden or plastic handle. Available in different rubber to obtain the best finishing according to the joint width. Replaceable bases to combine the use of different rubbers with a single handle. Enables the reuse of the handle. Great safety and easy-to-use anchoring system.*

**RUBBER TROWEL FOR JOINTS INTERCHANGEABLE BASE**

• Soft rubber with abrasive-resistant sheet.

6 8413797849004 84900

**SOLID RUBBER TROWEL INTERCHANGEABLE BASE**

• Hard, abrasive-resistant rubber.

6 8413797849011 84901

**TERMOFLEX RUBBER TROWEL INTERCHANGEABLE BASE**

• Medium-hard rubber.

6 8413797849028 84902

**SET RUBBER TROWEL WITH THREE INTERCHANGEABLE BASES**

• Includes rubber for joints, hard rubber, and termoflex rubber.

6 8413797849073 84907

**RUBBER TROWEL REPLACEMENT**



REF

**REPLACEMENT RUBBER TROWEL FOR JOINTS**

• Soft rubber with abrasive-resistant sheet.

6 8413797849103 84910

**REPLACEMENT HARD RUBBER TROWEL**



• Hard, abrasive-resistant rubber.

6 8413797849110 84911

**REPLACEMENT TERMOFLEX RUBBER TROWEL**

• Medium-hard rubber.

6 8413797849127 84912



<b>RUBBER FOAM TROWELS INTERCHANGEABLE BASE</b>			<b>REF</b>
<i>Trowels for the finishing, with ergonomic wooden or plastic handles. The different kinds of soft foams, with the various hardnesses, allow the professional to use these trowels for all types of finishes. Replaceable bases to combine the use of different rubbers with a single handle. Enables the reuse of the handle. Great safety and easy-to-use anchoring system.</i>			
<b>SOFT FOAM TROWELL BIG CELL INTERCHANGEABLE BASE</b> • Rubber-foam orange colour.	6	8413797849035	84903
<b>SOFT FOAM TROWELL MEDIUM CELL INTERCHANGEABLE BASE</b> • Rubber-foam green colour.	6	8413797849042	84904
<b>SOFT FOAM TROWELL SMALL CELL INTERCHANGEABLE BASE</b> • Rubber-foam light blue colour.	6	8413797849059	84905
<b>HARD FOAM TROWELL SMALL CELL INTERCHANGEABLE BASE</b> • Rubber-foam dark blue colour.	6	8413797849066	84906


<b>FOAM TROWEL REPLACEMENT</b>			<b>REF</b>
<b>REPLACEMENT TROWEL SOFT RUBBER-FOAM BIG CELL</b> • Rubber-foam orange colour.	6	8413797849134	84913
<b>REPLACEMENT SOFT RUBBER-FOAM MEDIUM CELL</b> • Rubber-foam green colour.	6	8413797849141	84914
<b>REPLACEMENT SOFT RUBBER-FOAM SMALL CELL</b> • Rubber-foam light blue colour.	6	8413797849158	84915
<b>REPLACEMENT HARD RUBBER-FOAM SMALL CELL</b> • Rubber-foam dark blue colour.	6	8413797849165	84916



Ref. 71904    Ref. 71903    Ref. 72955    Ref. 72956    Ref. 72957    Ref. 72958    Ref. 72959



Ref. 74985    Ref. 74986    Ref. 74987    Ref. 74988    Ref. 74989    Ref. 74983 Ⓜ    Ref. 74984 Ⓜ



### FLOATS FOR PLASTER FLOATS



REF

**FLEXIBLE TROWEL WITH PLASTIC HANDLE** 12" x 5" (30 x 14 cm.)  
**FLEXIBLE TROWEL WITH WOODEN HANDLE** 12" x 5" (30 x 14 cm.)

6	8413797719048	71904
6	8413797719031	71903

• Flexible polyethylene plate.

### PLASTER FLOAT RECTANGULAR

16 x 8" (40 x 20 cm.)  
 20 x 9" (50 x 23 cm.)  
 20 x 12" (50 x 30 cm.)  
 24 x 9" (60 x 23 cm.)  
 24 x 12" (60 x 30 cm.)

2	8413797729559	72955
2	8413797729566	72956
2	8413797729573	72957
2	8413797729580	72958
2	8413797729597	72959

• Reinforced white polystyrene float base and wooden handle.

### DOUBLE HANDLED PLASTER FLOATS



REF

16 x 8" (40 x 20 cm.)  
 20 x 9" (50 x 23 cm.)  
 20 x 12" (50 x 30 cm.)  
 24 x 9" (60 x 23 cm.)  
 24 x 12" (60 x 30 cm.)

2	8413797749854	74985
2	8413797749861	74986
2	8413797749878	74987
2	8413797749885	74988
2	8413797749892	74989

• White polystyrene float base with reinforcement and double plastic handle.



### 19" (48 cm.) DOUBLE HANDLED TROWELS



REF

STAINLESS STEEL  
 SHARP STAINLESS STEEL


6	312	8413797749830	74983
6	312	8413797749847	74984



OUTLINER AND JOINT GROUTER			REF
<b>JOINT APPLICATOR FOR MORTAR 25.36 Fl.oz / (750 cc)</b> • Quick and easy.	1	8413797659900	65990
<b>SPARE KIT JOINT APPLICATOR</b> • Includes screw, piston and 3 nozzles.	1	8413797659818	65981
<b>SPARE PARTS FOR JOINT APPLICATOR</b> • Includes 6 nozzles.	1	8413797659801	65980
<b>OUTLINER FOR GROUTING</b> • Elastomer template with different curves and angles for outlining joints in silicone, polyurethane, stucco plaster, grout, etc.	5	8413797729634	72963

THE ELECTRIC JOINT APPLICATOR FOR MORTAR ALSO AVAILABLE, SEE PAGE 196

SPONGES			REF
<b>POLIURETANE SPONGE</b> • Available in pal Box. See page 251.	24	8413797209914	20991
<b>MIXED POLIURETANE SPONGE SPECIAL FOR JOINTS.</b> • Long lasting and high absorption foam.	24	8413797209921	20992
<b>RUBINET SPONGE</b> • Available in pal Box. See page 251.	24	8413797209051	20905
<b>MIXED RUBINET SPONGE</b> • Available in pal Box. See page 250.	24	8413797209068	20906
<b>PLUS RUBINET SPONGE</b>	24	8413797209174	20917
<b>MIXED PLUS RUBINET SPONGE</b> • With lengthwise cuts for improved performance in wiping away dirt. • Special resistance to building materials. Top performance.	24	8413797209181	20918





## SPATULAS, SCRAPERS AND BRUSHES

The wide range of RUBI® spatulas satisfies the different needs of professional tile cutters and floorers. With or without handles of different sizes, the spatulas for tile cutting and flooring can be used for perfect finishing when laying floors.


Thanks to these small tools, their users may demonstrate his professional talents to a very high degree, giving an

excellent level of finish to those points where more basic tools simply could not compete.

Also of note is the range of brushes for cleaning the worksite, available in different sizes and with different types of hair, such as coconut, synthetic, piassava and steel wire.



Ref. 65936/38  
65906



Ref. 70903  
70905  
70971

Ref. 72929  
65918  
70943

Ref. 65919  
70902

Ref. 65935

Ref. 65954

Ref. 70904

Ref. 65450



## SPATULAS



REF

### GROUTER

- 7" (18 cm.)
- 13" (35 cm.)
- For filling joints.

1	8413797659542	65954
1	8413797659351	65935

### FLOOR TILING SPATULA

- 20" (50 cm.)
- 24" (60 cm.)
- 30" (75 cm.)
- Reinforced spatula for professional jobs. Replaceable strip that can be used on both sides.
- Includes grip and aluminum holder.

1	8413797709711	70971
1	8413797709056	70905
1	8413797709032	70903

### REPLACEMENT FOR FLOOR TILING SPATULA

- 20" (50 cm.)
- 24" (60 cm.)
- 30" (75 cm.)

1	8413797729290	72929
1	8413797659184	65918
1	8413797709438	70943

### SPATULA

- 17" (44 cm.)
- 24" (60 cm.)
- Adaptable to WOODEN HOLDER (Ref. 65450). Not included.

12	8413797659191	65919
12	8413797709025	70902

### SPARS ALUMINUM HOLDER for floor tiling spatulas 24" and 30" (60 and 75 cm.)

### WOODEN HOLDER for spatula 17" and 24" (44 and 60 cm.)

1	8413797709049	70904
1	8413797654509	65450

## SPATULAS FOR GROUTING




REF

### GROUTER

- 1/4" (6 mm.)
- 5/16" (8 mm.)
- 13/32" (10 mm.)
- 1/2" (12 mm.)
- Spatula for small jobs. For better joints finishing.

1	8413797659368	65936
1	8413797659375	65937
1	8413797659382	65938
1	8413797659061	65906



**STEEL AND STAINLESS STEEL PAINTER SPATULAS**



**REF**

**STAINLESS STEEL WOODEN HANDLE**

Size	Quantity	SKU	Ref
<b>1" (25 mm.)</b>	10	8413797709094	70909
<b>1 5/8" (40 mm.)</b>	10	8413797709100	70910
<b>2 1/2" (63 mm.)</b>	10	8413797709148	70914
<b>3" (75 mm.)</b>	10	8413797709117	70911
<b>4" (100 mm.)</b>	10	8413797709124	70912
<b>6" (150 mm.)</b>	10	8413797709131	70913

• Stainless steel plate and wood handle.

**STEEL PLASTIC HANDLE**

Size	Quantity	SKU	Ref
<b>1" (25 mm.)</b>	10	8413797719611	71961
<b>1 5/8" (40 mm.)</b>	10	8413797719628	71962
<b>2 1/2" (63 mm.)</b>	10	8413797719680	71968
<b>3" (75 mm.)</b>	10	8413797719635	71963
<b>4" (100 mm.)</b>	10	8413797719642	71964
<b>6" (150 mm.)</b>	10	8413797719659	71965


• Carbon steel plate and plastic handle.

**STEEL AND STAINLESS STEEL RUBIFLEX HANDLE**

Size	Material	Quantity	SKU	Ref
<b>1" (25 mm.)</b>	STEEL	10	8413797739152	73915
<b>1" (25 mm.)</b>	STAINLESS STEEL	10	8413797739084	73908
<b>1 5/8" (40 mm.)</b>	STEEL	10	8413797739169	73916
<b>1 5/8" (40 mm.)</b>	STAINLESS STEEL	10	8413797739091	73909
<b>2 1/2" (63 mm.)</b>	STEEL	10	8413797739176	73917
<b>2 1/2" (63 mm.)</b>	STAINLESS STEEL	10	8413797739145	73914
<b>3" (75 mm.)</b>	STEEL	10	8413797739183	73918
<b>3" (75 mm.)</b>	STAINLESS STEEL	10	8413797739114	73911
<b>4" (100 mm.)</b>	STEEL	10	8413797739190	73919
<b>4" (100 mm.)</b>	STAINLESS STEEL	10	8413797739121	73912
<b>6" (150 mm.)</b>	STEEL	10	8413797739206	73920
<b>6" (150 mm.)</b>	STAINLESS STEEL	10	8413797739138	73913

• Carbon steel plate (steel)

• Stainless steel plate (stainless steel)



## SCRAPERS

			REF
<b>SINGLE LAYER MORTAR SCRAPER</b> - 6 x 27/8" (150 x 72 mm.) WOODEN HANDLE	6	8413797659634	65963
<b>SINGLE LAYER MORTAR SCRAPER PLUS</b> - 6 x 232/32" (152 X 76 mm.) WOODEN HANDLE • Longer scraping points. Highly resistant to abrasion. Longer lasting.	6	8413797659985	65998
<b>SINGLE LAYER MORTAR SCRAPER</b> - 10 x 53/4" (250 x 144 mm.) WOODEN HANDLE PLASTIC HANDLE	6 6	8413797729603 8413797659627	72960 65962
<b>SINGLE LAYER MORTAR SCRAPER PLUS</b> - 10 1/32" x 6 1/16" (254 X 153 mm.) WOODEN HANDLE PLASTIC HANDLE • Longer scraping points. Highly resistant to abrasion. Longer lasting.	6 6	8413797729146 8413797659740	72914 65974
<b>PLASTER SCRAPER FOR CAST</b> - 8 ranges. • Dimensions: 18 x 2" (470 x 70 mm). Weight: 35.3 oz. (1.000 gr.)	2	8413797729627	72962
<b>ALUMINIUM SCRAPER FOR CAST</b> - 8 ranges. • Dimensions: 17" x 3" (455 x 86 mm). Weight: 31.7 oz. (900 gr.)	2	8413797729610	72961
<b>SCRAPER FOR FACING WORK</b> • Double sided: scraping and finishing	1	8413797659214	65921
<b>GROUT SAW</b> • Ergonomic handle with two electroplated widia plates with high resistance to abrasion. • May be used with 1, 2 or 3 widia plates to suit the width of the joint. • Supplied in blister.	5	8413797659078	65907

## SCRAPERS REPLACEMENT

			REF
<b>REPLACEMENT SINGLE LAYER MORTAR SCRAPER</b> - 10 x 5 3/4" (250 x 144 mm.)	18	8413797659573	65957
<b>REPLACEMENT SINGLE LAYER MORTAR SCRAPER PLUS</b> - 10 1/32" x 6 1/16" (254 x 153 mm.)	18	8413797729139	72913
<b>REPLACEMENT GROUT SAW</b> - 10 1/32" x 6 1/16" (254 x 153 mm.) • 2 electroplated widia plates with high resistance to abrasion. • Supplied in blister.	10	8413797719741	71974



**CONSTRUCTION CLEANING BRUSHES**

**COCONUT HAIR BRUSH**

			REF
24" (60 cm).	6	8413797819656	81965
32" (80 cm).	6	8413797819663	81966
40" (100 cm).	6	8413797819670	81967
<ul style="list-style-type: none"> <li>• Wooded base with coconut hair 3 3/4" (80 mm.).</li> <li>• Including 55 1/4" (140 cm) wooded handle.</li> </ul>			

**SYNTHETIC HAIR BRUSH**

13" (32 cm.)	6	8413797819601	81960
16" (40 cm.)	6	8413797819618	81961
24" (60 cm.)	6	8413797819625	81962
32" (80 cm.)	6	8413797819632	81963
40" (100 cm.)	6	8413797819649	81964
<ul style="list-style-type: none"> <li>• Wooded base with synthetic hair 3 3/4" (95 mm.).</li> <li>• Including 55 1/4" (140 cm) wooded handle.</li> </ul>			

**PIASAVA BRUSH**

13" (32 cm.)	6	8413797819687	81968
<ul style="list-style-type: none"> <li>• Wooded base made out of piasava hair (3 3/4") (90 mm.).</li> <li>• Including 55 1/4" (140 cm) wooded handle.</li> </ul>			

**WOODED HANDLE 55 1/4" (140 cm)**

	1	8413797819694	81969
<ul style="list-style-type: none"> <li>• Wooded handle spare part Ø 1 1/8" (28 mm.) x 55 1/4" (140 cm.), adaptable to brush made out of synthetic hair, coconut hair and piasava hair.</li> </ul>			

**MANUAL BRUSH**

	12	8413797819700	81970
<ul style="list-style-type: none"> <li>• Wooded base with natural fiber hair of 1 31/32" (50 mm.).</li> </ul>			

**MANUAL STEEL BRUSH**

4 ROWS	6	8413797849202	84920
5 ROWS	6	8413797849219	84921
<ul style="list-style-type: none"> <li>• Wooden base with brass-coated tempered steel hair. 1" (25 mm.).</li> </ul>			

**MANUAL STEEL BRUSH WITHOUT HANDLE**


4 ROWS	6	8413797849226	84922
5 ROWS	6	8413797849233	84923
<ul style="list-style-type: none"> <li>• Wooden base with brass-coated tempered steel hair. 1" (30 mm.).</li> </ul>			

**PRODUCTS FOR CLEANING**

**ABSORBENT GRANULES – 19.8 Lb. (9 kg.)**

	1	8413797209228	20922
<ul style="list-style-type: none"> <li>• RUBINET® solid granulate, absorbs all kinds of liquids.</li> </ul>			





## MARKERS, TEMPLATES AND ACCESSORIES FOR TILING

Striving at all times to improve the quality of the work of building professionals, **RUBI®** offers a complete range of markers, templates and tools to simplify even the most tiring and complicated tiling and paving jobs.

Thanks to these tools, reference copying, tile transport, hole marking or tile levelling, and many other tasks involved in tile laying can be carried out with greater ease and precision. The use of these practical tools enables the user to demonstrate his talent and provide excellent finishes in areas where more basic tools would not allow him to show his professionalism so easily.


Likewise, the use of these especially designed tile laying tools saves considerable time, allowing professionals to make better use of their time and offering fast, effective solutions.

This range of accessories is complemented by more conventional tools and implements, of the same high quality, a must for any good professional.

Plastic mesh rolls are currently the most popular for limiting worksites.




Ref. 72926/28



Body



Ref. 72940/42



Body



Ref. 60995



Ref. 60990



Ref. 60991



Ref. 60998



## MARKERS AND TEMPLATES



REF

### TEMPLATE FOR DIAGONAL TILE LAYING

- For laying ceramic tiles diagonally.
- Blister pack of 4 units.

6

8413797609950

60995

### RULE SUPPORT SET

- 6" (15 cm.)
- 12" (30 cm.)
- 20" (50 cm.)
- For easy adjustment and levelling of the rule for wall tiling.
- In box of 2 units.

1

8413797609905

60990

1

8413797609912

60991

1

8413797609981

60998

## RULE SUPPORT NAILS



REF

### OCTOGONAL SECTION

- 8" (200 mm.)
- 10" (250 mm.)
- 12" (300 mm.)

6

8413797729269

72926

6

8413797729276

72927

6

8413797729283

72928

### CIRCULAR SECTION

- 8" (200 mm.)
- 10" (250 mm.)
- 12" (300 mm.)

6

8413797729405

72940

6

8413797729412

72941

6

8413797729429

72942



Ref. 70925



Ref. 70955



Ref. 70940



Ref. 70942



Ref. 65923



**MARKERS AND TEMPLATES**

			REF
<p><b>COUNTER GAUGE</b></p> <ul style="list-style-type: none"> <li>Copies the shape of areas which are awkward to mark onto tiles, for subsequent cutting.</li> </ul>	6	8413797709254	70925
<p><b>ADJUSTABLE SHAPE TEMPLATE</b></p> <ul style="list-style-type: none"> <li>Shaped template with pantograph. For copying difficult shapes in ceramics when cutting and positioning with respect to the last placed piece.</li> </ul>	6	8413797709551	70955
<p><b>ADJUSTABLE ANGLE SEEKER</b></p> <ul style="list-style-type: none"> <li>Diagonal marker.</li> <li>Quick and easy system for marking irregular pieces.</li> <li>Can be completely folded for easy storage.</li> <li>Maximum length 34" (85 cm.).</li> </ul>	6	8413797659238	65923
<p><b>ADJUSTABLE MINI ANGLE SEEKER</b></p> <ul style="list-style-type: none"> <li>Diagonal marker.</li> <li>Quick and easy system for marking irregular pieces.</li> <li>Can be completely folded for easy storage.</li> <li>Maximum length 18" (45 cm.).</li> </ul>	6	8413797709421	70942
<p><b>HOLE MARKER</b></p> <ul style="list-style-type: none"> <li>For marking the position of holes for tubing and electrical fitting, from the wall to the tile, for subsequent cutting or drilling.</li> <li>Maximum length 18" (45 cm.).</li> </ul>	6	8413797709407	70940



Ref. 70928



Ref. 70926



Ref. 70929



Ref. 80936



Ref. 80937



Ref. 65941/42



Ref. 65979



**MARKERS**



**REF**

**MASTER CHALK LINE**

6

8413797709285

70928

**STANDARD CHALK LINE**

6

8413797709261

70926

• Easy to use and very practic for drawing a line.

**BLUE POWDER FOR LINE MARKER** 1.8 oz. (50 gr.)

6

8413797709278

70927

**HIGH QUALITY BLUE POWDER FOR LINE MARKER** 2.2 Lb. (1 Kg.)

6

8413797709292

70929

• Blue power for filling the Line Marker.

**CONSTRUCTION PENCIL**

50

8413797659429

65942

• Specially designed for writing on damp or enamelled surfaces like ceramic tile, marble, granite, etc.

**CONSTRUCTION PENCIL SET.** In a 2 unit blister.

5

8413797659412

65941

**STANDARD FLAT PENCIL**

200

8413797659795

65979

• For general use.

**BLUE WAX PENCIL.** In a box.

12

8413797809367

80936

• New improved composition writes over glass, ceramic tiles, stones, metal, and any other surface.

**RED WAX PENCIL.** In a box.

12

8413797809374

80937

• New improved composition writes over glass, ceramic tiles, stones, metal, and any other surface.

**SET OF WAX PENCILS.** In a 2 unit pencil blister.

10

8413797809350

80935

• It includes 1 red pencil and 1 blue pencil.

• New improved composition writes over glass, ceramic tiles, stones, metal, and any other surface.




Ref. 80933/32




Ref. 70933/4



Ref. 70920/1



Ref. 84909



Ref. 84908

MARKERS			REF
<b>MARKING TAPE</b>			
2 7/8" x 656 ft. (70 mm. x 200 m.)	1	8413797709209	70920
4" x 656 ft. (100 mm. x 200 m.)	1	8413797709216	70921
• For marking construction areas.			
<b>LINE BOBBIN FOR GUIDE</b>			
Ø 1/8" x 164 ft. (2,5 mm. x 50 m.)	12	8413797709339	70933
Ø 3/8" x 328 ft. (1,5 mm. x 100 m.)	12	8413797709346	70934
• With a core collector.			
<b>LINE REEL</b>			
Ø 1/4" x 164 ft. (1,7 mm. x 50 m.)	12	8413797809336	80933
Ø 3/8" x 164 ft. (3 mm. x 50 m.)	12	8413797809329	80932
• High resistance polyester cord.			

MESH ROLLS				REF
<b>MESH ROLL</b>				
• Measurements: 4 ft. x 164 ft. (1.20 x 50 m.).	1	49	8413797849097	84909
• Mesh aperture: 3 31/32 x 1 1/16" (100 x 26 mm.).				
<b>MESH ROLL</b>				
• Measurements: 4 ft. x 164 ft. (1.20 x 50 m.).	1	55	8413797849080	84908
• Mesh aperture: 3 31/32 x 1 1/16" (100 x 26 mm.).				
<ul style="list-style-type: none"> <li>• To limit worksites.</li> <li>• Recyclable polyethylene material.</li> <li>• 4.2 oz./ Sq.ft. (120 gr./m2.)</li> <li>• Sold by reels of 164 ft. (50 m.) each.</li> <li>• Orange colour, aprox. RAL 2004.</li> <li>• Easy to cut to desired size with normal scissors.</li> </ul>				



Ref. 65904/08



Ref. 66908/10

## BLACK RUBBER HAMMERS FOR STONE AND TILE LAYING



REF

### FLAT SURFACE

8.8 oz. (250 gr)	6	8413797659047	65904
17.6 oz. (500 gr)	6	8413797659054	65905
26.4 oz. (750 gr)	6	8413797659085	65908

### FLAT SURFACE AND SPHERICAL SURFACE

8.8 oz. (250 gr)	6	8413797669084	66908
17.6 oz. (500 gr)	6	8413797669091	66909
26.4 oz. (750 gr)	6	8413797669107	66910



Ref. 65912/14



Ref. 66905/07

## WHITE RUBBER HAMMERS FOR STONE AND TILE LAYING



REF

### FLAT SURFACE

8.8 oz. (250 gr)	6	8413797659122	65912
17.6 oz. (500 gr)	6	8413797659139	65913
26.4 oz. (750 gr)	6	8413797659146	65914

### FLAT SURFACE AND SPHERICAL SURFACE

8.8 oz. (250 gr)	6	8413797669053	66905
17.6 oz. (500 gr)	6	8413797669060	66906
26.4 oz. (750 gr)	6	8413797669077	66907



Ref. 65977/78



Ref. 72979/80

## LEVELLERS



REF

### TILING LEVELLER

12" x 4 <sup>9</sup> / <sub>16</sub> " (30 x 11,5 cm.)	1	8413797659771	65977
16" x 5 <sup>3</sup> / <sub>4</sub> " (40 x 14,5 cm.)	1	8413797659788	65978

- For levelling the height of tiles while laying them.
- Base in natural rubber to avoid damaging the ceramics.
- Perfect planeness.

### RUBBER TILING LEVELLER

12" x 4 <sup>9</sup> / <sub>16</sub> " (30 x 11,5 cm.)	1	8413797729795	72979
16" x 5 <sup>3</sup> / <sub>4</sub> " (40 x 14,5 cm.)	1	8413797729801	72980

- For levelling the height of tiles while laying them.
- Base in natural rubber to avoid damaging the ceramics.
- Perfect planeness.



Ref. 65900



Ref. 70941



Ref. 05972



Ref. 65945

Ref. 65946

Ref. 65944



Ref. 65940



Ref. 65902/03  
66903



<b>SUCTION PAD AND UTILITIES</b>				<b>REF</b>
<b>SUCTION PAD</b> • More than 88.2 Lb. (40 Kg.) resistance.		1	8413797659009	65900
<b>TILE CARRIER</b> • Simplifies the transport of terrazo tiles, boxes of tiles, etc. • Largest packaging: 19 x 19" (50 x 50 cm.). Maximum weight: 110.2 Lb. (50 kg.)		1	8413797709414	70941
<b>CERAMIC BLOCK</b> - Thin and Grained Grit. • Smooth out tiles.		5	8413797059724	05972
<b>GLUE GUN APPLICATOR</b>				<b>REF</b>
<b>GLUE GUN APPLICATOR - 40 W.</b> • High performance.		5	8413797659405	65940
<b>GLUE</b> 10 Glue bars of 4" (100 mm.) 25 Glue bars of 7" (175 mm.) 25 Glue bars of 12" (300 mm.) 11 Lb. (5 Kg.) of 7" (175 mm.) bars (in box) • Universal Glue, for the use with the HOT GLUE GUN. (Ref. 65940).		10 10 10 1	8413797659450 8413797659467 8413797659443 8413797729320	65945 65946 65944 72932
<b>FOLDING TABLES</b>				<b>REF</b>
<b>FOLDING TABLE</b> 22 x 17" (56 x 42 cm.). 41 x 17" (106 x 42 cm.). • Adjustable height: 22, 24 and 26" (57, 62 and 67 cm.).		1 1	8413797659023 8413797659030	65902 65903
<b>HIGH FOLDING TABLE</b> 41 x 17" (106 x 42 cm.). • Adjustable height: 24, 27 and 29" (63, 71 and 76 cm.).		1	8413797669033	66903

**New**



Ref. 84950

**New**



Ref. 84949

**New**



Ref. 84951

**New**



Ref. 84948



**RUBBER BASKETS**



**REF**

**BUILDING SITE BUCKET 2.1 gl. (8 L.)**

- For the manual transport of liquids, sand, aggregates, etc.
- 2.1 gl. (8 L.) capacity. Internally regulated from litre to litre.
- With dichromate steel handles to facilitate its transport and for hanging on cranes and hoists.
- Material: Tinted black natural rubber.
- Dimensions: Top diameter 12" (300 mm.), base 7 5/8" (193 mm.), 11 7/16" (290 mm.) height.
- Not suitable for food transport.

1

96

8413797849509

84950

**ITALIAN BUCKET 2.6 gl. (10 L.)**

- For the manual transport of liquids, sand, aggregates, etc.
- 2.6 gl. (10 L.) capacity.
- With dichromate steel handles to facilitate its transport and for hanging on cranes and hoists.
- Material: Tinted black natural rubber.
- Dimensions: Top diameter 14 3/16" (360 mm.), base diameter 8 15/16" (226 mm.), 8 11/16" (215 mm.) height.
- Not suitable for food transport.

1

162

8413797849493

84949

**BASKET 2.6 gl. (10 L.)**

- For the manual transport of liquids, sand, soils, etc.
- 2.6 gl. (10 L.) capacity
- With ergonomic handles to facilitate its transport.
- Material: Tinted black natural rubber.
- Dimensions: Top diameter 18 15/16" (480 mm.), base diameter 11 5/16" (285 mm.), 8 11/16" (219 mm.) height.
- Not suitable for food transport.

1

18

8413797849516

84951

**DRAWER 3.2 gl. (12 L.)**

- For the manual mixing of cement.
- 3.2 gl. (12 L.) capacity, with ergonomic handles for comfortable transport.
- Material: Tinted black natural rubber.
- Dimensions: Top diameter 19 3/8" (490 mm.), base diameter 16 3/8" (415 mm.), 5 5/8" (142 mm.) height.
- Not suitable for food transport.

1

64

8413797849486

84948



Ref. 71912



Ref. 71905



Ref. 71954



Ref. 75965

**TOOLS BOXES**



**REF**

**STANDARD TOOL BOX**

- Practical and functional, for safekeeping of all types of tools.
- Easy to carry.
- Measures: Length 26" (68 cm.) x Width 14" (36 cm.) x Height 14" (36 cm.).
- Capacity 23.2 gl. (88 L.).

1

8413797719123

71912

**TOOL-BOX FOR THE CONSTRUCTION PROFESSIONAL**

- Practical and functional, for safekeeping of all types of tools.
- Easy to carry.
- Measures: Length 30" (77 cm.) x Width 15" (38,5 cm.) x Height 13" (34,5 cm.).
- Capacity 27 gl. (102 L.).

1

8413797719055

71905

**PLASTIC TOOL BOX FOR THE CONSTRUCTION PROFESSIONAL**

- Light and highly functional tool box. With wheels and handle for carriage.
- Lid with 2 object holders and 4 fitments for attaching objects using elastic bands.
- Consists of 1 tray with 14 compartments that can be configured to specific needs and 1 inside tray with 4 compartments.
- Capacity 16 gl. (60 L.)
- Measurements: Length 24" (61 cm.) x Width 14" (37 cm.) x Height 16" (42,5 cm.).

1

8413797719543

71954


**PROFESSIONAL TOOL BOX**


- Large tool box. With wheels and handles for transport.
- Lid with 2 pockets and 4 hangers to fix objects with rubber bands (not included).
- It contains an internal tray with 4 compartments.
- Measurements: 29" (75 cm.) length x 19" (48.7 cm.) width. x 19" (49.3 cm.) height.
- Capacity: 47.6 gl. (180 L.).

1

8413797759655

75965





## TILE SPACERS

A truly indispensable range for obtaining perfect finishes in all tiling and floor-laying: that is what the outstanding **RUBI**<sup>®</sup> tile spacers provides you with. From 1/32" (1 mm.) crossheads for flooring to 1/2" (12 mm.) tile spacers for large-format ceramic floor-laying, the **RUBI**<sup>®</sup> tile spacers, thanks to the regularity of their items, the homogeneity of their measurements and the absence of rough edges and small defects, allow for excellent finishing with total precision.

Do not tile with any tile spacer as the final finish will be spoilt due to the imperfections and irregularities of low quality tile spacers.

**RUBI**<sup>®</sup> Tile spacers are recommended by all the main ceramics manufacturers throughout the world because of their precision and regularity.

Use only **RUBI**<sup>®</sup> Tile spacers and you will obtain the best possible finish in all your tiling and flooring jobs.



$\frac{1}{32}$ " 1 mm.     $\frac{1}{16}$ " 1,5 mm.     $\frac{2}{32}$ " 2 mm.     $\frac{2}{32}$ " 2 mm. - L     $\frac{1}{8}$ " 3 mm.     $\frac{1}{8}$ " 3 mm. - L     $\frac{5}{32}$ " 4 mm.     $\frac{3}{16}$ " 5 mm.



$\frac{1}{4}$ " 6 mm.     $\frac{9}{32}$ " 7 mm.     $\frac{5}{16}$ " 8 mm.     $\frac{3}{8}$ " 9 mm.     $\frac{13}{32}$ " 10 mm.     $\frac{1}{2}$ " 12 mm.


**TILE SPACERS**



**REF**

**TILE SPACERS**

$\frac{1}{32}$ " (1 mm.) - 300 pc.	10	8413797029116	02911
$\frac{1}{32}$ " (1 mm.) - 1.000 pc.	1	8413797020304	02030
$\frac{1}{16}$ " (1,5 mm.) - 300 pc.	10	8413797029123	02912
$\frac{1}{16}$ " (1,5 mm.) - 1.000 pc.	1	8413797020311	02031
• Special Calibration for marble.			
$\frac{3}{32}$ " (2 mm.) - 300 pc.	10	8413797029017	02901
$\frac{3}{32}$ " (2 mm.) - 1.000 pc.	1	8413797020007	02000
$\frac{3}{32}$ "-L (2 mm. - L) - Special long spacer 300 pc.	10	8413797029529	02952
$\frac{3}{32}$ "-L (2 mm. - L) - Special long spacer 1.000 pc.	1	8413797029727	02972
• Wall tiles.			
$\frac{1}{8}$ " (3 mm.) - 200 pc.	10	8413797029024	02902
$\frac{1}{8}$ " (3 mm.) - 1.000 pc.	1	8413797020014	02001
$\frac{1}{8}$ "-L (3 mm. - L) - Special long spacer 200 pc.	10	8413797029536	02953
$\frac{1}{8}$ "-L (3 mm. - L) - Special long spacer 1.000 pc.	1	8413797029734	02973
• Small size.			
$\frac{5}{32}$ " (4 mm.) - 200 pc.	10	8413797029543	02954
$\frac{5}{32}$ " (4 mm.) - 1.000 pc.	1	8413797029741	02974
$\frac{3}{16}$ " (5 mm.) - 100 pc.	10	8413797029031	02903
$\frac{3}{16}$ " (5 mm.) - 1.000 pc.	1	8413797020021	02002
$\frac{1}{4}$ " (6 mm.) - 100 pc.	10	8413797020366	02036
$\frac{1}{4}$ " (6 mm.) - 1.000 pc.	1	8413797020328	02032
• Medium size.			
$\frac{9}{32}$ " (7 mm.) - 100 pc.	10	8413797029048	02904
$\frac{9}{32}$ " (7 mm.) - 1.000 pc.	1	8413797020038	02003
$\frac{5}{16}$ " (8 mm.) - 50 pc.	10	8413797020373	02037
$\frac{5}{16}$ " (8 mm.) - 1.000 pc.	1	8413797020335	02033
$\frac{3}{8}$ " (9 mm.) - 50 pc.	10	8413797020380	02038
$\frac{3}{8}$ " (9 mm.) - 1.000 pc.	1	8413797020342	02034
• Large size.			
$\frac{13}{32}$ " (10 mm.) - 50 pc.	10	8413797029055	02905
$\frac{13}{32}$ " (10 mm.) - 1.000 pc.	1	8413797020045	02004
$\frac{1}{2}$ " (12 mm.) - 50 pc.	10	8413797020397	02039
$\frac{1}{2}$ " (12 mm.) - 1.000 pc.	1	8413797020359	02035
• For large size, terracotta and extruded tiles			



**EXTRACTABLE TILE SPACERS**



REF

Easily converted into a "T" shape and withdraw.

**EXTRACTABLE TILE SPACERS**

1/8" (3 mm.) - 100 pc.	10	8413797029420	02942
1/8" (3 mm.) - 500 pc.	1	8413797021424	02142
• Small size.			
3/16" (5 mm.) - 100 pc.	10	8413797029437	02943
3/16" (5 mm.) - 500 pc.	1	8413797021431	02143
• Medium size.			
9/32" (7 mm.) - 50 pc.	10	8413797029444	02944
9/32" (7 mm.) - 500 pc.	1	8413797021448	02144
• Large size.			
13/32" (10 mm.) - 50 pc.	10	8413797029451	02945
13/32" (10 mm.) - 500 pc.	1	8413797021455	02145
• For large size, terracotta and extruded tiles.			

**"T" TILE SPACERS AND WEDGES**



REF

**"T" TILE SPACERS**

1/8" (3 mm.) - 200 pc.	10	8413797029239	02923
1/8" (3 mm.) - 1.000 pc.	1	8413797020632	02063
• Small size.			
3/16" (5 mm.) - 100 pc.	10	8413797029246	02924
3/16" (5 mm.) - 1.000 pc.	1	8413797020649	02064
• Medium size.			
9/32" (7 mm.) - 100 pc.	10	8413797029253	02925
9/32" (7 mm.) - 1.000 pc.	1	8413797020656	02065
• Large size.			
13/32" (10 mm.) - 50 pc.	10	8413797029260	02926
13/32" (10 mm.) - 1.000 pc.	1	8413797020663	02066
• For large size, terracotta and extruded tiles.			

**WEDGES**


3/16" (5 mm.) - 500 pc.	10	8413797029505	02950
5/16" (7,5 mm.) - 500 pc.	10	8413797029512	02951
• Wall tiles.			

**TILE SPACERS NEEDED PER SQ. YD./M2 ACCORDING TO CERAMIC FORMAT**


	Inch cm	4x4"	6x6"	8x8"	12x12"	16x16"	18x18"	20x20"	24x12"	24x24"
		(10x10)	(15x15)	(20x20)	(30x30)	(40x40)	(45x45)	(50x50)	(60x30)	(60x60)
X /	Sq. Yd. m <sup>2</sup>	89 (106)	41 (49)	24 (29)	13 (15)	7 (8)	6 (7)	5 (6)	7 (8)	5 (6)
T /	Sq. Yd. m <sup>2</sup>	178 (212)	82 (98)	48 (58)	26 (30)	14 (16)	12 (14)	10 (12)	14 (16)	10 (12)



## Tile spacers



Available in Pal Box.



### DISPLAY BOX



REF

Orders by boxes only. Contains bags with label.

#### TILE SPACERS

1/32" (1 mm.)	70	300	8413797021233	02123
1/16" (1,5 mm.)	60	300	8413797021240	02124
• Special Calibration for marble.				
2/32" (2 mm.)	65	300	8413797021257	02125
2/32"-L' (2 mm. - L)	45	300	8413797021264	02126
• Wall tiles.				
1/8" (3 mm.)	40	200	8413797021271	02127
1/8"-L (3 mm. - L)	40	200	8413797021288	02128
• Small size.				
5/32" (4 mm.)	30	200	8413797021295	02129
3/16" (5 mm.)	40	100	8413797021301	02130
1/4" (6 mm.)	25	100	8413797021318	02131
• Wall tiles				
9/32" (7 mm.)	20	100	8413797021325	02132
5/16" (8 mm.)	35	50	8413797021332	02133
3/8" (9 mm.)	25	50	8413797021349	02134
• Large size.				
13/32" (10 mm.)	15	50	8413797021356	02135
1/2" (12 mm.)	15	50	8413797021363	02136
• For large size, terracotta and extruded tiles.				

#### WEDGES

3/16" (5 mm.)	50	500	8413797022797	02279
5/16" (7,5 mm.)	35	500	8413797022742	02274

### COLUMN BOX - EXCHANGE PAL BOX



REF

Orders by boxes only. Contains bags with label. Column Boxes are used for the partial repositioning of the Tile Spacers Pal Box (Ref. 02160). See page 251.


#### TILE SPACERS

1/32" (1 mm.)	48	300	8413797021738	02173
1/16" (1,5 mm.)	42	300	8413797021745	02174
• Special Calibration for marble.				
2/32" (2 mm.)	66	300	8413797021752	02175
2/32"-L (2 mm. - L)	36	300	8413797021769	02176
• Wall tiles.				
1/8" (3 mm.)	54	200	8413797021776	02177
1/8"-L (3 mm. - L)	36	200	8413797021783	02178
• Small size.				
5/32" (4 mm.)	36	200	8413797021790	02179
3/16" (5 mm.)	42	100	8413797021806	02180
1/4" (6 mm.)	24	100	8413797021820	02182
• Medium size.				
9/32" (7 mm.)	22	100	8413797021837	02183
5/16" (8 mm.)	36	50	8413797021844	02184
3/8" (9 mm.)	24	50	8413797021851	02185
• Large size.				
13/32" (10 mm.)	24	50	8413797021868	02186
1/2" (12 mm.)	15	50	8413797021875	02187
• For large size, terracotta and extruded tiles.				

#### WEDGES

3/16" (5 mm.)	54	500	8143797021882	02188
5/16" (7,5 mm.)	36	500	8413797021899	02189

SEE COLUMN BOX WITH 3 DISPENSING BOXES



**BIG BOX** **REF**

Orders by boxes only.

**TILE SPACERS**

1/32" (1 mm.)	32000	8413797029277	02927
1/16" (1,5 mm.)	31000	8413797029284	02928
• Special Calibration for marble.			
2/32" (2 mm.)	30000	8413797029291	02929
2/32"-L (2 mm. - L)	22000	8413797029307	02930
• Wall tiles.			
1/8" (3 mm.)	15000	8413797029314	02931
1/8"-L (3 mm. - L)	13000	8413797029321	02932
• Small size.			
5/32" (4 mm.)	10000	8413797029338	02933
3/16" (5 mm.)	7000	8413797029345	02934
1/4" (6 mm.)	3500	8413797029352	02935
• Medium size.			
9/32" (7 mm.)	3000	8413797029369	02936
5/16" (8 mm.)	2500	8413797029376	02937
3/8" (9 mm.)	2000	8413797029383	02938
• Large size.			
13/32" (10 mm.)	1800	8413797029390	02939
1/2" (12 mm.)	1300	8413797029406	02940
• For large size, terracotta and extruded tiles.			

**WEDGES**

3/16" (5 mm.)	45000	8413797022896	02289
5/16" (7,5 mm.)	22000	8413797022841	02284

Tile spacers per bag.

Bags per box.

Tile spacers per box.

**PAL BOX TILE SPACERS, see page 251.**


**New**



Ref. 02160

\*CONTAINS PAL BOX TILE SPACERS

	L			REF.
	1 mm. - 1/32"	48	300	02173
	1,5 mm. - 1/16"	42	300	02174
	2 mm. - 2/32"	66	300	02175
	3 mm. - 1/8"	54	200	02177
	4 mm. - 5/32"	36	200	02179
	5 mm. - 3/16"	42	100	02180
	6 mm. - 1/4"	24	100	02182
	7 mm. - 9/32"	22	100	02183
	8 mm. - 5/16"	36	50	02184
	9 mm. - 3/8"	24	50	02185
	10 mm. - 13/32"	24	50	02186
	7,5 mm. - 5/16"	36	500	02189





## MALLETS, MASON PICKS, PICKS, SHOVELS, CHISELS, POINT CHISELS AND NIPPERS

The range of RUBI® chisels and point chisels is manufactured in high quality Vanadium Chrome steel, with special treatment being applied to the head, the blade and the mouth so as to guarantee improved resistance. Available in flat and octagonal bodies of  $\frac{9}{16}$ " to  $\frac{3}{16}$ " (14 to 20 mm.), all these tools are perfectly rectified and sharpened to give greater performance with less user effort.

One of the most successful tools amongst building professionals around the world, since its launch on the market, is the RUBI® mallet. The resistance of its specially forged, tem-

pered and toughened steel head, combined with the commodity of the innovative ergonomic RUBIFLEX handle, and its beech and ash handles have made the RUBI® mallets an unbeatable tool of the highest quality and durability.

Our range of special nippers designed for every material and type of use is also well worth highlighting. Made with highly durable and precise wide edges, the highly specialised range of nippers for tiling, for ceramics, for mosaics or for hard materials is completed with Russian nippers of a variety of sizes, for more general use.



Ref. 71986/88



Ref. 71989/91

### MALLET WITH WOODEN HANDLE

24.7 oz. (700 gr.)  
35.3 oz. (1.000 gr.)  
49.4 oz. (1.400 gr.)  
• Head of special wrought tempered steel. Beech handle.



REF

6	8413797719864	71986
6	8413797719871	71987
6	8413797719888	71988

### MALLET WITH RUBIFLEX HANDLE

24.7 oz. (700 gr.)  
35.3 oz. (1.000 gr.)  
49.4 oz. (1.400 gr.)  
• Head of special wrought tempered steel.



REF

6	8413797719895	71989
6	8413797719901	71990
6	8413797719918	71991



Ref. 71996/99



Ref. 71992/95

### SQUARE MALLET WOODEN HANDLE DIN6475

24.7 oz. (800 gr.)  
35.3 oz. (1.000 gr.)  
44.1 oz. (1.250 gr.)  
52.9 oz. (1.500 gr.)  
• Head of special wrought tempered steel. Ash handle.



REF

6	8413797719963	71996
6	8413797719970	71997
6	8413797719987	71998
6	8413797719994	71999

### SQUARE MALLET RUBIFLEX HANDLE DIN6475

24.7 oz. (800 gr.)  
35.3 oz. (1.000 gr.)  
44.1 oz. (1.250 gr.)  
52.9 oz. (1.500 gr.)  
• Head of special wrought tempered steel.



REF

6	8413797719925	71992
6	8413797719932	71993
6	8413797719949	71994
6	8413797719956	71995



Ref. 72971/74



Ref. 71951

### REPLACEMENT MALLET HANDLE WOODEN

**REPLACEMENT MALLET HANDLE**  
24.7 oz. and 35.3 oz. (700 gr. and 1.000 gr.)  
49.4 oz. (1.400 gr.)



REF

10	8413797729719	72971
10	8413797729726	72972

### REPLACEMENT SQUARE MALLET HANDLE

28.2 oz., 35.3 oz. and 44.1 oz. (800 gr., 1.000 gr. and 1.250 gr.)  
52.9 oz. (1.500 gr.)  
• Wooden handles for RUBI® mallets, including wedge.



REF

10	8413797729733	72973
10	8413797729740	72974

### REPLACEMENT MALLET HANDLE RUBIFLEX

**REPLACEMENT MALLET HANDLE**  
28.2 oz., 35.3 oz., 44.1 oz. and 52.9 oz. (800 gr., 1.000 gr., 1.250 gr. and 1500 gr.)



REF

10	8413797719512	71951
----	---------------	-------



Ref. 82991/93



Ref. 82985/87

**MAGNETIC FRAMER HAMMER WOODEN HANDLE**

- 17" (450 mm.)
- 20" (500 mm.)
- 23" (600 mm.)



REF

6	8413797829914	82991
6	8413797829921	82992
6	8413797829938	82993

• Forged, adjusted, and tempered steel head of 28.2 oz. (800 gr.). Double placer/remover for nails, one magnetised.

**MAGNETIC FRAMER HAMMER RUBIFLEX HANDLE**

- 17" (450 mm.)
- 20" (500 mm.)
- 23" (600 mm.)



REF

6	8413797829853	82985
6	8413797829860	82986
6	8413797829877	82987

• Forged, adjusted, and tempered steel head of 28.2 oz. (800 gr.). Double placer/remover for nails, one magnetised.



Ref. 82997/99



Ref. 82975/77

**REPLACEMENT WOODEN HANDLE FOR FRAMER HAMMER**

- 17" (450 mm.)
- 20" (500 mm.)
- 23" (600 mm.)



REF

10	8413797829976	82997
10	8413797829983	82998
10	8413797829990	82999

**REPLACEMENT RUBIFLEX HANDLE FOR RUBIFLEX HAMMER**

- 17" (450 mm.)
- 20" (500 mm.)
- 23" (600 mm.)



REF


10	8413797829754	82975
10	8413797829761	82976
10	8413797829778	82977

**TECHNICAL CHARACTERISTICS RUBIFLEX HANDLE**

1. Unbreakable structure with resistant-section fibre-glass nucleus, optimised for shock absorption, increasing the durability of the handle.

2. Security connection between handle and steel head by inverse cone.


3. Grip with elastic slip-proof elastic and surface grooves for maximum hold.



Unbreakable structure



Grip with elastic slip-proof



Security connection



**SPADE - PICK MASON PICKS**

	A	B			REF
<b>18 Oz. (500 gr.)</b>	10" (270 mm.)	1" (38 mm.)	6	8413797829808	82980
<b>21 Oz. (600 gr.)</b>	11" (285 mm.)	1 5/8" (40 mm.)	6	8413797829815	82981

- Made of special tempered steel, highly resistant to use and breaking.
- Normalized heat treatment and tempered tip.
- Adaptable straight handle. Varnished eucalyptus wood. (Ref. 82984). Included.



**SPADE - AXE MASON PICKS**

	A	B			REF
<b>18 Oz. (500 gr.)</b>	10" (270 mm.)	1" (38 mm.)	6	8413797829822	82982
<b>21 Oz. (600 gr.)</b>	11" (285 mm.)	1 5/8" (40 mm.)	6	8413797829839	82983

- Made of special tempered steel, highly resistant to use and breaking.
- Normalized heat treatment and tempered tip.
- Adaptable straight handle. Varnished eucalyptus wood. (Ref. 82984). Included.



**MASON PICKS HANDLE**

			REF
<b>MASON PICKS HANDLE</b>	6	8413797829846	82984

- Pick-axe handle Varnished eucalyptus handle. Adaptable to RUBI® mason picks and other brands.





**MATTOCKS** **REF**

<b>MATTOCK 6.6 Lb. (3 kg.)</b>	1	8413797829075	82907
<b>MATTOCK 13.2 Lb (5 kg.)</b>	1	8413797829082	82908

- Used for light demolitions. Forged carbon steel head.
- Eucalyptus woods handle 35" (900 mm.) length.

**PICKS AND SHOVELS** **A** **B** **C** **REF**

<b>ROUND POINT SHOVELS</b>							
PLASTIC "D" HANDLED SHOVEL	40" (1015 mm.)	11 1/2" (290 mm.)	13" (330 mm.)	6	8413797829655	82965	
WOODEN "D" HANDLED SHOVEL	41" (1050 mm.)	11 1/2" (290 mm.)	13" (330 mm.)	6	8413797829631	82963	
PROP HANDLED SHOVEL	41" (1050 mm.)	11 1/2" (290 mm.)	13" (330 mm.)	6	8413797829648	82964	

<b>SQUARE POINT SHOVELS</b>							
PLASTIC "D" HANDLED SHOVEL	38 1/2" (980 mm.)	10" (257 mm.)	13 1/4" (335 mm.)	6	8413797829624	82962	
WOODEN "D" HANDLED SHOVEL	40 1/8" (1020 mm.)	10" (257 mm.)	13 1/4" (335 mm.)	6	8413797829600	82960	
PROP HANDLED SHOVEL	40 1/8" (1020 mm.)	10" (257 mm.)	13 1/4" (335 mm.)	6	8413797829617	82961	

<b>SQUARE POINT SHOVEL WITH LONG STRAIGHT HANDLE</b>	53" (1360 mm.)	10 7/16" (265 mm.)	12" (300 mm.)	6	8413797829662	82966
--	----------------	--------------------	---------------	---	---------------	-------

<b>ROUND POINT SHOVEL WITH LONG STRAIGHT HANDLE</b>	52 3/4" (1340 mm.)	11 1/4" (285 mm.)	11" (280 mm.)	6	8413797829679	82967
---	--------------------	-------------------	---------------	---	---------------	-------

- Made of a special tempered steel, highly resistant to wearing and breakage.
- Highly elastic and durable. Resistant to deformation.
- Light, comfortable and easy to use. Reinforced link between spade and handle.

<b>27" (70 cm.) SPARE PLASTIC "D" HANDLE.</b>	6	8413797829709	82970
---	---	---------------	-------

<b>27" (70 cm.) SPARE WOODEN "D" HANDLE.</b>	6	8413797829747	82974
--	---	---------------	-------

<b>27" (70 cm.) SPARE PROP HANDLE.</b>	6	8413797829693	82969
--	---	---------------	-------

<b>43" (110 cm.) SPARE LONG STRAIGHT HANDLE .</b>	6	8413797829686	82968
---	---	---------------	-------

- Straight handle. Varnished eucalyptus.

<b>PICKS</b>			
88.2 oz. (2500 gr.)	6	8413797829716	82971
105.8 oz. (3000 gr.)	6	8413797829723	82972

- Made of special tempered steel, highly resistant to wearing and breakage.
- Thermal treatment related to the tempered point.
- \* Adaptable Straight varnished eucalyptus handle (Ref. 82973). Not included.

<b>35 7/16" (90 cm.) PICK HANDLE.</b>	12	8413797829730	82973
---------------------------------------	----	---------------	-------

- Straight handle. Not included varnished eucalyptus handle (Ref 82973). For Ref 82971 and 82972.



Ref. 70915/19  
83917/19



**FLAT CHISELS**



**REF**

**FLAT BODY OF 3/4" x 1/2" (17 x 11 mm.)**

6" x 3/4" (150 x 17 mm.)	10	8413797839173	83917
--------------------------	----	---------------	-------

**FLAT BODY OF 3/16" x 1/2" (20 x 12 mm.)**


7" x 3/16" (175 x 20 mm.)	10	8413797839180	83918
8" x 3/16" (200 x 20 mm.)	10	8413797709155	70915

**FLAT BODY OF 7/8" x 1/2" (23 x 13 mm.)**

9" x 7/8" (225 x 23 mm.)	10	8413797839197	83919
10" x 7/8" (250 x 23 mm.)	10	8413797709162	70916
12" x 7/8" (300 x 23 mm.)	10	8413797709179	70917
14" x 7/8" (350 x 23 mm.)	10	8413797709186	70918
16" x 7/8" (400 x 23 mm.)	10	8413797709193	70919



Ref. 83900/16



**OCTAGONAL CHISELS**



**REF**

**OCTAGONAL BODY OF 9/16" (14 mm.)**

6" (150 mm.)	10	8413797839005	83900
8" (200 mm.)	10	8413797839012	83901
10" (250 mm.)	10	8413797839029	83902
12" (300 mm.)	10	8413797839036	83903

**OCTAGONAL BODY OF 5/8" (16 mm.)**

8" (200 mm.)	10	8413797839043	83904
10" (250 mm.)	10	8413797839050	83905
12" (300 mm.)	10	8413797839067	83906
14" (350 mm.)	10	8413797839074	83907
16" (400 mm.)	10	8413797839081	83908

**OCTAGONAL BODY OF 3/4" (18 mm.)**

10" (250 mm.)	10	8413797839098	83909
12" (300 mm.)	10	8413797839104	83910
14" (350 mm.)	10	8413797839111	83911
16" (400 mm.)	10	8413797839128	83912


**OCTAGONAL BODY OF 3/16" (20 mm.)**

12" (300 mm.)	10	8413797839135	83913
14" (350 mm.)	10	8413797839142	83914
16" (400 mm.)	10	8413797839159	83915
20" (500 mm.)	10	8413797839166	83916





Ref. 70935/38  
70944  
83920/31



**POINT CHISELS**



**REF**

**OCTAGONAL BODY OF 9/16" (14 mm.)**

5" (150 mm.)	10	8413797839203	83920
8" (200 mm.)	10	8413797839210	83921
10" (250 mm.)	10	8413797839227	83922
12" (300 mm.)	10	8413797839234	83923

**OCTAGONAL BODY OF 5/8" (16 mm.)**

8" (200 mm.)	10	8413797709445	70944
10" (250 mm.)	10	8413797709353	70935
12" (300 mm.)	10	8413797839258	83925
14" (350 mm.)	10	8413797839265	83926
16" (400 mm.)	10	8413797839272	83927

**OCTAGONAL BODY OF 3/4" (18 mm.)**

10" (250 mm.)	10	8413797839241	83924
12" (300 mm.)	10	8413797709360	70936
14" (350 mm.)	10	8413797709377	70937
16" (400 mm.)	10	8413797709384	70938

**OCTAGONAL BODY OF 3/16" (20 mm.)**

12" (300 mm.)	10	8413797839289	83928
14" (350 mm.)	10	8413797839296	83929
16" (400 mm.)	10	8413797839302	83930
20" (500 mm.)	10	8413797839319	83931



Ref. 70922/24  
70932



**WIDE BLADE CHISELS**



**REF**

**FLAT BODY OF 7/8" x 1/2" (23 x 13 mm.)**

10 / 2" (250 / 50 mm.)	10	8413797709223	70922
------------------------	----	---------------	-------

**FLAT BODY OF 1/16" x 1/2" (26 x 13 mm.)**

10 / 2 3/8" (250 / 60 mm.)	10	8413797709247	70924
10 / 2 7/8" (250 / 70 mm.)	10	8413797709322	70932

• For removing pieces of tile, specially designed for tiling and paving



Ref. 83932/34  
72930/31

**PROTECTORS**



**REF**

**PROTECTOR FOR FLAT BODY CHISELS 7/8" x 1/2" (23x13 mm.)**


	10	8413797729313	72931
--	----	---------------	-------

• Adaptable to point chisels of 8 7/8" / 10" / 12" / 14" / 16" (225/250/300/350/400mm.) and wide blade chisels 10" / 2" (250/50 mm.).

**PROTECTOR FOR CHISELS AND POINT CHISELS**

OCTAGONAL BODY OF 9/16" (14 mm.)	10	8413797839326	83932
OCTAGONAL BODY OF 5/8" (16 mm.)	10	8413797839333	83933
OCTAGONAL BODY OF 3/4" (18 mm.)	10	8413797729306	72930
OCTAGONAL BODY OF 3/16" (20 mm.)	10	8413797839340	83934

• Adaptable to chisels of 10" / 12" / 14" / 16" (250 / 300 / 350 / 400)  
• Manufactured in elastomer material to absorb impact and protect the hands.



Ref. 83940

Ref. 83945

Ref. 83955

Ref. 83950

## TIPS FOR ELECTRO-PORTABLE AND PNEUMATIC HAMMERS



REF

Tips for electro-portable and pneumatic hammers with SDS PLUS anchorings, manufactured in chrome-vanadium highly resistant to impact, vibration and abrasion.

### TIPS WITH SDS PLUS ANCHORING

POINT CHISELS 10" (250 mm.)	10	8413797839401	83940
CHISELS 10" (250 mm.)	10	8413797839456	83945
WIDE BLADE CHISELS 10" / 1 5/8" (250/40 mm.)	10	8413797839500	83950
HOLOW CHISEL 10" / 7/8" (250/22 mm.)	10	8413797839555	83955



Ref. 83941

Ref. 83946

Ref. 83956

Ref. 83951

## TIPS FOR ELECTRO-PORTABLE AND PNEUMATIC HAMMERS



REF

Tips for electro-portable and pneumatic hammers with SDS MAX anchorings, manufactured in chrome-vanadium highly resistant to impact, vibration and abrasion.

### TIPS WITH SDS MAX ANCHORING

POINT CHISELS 15 3/4" (400 mm.)	10	8413797839418	83941
CHISELS 15 3/4" (400 mm.)	10	8413797839463	83946
WIDE BLADE CHISELS 15 3/4" / 2" (400/50 mm.)	10	8413797839517	83951
HOLOW CHISEL 12" / 7/8" (300/22 mm.)	10	8413797839562	83956



Ref. 71973  
72983



Ref. 71972  
72982



Ref. 71971  
72981

## NIPPERS



REF

### RUSSIAN NIPPERS

#### IN BLISTER

8 3/4" (220 mm.)	5	8413797719710	71971
10" (250 mm.)	5	8413797719727	71972
11 1/8" (280 mm.)	5	8413797719734	71973

#### IN BOX

8 3/4" (220 mm.)	6	8413797729818	72981
10" (250 mm.)	6	8413797729825	72982
11 1/8" (280 mm.)	6	8413797729832	72983





Ref. 83942

**SPECIAL PLIERS**



**REF**

**NIPPERS FOR PORCELAIN**

5 8413797839425 83942

• Specially for cutting narrow strips of a maximum of 7/16" (1 cm.). Equipped with tungsten carbon scoring wheels with titanium surface treatment for longer useful life. By means of a gentle turn, the rolls can be repositioned when their vertex starts getting worn. If totally worn, they can be replaced by their corresponding spare piece, Ø 3/4" (18 mm.) WIDIA GOLD Spare Scoring wheel Long-life (Ref. 01953).



Ref. 65925

**SPECIAL PLIERS**



**REF**

**TUNGSTEN CARBIDE - WIDIA**

5 8413797659252 65925

• Tungsten Carbide edge.



Ref. 65952

**SPECIAL PLIERS**



**REF**

**NIPPERS FOR HARD MATERIALS**

5 8413797659528 65952

• Specially for porcelain tiles, mosaic, vitrified tiles, and other materials.



Ref. 65926

**SPECIAL PLIERS**



**REF**

**TUNGSTEN CARBIDE - WIDIA**

5 8413797659269 65926

• Tungsten Carbide edge.



Ref. 71970

**SPECIAL PLIERS**



**REF**

**NIPPERS FOR GLASS MOSAIC**

5 8413797719703 71970

• Tungsten Carbide edge.







## LEVELLING SYSTEMS

RUBI® has a wide range of levelling systems to suit every building need. Our range of 20" to 79" (40 to 200 cm.) rectangular levels, the new levels equipped with three bubbles and those already known as aeroplane wing levels, is now reinforced with magnetised levels and 45° testing levels.

All RUBI® levels are manufactured in high quality aluminium, especially treated to ensure the perfect flatness of each level. Their lightness is added to a great resistance against deforming through impact during use.

In addition to traditional models, RUBI® continues to improve its range of laser levels, with a precision of up to  $1/32$ "/ft. (0,2 mm/m) RUBI® laser levels, in any of their versions and as an option, fully equipped with platform and tripod, simplify obtaining high precision levels on either small or large surface areas.

The latest addition to the RUBI® range is the plastic Rubi-laser Autolevel. This model unites high precision with excellent operability and the optimum quality-price ratio.



Ref. 70945/49  
72944  
72950/52

### RECTANGULAR LEVEL

			REF
<b>16" (40 cm.)</b>	10	8413797729443	72944
<b>20" (50 cm.)</b>	10	8413797709452	70945
<b>24" (60 cm.)</b>	10	8413797709469	70946
<b>32" (80 cm.)</b>	2	8413797709476	70947
<b>40" (100 cm.)</b>	2	8413797709483	70948
<b>48" (120 cm.)</b>	2	8413797709490	70949
<b>63" (160 cm.)</b>	2	8413797729504	72950
<b>71" (180 cm.)</b>	2	8413797729511	72951
<b>79" (200 cm.)</b>	2	8413797729528	72952

- Precision: 1/16" / ft. (0.5 mm/m.) 16" to 32" (40 cm to 80 cm).
- Precision: 1/8" / ft. (1 mm/m.) 40" to 79" (100 cm to 200 cm).



Ref. 73996/99  
Ref. 83943/44

### RECTANGULAR LEVEL THREE BUBBLES

			REF
<b>12" (30 cm.)</b>	10	8413797839432	83943
<b>16" (40 cm.)</b>	10	8413797739961	73996
<b>20" (50 cm.)</b>	10	8413797739978	73997
<b>24" (60 cm.)</b>	10	8413797739985	73998
<b>32" (80 cm.)</b>	2	8413797739992	73999
<b>40" (100 cm.)</b>	2	8413797839449	83944

- Precision: 1/16" / ft. (0.5 mm/m).
- Equipped with third bubble for 45° angles.



Ref. 72945/48

### MAGNETIC RECTANGULAR LEVEL THREE BUBBLES

			REF
<b>16" (40 cm.)</b>	10	8413797729450	72945
<b>20" (50 cm.)</b>	10	8413797729467	72946
<b>24" (60 cm.)</b>	10	8413797729474	72947
<b>32" (80 cm.)</b>	10	8413797729481	72948

- Precision: 1/16" / ft. (0.5 mm/m).
- Equipped with third bubble for 45° angles.





Ref. 70959/62

BUILDING LEVEL AIRPLANE WING TYPE			REF
16" (40 cm.)	10	8413797709599	70959
20" (50 cm.)	10	8413797709605	70960
24" (60 cm.)	10	8413797709612	70961
32" (80 cm.)	10	8413797709629	70962

• Precision: 1/8" / ft. (1 mm/m).



Ref. 83980/83

ANTICHOC DOUBLE "T" LEVEL THREE BUBBLES			REF
16" (40 cm.)	10	8413797839807	83980
20" (50 cm.)	10	8413797839814	83981
24" (60 cm.)	10	8413797839821	83982
32" (80 cm.)	10	8413797839838	83983

• Precision: 1/8"/ft. (0,75 mm/m).  
• Equipped with third bubble for 45° angles.



Ref. 72923

ANGLE LEVEL			REF
ANGLE LEVEL	10	84137970729238	72923

• Adapted for levelling drainpipes and pipes in general. 4 magnetic points and suction pad included.  
• Precision: 1/8"/ft. (1 mm/m).



Ref. 70965



Ref. 70966

WATER LEVEL			REF
WATER LEVEL (Set of 2 tubes + 6 ft. (20 m) hose)	1	8413797709650	70965

• Graduated tank.  
• Keeps the hose correctly filled, ready for the next use.

SET OF TWO TUBES. For water level.	1	8413797709667	70966
------------------------------------	---	---------------	-------



**STANDARD LEVELLING SYSTEMS**

			REF
<p><b>RUBILASER-430</b></p> <ul style="list-style-type: none"> <li>• Construction level with laser and mechanised aluminium structure.</li> <li>• Point, horizontal and crossed functions.</li> <li>• Can be mounted on tripod.</li> <li>• Precision: 1/8"/ft. (0,75 mm/m.). Deviation 0.3° 3/16" (5 mm) to 33ft. (10 m.). Reach 16" (40 m.). Power output 1 mW.</li> <li>• Wavelength 633 to 650 nm. I = 50 mA. Includes case for carriage. 2 1,5 V batteries included.</li> </ul>	1	8413797729245	72924
<p><b>TRIPOD</b></p> <ul style="list-style-type: none"> <li>• Foldable and adjustable tripod, height 16 9/16" (42 cm.) to 46" (118 cm.).</li> </ul>	1	8413797729399	72939
<p><b>PLATFORM</b></p> <ul style="list-style-type: none"> <li>• Platform with brake and adjustable levelling for mounting Rubilaser-430 level for 360° turning.</li> <li>• Central thread for direct fitting to tripod.</li> </ul>	1	8413797729337	72933
<p><b>RUBILASER-430 KIT</b></p> <ul style="list-style-type: none"> <li>• Consisting of: RUBILASER-430, platform and folding and adjustable tripod.</li> <li>• Laser goggles with pouch for improving long distance and exterior vision.</li> <li>• Precision of the kit: 3/32"/ft. (2mm./m.).</li> <li>• Includes highly shock-resistant and practical case for carriage.</li> </ul>	1	8413797729221	72922




Ref. 70975



RUBILASER AUTOLEVEL



Ref. 70957



**PROFESSIONAL LEVELLING SYSTEMS**



**REF**

**RUBILASER AUTOLEVEL**

1 8413797729641 72964

- Auto-levelling laser with vertical and horizontal projection, independently selectable.
- Laser goggles that improve vision from precise-point to greater distances, and for exterior use.
- Tripod-adaptable support.
- Safety catch for blocking the laser during transport.
- Cover bag for the correct degree of protection during transport and storage.
- 3 1.5 V AA batteries
- External power inlet for DC 4.5 V transformer(Not included)
- Laser class 2
- Power:  $< / = 1$  mW
- Wavelength: 633-650 nm
- Precision  $1/32''/ft$  ( $\pm 0.3$  mm/m)
- Maximum range: 33ft (10 m)
- Self-levelling rank  $\pm 5^\circ$

**TRIPOD WITH REGULATOR (40 - 57") (100-145 cm)**

1 8413797709759 70975

- Tripod equipped with a regulator to adjust the high up to 12"(300 mm).

**SPECIAL LASER PROTECTING GLASSES**

1 8413797709575 70957

- Improve the vision of the RUBILASER light spot in long distances and outdoors.
- Supplied with a protective case.



RUBILASER PLUS-N



128



**PROFESSIONAL LEVELLING SYSTEMS**



**REF**

**RUBILASER PLUS-N KIT**

1

8413797729658


72965

- Laser with horizontal level and constant vertical projection.
- Adapter for mounting vertically or horizontally on the tripod for correct levelling.
- Infrared remote control [range: 49 ft. (15 m.)].
- Manual electronic receiver for precise recording of the measurement.
- Adapter to mount the receiver on the support.
- Visor for measurement point with magnet and support adapter.
- Laser glasses to improve the visibility of the laser point at long distances and outdoors. (with protective case).
- Transformer for connection to the mains supply.
- Robust carrying case to protect the unit during transport.
- Batteries included.
- Precision  $\pm 1/32''$  / ft. (0.20 mm/m.) Intensity = 635 nm.
- Maximum range: 262 ft. in diameter. (80 m)
- Permits 360° rotary levelling (0-550 rpm) and levelling by sections.

CE   
**RUBILASER LEVELMATIC**



129



**PROFESSIONAL LEVELLING SYSTEMS**



**REF**

**RUBILASER LEVELMATIC KIT**

1

8413797729665

72966

- Self-levelling laser with projection perpendicular to the rotational axis.
- Axis adaptable for horizontal and vertical planes.
- Tripod support.
- Infrared remote control [range: 49 ft. (15 m.)].
- Manual electronic receiver for precise recording of the measurement.
- Adapter to mount the receiver on the support.
- Laser glasses to improve the visibility of the laser point at long distances and outdoors (with protective case).
- Robust carrying case to protect the unit during transport.
- Batteries included.
- Precision  $\pm 1/32$  / ft. (0.20 mm/m.) Intensity = 635 nm.
- Maximum range: 492 ft. (150 m) in diameter.
- Permits 360° rotary levelling (0-550 rpm) and levelling by sections.





## MEASURING SYSTEMS


**RUBI**® also has a wide range of different tape measures available in different lengths and widths, all officially verified by Germans Boada S.A. in their own metrology laboratories. To the measuring tapes with metalised plastic frames so much appreciated by building professionals, we have added a wide range of ANTICHOCH **RUBI**® measuring tapes offering great resistance to impact thanks to the absorbent material that covers the measuring tape.

All **RUBI**® measuring tapes have a high quality steel tape, curved in order to maximise its rigidity and recovered with transparent plastic material to avoid abrasion and corrosion.

Covering long distances measurements, the range of measuring tapes is completed with **RUBI**® long measuring tapes from 32.8 ft. to 164 ft. (10 to 50 m.), with a frame of material highly resistant to impact and fibreglass tape.

To further simplify any measurement, **RUBI**® also offers the new ultrasound with or without laser measuring systems to quickly calculate any area and volume.

An additional highlight is the range of plumbs, fitted with either standard or magnetic bobs to improve their functionality, and the new squares for masonry work.



### “ANTICHOC BOX” MEASURING TAPES



REF

*Ergonomic casing in highly shock-resistant material. Homologated precision flexometers. Double brake model, with permanent and progressive brake which avoids the sudden bump of the tape against the case while rolling up.*

#### ANTICHOC BOX MEASURING TAPE

2 m. x 19 mm. Supplied in blister.	10	8413797739305	73930
3 m. x 19 mm. Supplied in blister.	10	8413797739312	73931
5 m. x 19 mm. Supplied in blister.	10	8413797739329	73932
5 m. x 25 mm. Supplied in blister.	10	8413797739336	73933
8 m. x 25 mm. Supplied in blister.	10	8413797739343	73934
2 m. x 19 mm. In dispenser.	10	8413797739350	73935
3 m. x 19 mm. In dispenser.	10	8413797739367	73936
5 m. x 19 mm. In dispenser.	10	8413797739374	73937
5 m. x 25 mm. In dispenser.	10	8413797739381	73938
8 m. x 25 mm. In dispenser.	10	8413797739398	73939

#### ANTICHOC BOX MIX MEASURING TAPE

6.5 ft. x 3/4" (2 m. x 19 mm.). Supplied in blister.	10	8413797739404	73940
9.8 ft. x 3/4" (3 m. x 19 mm.). Supplied in blister.	10	8413797739411	73941
16.4 ft. x 3/4" (5 m. x 19 mm.). Supplied in blister.	10	8413797739428	73942
16.4 ft. x 1" (5 m. x 25 mm.). Supplied in blister.	10	8413797739435	73943
26.2 ft. x 1" (8 m. x 25 mm.). Supplied in blister.	10	8413797739442	73944
6.5 ft. x 3/4" (2 m. x 19 mm.). In dispenser.	10	8413797739459	73945
9.8 ft. x 3/4" (3 m. x 19 mm.). In dispenser.	10	8413797739466	73946
16.4 ft. x 3/4" (5 m. x 19 mm.). In dispenser.	10	8413797739473	73947
16.4 ft. x 1" (5 m. x 25 mm.). In dispenser.	10	8413797739480	73948
26.2 ft. x 1" (8 m. x 25 mm.). In dispenser.	10	8413797739497	73949

• Precision flexometres mix in (cm. and inch). • In E.U., only available in United Kingdom and Ireland.

#### ANTICHOC BOX MEASURING TAPE

16.4 ft. x 10" (5 m. x 25 mm.) with carry case.	10	8413797739503	73950
26.2 ft. x 10" (8 m. x 25 mm.) with carry case.	10	8413797739510	73951

#### DOUBLE BRAKE FLEXOMETER SHOCK-PROOF BOX

5 m. x 19 mm. Supplied in blister.	10	8413797739664	73966
5 m. x 25 mm. Supplied in blister.	10	8413797739671	73967
8 m. x 25 mm. Supplied in blister.	10	8413797739688	73968
5 m. x 19 mm. In dispenser.	10	8413797739602	73960
5 m. x 25 mm. In dispenser.	10	8413797739619	73961
8 m. x 25 mm. In dispenser.	10	8413797739626	73962

#### MIXED DOUBLE BRAKE FLEXOMETER SHOCK-PROOF BOX

16.4 ft. x 3/4" (5 m. x 19 mm.). Supplied in blister.	10	8413797739695	73969
16.4 ft. x 1" (5 m. x 25 mm.). Supplied in blister.	10	8413797739701	73970
26.2 ft. x 1" (8 m. x 25 mm.). Supplied in blister.	10	8413797739718	73971
16.4 ft. x 3/4" (5 m. x 19 mm.). In dispenser.	10	8413797739633	73963
16.4 ft. x 1" (5 m. x 25 mm.). In dispenser.	10	8413797739640	73964
26.2 ft. x 1" (8 m. x 25 mm.). In dispenser.	10	8413797739657	73965



**MEASURING TAPES**



REF

*Homologated precision flexometres.*

**MEASURING TAPE**

2 m. x 13 mm. Supplied in blister.	10	8413797709766	70976
3 m. x 13 mm. Supplied in blister.	10	8413797709773	70977
5 m. x 19 mm. Supplied in blister.	10	8413797709803	70980
5 m. x 25 mm. Supplied in blister.	10	8413797709933	70993
8 m. x 25 mm. Supplied in blister.	10	8413797709810	70981
2 m. x 13 mm. Supplied in dispensing boxes.	10	8413797709780	70978
3 m. x 13 mm. Supplied in dispensing boxes.	10	8413797709797	70979
5 m. x 19 mm. Supplied in dispensing boxes.	10	8413797709827	70982
5 m. x 25 mm. Supplied in dispensing boxes.	10	8413797709940	70994
8 m. x 25 mm. Supplied in dispensing boxes.	10	8413797709834	70983

• Homologated precision flexometres.

**MIX MEASURING TAPE**

6.5 ft. x 1/7" (2 m. x 13 mm.) Supplied in blister.	10	8413797709858	70985
9.8 ft. x 1/7" (3 m. x 13 mm.) Supplied in blister.	10	8413797709865	70986
16.4 ft. x 3/4" (5 m. x 19 mm.) Supplied in blister.	10	8413797709872	70987
16.4 ft. x 1" (5 m. x 25 mm.) Supplied in blister.	10	8413797709957	70995
26.2 ft. x 1" (8 m. x 25 mm.) Supplied in blister.	10	8413797709889	70988
6.5 ft. x 1/7" (2 m. x 13 mm.) Supplied in dispensing boxes.	10	8413797709896	70989
9.8 ft. x 1/7" (3 m. x 13 mm.) Supplied in dispensing boxes.	10	8413797709902	70990
16.4 ft. x 3/4" (5 m. x 19 mm.) Supplied in dispensing boxes.	10	8413797709919	70991
16.4 ft. x 1" (5 m. x 25 mm.) Supplied in dispensing boxes.	10	8413797709964	70996
26.2 ft. x 1" (8 m. x 25 mm.) Supplied in dispensing boxes.	10	8413797709926	70992

• Precision flexometres mix in cm. and inch.  
• In E.U., only available in United Kingdom and Ireland.

**MEASURING TAPE**

5 m. x 25 mm. With carry case.	10	8413797729214	72921
8 m. x 25 mm. With carry case.	10	8413797729252	72925

**CARRY CASE FOR TAPE MEASURES** 16.4 ft. x 1" and 26.2 ft. (5 m. x 25 mm. and 8 m.). 10 8413797729207 72920

• Leather carrying case that fits on any belt, for MEASURING TAPES and antichoc MEASURING TAPES.



Ref. 73900/03



Ref. 73904/05



Ref. 71985



Ref. 72967



Ref. 72968



**MEASURING TAPES**



**REF**

**MEASURING TAPE**

10 m. x 13 mm.	1	8413797739008	73900
20 m. x 13 mm.	1	8413797739015	73901
30 m. x 13 mm.	1	8413797739022	73902
50 m. x 13 mm.	1	8413797739039	73903

• Structure in high resistance material to the impact and measuring tape in FIBERGLASS.

**MEASURING TAPE PLUS**

30 m. x 13 mm.	1	8413797739046	73904
50 m. x 13 mm.	1	8413797739053	73905

• Structure in high resistance material to the impact and measuring tape in FIBERGLASS.  
• Only available in metric system.

**WOODEN RULER**



**REF**

**WOODEN RULER**

10	8413797719857	71985
----	---------------	-------

• Length 6.5 ft. (2 meters.).

**DISTANCES MEASURERS**



**REF**

**DISTANCE MEASURER**

1	8413797729672	72967
---	---------------	-------

• For measuring distances by ultrasounds (cm. and inches).  
• Easy to handle, enables measuring up to 45.3 ft. (14 m.), adding and multiplying distances to calculate areas and volumes.  
• With protective case.  
• Precision:  $\pm 5/8$ " /ft. (5 mm./m.).  
• Supplied in blister.

**LASER DISTANCE MEASURER**

1	8413797729689	72968
---	---------------	-------

• For measuring distances by ultrasounds with laser pointer as reference for the measurement point (cm. and inches).  
• Easy to handle, enables measuring up to 72.2 ft. (22 m.), adding and multiplying distances to calculate areas and volumes and memory of the measurements made.  
• With protective case.  
• Precision:  $\pm 5/8$ " /ft. (5 mm./m.).  
• Supplied in blister.



Ref. 70968/69




Ref. 60999



Ref. 70964/67



Ref. 60992/94



BOB PLUMBS			REF
<b>BOB PLUMB 600</b> • Weight: 21.2 oz. (600 gr.). • Length of line: 16.4 ft. (5 m.) Includes wooden dolly. Supplied in blister.	6	8413797709643	70964
<b>BOB PLUMB 800</b> • Weight: 28.2 oz. (800 gr.). • Length of line: 16.4 ft. (5 m.) Includes wooden dolly. Supplied in blister.	6	8413797709674	70967
<b>BOB PLUMB 1000</b> • Weight: 35.3 oz. (1000 gr.). Length of line: 16.4 ft. (5 m.). • Wooden dolly included. Supplied in blister.	6	8413797709636	70963
<b>BOB PLUMB 600 WITH MAGNET</b> • Weight: 21.2 oz. (600 gr.). Length of line: 16.4 ft. (5 m.). • With magnet included in the dolly. Supplied in blister.	6	8413797709681	70968
<b>BOB PLUMB 800 WITH MAGNET</b> • Weight: 28.2 oz. (800 gr.). Length of line: 16.4 ft. (5 m.). • With magnet included in the dolly. Supplied in blister.	6	8413797709698	70969

SQUARES AND ANGLES MEASUREMENT IMPLEMENTS			REF
<b>SQUARE</b> 16" (40 cm.). 24" (60 cm.). 32" (80 cm.). • Square tubing 1 5/8" x 3/16" (40 x 20 mm.), high dimensional stability.	1 1 1	8413797609929 8413797609936 8413797609943	60992 60993 60994
<b>ANGLES MEASUREMENT IMPLEMENTS 32" (80 cm.)</b> • Highly resistant aluminium structure, incorporating a bubble level and a 360° goniometer with stable position at every 15°.	1	8413797609998	60999

**PRODUCT KITS**

**REF**

**TILING KIT 1** 3 8413797699029 69902

- Jagged trowel 11" (28cm) 1/4" x 1/4" (6x6mm) wood. (Ref. 65982).
- Jagged trowel 11" (28cm) 1/2" x 1/2" (10x10mm) wood. (Ref. 65985).
- Rubber trowel - soft body. (Ref. 65970).
- White rubber hammer 17.6 oz. (500 gr.) (Ref. 65913).
- bldg. level air.wing type 24" (60 cm.) (Ref. 70961).
- Flexometre 16.4 ft. x 3/4" (5m. x 19mm.) in 10 u. boxes (Ref. 70982).
- Joint applic. for mortar 750 cc. (Ref. 65990).
- Outliner for grouting. (Ref. 72963).
- Hole marker. (Ref. 70940).
- Water tray.
- rubi.com t-shirt.

**TILING KIT 2** 3 8413797699005 69900

- Jagged trowel 11" (28cm) 1/4" x 1/4" (6x6mm) c.p.h. (Ref. 65966).
- Jagged trowel 11" (28cm) 1/2" x 1/2" (10x10mm) c.p.h. (Ref. 65968).
- Rubber trowel for joints -plastic hdl. (Ref. 65971).
- Black rubber hammer 17.6 oz. (500 gr.) (Ref. 65905).
- bldg. level air.wing type 24" (60 cm.) (Ref. 70961).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Joint applic. for mortar 750 cc. (Ref. 65990).
- Outliner for grouting. (Ref. 72963).
- Hole marker. (Ref. 70940).
- Water tray.
- Rubi.com t-shirt.

**TILING KIT 3** 3 8413797699012 69901

- Jagged trowel rubiflex 1/4" x 1/4" (6x6mm) (Ref. 72907).
- Jagged trowel rubiflex 2/3" x 2/3" (10x10mm) (Ref. 72909).
- Rubber trowel - soft body. (Ref. 65970).
- White rubber hammer 17.6 oz. (500 gr.) (Ref. 65913).
- bldg. level air.wing type 24" (60 cm.) (Ref. 70961).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Joint applic. for mortar 750 cc. (Ref. 65990).
- Outliner for grouting. (Ref. 72963).
- Hole marker. (Ref. 70940).
- Water tray
- Rubi.com t-shirt.


**CONSTRUCTION KIT 1** 3 8413797699043 69904

- PFM22-165 mm. (6 17/32") (Ref. 37116).
- PFM10-140 mm. (5 17/32") (Ref. 35914).
- Steel trowel 12" (30cm) - wood hndl. (Ref. 65950).
- Mallet with wooden handle 35.3 oz. (1000 gr.) (Ref. 71987).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.

**CONSTRUCTION KIT 2** 3 8413797699050 69905

- PFM23-180b mm. (7 3/32") (Ref. 37268).
- PFM09-140 mm. (5 17/32") (Ref. 35814).
- Steel trowel 12" (30cm) - wood hndl. (Ref. 65950).
- Mallet with wooden handle 35.3 oz. (1000 gr.) (Ref. 71987).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.


**CONSTRUCTION KIT 3** 3 8413797699067 69906

- PFM24-180 mm. (7 3/32") (Ref. 37318).
- PFM09-140 mm. (5 17/32") (Ref. 35814).
- Steel trowel 12" (30cm) - wood hndl. (Ref. 65950).
- Mallet with wooden handle 35.3 oz. (1000 gr.) (Ref. 71987).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.

PRODUCT KITS



REF



**CONSTRUCTION KIT 4** 3 8413797699074 69907

- PFM 25-190 mm. (7 17/32") (Ref. 37419).
- PFM09-140 mm. (5 17/32") (Ref. 35814).
- Steel trowel 12" (30cm) - wood hndl. (Ref. 65950).
- Mallet with wooden handle 35.3 oz. (1000 gr.) (Ref. 71987).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.



**CONSTRUCTION KIT 5** 3 8413797699036 69903

- PFP22-165 mm. (6 17/32") (Ref. 77116).
- PFP10-140 mm. (5 17/32") (Ref. 75914).
- Steel trowel rubiflex handle 11" (28cm) (Ref. 72917).
- Mallet with rubiflex handle 35.3 oz. (1000 gr.) (Ref. 71990).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.



**CONSTRUCTION KIT 6** 3 8413797699081 69908


- PFP23-185 b mm. (7 3/32") (Ref. 77268).
- PFP09-140 mm. (5 17/32") (Ref. 75814).
- Steel trowel rubiflex handle 11" (28cm) (Ref. 72917).
- Mallet with rubiflex handle 35.3 oz. (1000 gr.) (Ref. 71990).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Fline reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.


**CONSTRUCTION KIT 7** 3 8413797699098 69909

- PFP24-180 mm. (7 3/32") (Ref. 77318).
- PFP10-140 mm. (5 17/32") (Ref. 75914).
- Steel trowel rubiflex handle 11" (28cm) (Ref. 72917).
- Mallet with rubiflex handle 35.3 oz. (1000 gr.) (Ref. 71990).
- Flexometre 16.4 ft. x 3/4" (5m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.

**CONSTRUCTION KIT 8** 3 8413797699104 69910

- PFP25-190 mm. (7 17/32") (Ref. 77419).
- PFP09-140 mm. (5 17/32") (Ref. 75814).
- Steel trowel rubiflex handle 11" (28cm.) (Ref. 72917).
- Mallet with rubiflex handle 35.3 oz. (1000 gr.) (Ref. 71990).
- Flexometre 16.4 ft. x 3/4" (5 m. x 19 mm.) in 10 u. boxes. (Ref. 70982).
- Chisels 12" x 1/8" x 1/2" (300 x 23 x 13 mm.) (Ref. 70917).
- Point chisels 12" x 13/16" (300 x 18 mm.) (Ref. 70936).
- Rectangular level 24" (60 cm.) (Ref. 70946).
- Bob plumb 28.2 oz. (800 gr.) (Ref. 70967).
- Line reel Ø 3/8" x 164 ft. (1.7 mm. x 50 m.) (Ref. 80933).
- Standard flat pencil. (Ref. 65979).
- Water tray.
- Rubi.com t-shirt.





## TOOLS AND MATS FOR DECORATIVE CONCRETE

In response to a major increase in the practice of laying decorated or printed concrete as a solution for high-resistance outdoor paving, **RUBI**<sup>®</sup> has used its renowned experience to develop a new range of specialised tools.

The **RUBI**<sup>®</sup> range of tools for printed concrete includes all of the essential items for the creation of excellent finishes.

Made of stainless steel, carbon steel and magnesium, the different trowels and floats were specially designed for use in the different processes of applying decorated concrete, such as smoothing, pore opening and finishing with corners and borders.

One of the outstanding features of the different tools is connection to extendible handles, which are made of aluminium and fitted with an ingenious dual-action internal mechanism that facilitates the long-distance use of floats, thus preventing any sinking into the cement. The fittings and extendible handles can easily be used for distances of up to six metres, without stepping on freshly laid cement, thus improving the results of any job.

**RUBI's**<sup>®</sup> range of mats allow for the easy creation of real textures and finishes on concrete, leaving an excellent finish.



**DECORATIVE CONCRETE TOOLS**

**REF**

*High quality tools for decorative engraved concrete paving.*

<b>ALUMINIUM CHISEL 1 31/32" (5 cm.) - 21 oz. (600 gr.)</b>	6	264	8413797839524	83952
<b>CONCAVE CHISEL 1 31/32" (5 cm.)</b> For finishing irregular joints.	6	264	8413797839531	83953
<b>ALUMINIUM CHISEL 4" (10 cm.) - 26 Oz. (725 Gr.)</b>	6	-	8413797839630	83963
<b>CONCAVE CHISEL 4" (10 cm.)</b> For finishing irregular joints.	6	-	8413797839661	83966
• Made of aluminum. • For joint marking after the engraved concrete is molded.				
<b>TAMPER 7 x 7" (18 x 18 cm.)</b> - 13 Lb. (5800 gr.)	1	-	8413797839609	83960
• Rammer to engrave the shape molds on fresh concrete. • Wooden stick included. Ø 1 3/8" x 47 1/4" (34 x 1200 mm.).				
<b>STAINLESS STEEL EDGER-CURVED ENDS 6" x 3" (15 x 12 cm.)</b>	6	-	8413797839623	83962
<b>STAINLESS STEEL EDGER WITH STRAIGHT ANGLE 6" x 3" (15 x 12 cm.)</b>	6	-	8413797839654	83965
• For finishing after dilatation joints. • Made of high quality stainless steel. For finishing of corners and edges.				
<b>ROUND END TROWEL 20" x 5" (51 x 12 cm.)</b>	2	-	8413797839388	83938
<b>TROWEL 2 ROUNDED EDGES 14 x 5" (38 x 12 cm.)</b>	2	-	8413797839548	83954
• Special high-resistance steel bull float. • For smoothing of the finishing dust for engraved concrete.				
<b>MAGNESIUM FLOAT 16" x 3" (40 x 8 cm.)</b>	6	120	8413797839357	83935
<b>MAGNESIUM FLOAT ROUNDED EDGES 16 x 3" (40 x 8 cm.)</b>	6	120	8413797839685	83968
• Magnesium Float. • For concrete manual smoothing.				
<b>RELEASE AGENT FOR DECORATIVE CONCRETE 1.1 GL. (5 L)</b>	3	90	8413797839678	83967
• Liquid release agent for decorative concrete. • Application to mortar or fresh cement. Dispensed using spray gun. Covering power: 1467-1712 Sq.ft. / 0.2gl. (30-35 m <sup>2</sup> /L).				

**New**



Ref. 83958

**New**



Ref. 83957

**New**



Ref. 83959

**New**



Ref. 84947



Ref. 83936\*



Ref. 83937\*



Ref. 83961



Ref. 83961



Ref. 83964  
83939




**DECORATIVE CONCRETE TOOLS**



**REF**

<b>STAINLESS STEEL GROOVING TROWEL 5 15/16 X 5 15/16 X 1 9/16"</b> (150 x 150 x 38 mm.)	6	8413797839586	83958
<b>STAINLESS STEEL GROOVING TROWEL 5 15/16 X 5 15/16 X 32/32"</b> (150 x 150 x 25 mm.)	6	8413797839579	83957
<b>STAINLESS STEEL GROOVING TROWEL 5 15/16 X 5 15/16 X 2 31/32"</b> (150 x 150 x 12 mm.)	6	8413797839593	83959
• Used for grooving limiting lines or ducts of various sizes.			
<b>ROUND END TROWEL 36" x 5" (91,5 x 12 cm.)</b>	1	8413797839371	83937
• High-resistance steel bull float. • For smoothing of the finishing dust for engraved concrete. • Used with the coupling (Ref. 83961) and extendable handle (Ref. 83964) or the three-extendable-handles set (Ref. 83939). * Coupling and handle not included.			
<b>MAGNESIUM FLOAT 39" (1 m.)</b>	1	8413797839364	83936
• Magnesium bull float. • For concrete smoothing. • Used with the coupling (Ref. 83961) and extendable handle (Ref. 83964) or the three-extendable-handles set (Ref. 83939). * Coupling and handle not included.			
<b>DOUBLE ACTION FLOAT BRACKET Ø 1 7/8" (45 mm.)</b>	1	8413797839616	83961
• Coupling made of aluminum, light and resistant. • Its double-action internal mechanism enables the lifting of the float's front or back to prevent it from dipping in the concrete.			
<b>ALUMINIUM BUTTON HANDLE Ø 1 7/8" x 6' 4" (45 x 1950 mm.)</b>	1	8413797839647	83964
• Extendable aluminum Handle, with a spring by buttons anchor system. • Enables the use of floats without having to step on the concrete floor.			
<b>SET OF 3 ALUMINIUM BUTTON HANDLES Ø 1 7/8" x 6' 4" (45 mm. x 1950 mm.)</b>	1	8413797839395	83939
• Extendable aluminum handles set, with a spring by buttons anchor system. • The connection of several poles enables the use of floats without having to step on the tiled floor for a distance of up to 18 ft. (6 m.).			
<b>TEXTURED ROLLER</b>	6	8413797849462	84946
• For finishing corners and sides of rustic floors.			
<b>CONCRET STAMP ROLLER "GRECA"</b>	1	8413797849479	84947
• Used in the stamping of flat surfaces such as patios, ramps, etc. Anti-slip. • Drum roller. Painted iron handle measuring 2 7/32 X 9 3/32" (55 x 230 mm.).			



Ref. 84930/38



Ref. 84931/39



Ref. 84932/40



Ref. 84933/41



**DECORATIVE CONCRETE TOOLS**



**REF**

*RUBI® mats are tools designed for transferring a three-dimensional shape to decorative concrete. The mats recreate the real textures and finishes of natural stone, ceramic, tiles, or flagstones. The different textures and patterns of RUBI® mats can be infinitely combined with the different colours and tones of concrete available on the market. RUBI® moulds were designed for maximum lightness and greater usability.*

**NEW COBBLE TEXTURE MAT**

• Dimensions: 26 3/4" x 19 x 7/8" (68 x 48,5 x 2,2 cm.) 6.6 Lb. (3 kg.) 1 8413797849301 84930

**NEW COBBLE FLEXIBLE TEXTURE MAT**

• Dimensions: 26 3/4" x 19 x 13/32" (68 x 48,5 x 1 cm.) Flexible. 4 Lb. (1,8 kg.) 1 8413797849387 84938

**OLD COBBLE TEXTURE MAT**

• Dimensions: 32 1/4" x 19 3/4" x 7/8" (82 x 50,5 x 2,2 cm.) 9.5 Lb. (4,3 kg.) 1 8413797849318 84931

**OLD COBBLE FLEXIBLE TEXTURE MAT**

• Dimensions: 32 1/4" x 19 3/4" x 11/32" (82 x 50,5 x 1 cm.) Flexible. 6 Lb. (2,7 kg.) 1 8413797849394 84939

**OLD EUROPEAN COBBLE TEXTURE MAT**

• Dimensions: 46 3/4" x 26 1/2" x 7/8" (119 x 67,5 x 2,2 cm.) 11.9 Lb. (5,4 kg.) 1 8413797849325 84932

**OLD EUROPEAN FLEXIBLE COBBLE TEXTURE MAT**

• Dimensions: 46 3/4" x 26 1/2" x 13/32" (119 x 67,5 x 1 cm.) Flexible. 7.2 Lb. (3,25 kg.) 1 8413797849400 84940

**NATURAL STONE 1 TEXTURE MAT**

• Dimensions: 30 1/4" x 25 x 7/8" (77 x 63,5 x 2,2 cm.) 9.5 Lb. (4,3 kg.) 1 8413797849332 84933

**NATURAL STONE 1 FLEXIBLE TEXTURE MAT**

• Dimensions: 30 1/4" x 25 x 13/32" (77 x 63,5 x 1 cm.) Flexible. 6 Lb. (2,7 kg.) 1 8413797849417 84941


• Recommended for use together or intercalated with Natural Stone 2 decorative mats.




Ref. 84934/42



Ref. 84935/43



Ref. 84936/44



Ref. 84937/45



**DECORATIVE CONCRETE TOOLS**

**NATURAL STONE 2 TEXTURE MAT**

• Dimensions: 30 1/4" x 25" x 7/8" (77 x 63,5 x 2,2 cm.)



9.5 Lb. (4,3 kg.)



1



8413797849349

**REF**

84934

**NATURAL STONE 2 FLEXIBLE TEXTURE MAT**

• Dimensions: 30 1/4" x 25" x 13/32" (77 x 63,5 x 1 cm.) Flexible.

6 Lb. (2,7 kg.)

1

8413797849424

84942

• Recommended for use together or intercalated with Natural Stone 1 decorative mats.

**11 x 5" (30 X 15 cm.) TILE TEXTURE MAT**

• Dimensions: 35 5/8" x 23 3/4" x 7/8" (90,5 x 60,5 x 2,2 cm.)

10,8 Lb. (4,9 kg.)

1

8413797849356

84935

**11 x 5" (30 X 15 cm.) TILE FLEXIBLE TEXTURE MAT**

• Dimensions: 35 5/8" x 23 3/4" x 13/32" (90,5 x 60,5 x 1 cm.) Flexible.

6.6 Lb. (3 kg.)

1

8413797849431

84943

**12 x 5" (31 X 15 cm.) DIAGONAL TILE TEXTURE MAT**

• Dimensions: 34 3/4" x 21 1/2" x 7/8" (88,5 x 54,5 x 2,2 cm.)

6 Lb. (2,7 kg.)

1

8413797849363

84936

**12 x 5" (31 X 15 cm.) DIAGONAL TILE FLEXIBLE TEXTURE MAT**

• Dimensions: 34 3/4" x 21 1/2" x 13/32" (88,5 x 54,5 x 2,2 cm.) Flexible

4.2 Lb. (1,9 kg.)

1

8413797849448

84944

**SIDEWALK TEXTURE MAT**

• Dimensions: 23 1/4" x 15 1/4" x 7/8" (59 x 39 x 2,2 cm.)

5.5 Lb. (2,5 kg.)

1

8413797849370

84937

**SIDEWALK FLEXIBLE TEXTURE MAT**

• Dimensions: 23 1/4" x 15 1/4" x 13/32" (59 x 39 x 1 cm.) Flexible

4.2 Lb. (1,9 kg.)

1

8413797849455

84945