

Lino

FLOOR AND WALL

All-Natural

LINO

 **Tarkett**

Nature's flooring solution.

- Made entirely of natural raw materials; all abundant or rapidly renewable resources.
- For over 120 years, Lino has been made using the same sustainable recipe for generations.
- Lino is the first in the industry to earn Cradle to Cradle Silver certification.




Linseed oil, pine rosin, limestone, wood, cork flours and jute

LinoFloor

- LinoFloor offers a large variety of designs from traditional to contemporary aesthetics
- LinoFloor is excellent for high-traffic areas, due to low maintenance costs and high durability
- LinoFloor is easily maintained and reduces water usage, chemical expense and promotes healthy spaces

LinoFloor
14835 207 Tonali Shaded Walkway WG
14502 531 Trentino Polly


With timeless design, lasting performance and all-natural comfort, Lino isn't just for schools and healthcare anymore.



LinoFloor



14872 673 Comet WG
38 Pewter CG*



14502 505 Kyoko CG
TA6 Bedrock CG*




14872 703 Shaded WG
TA5 Colonial Grey CG*



14872 793 Mirage CG
TG2 Shark Fin CG*



14872 685 Iced Slate CG
TG3 Iron Mountain*



14872 906 Grizzled B
40 Black B*



14835 209 Black Charcoal B
TG4 Black Magic B*




14835 202 Aged Concrete WG
TG6 Mink WG*




14872 702 Ironed WG
TG2 Shark Fin CG*



14872 686 Deep Space CG
TA6 Bedrock CG*




14872 604 Carlsbad WG
TG4 Black Magic B*



14872 674 Falling Star B
TG4 Black Magic B*



14835 203 Agrarian WG
32 Pebble WG*




14872 608 Northern Lights WG
55 Silver Grey WG*



14872 672 Twilight CG
71 Storm Cloud CG*



14872 684 Cascade WG
TB3 Dover CG*



14825 309 Dark Obsidian B
TG4 Black Magic B*



14825 303 Thicket WG
TG6 Mink WG*




14835 207 Shaded Walkway WG
TA4 Gateway WG*


LinoFloor




14825 305 Carbonize WG
TA4 Gateway WG*




14872 601 Cloud Nine CG
TG5 Macadamia WG*



14872 911 Burlap WB
11 Canvas WB*




14835 201 Spanish Stucco CB
TG5 Macadamia WG*



14872 714 Aloof CB
121 Cement CB*



14835 205 Rustic Pathway WG
48 Grey WG*



14872 700 Frost W
01 Snow White W*



14872 637 Au Lait WB
09 Clay WB*



14872 625 Arizona Tan WB
TA3 Castaway CB*



14872 502 Fossil CB
280 Shoreline*



14872 704 Becloud WG
48 Grey WG*




14872 622 Geode WB
129 Silk WB*



14872 611 Moonstone WB
461 Wicker WB*



14872 121 Durango WB
09 Clay WB*




14872 524 Tiger Eye
76 Cinnamon*




14502 503 Mitzi WG
63 Burnt Umber B*




14825 308 Straw Hat WB
461 Wicker WB*



14835 208 Sierra WB
461 Wicker WB*



14872 711 Pleasant WB
34 Almond W*



14872 632 Garnet
76 Cinnamon*

* Suggested colors for finishing borders (wall base). Please refer to the Color Guide for accurate color representation.
S = Stocked Design

We've identified Color Foundations™ neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White)

LinoFloor




14872 400 Natural Clay **WB**
461 Wicker **WB***



14872 695 Marsh
151 Iguana*



14872 650 Rainforest
59 Heather Green*



14872 663 Lighthouse
TH2 Blue Intensity*



14872 688 Downpour
70 Bluest*



14142 431 Rudy **WB**
TA1 Tannery **WB***




14835 215 Limeaid
08 Icicle **W***



14872 651 Sea
192 Tidewater*



14872 670 Blue Agave
84 Blue Jean*




14872 761 Bay
92 Blue Lagoon*




14142 432 Dogwood **WB**
101 Seaweed*



14872 754 Budding
68 White Sand **W***




14502 561 Peacock Flower
TA9 Indigo *




14872 665 Peninsula
84 Blue Jean*



14142 430 Tank
29 Moon Rock **WG***



14502 552 Bean
TH1 Glenhaven*



14872 762 Blue Purple
84 Blue Jean*


LinoFloor



14835 219 Sun Time
TG1 Snowbound **W***



14872 636 Daylily
113 Chestnutty*



14872 742 Viola
162 Sovereign*



14502 531 Polly
TG1 Snowbound **W***



14872 945 Russett
113 Chestnutty*



14872 619 Carnelian
34 Almond*



14872 641 Towpath Trail
TG8 Spicy Chip*



14872 628 Sunflower **CG**
130 Sisal*



14872 645 Carmine
TB6 Flame*



LinoWall
14010 300 Cashmere **CB**
14010 363 Poplin

LinoFloor
14502 561 Peacock Flower
14872 793 Mirage **CG**

* Suggested colors for finishing borders (wall base). Please refer to the Color Guide for accurate color representation.
S = Stocked Design

We've identified Color Foundations™ neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White)

LinoWall

- Nature-inspired palette provides color and texture to extend your design to the wall
- LinoWall is a great alternative to traditional wall decor as it is highly durable and easy to maintain

LinoWall
14010 350 Flax

LinoFloor
14142 431 Rudy **WB**
14835 201 Spanish Stucco **CB**
14872 911 Burlap **WB**

Tarkett’s LinoWall opens up a world of coordinated design possibilities.

LinoWall



14010 300 Cashmere **CB**



14010 302 Angora **WG**



14010 350 Flax



14010 308 Mohair **WB**



14010 363 Poplin



14010 315 Jute



LinoWall
14010 302 Angora **WG**

LinoFloor
14872 911 Veneto Burlap **WB**



We’ve identified Color Foundations™ neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White)

Lino for healthcare.

Caring environments start with caregivers.

- Meets the Silver Level for Health Care Without Harm's Healthy Flooring criteria
- Healthcare workers have the highest instance of respiratory conditions, but Lino's all-natural material helps promote healthy spaces
- Natural sound dampening improves acoustics to enhance healing environments
- Comfort under foot to lessen ergonomic issues from standing for long periods of time

Healing environments consider the holistic wellbeing of both patients and staff. That's why every detail of the Lino Collection is designed to support more beautiful, therapeutic spaces — for those receiving care, and those providing it.

LinoFloor

14825 303 Lenza Thicket WG

14872 601 Veneto Cloud Nine CG

14872 651 Veneto Sea

14872 793 Veneto Mirage CG



Lino for education.

Healthier materials? Present!

- Naturally antimicrobial to reduce the spread of germs
- Made of all-natural materials to promote healthy learning environments
- Superior acoustic properties, creating quieter spaces and comfort under foot
- A broad color palette to inspire learners and educators with creative, custom designs

Did you know that health complications due to voice strain are one of the leading causes of teacher absenteeism? In addition, indoor air quality issues that can trigger asthmatic symptoms have been shown to be a leading cause of student absenteeism. Choosing healthier materials can support student and teacher performance and comfort within the classroom and beyond.

LinoFloor
14502 531 Trentino Polly
14835 208 Tonali Sierra **WB**
14872 637 Veneto Au Lait **WB**
14872 742 Veneto Viola

Great spaces. One surface at a time.

Coordinated to work together visually across platforms, the Tarkett Solution SPECtrum™ helps you develop a flooring platform for the specific needs of every space and budget.

Our portfolio of products are designed to work together functionally and aesthetically, creating more productive workspaces that maximize return on investment. Without compromise.

PRODUCTS SHOWN:

1. Lino, Veneto (Cloud Nine 14872 601)
2. Lino, Lenza (Thicket 14825 303)
3. LVT, Veneto (Bay 14872 761)
4. Early Bloom (Shady Glade 67509)
5. Reflecting Pool (Shady Glade 67509)
6. Millwork Reveal (Welsh Castle TA8)
7. Mesto (Glass Slipper PS2)
8. Mesto (Gallant Steed PR3)
9. Mesto (Mystic Unicorn PR6)
10. Mesto (Golden Slumber PR4)



Color may vary from actual swatch. To order a sample and to learn more about Tarkett Solution SPECtrum™, please visit tarkettna.com.

Doing Good— Together.

At Tarkett North America, we believe that together, we can make a positive impact on people and the planet. That's why we're Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It's an active, living commitment to create a future where people and the planet prosper in balance. Where sustainable flooring solutions don't just perform. They inspire.

Passion and commitment.

- First linoleum to be C2C certified, and 100% of ingredients used have been assessed by EPEA (third party certification and transparency)
- Over 120 year old recipe created in 1898, enabling Tarkett's team to have the intimate understanding of every natural ingredient that allows us to adapt manufacturing to the variations of each year's crop
- Tarkett Linoleum flooring products are manufactured in an ISO 9001, ISO 14001, ISO 14067 (Carbon Footprint of Products) and ISO 50001 (Energy Management) certified plant, which uses a closed-loop water system and the utilization of 100% renewable electricity
- LinoFloor and LinoWall meet Health Care without Harm Silver requirements
- Material ingredients disclosed via manufacturer inventory (MHS); Declare label available
- LEED: Meets LEED v4 material credits, including BPDO credits
- Product specific EPD




Find sustainability information for all Tarkett products online at our ecomedes database and mindful Materials library.



DESIGNING FOR LIFE

Developing products based on Cradle to Cradle® principles that contribute to people friendly spaces AND respect the planet's natural capital.



CLOSING THE LOOP

Building a circular economy inclusive of programs and business models that encourage take back, reuse, recycling and elimination of waste.



DRIVING COLLABORATION


Inviting others to join us in Doing Good through education, collaboration, transparency and communication.

The legends loved linoleum.

As the Modernist architectural movement ushered an era of practical minimalism and functional beauty, its leading visionaries embraced the pure form and natural simplicity of linoleum floorcoverings. **Le Corbusier, Gropius** and **van der Rohe** covered Modernist landmarks with the only material that allowed them to communicate a progressive optimism for the time.

Made entirely of natural raw materials, Tarkett’s Lino is created with the same sustainable recipe we’ve been using for more than 120 years. Every ingredient is abundant or rapidly renewable, and 30% of its content is recycled. Our facility in Narni, Italy operates on a closed-loop water system and 100% renewable electricity. From this tradition of craftsmanship and innovation, Tarkett Lino was the first in the industry to earn Cradle to Cradle Silver certification.

And the legend lives on.



Ludwig Mies van der Rohe

Walter Gropius

Le Corbusier



Weld Rods

LINO PART NUMBER	LINO COLOR NAME	SOLID WELD ROD	MULTI COLOR WELD ROD
14872 121	Durango	1751 121	
14872 400	Natural Clay	1751 400	
14872 502	Fossil	1751 502	
14872 524	Tiger Eye	1751 524	
14872 601	Cloud Nine	1751 601	
14872 604	Carlsbad	1751 205	14000 604
14872 608	Northern Lights	1751 608	14000 608
14872 611	Moonstone	1751 611	14000 611
14872 619	Carnelian	1751 619	
14872 622	Geode	1751 611	
14872 625	Arizona Tan	1751 625	
14872 628	Sunflower	1751 628	
14872 632	Garnet	1751 632	
14872 636	Daylily	1751 636	14000 636
14872 637	Au Lait	1751 121	
14872 645	Carmine	1751 645	
14872 641	Towpath Trail	1751 641	14000 641
14872 650	Rainforest	1751 650	14000 650
14872 651	Sea	1751 651	
14872 663	Lighthouse	1751 660	14000 663
14872 665	Peninsula	1751 665	
14872 670	Blue Agave	1751 670	
14872 672	Twilight	1751 672	14000 672
14872 673	Comet	1751 673	14000 673
14872 674	Falling Star	1751 098	14000 674
14872 684	Cascade	1751 793	
14872 685	Iced Slate	1751 685	
14872 686	Deep Space	1751 686	
14872 688	Downpour	1751 220	
14872 695	Marsh	1751 695	
14872 700	Frost	1751 700	
14872 702	Ironed	1751 202	14000 702
14872 703	Shaded	1751 703	
14872 704	Becloud	1751 205	
14872 711	Pleasant	1751 611	14000 711
14872 714	Aloof	1751 303	

LINO PART NUMBER	LINO COLOR NAME	SOLID WELD ROD	MULTI COLOR WELD ROD
14872 742	Viola	1751 049	
14872 754	Budding	1751 754	
14872 761	Bay	1751 761	
14872 762	Blue Purple	1751 665	
14872 793	Mirage	1751 793	14000 793
14872 906	Grizzled	1751 906	14000 906
14872 911	Burlap	1751 625	
14872 945	Russet	1751 945	
14835 201	Spanish Stucco	1751 201	
14835 202	Aged Concrete	1751 202	
14835 203	Agrarian	1751 303	
14835 205	Rustic Pathway	1751 205	
14835 207	Shaded Walkway	1751 207	
14835 208	Sierra	1751 313	1751 611
14835 209	Black Charcoal	1751 098	1751 209
14835 215	Limeaid	1751 215	
14835 219	Sun Time	1751 219	
14825 303	Thicket	1751 303	
14825 305	Carbonize	1751 205	
14825 308	Straw Hat	1751 611	
14825 309	Dark Obsidian	1751 098	
14502 503	Mitzi	1751 608	
14502 505	Kyoko	1751 673	
14502 509	Starry Sky	1751 098	
14502 531	Polly	1751 219	
14502 552	Bean	1751 053	
14502 561	Peacock Flower	1751 220	
14142 430	Tank	1751 632	
14142 431	Rudy	1751 524	
14142 432	Dogwood	1751 400	
14010 363	Poplin	1751 660	
14010 350	Flax	1751 754	
14010 315	Alight Lime	1751 219	
14010 300	Warm Biscuit	1751 201	
14010 302	Angora	1751 303	
14010 308	Straw Hat	1751 219	1751 619

Specifications

Technical Data	Standards	LINOFLOOR	LINOWALL
Type of Floor Covering	ASTM F2034	Linoleum flooring	
Classification	ASTM F2034	Type 1, Linoleum Sheet with Backing	
Surface Protection		xf ² ™ Urethane	xf ² ™ Urethane
Total Thickness	ASTM F386	0.098" (2.5mm)	0.080" (2mm)
Flexibility	ASTM F137	Passes	Passes
Chemical Resistance	ASTM E925	Passes	Passes
Static Load Resistance	ASTM F970	150 psi	
Resistance to Heat	ASTM F1514	$\Delta \Sigma \leq 8.0$	
Resistance to Light	ASTM F1515	$\Delta \Sigma \leq 8.0$	
Slip Resistance	ASTM D2047	≥ 0.5 SCOF	
Flammability	ASTM E648	Class 1 (≥ 0.45 W/cm ²)	
Smoke Development	ASTM E662	≤ 450	
Flame Spread / Smoke (US)	ASTM E84		Class B / ≤ 450
Flame Spread / Smoke (Canada)	CAN/ULC S102.2	≤ 300 FS / 300 Smoke	≤ 300 FS / 300 Smoke
Warranty		10 Year Limited	10 Year Limited
Colors Available		66	6
Roll Length		65' - 100' (20 - 30 m)	46' - 59' (14 - 18 m)
Roll Width		6' 6" (2 m) nominal	6' 6" (2 m) nominal
Weight / yd ² (m ²)		5.47 lbs. (2.48 kg)	5.84 lbs. (2.9 kg)
FloorScore	FloorScore	Certified	
Cradle2Cradle	Cradle2Cradle	Silver	Silver
ISO Certifications	ISO 9001, ISO 14001, ISO 14067 & ISO 50001	Certified	Certified

Please visit tarkettna.com for the most updated specifications, and installation, cleaning and maintenance instructions. The weld rods listed are intended to correspond with the denoted flooring colors. Other weld rods can be used for a variety of visual effects.



Tarkett North America

30000 Aurora Rd
Solon, OH 44139
800.899.8916
tarkettna.com

All colors shown in this brochure, including swatches and photographs, approximate the actual flooring and wallcovering colors as accurately as possible.

©Tarkett USA Inc. 08/2019 2303430031