



YOUR FLOOR. OUR PROMISE.

# PRODUCT GUIDE



UZIN UTZ®

# UZIN YOUR FLOOR. OUR PROMISE.



Dover, DE



Waco, TX

## UZIN

2022 is a significant year for UZIN UTZ and the brand UZIN as the company marks 111 years of operations. To celebrate this milestone all brands within the UZIN UTZ family have received a new look that visually connects the brands through a campaign titled **The Art of Flooring.**

In late 2022 we will also complete construction of our new 125,000 sq ft dry-mortar facility, R&D Lab, and training center in Waco, Texas. Our investment into this facility along with our Dover, Delaware facility enables us to continue as the trusted, innovated, service leader in the North America.

Our overall look has changed and new facilities are being built, however one thing will still remain the same with the brand UZIN; **YOUR FLOOR. OUR PROMISE!** Our promise to you of offering the highest level of technical support, jobsite expertise, and innovative product solutions that maximize productivity and profitability.



Click here to see  
a live camera view of  
the new UZIN Plant in  
Waco, Texas!



# NOW AND THEN FOUNDED AND MANAGED BY THE UTZ FAMILY

“Fabrikation  
Chemischer  
Produkte”

# 1911



**1911**  
**GEORG UTZ**

First generation founder of UZIN. The family business had its roots in Vienna as a chemical product manufacturer (the “Fabrikation Chemischer Produkte” company).



**1961**  
**G. WILHELM UTZ**

Second generation takes over management of the company and moves UZIN to its current location in Ulm. At that time, the company generated 12 million Euros of revenue and had 100 employees.



**1980**  
**DR. H. WERNER UTZ**

After becoming Chairman of the Board, Dr. H. Werner Utz begins the global expansion of Uzin Utz AG. Under his leadership, the company was the first in the industry to create Environmental Product Declarations (EPDs) for flooring installation materials and initiated the phasing out of solvents from adhesives. His defined, sustainable growth strategy set the course for the future.



**2018**  
**JULIAN UTZ AND PHILIPP UTZ**

Following in their father’s footsteps, Julian and Philipp are the fourth generation to lead the family company, with their father Dr. H. Werner Utz as chairman of the supervisory board. Their strategy PASSION 2025 guides the vision of the future for UZIN UTZ and the flooring industry.

## LOOKING AHEAD

**UZIN UTZ** plays a leading role in defined markets for flooring installation systems. Thanks to innovative thinking, a sophisticated sustainability strategy and healthy growth, the family company continues to shape the future and set new standards for flooring installation. In 2020 we launched **PASSION 2025** our corporate strategy that provides the blueprint for the growth of UZIN UTZ. One foundation in this strategy’s success is our highly committed, open-minded, passionate employees who are shaping the future of UZIN UTZ and innovation of tomorrow for the flooring industry.

As our global expansion continues we will build off the foundation of our people and the values of a family business.



**UZIN UTZ®**  
YOUR FLOOR. OUR PASSION.

# THE ART OF FLOOR SYSTEMS

Over the course of 111 years, Uzin Utz has developed from a regional adhesive manufacturer to an international construction chemicals company and pioneer of the industry. Led by the Utz founding family, the brand family has grown continuously – working together and delivering a unique level of expert

knowledge that is combined into shared, core expertise in flooring. Together our brands are the cornerstone for professional, durable craftsmanship for high-quality system solutions covering all aspects of flooring.



Installation systems including moisture mitigation, primers, leveling compounds and adhesives.



Machinery and special tools for subfloor preparation and installation of floor coverings.




Hardwood Complete™: subfloor preparation, adhesives, sanding equipment, surface treatment and care for wood floors.



Functional floor coatings with a wide range of design options.



Installation systems for tile and natural stone.



Tools for walls, flooring, and ceilings.

**STRONG BRANDS FOR STRONG CRAFT.**



# TABLE OF CONTENTS

THE COMPLETE RANGE

## MOISTURE VAPOR RETARDERS / PRIMERS

Moisture Vapor Retarders / Primers ..... 12 – 16  
MVR / Primer Accessory Products ..... 16 – 17

## SELF-LEVELING COMPOUNDS

Self-leveling Compounds/Cementitious ..... 18 – 21  
Self-leveling Compounds/Synthetic Gypsum ..... 22  
Patch/Repair/Smoothing Compounds ..... 23 – 25  
Accessory Products ..... 26 – 27

## ADHESIVES

Floor Covering Adhesives ..... 28 – 35

## TILE & STONE

Thinset Mortar ..... 36 – 38  
Grout ..... 38 – 42

## WATERPROOFING SYSTEMS

Waterproofing Systems ..... 43 – 47

## BALKUSLIM®

Balkuslim® ..... 48 – 51

## PREMIUM TOOLS AND ACCESSORIES

Tools & Accessories ..... 52 – 58

# NEW LOOK, PROVEN QUALITY.

IT'S STILL YOUR FLOOR & OUR PROMISE  
IN A NEW LOOK!

The new UZIN product packaging is part of a global redesign of all UZIN UTZ packaging worldwide that allow all of our brands to shine together. The information on the packaging is now formulated to include easy to read pictograms that make application instructions clear, concise, and easy to understand.



**TECHNICAL INFORMATION**  
is quickly recognizable through  
understandable **pictograms**



**WATER QUANTITY**  
icons placed **on the upper side**  
of bags in large print

**INSTRUCTIONS**  
main field with application  
instructions

**CUT HERE**  
icons for easy **opening**

**THE UZIN  
ICONIC BLUE  
APPLIED ACROSS  
ENTIRE RANGE**

**PRODUCT NAME**  
unique product color  
differentiation

**QR-CODE**  
quick easy reference to  
more **technical data**

**LABELS**  
and **certificates**  
displayed here

**LOGO**  
of the brand **UZIN UTZ**  
on all products





# MOISTURE VAPOR RETARDERS / PRIMERS



## UZIN PE 460

### PREMIUM PLUS – MOISTURE RETARDER/SURFACE STRENGTHENER

**2-component epoxy resin moisture vapor retarder for concrete substrates with high residual moisture on all grade levels.**

**Properties:**

- A vapor retarder for use up to 100 % RH
- Exceeds ASTM F3010 perm rating requirement per ASTM E96 test method
- Alkali resistant – controls substrate conditions up to pH of 14
- EMICODE EC 1 Plus criteria – healthy indoor air quality



Note: See product data sheet for PE 460 additional product information and detailed application instructions

Item #	Package Size	Qty/Plt	Coverage	Dry Time
73030	2.5 gal. (9.5 L)	30 pails	See PDS	Foot traffic: 5 – 21 hrs
73031	1 gal. (3.8 L)	60 pails	See PDS	Floor covering: 5 – 21 hrs Fast track: 3.5 hrs



Webpage



Video

## UZIN PE 414 TURBO

### PREMIUM PLUS – SURFACE STRENGTHENER/MVR

**1-component polyurethane surface strengthener and MVR for use on absorbent and non-absorbent substrates.**

**Properties:**

- Fast drying
- MVR up to 95 % RH and 10 lb. MVER
- Alkali resistant – controls substrate conditions up to pH of 14
- CDPH standard method, v 1.2 compliant



Note: See product data sheet for PE 414 TURBO additional product information and detailed application instructions

Item #	Package Size	Qty/Plt	Coverage	Dry Time
79281	2.6 gal. (9.8 L)	60 pails	Up to 1,500 sqft/pail	Absorbent: 40 – 90 min
63940	1 gal. (3.8 L)	90 pails	Up to 580 sqft/pail	Dense: 40 – 90 min



Webpage

## UZIN PE 280

### PREMIUM PLUS – SUPER-FAST PRIMER

**1-component dispersion primer for non-absorbent surfaces. Produces a rough well-keyed surface for ideal adhesion of UZIN leveling compounds and thinset mortars over various substrates.**

**Properties:**

- Single component - ready-to-use
- Fast drying for quicker installations
- Use over UZIN epoxy or urethane primers
- CDPH standard method, v 1.2 compliant



Note: See product data sheet for PE 280 additional product information and detailed application instructions

Item #	Package Size	Qty/Plt	Coverage	Dry Time
79279	2.6 gal. (9.8 L)	50 pails	Up to 1,850 sqft/pail	45 min
82674	1 gal. (3.8 L)	80 pails	Up to 711 sqft/pail	45 min



Webpage



Video

## UZIN PE 360 PLUS

### PREMIUM PLUS – SUBSTRATE PRIMER

**1-component, ready-to-use primer for use over absorbent substrates.**

**Properties:**

- Use on substrates up to 100 % RH and pH values up to 14
- Single component - ready-to-use
- Spray application capable – faster applications
- CDPH standard method, v 1.2 compliant



Note: See product data sheet for PE 360 PLUS additional product information and detailed application instructions

Item #	Package Size	Qty/Plt	Coverage	Dry Time
10579	2.6 gal. (9.85 L)	60 pails	Up to 1,600 sqft/pail	30 – 60 min
10580	1 gal. (3.79 L)	128 pails	Up to 600 sqft/pail	30 – 60 min



Webpage



Video



# UZIN PE 260

## PREMIUM – SUBSTRATE PRIMER

**1-component dispersion primer for use over absorbent and non-absorbent surfaces.**

### Properties:

- Ready-to-use or apply diluted based on surface absorbency
- High solid content with excellent bonding properties
- Will not re-emulsify when leveler is applied
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for PE 260 additional product information and detailed application instructions



Item #	Package Size	Qty/Plt	Coverage	Dry Time
79280	2.6 gal. (9.85 L)	60 pails	Up to 1,200 sqft/pail (Undiluted)	60 – 120 min
80478	1 gal. (3.8 L)	128 pails	Up to 460 sqft/pail (Undiluted)	60 – 120 min



Webpage



Video

# UZIN KR 518

## PREMIUM ACCESSORY

**Low odor resin for fast filling of dormant floor joints.**

### Properties:

- Easy to use
- High coverage
- Ultra-low viscosity – fills narrow cracks
- Fast-setting – open to service after 15 minutes
- Low temperature use – cures below freezing

Note: See product data sheet for KR 518 additional product information and detailed application instructions



Item #	Description	Package Size	Color	Coverage
88680	UZIN KR 518	20.2 oz. (2 x 300 ml)		
169078	KR 518 Application Gun	4 lbs.	Gray (mixed)	approx. 24 lin ft @ 1/8" width x 1" depth
169343	KR 518 Mixing Tips	1.5 oz		



Webpage

# UZIN EPOXY COLORANT

## PREMIUM ACCESSORY

**Red, liquid color concentrate for addition to UZIN PE 460.**

### Properties:

- High color intensity
- Adds color contrast on 2nd application coat

Note: See product data sheet Epoxy Colorant additional product information and detailed application instructions



Item #	Package Size	Color	Mixing Ratio
9344	1 liter plastic bottle	Red	3 oz. per 1 or 2.5 gal. of PE 460

# UZIN EPOXY ACCELERATOR

## PREMIUM ACCESSORY

**Epoxy accelerator for rapid curing of UZIN PE 460.  
Allows for fast track floor covering installation.**

### Properties:

- Accelerates the curing time
- Provides fast track for floor covering installation

Note: See product data sheet Epoxy Accelerator additional product information and detailed application instructions



Item #	Package Size	Color	Mixing Ratio
33155	4 x 7oz.	Brown/Transparent	See PDS



Webpage

# SELF-LEVELING COMPOUNDS





## UZIN NC 172 BI TURBO

### PREMIUM PRO – SELF-LEVELING COMPOUND

**Extremely fast drying, cementitious self-leveling and smoothing compound with no depth limitations. Level Plus+ Effect technology produces flat absorbent substrates.**

#### Properties:

- Suitable for all types of floor coverings
- No depth limitation
- Pumpable
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for NC 172 BI TURBO additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77349	50 lb. (22.7 kg)	42 bags	8000 psi after 28 days (ASTM C1708)	60 sqft @ 1/8" depth	60 min – 24 hrs (Depending on Covering)



Webpage



Video

## UZIN NC 170

### PREMIUM PLUS – SELF-LEVELING COMPOUND

**Fast Drying cementitious self-leveling and smoothing compound with no depth limitations. Level Plus+ Effect technology produces flat absorbent substrates for multiple floor coverings.**

#### Properties:

- Suitable for all types of floor coverings
- No depth limitation
- Pumpable
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for NC 170 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77348	50 lb. (22.7 kg)	42 bags	6000 psi after 28 days (ASTM C1708)	60 sqft @ 1/8" depth	2 – 24 hrs (Depending on Covering)



Webpage



Video

## UZIN NC 150

### PREMIUM – SELF-LEVELING COMPOUND

**Cementitious self-leveling and smoothing compound for depths up to 1". Provides level, flat surfaces with high absorbency for multiple flooring coverings.**

#### Properties:

- Suitable for most floor coverings
- For depths up to 1"
- Pumpable
- EMICODE EC 1 Plus (healthy indoor air quality)

Note: See product data sheet for NC 150 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77346	50 lb. (22.7 kg)	42 bags	4500 psi after 28 days (ASTM C1708)	58 sqft @ 1/8" depth	6 – 36 hrs (Depending on Covering)



Webpage



Video

## UZIN NC 157

### PREMIUM – SELF-LEVELING COMPOUND

**Low stress cementitious self-leveling compound for depths up to 2". Provides level, flat surfaces with high absorbency for multiple flooring coverings.**

#### Properties:

- Suitable for most floor coverings
- For depths up to 2"
- Pumpable
- EMICODE EC 1 Plus (healthy indoor air quality)

Note: See product data sheet for NC 157 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77347	50 lb. (22.7 kg)	42 bags	5300 psi after 28 days (ASTM C1708)	27 sqft @ 1/4" depth	24 – 36 hrs (Depending on Covering)



Webpage



Video

# UZIN NC 110

## PREMIUM PLUS – SELF-LEVELING COMPOUND

Synthetic gypsum based self-leveling compound for depths up to 2". Level Plus+ Effect technology produces flat absorbent substrates for multiple floor coverings.

**Properties:**

- Suitable for all floor coverings
- For depths up to 2"
- Pumpable
- EMICODE EC 1 Plus (healthy indoor air quality)

Note: See product data sheet for NC 110 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
83246	50 lb. (22.7 kg)	42 bags	5200 psi after 28 days (ASTM C1708)	60 sqft @ 1/8" depth	See PDS



Webpage

# PATCHING & SMOOTHING COMPOUNDS



# UZIN NC 182 FILL

## PREMIUM PLUS – LOW SLUMP PATCHING & REPAIR COMPOUND

**Fast setting, cementitious low slump patching and repair compound for any depth.**

### Properties:

- No depth limitation
- Excellent for forming ramps and deep filling
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for NC 182 FILL additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77350	20 lb. (9 kg)	72 bags	4300 psi @ 28 days (ASTM C109M)	See PDS	1 – 18 hrs (Depending on Covering)



Webpage



Video

# UZIN NC 890 HYDROPATCH

## PREMIUM PRO – MOISTURE RESISTANT SKIMCOAT & REPAIR COMPOUND

**100% RH Tolerant patch and smoothing compound for depths up to 1/2" with no MVER limitations. Suitable for all types of floor coverings.**

### Properties:

- Skimcoat over high RH% concrete substrates
- Floor coverings may be installed in as little as 30 minutes
- High Strength – 3,000 psi compressive strength
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for NC 890 HYDROPATCH additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
159352	10 lb. (4.5 kg)	160 bags	3,000 psi @ 28 days (ASTM C109)	100-250 sqft as a skimcoat	30 min – 16 hrs (Depending on Covering)



Webpage

# UZIN NC 888

## PREMIUM PLUS – TURBO PATCHING COMPOUND

**Versatile rapid set smoothing compound for repair and patching up to 1" depths. Priming is not required for most applications.**

### Properties:

- Floor coverings may be installed in as little as 15 minutes
- Superior bonding characteristics
- Excellent surface finish with maximum adhesive coverage
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for NC 888 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77351	10 lb. (4.5 kg)	160 bags	3,000 psi @ 28 days (ASTM C109)	100-350 sqft as a skimcoat	15 min – 12 hrs (Depending on Covering)



Webpage



Video

# UZIN NC 886

## PREMIUM – SKIM & REPAIR COMPOUND

**Rapid setting, quick drying smoothing compound for repair filling and patching up to 1/2" depths. Priming is not required for most applications.**

### Properties:

- Floor covering may be installed in as little 15 minutes
- Smooth surface finish with maximum adhesive coverage
- Easily handles most substrate deficiencies
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for NC 886 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Comp. Strength	Coverage	Ready for Covering
77352	10 lb. (4.5 kg)	160 bags	3,000 psi @ 28 days (ASTM C109)	100-300 sqft as a skimcoat	15 min – 16 hrs (Depending on Covering)



Webpage



Video

# UZIN REINFORCING FIBERS

## PREMIUM ACCESSORY – REINFORCING ADDITIVE FIBERS

Improve impact resistance and control shrinkage of any UZIN self-leveling compound.

### Properties:

- 1 bag of fibers to 1 bag of UZIN self-leveling compound
- For interior use only



Item #	Package Size	Color	Units/Carton
11725	1/2 lb. (.23 kg) bag	White	5



Webpage

# UZIN RR 203

## PREMIUM ACCESSORY – SUBSTRATE CRACK BRIDGING

Fiberglass crack reinforcement panels used for bridging substrate cracks and joints up to 1/4" wide and 3/16" maximum movement.

### Properties:

- Extremely high tensile strength and tear-resistance
- For bridging and reinforcing cracks, joints, and transitions

Note: See product data sheet for RR 203 additional product information and detailed application instructions



Item #	Package Size	Color	Length/Width
79682	50 sheets/ctn.	White	2.62' x 1.97' per sheet



Webpage

# UZIN RR 201

## PREMIUM ACCESSORY – SUBSTRATE REINFORCING MESH

Fiberglass reinforcing mesh with high tensile strength and reinforcing effect when used with UZIN primers and self-leveling compounds.

### Properties:

- Strong composite system – reduced potential for telegraphing cracks
- Extreme tensile strength

Note: See product data sheet for RR 201 additional product information and detailed application instructions



Item #	Package Size	Color	Coverage
87312	1 roll	White	322.8 sqft per roll



Webpage

# UZIN FOAM EXPANSION STRIPS

## PREMIUM ACCESSORY – EXPANSION STRIPS

Self-adhesive polyethylene expansion strips used when pouring self-leveling compounds.

### Properties:

- High adhesion over primed substrates
- 2" high x 3/16" wide x 65 lf. (per roll)



Item #	Package Size	Shipping Unit	Color
60378	1 roll	5 rolls/ctn.	Blue/White



Webpage

# UZIN LEVELING PINS

## PREMIUM ACCESSORY – LEVELING PINS

Plastic, self-adhesive height measurement pins for use when pouring self-leveling compounds.

### Properties:

- High adhesion over primed substrates
- High visibility neon green color
- Imperial & metric measurements on pins



Item #	Package Size	Shipping Unit	Color
61834	1 pkg./20 pcs	1 ctn./5 pkgs.	Green



Webpage



# ADHESIVES



# UZIN WK 222

## PREMIUM PRO – SOLVENT-FREE CONTACT ADHESIVE

**Solvent free, water-based contact adhesive. Short flash time produces a powerful bond immediately upon contact.**

### Properties:

- Powerful bond strength – great for difficult to bond products
- High coverage with supplied roller – low cost per sq. ft.
- Can be applied one day in advance – long contact bonding time
- EMICODE EC 1 Plus criteria (healthy indoor air quality)

Note: See product data sheet for WK 222 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
88437	1.4 gal. (5.5 L)	80 pails	Up to 216 sqft/pail	20 – 40 min



Webpage

# UZIN KE 2000 S

## PREMIUM PLUS – UNIVERSAL FLOORING ADHESIVE

**Universal adhesive designed for the installation of various floor coverings on absorbent and non-absorbent substrates.**

### Properties:

- Universal – install most floor coverings
- Plasticizer resistant – minimizes the risk of shrinkage
- Moisture vapor resistant up to 85 % RH
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for KE 2000 S additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
86011	3 gal. (11.6 L)	33 pails	Up to 630 sqft/pail	See PDS
82029	1 gal. (3.9 L)	72 pails	Up to 210 sqft/pail	
164316	.25 gal. (0.97 L)	288 pails	Up to 52 sqft/pail	



Webpage

# UZIN KE 66

## PREMIUM PRO – FIBER-REINFORCED WET SET ADHESIVE

**Fiber-reinforced, wet set adhesive for the installation of vinyl and rubber flooring on absorbent substrates.**

### Properties:

- High indentation resistance to rolling loads and furniture
- Plasticizer resistant – minimizes risk of shrinkage
- Moisture vapor resistant up to 80 % RH
- EMICODE EC 1 Plus criteria (healthy indoor air quality)

Note: See product data sheet for KE 66 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
81443	3 gal. (11.35 L)	33 pails	Up to 630 sqft/pail	5 – 15 min (Depending on Covering)



Webpage

# UZIN KR 430

## PREMIUM PRO – 2-COMPONENT PU ADHESIVE

**2-component polyurethane adhesive ideal for installation of all types of floor coverings that demand reliable bonding in extreme conditions on absorbent and non-absorbent substrates.**

### Properties:

- High adhesion formula ensures strong, reliable bonding of floor coverings
- Topical moisture resistance – excellent for use in high moisture areas
- Flexible when cured – install over substrates subject to deflection
- CDPH standard method, v 1.2 compliant

Note: See product data sheet for KR 430 additional product information and detailed application instructions.



Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
89472	1.5 gal. (5.5 L) A/B	39 pails	Up to 270 sqft/pail	See PDS



Webpage

# UZIN KE 24 PS

## PREMIUM PLUS – PRESSURE SENSITIVE ADHESIVE

Water-based pressure sensitive adhesive suitable for the installation of all types of modular carpet tile, LVT, LVP, VET, and vinyl-backed broadloom carpet on absorbent and non-absorbent substrates.

### Properties:

- Pressure sensitive
- Permanent tack
- Moisture resistant up to 95% RH
- Greenguard, FloorScore, Green Label Score & CRI



Note: See product data sheet for KE 24 PS additional product information and detailed application instructions.

Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
10065	4 gal. (15.1 L)	48 pails	Up to 1,400 sqft/pail	30 min
10226	1 gal. (3.8 L)	180 pails	Up to 350 sqft/pail	



Webpage

# UZIN UZ 51

## PREMIUM – BROADLOOM CARPET ADHESIVE

The economical choice for direct glue-down and double-stick broadloom carpet installations on absorbent and non-absorbent substrates.

### Properties:

- Superior green grab
- Easy to trowel
- Residential or commercial applications
- Greenguard, FloorScore, Green Label Plus & CRI



Note: See product data sheet for UZ 51 additional product information and detailed application instructions.

Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
10063	4 gal. (15.1 L)	48 pails	Up to 440 sqft/pail	0 – 20 min
10199	1 gal. (3.8 L)	180 pails	Up to 110 sqft/pail	



Webpage

# UZIN UZ 52

## PREMIUM PLUS – BROADLOOM CARPET ADHESIVE

The ideal choice for direct glue-down and double-stick broadloom carpet installations on absorbent and non-absorbent substrates.

### Properties:

- Superior green grab
- Easy to trowel
- Moisture resistant up to 90% RH
- Greenguard, FloorScore, Green Label Plus & CRI



Note: See product data sheet for UZ 52 additional product information and detailed application instructions.

Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
10062	4 gal. (15.1 L)	48 pails	Up to 660 sqft/pail	See PDS



Webpage

# UZIN VCT 7

## PREMIUM – VCT ADHESIVE

Clear thin-spread adhesive that provides a fast, strong bond for VCT installations to receive light traffic immediately after placement.

### Properties:

- Releasable initial bond
- Moisture resistant up to 90% RH
- Immediately light traffic suitable after VCT Install
- Greenguard, FloorScore, Green Label Plus & CRI



Note: See product data sheet for VCT 7 additional product information and detailed application instructions.

Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
10066	4 gal. (15.1 L)	48 pails	Up to 1,200 sqft/pail	15 – 60 min



Webpage



# UZIN CB 2

## PREMIUM – COVE BASE ADHESIVE

Provides a superior bond for rubber, vinyl and carpet wall base on absorbent surfaces.

### Properties:

- Superior green grab
- Plasticizer resistant
- Greenguard, FloorScore, Green Label Plus & CRI



Note: See product data sheet for CB 2 additional product information and detailed application instructions.

Item #	Package Size	Qty/Plt	Coverage	Ready for Covering
10200	4 gal. (15.1 L)	48 pails	Up to 1,120 lft/pail	Immediately
10225	1 gal. (3.8 L)	180 pails	Up to 280 lft/pail	
10067	30 oz. (0.9 L)	600 Units / Plt	Up to 65 lft/cartridge	



Webpage

# UZIN U-FIXX

## PREMIUM PLUS – HIGH PERFORMANCE DRY TAPE ADHESIVE

An innovative double-sided dry adhesive tape ideally suited for the installation of resilient and textile floor coverings over new substrates and existing floor coverings. U-FIXX is immediately ready to receive floor coverings and foot traffic. Commerical and residential flooring installations can be made with residents in-situ, reducing the need for business closure or out of hours working.



### Properties:

- Universal adhesive formulation for the installation of various coverings
- Fast installation of floor coverings without downtime
- Dry adhesive technology eliminates adhesive flash times and glue clean up
- Immediate heat weld and traffic suitable

Note: See product data sheet for U-FIXX additional product information and detailed application instructions.

Item #	Package Size	Qty/Plt	Length/Width	Coverage	Ready for Covering
89152	13 lb. Carton	72	29.5" x 98.5'	242 sqft/roll	Immediately



Webpage

# UZIN U-TACK

## PREMIUM – MULTI-PURPOSE ADHESIVE TAPES

U-TACK is a multi-purpose, solvent free, pressure-sensitive tape-based adhesive suitable for adhering a variety of flooring accessories.

### Properties:

- Universal adhesive formulation for the installation of various coverings
- Fast installation of transitions and accessories without downtime
- Dry adhesive technology eliminates adhesive flash times



Note: See product data sheet for U-TACK additional product information and detailed application instructions.

Item #	Package Size	Qty/Pkg	Qty/Plt	Roll Dimensions	Ready for Covering
89148	1.0 lb. Carton	20	960	1" x 164'	Immediately
89149	1.6 lb. Carton	12	576	1 1/2" x 164'	
164316	2.8 lb. Carton	10	480	2" x 164'	
89151	3.5 lb. Carton	6	288	3 1/4" x 164'	
164369	6.1 lb. Carton	2	96	6" x 164'	
164370	9.7 lb. Carton	1	96	9 1/2" x 164'	



Webpage



# TILE & STONE

## UZIN CX 33 BITURBO

### PREMIUM PRO – ADVANCED RAPID SETTING S1 THINSET MORTAR

Advanced professional grade polymer modified non-sag mortar for the installation of most porcelain, ceramic, quarry, glass, mosaic, and natural stone.

#### Properties:

- Interior, exterior, & immersion applications
- Thin bed and medium bed capable
- Excellent sag resistance for vertical applications
- Meets ISO 13007 (C2FTS1) and ANSI A118.4, A118.11

Note: See product data sheet for CX 33 additional product information and detailed application instructions.



Item #	Color	Package Size	Qty/Plt	Dry Time
81083	Gray	27.5 lbs. (12.5 kg)	60 bags	Ready to grout: 2.5 hrs
81084	White	27.5 lbs. (12.5 kg)	60 bags	Ready to grout: 2.5 hrs



Webpage

## UZIN CX 30 THINSET MORTAR

### PREMIUM PLUS – ADVANCED MEDIUM SETTING S1 THINSET MORTAR

Advanced professional grade polymer modified non-sag mortar for the installation of most porcelain, ceramic, quarry, glass, mosaic, and natural stone.

#### Properties:

- Interior, exterior, & immersion applications
- Excellent trowelability and workability
- Thin bed and medium bed capable
- Meets ISO 13007 (C2TES1) and ANSI A118.4, A118.11

Note: See product data sheet for CX 30 additional product information and detailed application instructions.



Item #	Color	Package Size	Qty/Plt	Dry Time
81080	Gray	40 lbs. (18 kg)	54 bags	Ready to grout: 12 hrs
81082	White	40 lbs. (18 kg)	54 bags	Ready to grout: 12 hrs



Webpage

# UZIN CX 20 THINSET MORTAR

## PREMIUM – PROFESSIONAL THINSET MORTAR

Professional grade, Portland cement-based polymer modified non-sag mortar. Ideal for use of most tile, stone, glass, and mosaic materials in interior or exterior applications.

**Properties:**

- Advanced Portland Cement Technology
- Superior drying properties over membranes
- Long open times for positioning and setting
- Meets ANSI A118.4, A118.11



Note: See product data sheet for CX 20 additional product information and detailed application instructions.

Item #	Color	Package Size	Qty/Plt	Dry Time
167684	Gray	40 lbs. (18 kg)	54 bags	Ready to grout: 16 hrs
168633	White	40 lbs. (18 kg)	54 bags	Ready to grout: 16 hrs



Webpage

# UZIN XTRACOLOR

## PREMIUM – CEMENTITIOUS GROUT

Professional high performance, polymer-modified cementitious tile and stone grout.

**Properties:**

- Aqua Pearl Effect provides stain resistance and color retention
- 2 hour working time provides quick turnaround
- Meets ANSI 118.7
- 34 designer colors



Note: See product data sheet for UZIN XTRACOLOR additional product information and detailed application instructions

Item #	Color	Package Size	Qty/Plt
See next page for ordering information			



Webpage

# UZIN SILICONIZED ACRYLIC CAULK

## PREMIUM – ACRYLIC CAULK

1-part, smooth, unsanded, ready-to-use caulk suitable for interior corners and changes of plane up to 1/4" (6mm) in depth

**Properties:**

- Smooth texture formula for easy tooling, forming, and maintenance
- Anti-microbial, mold, and mildew resistant
- Color matched to all 34 UZIN Grout Colors



Note: See product data sheet for UZIN Siliconized Acrylic Caulk additional product information and detailed application instructions

Item #	Color	Package Size	Qty/Plt	Dry Time
See next page for ordering information				



Webpage

# UZIN 100% SILICONE SEALANT

## PREMIUM PRO– SILICONE SEALANT

UZIN 100% Silicone Sealant is a smooth, ready-to-use sealant for interior and exterior applications on all types of tile & stone.

**Properties:**

- 100% RTV silicone-based formula – stays soft and pliable over time
- Flexible to allow for movement and resistant to cracking
- Anti-microbial, mold, and mildew resistant
- Color matched to all 34 UZIN Grout Colors



Note: See product data sheet for UZIN 100% Silicone Sealant additional product information and detailed application instructions

Item #	Color	Package Size	Qty/Plt
See next page for ordering information			



Webpage

# UZIN GROUT & CAULK RANGE

Color / Product	Item #	Unit Size	Plt / Ctn /Qty
<b>101 Brilliant White</b>			
XtraColor Grout	83348	10 lb. bag	160
100% Silicone Sealant	166232	10.3 oz	6
Acrylic Colored Caulk	164084	10.3 oz	6
<b>103 Warm White</b>			
XtraColor Grout	83350	10 lb. bag	160
100% Silicone Sealant	166243	10.3 oz	6
Acrylic Colored Caulk	164095	10.3 oz	6
<b>105 Cool White</b>			
XtraColor Grout	83351	10 lb. bag	160
100% Silicone Sealant	166260	10.3 oz	6
Acrylic Colored Caulk	164113	10.3 oz	6
<b>106 Cream</b>			
XtraColor Grout	83352	10 lb. bag	160
100% Silicone Sealant	166262	10.3 oz	6
Acrylic Colored Caulk	164115	10.3 oz	6
<b>107 Buff</b>			
XtraColor Grout	83353	10 lb. bag	160
100% Silicone Sealant	166263	10.3 oz	6
Acrylic Colored Caulk	164116	10.3 oz	6
<b>108 Antique</b>			
XtraColor Grout	83354	10 lb. bag	160
100% Silicone Sealant	166253	10.3 oz	6
Acrylic Colored Caulk	164106	10.3 oz	6
<b>111 Bone</b>			
XtraColor Grout	83355	10 lb. bag	160
100% Silicone Sealant	166241	10.3 oz	6
Acrylic Colored Caulk	164093	10.3 oz	6
<b>112 Limestone</b>			
XtraColor Grout	83356	10 lb. bag	160
100% Silicone Sealant	166261	10.3 oz	6
Acrylic Colored Caulk	164114	10.3 oz	6
<b>113 Sandstone</b>			
XtraColor Grout	83357	10 lb. bag	160
100% Silicone Sealant	177257	10.3 oz	6
Acrylic Colored Caulk	164110	10.3 oz	6
<b>114 Ivory</b>			
XtraColor Grout	83358	10 lb. bag	160
100% Silicone Sealant	166259	10.3 oz	6
Acrylic Colored Caulk	164112	10.3 oz	6
<b>115 Khaki</b>			
XtraColor Grout	83359	10 lb. bag	160
100% Silicone Sealant	166250	10.3 oz	6
Acrylic Colored Caulk	164102	10.3 oz	6
<b>116 Taupe</b>			
XtraColor Grout	83360	10 lb. bag	160
100% Silicone Sealant	166252	10.3 oz	6
Acrylic Colored Caulk	164105	10.3 oz	6

Color / Product	Item #	Unit Size	Plt / Ctn /Qty
<b>104 Ash</b>			
XtraColor Grout	83362	10 lb. bag	160
100% Silicone Sealant	166239	10.3 oz	6
Acrylic Colored Caulk	164091	10.3 oz	6
<b>118 Clay</b>			
XtraColor Grout	83363	10 lb. bag	160
100% Silicone Sealant	166255	10.3 oz	6
Acrylic Colored Caulk	164108	10.3 oz	6
<b>119 Pewter</b>			
XtraColor Grout	83364	10 lb. bag	160
100% Silicone Sealant	166246	10.3 oz	6
Acrylic Colored Caulk	164098	10.3 oz	6
<b>120 Smoke</b>			
XtraColor Grout	83365	10 lb. bag	160
100% Silicone Sealant	166249	10.3 oz	6
Acrylic Colored Caulk	164101	10.3 oz	6
<b>121 Almond</b>			
XtraColor Grout	83366	10 lb. bag	160
100% Silicone Sealant	166264	10.3 oz	6
Acrylic Colored Caulk	164117	10.3 oz	6
<b>122 Caramel</b>			
XtraColor Grout	83367	10 lb. bag	160
100% Silicone Sealant	166265	10.3 oz	6
Acrylic Colored Caulk	164118	10.3 oz	6
<b>112 Limestone</b>			
XtraColor Grout	83356	10 lb. bag	160
100% Silicone Sealant	166261	10.3 oz	6
Acrylic Colored Caulk	164114	10.3 oz	6
<b>123 Truffle</b>			
XtraColor Grout	83368	10 lb. bag	160
100% Silicone Sealant	166247	10.3 oz	6
Acrylic Colored Caulk	164099	10.3 oz	6
<b>124 Walnut</b>			
XtraColor Grout	83369	10 lb. bag	160
100% Silicone Sealant	166256	10.3 oz	6
Acrylic Colored Caulk	164109	10.3 oz	6
<b>125 Chestnut</b>			
XtraColor Grout	83370	10 lb. bag	160
100% Silicone Sealant	166254	10.3 oz	6
Acrylic Colored Caulk	164107	10.3 oz	6
<b>126 Tobacco</b>			
XtraColor Grout	83371	10 lb. bag	160
100% Silicone Sealant	166248	10.3 oz	6
Acrylic Colored Caulk	164100	10.3 oz	6
<b>127 Coffee</b>			
XtraColor Grout	83372	10 lb. bag	160
100% Silicone Sealant	166242	10.3 oz	6
Acrylic Colored Caulk	164094	10.3 oz	6



# WATERPROOFING SYSTEMS

Color / Product	Item #	Unit Size	Plt / Ctn /Qty
<b>128 Sherwood</b>			
XtraColor Grout	83373	10 lb. bag	160
100% Silicone Sealant	166251	10.3 oz	6
Acrylic Colored Caulk	164104	10.3 oz	6
<b>102 Whisper Gray</b>			
XtraColor Grout	83374	10 lb. bag	160
100% Silicone Sealant	166236	10.3 oz	6
Acrylic Colored Caulk	164088	10.3 oz	6
<b>129 Platinum Gray</b>			
XtraColor Grout	83375	10 lb. bag	160
100% Silicone Sealant	166233	10.3 oz	6
Acrylic Colored Caulk	164085	10.3 oz	6
<b>130 Sterling Gray</b>			
XtraColor Grout	83376	10 lb. bag	160
100% Silicone Sealant	166234	10.3 oz	6
Acrylic Colored Caulk	164086	10.3 oz	6
<b>109 Steel Gray</b>			
XtraColor Grout	83377	10 lb. bag	160
100% Silicone Sealant	166237	10.3 oz	6
Acrylic Colored Caulk	164089	10.3 oz	6
<b>131 Natural Gray</b>			
XtraColor Grout	83378	10 lb. bag	160
100% Silicone Sealant	166240	10.3 oz	6
Acrylic Colored Caulk	164092	10.3 oz	6
<b>110 Charcoal Gray</b>			
XtraColor Grout	83379	10 lb. bag	160
100% Silicone Sealant	166238	10.3 oz	6
Acrylic Colored Caulk	164090	10.3 oz	6
<b>132 Black</b>			
XtraColor Grout	83380	10 lb. bag	160
100% Silicone Sealant	166244	10.3 oz	6
Acrylic Colored Caulk	164096	10.3 oz	6
<b>133 Blue Gray</b>			
XtraColor Grout	83381	10 lb. bag	160
100% Silicone Sealant	166245	10.3 oz	6
Acrylic Colored Caulk	164097	10.3 oz	6
<b>134 Raincloud</b>			
XtraColor Grout	83382	10 lb. bag	160
100% Silicone Sealant	166235	10.3 oz	6
Acrylic Colored Caulk	164087	10.3 oz	6
<b>135 Terracotta</b>			
XtraColor Grout	83383	10 lb. bag	160
100% Silicone	166258	10.3 oz	6
Acrylic Colored Caulk	164111	10.3 oz	6



# UZIN HS 100

## PREMIUM – FLEXIBLE ACRYLIC POLYMER WATERPROOFING MEMBRANE

Flexible ready to use acrylic polymer based waterproofing membrane for tile and stone interior residential and light duty commercial applications.

### Properties:

- Meets ANSI A118.10 and A118.12.
- IAPMO listed for use as a shower pan liner
- Fast drying, roller applied and extremely low odor

Note: See product data sheet for UZIN HS 100 additional product information and detailed application instructions



Item #	Package Size	Qty/Plt	Coverage	Flood Test
83741	1 gal. (3.78 L)	80 pails	45 – 47 sqft/pail	24 hrs
82101	2.5 gal. (9.46 L)	50 pails	113 – 118 sqft/pail	24 hrs



Webpage

# UZIN HS 200

## PREMIUM PLUS – CEMENT BASED WATERPROOFING MEMBRANE

Flexible one-component, cement-based waterproofing membrane for tile and stone applications.

### Properties:

- Meets ANSI A118.10 and A118.12
- IAPMO listed as a shower pan liner
- Interior or exterior applications
- Excellent application consistency

Note: See product data sheet for UZIN HS 200 additional product information and detailed application instructions




Item #	Package Size	Qty/Plt	Coverage	Flood Test
81088	27.5 lbs. (12.47 kg)	54 bags	40 – 45 sqft	48 hrs




Webpage


### Waterproofing Accessories:




UZIN WP SeamTape  
Peel & Stick #85005



UZIN WP Inside Corner  
#85007



UZIN WP Pipe Collar  
#85009




UZIN WP Mixing Valve  
Collar #85010



UZIN WP Drain Collar  
#85575



UZIN WP Outside Corner  
#85008



UZIN WP Seam Tape  
#85006

Please find detailed information on the UZIN Waterproofing Accessories Product Data Sheet.



1 UZIN WP SeamTape Peel & Stick

2 UZIN WP SeamTape

3 UZIN WP Mixing Valve Collar/UZIN WP Pipe Collar

4 UZIN WP Inside Corner

5 UZIN WP Outside Corner

6 UZIN WP Hydrostop/UZIN HS 100/UZIN HS 200

7 UZIN Thinset Mortar

8 UZIN WP Drain Collar

9 Tile



UZIN WP  
HydroStop



Waterproofing  
Accessories

# UZIN WP HYDROSTOP

## PREMIUM PLUS – TILE WATERPROOFING MEMBRANE

Flexible, sheet applied, bonded waterproofing and vapor retarding membrane. Reinforced fabric features a textured, multi-dimensional surface for effective, positive mortar contact and adhesion.

### Properties:

- Thin, flexible waterproof material
- Provides complete mortar contact and substrate adhesion
- Meets ANSI A 118.10 & ASTM E96
- ICC-ES certified/PMG 1450

Note: See product data sheet for UZIN WP HYDROSTOP additional product information and detailed application instructions.

Item #	Unit Size	Shipping Unit	Qty/Plt
85003	3.3' x 98' (1 m x 30 m)	6 each	2 each
85004	3.3' x 33' (1 m x 10 m)	12 each	144 each



UZIN WP  
HydroStop



Waterproofing  
Accessories

# UZIN WP INSIDE & OUTSIDE CORNERS

## PREMIUM PLUS ACCESSORY

Single seamless material that eliminate potential weak points to ensure a fully water-tight seal.


Item #	Unit Size	Shipping Unit
85007	2.3" H x 4.5" (6 cm x 11.3 cm) from corner	12 each
85008	2.3" H x 4.5" (6 cm x 11.3 cm) from corner	12 each

# UZIN WP PIPE COLLAR

## PREMIUM PLUS ACCESSORY

Designed to seal pipe protrusions and protect from water migration during movement at these interfaces.

Item #	Unit Size	Shipping Unit
85009	4.7" x 4.7" (12 cm x 12 cm)	6 each



# UZIN WP DRAIN COLLAR

## PREMIUM PLUS ACCESSORY

Prefabricated floor drain collar designed for precise, effective surface drainage.

Item #	Unit Size	Shipping Unit
85575	17" (43.2 cm) diameter	1 each



# UZIN WP MIXING VALVE COLLAR

## PREMIUM PLUS ACCESSORY

Use with hot/cold mixing valve tap controls or similar size openings. Flexible opening is 1.25" (32 mm) in diameter.

Item #	Unit Size	Shipping Unit
85010	9.8" x 9.8" (24.9 cm x 24.9 cm)	1 each




# UZIN WP SEAM TAPE

## PREMIUM PLUS ACCESSORY

Install with multiple UZIN waterproofing materials.

Item #	Unit Size	Shipping Unit
85006	4.7" x 32.8' (11.9 cm x 10 m)	6 per carton




# UZIN SEAMTAPE PEEL & STICK

## PREMIUM PLUS ACCESSORY

Butyl-based peel and stick adhesive backing that is effective for quick and easy placement in horizontal or vertical applications.

Item #	Unit Size	Shipping Unit
85005	4.7" x 32.8' (11.9 cm x 10 m)	6 per carton





# BALKUSLIM®

OUTDOOR TILE & STONE  
INSTALLATION SYSTEM





## UZIN RR 185

### PREMIUM PLUS – LOOSE LAY UNCOUPLING MEMBRANE

Low-profile, loose-lay uncoupling membrane for tile and stone applications as part of the Balkuslim® System.

#### Properties:

- Provides topical waterproofing as well as vapor transmission
- Thin height profile – surrounding transitions are easily met
- Flat micro-textured surfaced requires no pre-filling
- Isolates tile & stone from substrate

Note: See product data sheet for UZIN RR 185 additional product information and detailed application instructions.



Webpage



Webinar

Item #	Package Size	Qty/Plt	Coverage
9378	6.56' x 82' roll 2 m x 25 m roll	12 rolls	538 sqft/roll


## UZIN BST 150

### PREMIUM PRO ACCESSORY – BUTYL SEALANT TAPE

Butyl sealant tape for UZIN RR 185 seams and flashings.

#### Properties:

- Self-sealing on overlapped joints
- Good flex and stretch
- Resistant to heat and frost
- High bond strength and tear resistance



Webpage



Webinar

Item #	Width	Shipping Unit
16932	6" (150 mm)	4 per carton

## UZIN TR 400

### PREMIUM PRO – RESIN BASED URETHANE THINSET MORTAR

High viscosity, resin-based urethane thinset mortar used for the installation of tile and stone in exterior and interior applications.

#### Properties:

- Use on prepared steel, concrete, or masonry
- Use on properly prepared, stable and well bonded ceramic tile
- Suitable for industry recommended backerboards
- Part of the UZIN BalkuSlim® system

Note: See product data sheet for UZIN TR 400 additional product information and detailed application instructions.



Webpage



Webinar

Item #	Package Size	Qty/Plt	Coverage	Dry Time
168685	1 gal. (3.8 L)	30 pails	10 – 40 sqft/pail	12 hrs

# DECKS WITH DISTINCTION.

## UZIN BALKUSLIM® SYSTEM

UZIN BalkuSlim® is a low profile installation system that includes UZIN RR 185 Loose Lay Uncoupling Membrane and UZIN TR 400 Resin Based Urethane Thinset Mortar. It is an industry solution for thin tile & stone installations on decks and other exterior and challenging interior applications.

Ceramic Tile  
or Stone

UZIN XtraColor  
Grout

UZIN TR 400

UZIN BST 150

UZIN RR 185

Substrate sound,  
flat and 2% incline

## FEATURES

- Low installation height
- Freeze/thaw durable
- Loose lay uncoupling system
- 3D backing profile technology
- Urethane thinset mortar technology
- Fast track system

## BENEFITS

- Reduces weight / increases clearances
- Great in extreme climate conditions
- Eliminates tension from substrate
- Allows for moisture/vapor transmission
- Eliminates efflorescence & latex leaching
- Labor savings, easy to install



# PREMIUM TOOLS & ACCESSORIES

## UZIN FOAM ROLLER 10"

### PREMIUM ACCESSORY

For the application of UZIN dispersion based primers.

Item #	Package Size	Shipping Unit	Color
9194	10/pkg.	1 pkg.	White



Webpage



## UZIN NYLON FIBER ROLLER 10"

### PREMIUM ACCESSORY

For the application of UZIN primers: PE 280, PE 360, PE 414 TURBO, and PE 460.

Item #	Package Size	Shipping Unit	Color
9394	10/pkg.	1 pkg.	White



Webpage



## UZIN ROLLER FRAME 10"

### PREMIUM ACCESSORY

Holds UZIN 10" roller covers.

Item #	Package Size	Shipping Unit	Color
12494	1 each	1 each	Red handle



Webpage



## UZIN EXTENSION POLE

### PREMIUM ACCESSORY

Friction knuckle fit extending 47" to 82" for use with UZIN Roller Frame, Compound Rake, Gauge Rake, Spike Roller and Smoother.

Item #	Package Size	Shipping Unit	Color
12503	1 each	1 each	Green handle



Webpage





## UZIN THREADED INSERT

### PREMIUM ACCESSORY

Threaded pole insert for use with UZIN application tools.



Item #	Package Size	Shipping Unit	Color
67118	1 each	1 each	Black



Webpage

## UZIN DRUM KIT

### PREMIUM ACCESSORY

UZIN Drum Kit Contains: Mixing Drum 15 gal., Gauge Rake, Smoother, Oval Mixing Paddle, Water Buckets 2.4 gal. (2).



Item #	Package Size	Shipping Unit	Weight
59973	1 each	1 each	19 lbs. (8.61 kg)



Webpage

## WOLFF MIXING DRUM CART

### PREMIUM ACCESSORY

Single-handled, 2 wheel steel cart with a heavy duty, 20 gal. (75 liters), HDPE (High Density Polyethylene) plastic drum.



Item #	Package Size	Shipping Unit	Weight
65480	1 each	1 each	32 lbs. (14.51 kg)



Webpage

## UZIN MIXING DRUM

### PREMIUM ACCESSORY

15 gal. HDPE plastic drum for mixing UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Weight
59267	1 each	1 each	12 lbs. (5.44 kg)



Webpage

## UZIN MIXING BUCKET

### PREMIUM ACCESSORY

8 gal. heavy duty plastic bucket with handle grips.



Item #	Package Size	Shipping Unit	Weight
9191	1 each	1 each	4 lbs. (1.81 kg)



Webpage

## UZIN WATER BUCKET

### PREMIUM ACCESSORY

2.4 gal. transparent plastic bucket with printed liter scale for (10 L) measuring the correct water quantity for UZIN powder products.



Item #	Package Size	Shipping Unit	Weight
10412	1 each	1 each	1 lbs. (.45 kg)



Webpage

## UZIN FLAT CAGE MIXING PADDLE

### PREMIUM ACCESSORY

Mixing paddle designed for blending UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Weight
13606	1 each	1 each	2 lbs. (.9 kg)



Webpage

## UZIN OVAL MIXING PADDLE

### PREMIUM ACCESSORY

Mixing paddle designed for blending UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Weight
59597	1 each	1 each	2 lbs. (.9 kg)



Webpage

## UZIN LEVELING COMPOUND RAKE

### PREMIUM ACCESSORY

22" Leveling Compound rake for use with UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Color
52298	1 each	1 each	2 lbs. (.9 kg)
13396	R2 Rake Inserts 10/pkg.	1 pkg.	1 lb. (.45 kg)



Webpage

## UZIN GAUGE RAKE

### PREMIUM ACCESSORY

24" Gauge Rake with for use with UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Weight
59771	1 each	1 each	2 lbs. (.9 kg)



Webpage

## UZIN SPIKE ROLLER

### PREMIUM ACCESSORY

Spike Roller for use with UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Weight
13637 (10")	1 each	1 each	2 lbs. (.9 kg)
13638 (29")	1 each	1 each	5 lbs. (2.25 kg)



Webpage

## UZIN SMOOTHER

### PREMIUM ACCESSORY

22" Smoother for use with UZIN self-leveling compounds.



Item #	Package Size	Shipping Unit	Weight
59361	1 each	1 each	2 lbs. (.9 kg)



Webpage

## UZIN FOAM ROLLER / FRAME

### PREMIUM ACCESSORY

Roller covers/frame designed for the application of UZIN WK 222.



Item #	Package Size	Shipping Unit	Color
61983	10" – 5/pkg.	1 each	Yellow
61984	4" – 10/pkg.	1 each	Yellow
75537	Roller Frame 2" 1/pkg.	1 each	Red




Webpage

## UZIN WET FILM GAUGE

### PREMIUM ACCESSORY

Wet film gauge for measuring the wet mil thickness of UZIN PE 460.



Item #	Package Size	Shipping Unit	Color
78199	1 each	1 each	Silver



Webpage

## UZIN DUO PRESSURE ROLLER

### PREMIUM ACCESSORY

Weighted hand tool for applying surface pressure over resilient coverings laid into UZIN adhesives. Ideal for use with luxury vinyl coverings.



Item #	Package Size	Shipping Unit	Color
73709	1/pkg.	1/pkg.	Green



Webpage

## UZIN RUBBING HAMMER

### PREMIUM ACCESSORY

Ideal stair tool for applying pressure to textile coverings laid into UZIN adhesives.

Item #	Package Size	Shipping Unit	Color
13619	1/pkg.	1/pkg.	Chrome/tan



Webpage

## UZIN CORK RUBBING BOARD

### PREMIUM ACCESSORY

Ideal tool for applying pressure to resilient coverings perimeters and seams laid into UZIN adhesives.

Item #	Package Size	Shipping Unit	Color
60505	1/pkg.	1/pkg.	Tan



Webpage

## UZIN CLEAN BOX

### PREMIUM ACCESSORY – ADHESIVE REMOVER

Cleaning wipes for the gentle removal of wet adhesives (acrylic, urethane, and epoxy) from various surfaces and application tools.

Item #	Package Size	Shipping Unit	Color
38465	72 cloths	6 drums/ctn	Green



Webpage



YOUR FLOOR. OUR PROMISE.

# UZIN OFFERS MORE.

THERE IS MORE TO  
THE BRAND UZIN  
THAN JUST PRODUCT.



MORE PRODUCTS,  
MORE SOLUTIONS

UZIN  
OFFERS MORE

MORE BRANDS,  
MORE EXPERTISE



MORE SERVICES,  
MORE PRODUCTIVITY



MORE SUPPORT,  
MORE PROFITABILITY



MORE INNOVATION,  
MORE OPTIONS

UZIN UTZ®



# UZIN WARRANTY

## MORE PRODUCTS, MORE SOLUTIONS.

The brand UZIN offers one of the most comprehensive product ranges in the industry today. Whether it is our BalkuSlim® system for outdoor patios, products for LVT, Tile & Stone, or other floor coverings, rest assured, we have solutions for your project.

All of our products are backed up by our standard limited 10 year warranty. When product systems are combined on a project they qualify for our industry leading 20 year warranty in an approach we like to call +10 warranty. Lifetime warranties are available for specific project needs and can be discussed with your local UZIN Technical Sales Representative.

We recommend you register your flooring project for our warranty directly on our website at [us.uzin.com/warranty](https://us.uzin.com/warranty).

LIMITED  
10 YEAR



CLASSIC  
+10 YEAR



CLASSIC LIMITED  
LIFETIME






# CONNECT WITH US

PLEASE VISIT [US.UZIN.COM](http://US.UZIN.COM) TO VIEW OUR FULL INTERACTIVE DIGITAL CATALOG OR SCAN QR CODE.



SCAN FOR INTERACTIVE CATALOG



CONNECT WITH US

[US.UZIN.COM](http://US.UZIN.COM)



uzinnorthamerica



UZIN North America



CONNECT WITH US


[US.PALLMANN.NET](http://US.PALLMANN.NET)




pallmannusa



Pallmann USA



SCAN FOR INTERACTIVE CATALOG



CONNECT WITH US

[US.WOLFF-TOOLS.COM](http://US.WOLFF-TOOLS.COM)



wolfftoolsnorthamerica



Wolfftools



SCAN FOR INTERACTIVE CATALOG



**UZIN | A brand of UZIN UTZ Group**

14509 E. 33rd Place, Unit G  
Aurora, CO 80011

T 720.374.4810

F 720.374.2113

[uzin.us@uzin-utz.com](mailto:uzin.us@uzin-utz.com)

[us.uzin.com](http://us.uzin.com)