

# PROVA<sup>®</sup>

CERAMIC & STONE  
INSTALLATION  
ACCESSORIES  
Product Catalog 2020





The information in this catalog is gathered from customers, end users, and our personal experiences. The products have been created to provide you with solutions for today's transition challenges.

We would like to thank you for your patronage and for giving us the opportunity to service you with our innovative and economical tile and stone accessories product line.

- We will provide the best service in the industry by utilizing a team of dedicated Customer Service Specialists.
- Our product will maintain a high degree of consistency and quality to meet the needs of our customers, by manufacturing our product to ISO standards.
- We will incorporate our customers input when making decisions, by using ideas and suggestions brought to us.
- All our business dealings will be handled with integrity, by ensuring customers and suppliers alike know the facts.
- New product innovation will be an integral part of our business strategy, by continually anticipating market trends and designing the accessories demanded by the industry.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

**Toll free:** 1 800 565 6653

**E-mail:** [service@mdteam.com](mailto:service@mdteam.com)

**Website:** [www.provaproducts.com](http://www.provaproducts.com)

# TABLE OF CONTENTS - **PROVA**<sup>®</sup>

## SHOWER SYSTEMS

### PROVA-SHOWER KIT<sup>®</sup>

TT8206__05.....	Pg. 05
TT8209__05.....	Pg. 05
TT8409__05.....	Pg. 05
TT8306__05.....	Pg. 05
TT8309__05.....	Pg. 05
TT8509__05.....	Pg. 05

### PROVA-SHOWER KIT<sup>®</sup>

TT8206__05ES.....	Pg. 05
TT8209__05ES.....	Pg. 05
TT8409__05ES.....	Pg. 05
TT8306__05ES.....	Pg. 05
TT8309__05ES.....	Pg. 05
TT8509__05ES.....	Pg. 05

### PROVA LINEAR SYSTEM<sup>®</sup>

TT8900TNT24.....	Pg. 07
TT8900TNT36.....	Pg. 07
TT8900TNT42.....	Pg. 07
TT8910STS24.....	Pg. 07
TT8910STS36.....	Pg. 07
TT8910STS42.....	Pg. 07
TT8901PAN02.....	Pg. 07
TT8902EXT02.....	Pg. 07
TT8903CTRO4.....	Pg. 07
TT8903END02.....	Pg. 07

## SHOWER COMPONENTS

### PROVA PAN-MULTI<sup>®</sup>

TT8114PAN05.....	Pg. 10
------------------	--------

### PROVA PAN-MULTI EXTENSION KIT<sup>®</sup>

TT8115EXT04.....	Pg. 10
------------------	--------

### PROVA PAN<sup>®</sup>

TT8008PAN04.....	Pg. 11
TT8013PAN02.....	Pg. 11
TT8113PAN02.....	Pg. 11

### PROVA UNIVERSAL EXTENSION KIT<sup>®</sup>

TT8011EXT04.....	Pg. 11
------------------	--------

### PROVA CURB<sup>®</sup>

TT8015CRB48.....	Pg. 11
TT8012CRB60.....	Pg. 11

### PROVA DRAIN<sup>®</sup>

TT8007__03.....	Pg. 12
TT8107__03.....	Pg. 12

### PROVA DRAIN GRATE<sup>®</sup>

TT8014__01.....	Pg. 12
-----------------	--------

## WATERPROOFING

### WATERPROOFING MEMBRANE

#### PROVA-MAT<sup>®</sup>

TT8002RED05R.....	Pg. 14
TT8002RED10R.....	Pg. 14
TT8002RED25R.....	Pg. 14

#### PROVA JOINT<sup>®</sup>

TT8001RED25R.....	Pg. 14
TT8001RED82R.....	Pg. 14

#### PROVA CORNER<sup>®</sup>

TT8003INSCR.....	Pg. 15
TT8003OUTCR.....	Pg. 15

#### PROVA PIPE SEAL<sup>®</sup>

TT8102REDPSB.....	Pg. 15
TT8102REDPS.....	Pg. 15

### WATERPROOFING TILE BACKER

#### PROVA BOARD PLUS<sup>®</sup>

PVBP24X96X20.....	Pg. 16
PVBP36X60X05.....	Pg. 16
PVBP48X96X05.....	Pg. 16
PVBP24X48X12.....	Pg. 16
PVBP36X60X25.....	Pg. 16
PVBP36X60X05B.....	Pg. 16
PVBP48X96X05B.....	Pg. 16

### PROVA BOARD PAN ASSEMBLY KIT<sup>®</sup>

PVB8008ABS.....	Pg. 17
PVB8008PVC.....	Pg. 17
PVB8013ABS.....	Pg. 17
PVB8013PVC.....	Pg. 17

### PROVA NICHE<sup>®</sup>

TT8800NCH16.....	Pg. 18
TT8801NCH24.....	Pg. 18
TT8800NCH33.....	Pg. 18

### PROVA NICHE GLASS SHELF<sup>®</sup>

TT8810GSS12.....	Pg. 18
------------------	--------

### PROVA-SEAL<sup>®</sup>

PBS10FLOZUS (U.S.).....	Pg. 19
PBS10FLOCDN (CDN).....	Pg. 19

### PROVA FASTENERS<sup>®</sup>

TT8019SCR03B.....	Pg. 19
TT8020SCR02B.....	Pg. 19
TT8021WSH01B.....	Pg. 19
TT8022SCR02B.....	Pg. 19
TT8023WSH01B.....	Pg. 19

## TILE UNDERLAYMENT SYSTEMS

### PROVA FLEX-HEAT<sup>®</sup>

TT8006RED05.....	Pg. 21
TT8006RED15.....	Pg. 21
TT8006RED10.....	Pg. 21

### PROVA-FLEX<sup>®</sup>

TT8004RED05.....	Pg. 22
TT8004RED82R.....	Pg. 22

### PROTEGGA PLUS<sup>®</sup>

TT8000RED82R.....	Pg. 22
-------------------	--------

# TABLE OF CONTENTS - **PROVA**TILE EDGE®

## ALUMINUM TILE EDGE

### FLAT TILE EDGE

CM2148 .....	Pg. 25
CM2149 .....	Pg. 25
CM2150 .....	Pg. 25
CM2151 .....	Pg. 25
CM2152 .....	Pg. 25
CM2154 .....	Pg. 25
CM2155 .....	Pg. 25

### ROUND TILE EDGE

CM2249 .....	Pg. 25
CM2250 .....	Pg. 25
CM2251 .....	Pg. 25
CM2252 .....	Pg. 25

### ROUND OUTSIDE CORNER

CM5008__OC .....	Pg. 26
CM5110__OC .....	Pg. 26
CM5212__OC .....	Pg. 26
ET5008__OC .....	Pg. 26
ET5110__OC .....	Pg. 26
ET5212__OC .....	Pg. 26

### ROUND INSIDE CORNER

CM5008__IC .....	Pg. 26
CM5110__IC .....	Pg. 26
CM5212__IC .....	Pg. 26
ET5008__IC .....	Pg. 26
ET5110__IC .....	Pg. 26
ET5212__IC .....	Pg. 26

### SQUARE TILE EDGE

CM2350 .....	Pg. 27
CM2351 .....	Pg. 27
CM2352 .....	Pg. 27

### SQUARE CORNER

CM2350__CR .....	Pg. 27
CM2351__CR .....	Pg. 27
CM2352__CR .....	Pg. 27
ET2350__CR .....	Pg. 27
ET2351__CR .....	Pg. 27
ET2352__CR .....	Pg. 27

### CERAMIC COVE

CM2450 .....	Pg. 28
CM2451 .....	Pg. 28
CM2452 .....	Pg. 28

### CERAMIC COVE CORNER

CM2400__OCR .....	Pg. 28
CM2400__ICR .....	Pg. 28
ET2400__OCR .....	Pg. 28
ET2400__ICR .....	Pg. 28

### J MOLDING

CM2130 .....	Pg. 29
CM2135 .....	Pg. 29
CM2136 .....	Pg. 29

### CERAMIC ADAPTER

CM2160 .....	Pg. 29
CM2161 .....	Pg. 29
CM2162 .....	Pg. 29

### CERAMIC REDUCER

CM2170 .....	Pg. 30
CM2171 .....	Pg. 30
CM2172 .....	Pg. 30

### CERAMIC TILE STAIR NOSING

CM4050 .....	Pg. 30
CM4051 .....	Pg. 30
CM4052 .....	Pg. 30
CM4251 .....	Pg. 30

### DECORATIVE TILE STAIR NOSING

CM4551 .....	Pg. 31
CM4552 .....	Pg. 31

### DUAL PURPOSE DECORATIVE EDGING

CM4151 .....	Pg. 31
--------------	--------

### COUNTER TOP / STAIR NOSING

CM4152 .....	Pg. 32
CM4153 .....	Pg. 32

### COUNTER TOP CORNER

CM4152__OCR .....	Pg. 32
CM4153__OCR .....	Pg. 32
CM4152__ICR .....	Pg. 32
CM4153__ICR .....	Pg. 32

### EXPANSION JOINT

CM1156 .....	Pg. 33
CM1159 .....	Pg. 33

### JOINT REDUCER

CM1158 .....	Pg. 33
CM1160 .....	Pg. 33

### ANTI SKID STAIR NOSING

CM4071 .....	Pg. 34
CM4072 .....	Pg. 34
CM4071V .....	Pg. 34
CM4072V .....	Pg. 34

### CERAMIC EDGE PROTECTION RAMP

CM2551 .....	Pg. 34
CM2552 .....	Pg. 34

### HEAVY DUTY EXPANSION JOINT

CM3051 .....	Pg. 34
CM3051V .....	Pg. 34
CM3052 .....	Pg. 34

## STAINLESS STEEL TILE EDGE

### FLAT TILE EDGE

CM2141STS08 .....	Pg. 35
CM2142STS08 .....	Pg. 35

### ROUND TILE EDGE

CM2241STS08 .....	Pg. 35
CM2242STS08 .....	Pg. 35

### ROUND CORNERS

CM2241STSOCR .....	Pg. 36
CM2242STSOCR .....	Pg. 36
CM2241STSICR .....	Pg. 36
CM2242STSICR .....	Pg. 36
ET2241STSOCR .....	Pg. 36
ET2242STSOCR .....	Pg. 36
ET2241STSICR .....	Pg. 36
ET2242STSICR .....	Pg. 36

### SQUARE TILE EDGE

CM2341STS08 .....	Pg. 37
CM2342STS08 .....	Pg. 37

### SQUARE CORNERS

CM2341STSOCR .....	Pg. 37
CM2342STSOCR .....	Pg. 37
CM2341STSICR .....	Pg. 37
CM2342STSICR .....	Pg. 37
ET2341STSOCR .....	Pg. 37
ET2342STSOCR .....	Pg. 37
ET2341STSICR .....	Pg. 37
ET2342STSICR .....	Pg. 37

## PVC TILE EDGE

### VINYL TILE EDGE

CT1034 .....	Pg. 38
CT1036 .....	Pg. 38
CT1039 .....	Pg. 38
CT1085 .....	Pg. 38

### VINYL J CAP

CT1024 .....	Pg. 38
CT1025 .....	Pg. 38
CT1026 .....	Pg. 38

### HEAVY DUTY VINYL EDGE - FLAT

CT1076 .....	Pg. 39
CT1078 .....	Pg. 39
CT1080 .....	Pg. 39

### HEAVY DUTY VINYL EDGE - ROUND

CT1058 .....	Pg. 39
CT1060 .....	Pg. 39

### SURFACE EXPANSION JOINT

CM3071 .....	Pg. 39
CM3072 .....	Pg. 39

### FINISHES & WARRANTIES .....






# SHOWER SYSTEMS

Welcome to the world of PROVA®! The ultimate waterproofing system features all of the components required to build a fully bonded water tight assembly for maintenance-free tiled showers. Our line of PROVA® products protect floor, wall and ceiling cavities against water and vapor penetration and prevent mold and mildew build-up over years of use. The pre-fabricated sloped pan for shower bases eliminates the need for a mortar bed and reduces the overall weight and installation time.

Step into an unfinished bathroom with PROVA® and watch how this revolutionary line of products transforms the installation process. The design possibilities are limited only by the imagination!





# PROVA-SHOWER®

## A COMPLETE, EASY TO INSTALL, WATERPROOFING SYSTEM FOR MAINTENANCE-FREE TILED SHOWERS

- All the components required to build a fully bonded water-tight assembly for tiled showers.
- No waiting time between steps; tiles can be installed immediately.
- Protects wall cavities against water and vapor penetration
- Prefabricated sloped pan replaces the need for a mortar base.

Part Numbers 	Part Numbers 	Description	Size	Drain Material	Grate Finishes				
					STS	CRM	BRZ	BRS	GRH
TT8206__05	TT8206__05ES	PROVA-SHOWER SYSTEM KIT 48"x 48" CENTER INCLUDING CURB (ABS)	48"x 48" (120cm x 120cm)	ABS	•	•	•	•	•
TT8209__05	TT8209__05ES	PROVA-SHOWER SYSTEM KIT 32"x 60" OFF SET INCLUDING CURB (ABS)	32"x 60" (81cm x 152cm)	ABS	•	•	•	•	•
TT8409__05	TT8409__05ES	PROVA-SHOWER SYSTEM KIT 32"x 60" CENTRE DRAIN INCLUDING CURB (ABS)	32"x 60" (81cm x 152cm)	ABS	•	•	•	•	•
TT8306__05	TT8306__05ES	PROVA-SHOWER SYSTEM KIT 48"x48" CENTER INCLUDING CURB (PVC)	48"x 48" (120cm x 120cm)	PVC	•	•	•	•	•
TT8309__05	TT8309__05ES	PROVA-SHOWER SYSTEM KIT 32"x 60" OFF SET INCLUDING CURB (PVC)	32"x 60" (81cm x 152cm)	PVC	•	•	•	•	•
TT8509__05	TT8509__05ES	PROVA-SHOWER SYSTEM KIT 32"x 60" CENTRE DRAIN INCLUDING CURB (PVC)	32"x 60" (81cm x 152cm)	PVC	•	•	•	•	•

# EACH PROVA-SHOWER® KIT INCLUDES:



Label in diagram	Description	Specs	Qty
A	PROVA PAN®	48" x 48" (120cm x 120cm) / 32" x 60" (81cm x 152cm)	1 pc
B	PROVA-MAT®	135sq.ft (12.5 sq. m) - 48" x 48" (120cm x 120cm) shower kit 108sq.ft (10.03 sq. m) - 32" x 60" (81cm x 152cm) shower kits	1 roll in 48"x48" shower kit 1 roll in 32"x60" shower kits
C	PROVA-MAT PAN LINER®	48" x 48" (120cm x 120cm) / 32" x 60" (81cm x 152cm)	1 pc
D	PROVA DRAIN®	ABS or PVC	1 pc
E	PROVA DRAIN GRATE®	CHROME(STANDARD)/ BLACK/STAINLESS STEEL/BRONZE/BRASS	1 pc
F	PROVA CORNER®	4-1/2" x 2-1/4" x 3-1/2" (11.43cm x 5.72cm x 8.89cm)	4 pcs - Inside Corners 2 pcs - Outside Corners
G	PROVA JOINT®	41 ft. (12.5m)	1 pc
H	PROVA PIPE SEAL®	4-3/4" x 4-3/4" x 7/16" (12.07cm x 12.07cm x 1.11cm) DIAMETER FOR PIPE OPENING	1 pc
I	PROVA CURB®	4-1/2" x 4" x 48" (11.3cm x 10.2cm x 120cm)	2 pcs in 32"x60" shower kits 1 pc in 48"x48" shower kit

# PROVA LINEAR®

The PROVA LINEAR® system for tiled showers features a unique modular pan and extension structure that allows for complete versatility when building out any desired shower base size and drain placements.

- Drain body coated with PROVA-BOND™ surface treatment technology for ultimate mortar adhesion.
- Pre-bonded PROVA-MAT® membrane on drain flange provides quick and easy waterproofing.
- Tile-in-top inclusion allows for a finished tiled shower floor aesthetic without disrupting drainage.
- Available in 3 popular sizes: 24", 36" and 42" (rough-in dimensions: 26", 38" and 44").
- System can be used with either PROVA BOARD PLUS® waterproofing tile backer or PROVA-MAT® waterproofing membrane on shower walls.


Part Number	Description	Inclusions
 <a href="#">TT8900TNT24</a>	24" PROVA LINEAR DRAIN KIT - TILE IN TOP	Drain body with bonded PROVA-MAT membrane, Tile-In-Top, Hair Catcher, Tile Spacer
<a href="#">TT8900TNT36</a>	36" PROVA LINEAR DRAIN KIT - TILE IN TOP	
<a href="#">TT8900TNT42</a>	42" PROVA LINEAR DRAIN KIT - TILE IN TOP	
 <a href="#">TT8910STS24</a>	24" PROVA LINEAR DRAIN GRATE - STAINLESS STEEL	Stainless Steel grate, Height Adapting Clips
<a href="#">TT8910STS36</a>	36" PROVA LINEAR DRAIN GRATE - STAINLESS STEEL	
<a href="#">TT8910STS42</a>	42" PROVA LINEAR DRAIN GRATE - STAINLESS STEEL	
 <a href="#">TT8901PAN02</a>	PROVA LINEAR PAN	2 pcs PROVA LINEAR PAN, 2 pcs Side Supports, 2 pcs Filler Strips
 <a href="#">TT8902EXT02</a>	PROVA LINEAR PAN EXTENSION	2 pcs PROVA LINEAR PAN EXTENSION
 <a href="#">TT8903CTR04</a>	PROVA LINEAR PAN KIT - CENTER DRAIN	4 pcs PROVA LINEAR PAN, 2 pcs Side Supports
 <a href="#">TT8903END02</a>	PROVA LINEAR PAN KIT - END DRAIN	2 pcs PROVA LINEAR PAN, 2 pcs Side Supports, 2 pcs Filler Strips, 2 pcs PROVA LINEAR PAN EXTENSION




- 1 PROVA LINEAR PAN®
  - 2 PROVA LINEAR PAN EXTENSION®
  - 3 SIDE SUPPORTS
  - 4 TILE-IN-TOP (TILES NOT INCLUDED)
  - 5 FILLER STRIP
  - 6 HAIR CATCHER
  - 7 DRAIN BODY WITH PROVA-MAT® MEMBRANE
  - 8 PROVA-MAT® (NOT INCLUDED)
- STAINLESS STEEL GRATE (OPTIONAL)

DESIGN POSSIBILITIES ARE ENDLESS WITH THE **PROVA LINEAR**® MODULAR PAN & EXTENSION STRUCTURE:

END DRAIN 4' X 4'




END DRAIN WITH PROVA LINEAR PAN EXTENSION® KIT - 4' X 6'




AND MANY MORE!

CENTER DRAIN 4' X 4'



CENTER DRAIN WITH PROVA LINEAR PAN EXTENSION® KIT - 4' X 8'






# SHOWER COMPONENTS



# PROVA PAN-MULTI®




One pan solution for curbed or curbless shower installations. Pre-fabricated sloped pan with an outside thickness of 7/8" is perforated into sections for easy install and replaces the need for a mortar base.

**PROVA-MAT PAN LINER® included, PROVA DRAIN® sold separately.**

Part Numbers	Size	Style	Pack Size
TT8114PAN05	60"x 60" (152cm x 152cm)	Center Drain	1 pc


# PROVA PAN-MULTI EXTENSION KIT®



To be used in conjunction with PROVA PAN-MULTI® to create large square or rectangular shower bases. One kit can extend a shower base up to 84" (213cm) x 84" (213cm) or any size in between.

Part Numbers	Size	Pack Size
TT8115EXT04	48" x 12" (122m x 30.5cm)	8 pcs per box

# PROVA PAN®




Prefabricated sloped pan replaces the need for a mortar base. Has an outside thickness of 1-5/8".

**PROVA-MAT PAN LINER® included, PROVA DRAIN® sold separately.**

Part Numbers	Size	Style	Pack Size
TT8008PAN04	48" x 48" (120cm x 120cm)	Center Drain	1 pc
TT8013PAN02	32" x 60" (81cm x 152cm)	Off Set Drain 10" O.C.	1 pc
TT8113PAN02	32" x 60" (81cm x 152cm)	Center Drain	1 pc


# PROVA UNIVERSAL EXTENSION KIT®



Extends 48" x 48" and 32" x 60" PROVA PAN® bases to any desired size. Size possibilities are endless when using multiple kits.

Part Number	Size	Pack Size
TT8011EXT04	12" x 36" (30.48cm x 91.44cm)	4 pcs/box

# PROVA CURB®



PROVA CURB® is a prefabricated shower curb comprised of light weight expanded polystyrene.

Part Number	Size	Pack Size
TT8015CRB48	4-1/2"x 4"x 48" (11.4cm x 10.2cm x 121.9cm)	1 pc
TT8012CRB60	4-1/2"x 4"x 60" (11.4cm x 10.2cm x 152.4cm)	1 pc

# PROVA DRAIN®

PROVA DRAIN® for tiled showers is an easy to use drain system that can be chosen in any combination required to quickly finish a fully waterproofed and maintenance-free shower.

Available in ABS or PVC.

# PROVA-BOND™ Surface Treatment

PROVA-BOND® is proven to provide better adhesion between drain, mortar and pan. This spray membrane technology is waterproof and creates a strong, reliable bond. Not only does PROVA-BOND™ provide superior adhesion with the surrounding materials, but the entire top surface is coated. Coating the entire surface, ensures complete bonding.





Part Numbers	Material	Pack Size
TT8007__03	ABS	1 pc
TT8107__03	PVC	1 pc

# PROVA DRAINGRATE®



Available in: Stainless Steel (Standard), Chrome, Black, Bronze, Brass and Graphite.

Part Number	Pack Size	Finish					
		STS	CRM	BLK	BRS	BRZ	GRH
TT8014__01	1 pc	.	.	.	.	.	.



# WATERPROOFING



# WATERPROOFING MEMBRANE

## PROVA-MAT®



PROVA-MAT® is a thin polypropylene waterproofing membrane designed to be applied with Polymer Modified Thin Set Mortar under ceramic or stone tile to most common substrates. Unlike liquid applied waterproofing products, tile can be installed immediately onto the PROVA-MAT®. The PROVA-MAT® also provides a vapor barrier ideal for steam room and sauna applications.

- FAST SEALING: No wait time before tiling
- FLEXIBLE: Crack bridging - decoupling
- PROTECTS: Against mold and mildew

Use as a waterproofing membrane in wet areas such as: Showers, Laundry Room, Bathrooms, Countertops, Steam Rooms, Saunas.

\*17 mil (0.43mm) thick membrane

**\*ICC certified**



Part Numbers	Size	Pack Size
<a href="#">TT8002RED05R</a>	16' x 3.28' (5m x 1m)	1 roll
<a href="#">TT8002RED10R</a>	33' x 3.28' (10m x 1m)	1 roll
<a href="#">TT8002RED25R</a>	82' x 3.28' (25m x 1m)	1 roll

## PROVA JOINT®



Waterproofing Joint seals seams and transitions and does not support mold growth.

Part Numbers	Size	Pack Size
<a href="#">TT8001RED25R</a>	25' x 5" (7.62m x 12.7cm)	1 roll
<a href="#">TT8001RED82R</a>	82' x 5" (25m x 12.7cm)	1 roll

## PROVA CORNER®



Preformed outside/inside corners made from PROVA-MAT® to be used for a shower base installation.

Part Numbers	Size	Pack Size
TT8003INSCR	4-1/2" x 2-1/4" x 3-1/2" (11.43cm x 5.72cm x 8.89cm)	4 pk
TT8003OUTCR	4-1/2" x 2-1/4" x 3-1/2" (11.43cm x 5.72cm x 8.89cm)	4 pk

## PROVA PIPE SEAL®



Prefabricated seal made of cut sections of PROVA-MAT® with a flexible collar designed to seal pipe protrusions.


Part Numbers	Size	Pack Size
TT8102REDPSB	4-3/4" x 4-3/4" (12.07cm x 12.07cm) 7/16" (1.11cm) opening	10 pcs
TT8102REDPS	4-3/4" x 4-3/4" (12.07cm x 12.07cm) 7/16" (1.11cm) opening	1 pc

# WATERPROOFING TILE BACKER

## PROVA BOARD® PLUS+



PROVA BOARD PLUS® is a lightweight tile backer that is quick and easy to install over wood stud framing. The 100% waterproof XPS core prevents mold growth and is resistant to vapor pressure. Use PROVA BOARD PLUS® with necessary accessories (Washers, Screws and PROVA-SEAL™) to guarantee a watertight installation on walls, countertops, showers and tub surrounds.



Part Numbers	Size	Pack Size
PVBP24X96X20	24" x 96" x 2" (61cm x 244cm x 5cm)	5 pcs/box
PVBP36X60X05	36" x 60" x 1/2" (91cm x 152cm x 12.5mm)	5 pcs/box
PVBP48X96X05	48" x 96" x 1/2" (120cm x 244cm x 12.5mm)	5 pcs/box
PVBP24X48X12	24" X 48" X 1/8" (61cm x 122cm x 3.2mm)	10 pcs/box
PVBP36X60X25	36" X 60" X 1/4" (91.4cm x 152.2cm x 6.4mm)	10 pcs/box
PVBP36X60X05B	36" x 60" x 1/2" (91cm x 152cm x 12.5mm) - BULK	76 pcs/pallet
PVBP48X96X05B	48" x 96" x 1/2" (120cm x 244cm x 12.5mm) - BULK	76 pcs/pallet

# PROVA BOARD PAN ASSEMBLY KIT®



PROVA BOARD PAN ASSEMBLY KIT® offers all the components required to build a watertight shower pan assembly with PROVA-BOARD® PLUS\* tile backer. With drains available in ABS & PVC, this kit is perfect for new construction or projects where existing drywall or cement board needs to be replaced. Skip the two-step process of waterproofing membrane over cement board/drywall when using PROVA BOARD PAN ASSEMBLY KIT®. Save time, money, and rest assured your shower assembly will last for years to come!

Part Number	Description	Pack Size
<a href="#">PVBP8008ABS</a>	PROVA BOARD PAN ASSEMBLY KIT - 48" X 48" - ABS	1
<a href="#">PVBP8008PVC</a>	PROVA BOARD PAN ASSEMBLY KIT - 48" X 48" - PVC	1
<a href="#">PVBP8013ABS</a>	PROVA BOARD PAN ASSEMBLY KIT - 32" X 60" - ABS	1
<a href="#">PVBP8013PVC</a>	PROVA BOARD PAN ASSEMBLY KIT - 32" X 60" - PVC	1

## EACH PROVA BOARD PAN ASSEMBLY KIT® KIT INCLUDES:

Description	Specs	Qty
PROVA PAN®	48" x 48" (120cm x 120cm) / 32" x 60" (81cm x 152cm) Off Set	1 pc
PROVA-MAT PAN LINER®	48" x 48" (120cm x 120cm) / 32" x 60" (81cm x 152cm)	1 pc
PROVA DRAIN®	ABS or PVC	1 pc
PROVA FASTENERS®	1-5/8" (4.1cm) Screw / 1-1/4" (6mm x 3.2cm) Washer	140 Screws/Washers
PROVA-SEAL™	9.5oz (280ml)	7 tubes

\* PROVA BOARD® Plus tile backer sold separately

# PROVA NICHE®



PROVA NICHE® is a pre-fabricated niche made of PROVA BOARD PLUS® and can be used with PROVA-MAT® and PROVA BOARD PLUS® when installing a tiled shower. PROVA NICHE® is a useful and stylish accessory that can be used to hold shampoo bottles, soap and other necessities while saving floor space in a tiled shower.

The 24" x 16" and 33" x 16" niches now include adjustable safety glass shelves for ultimate design flexibility and flare.

Part Numbers	Size	Pack Size
TT8800NCH16	16"x16"(40.5cm x 40.5cm)	1 pc
TT8801NCH24	24"x16"(61cm x 40.5cm)	1 pc
TT8800NCH33	33"x16"(83.8cm x 40.5cm)	1 pc

# PROVA NICHE GLASS SHELF®



Adjustable safety glass shelves for ultimate design flexibility and flare.

- Easy to install & customize - position and trim shelves as desired.
- Stylish - complements the interior décor of ANY bathroom.
- Convenient and versatile - add shelves to an existing PROVA NICHE® kit or build your own NICHE with PROVA BOARD® PLUS. Glass shelves can be trimmed to suit your needs.

Part Numbers	Size	Pack Size
TT8810GSS12	11-13/16" x 3-3/8" x 3/8" (30 cm x 8.6 cm x 9.5 mm)	5 pcs

# PROVA-SEAL™



PROVA-SEAL™ Sealing and Bonding Compound is a single component, waterproof sealing and bonding compound that is a premium hybrid silicone sealant. PROVA-SEAL™ can be used to waterproof pipe and valve protrusions in the PROVA-SHOWER® system and for use with PROVA BOARD PLUS® and PROVA-MAT®. PROVA-SEAL™ is required to bond and seal the components of the PROVA-SHOWER® system. Once cured, PROVA-SEAL™ provides a watertight, flexible seal. The cured product will not crack, crumble or shrink and adheres to most common construction materials. Once applied, PROVA-SEAL™ can be painted in 30 minutes and exposed to water in 1 hour.

Part Numbers	Size	Pack Size
PBS10FLOZUS 	9.5 oz liq (280ml)	12 tubes/ctn
PBS10FLOCDN 	9.5 oz liq (280ml)	12 tubes/ctn

# PROVA FASTENERS®




PROVA BOARD PLUS® screws and washers must be used together for a safe, simple and durable PROVA BOARD PLUS® panel installation. They are to be used to fasten PROVA BOARD PLUS® panels to wood stud framing and other substrates suitable for screw connections.

[Screws and washers sold separately.](#)

Part Numbers	Description	Pack Size
TT8019SCR03B	PROVA BOARD PLUS® 3" SCREWS - 200/unit To be used for installation of the 2" thick PROVA BOARD PLUS® (PVBP24X96X2)	1 ctn
TT8020SCR02B	PROVA BOARD PLUS® 1-5/8" SCREWS - 200/unit To be used for installation of the 1/2" thick PROVA BOARD PLUS® (PVBP36X60X05 & PVBP48X96X05)	1 ctn
TT8021WSH01B	PROVA BOARD PLUS® 1-1/4" WASHERS - 100/unit To be used in conjunction with either size screw for all PROVA BOARD PLUS® installations	1 ctn
TT8022SCR02B	PROVA BOARD PLUS® 1-5/8" SCREWS - 1000/unit To be used for installation of the 1/2" thick PROVA BOARD PLUS® (PVBP36X60X05 & PVBP48X96X05)	1 ctn
TT8023WSH01B	PROVA BOARD PLUS® 1-1/4" WASHERS - 1000/unit To be used in conjunction with either size screw for all PROVA BOARD PLUS® installations	1 ctn

# TILE UNDERLAYMENT SYSTEMS



# PROVA FLEX-HEAT+®

The ultimate versatility in tile underlayment 



PROVA FLEX-HEAT® is the latest and most multi-functional tile underlayment available today. Featuring a deep groove design suitable for multiple thicknesses of heating cables. The exclusive Vapor Management System and **Shear Stress Control®** system provides unsurpassed quality in anti-fracture and uncoupling that is designed to outperform the competition. Step onto a finished tiled floor and rest assured that the warmth and durability of the tile installation will last for years to come.

### VERSATILE HEATING CABLE COMPATIBILITY:

Can be used with multiple wire sizes of up to 0.2" (5mm) thick.

### ACHIEVE 3" (7.6 CM) CABLE SPACING:



Provides most efficient heat distribution as per wire manufacturer specifications.

### 0.24" (6MM) THICK MEMBRANE:

Can be used without heating cables for matching up to higher floors to achieve a level transition.

### VAPOR MANAGEMENT SYSTEM:

Open air channels beneath the fleece layer provides a path for moisture to dissipate. Well suited for below-grade installations.




Part Number	Size	Pack Size	Pallet
TT8006RED05	3.28' x 16' - 52.48sq.ft (1m x 5m - 5sq.m)	1 roll	16 rolls
TT8006RED15	3.28' x 49.21' - 161sq.ft (1m x 15m - 15sq.m)	1 roll	9 rolls
TT8006RED10	37.25" x 38.63" - 10sq.ft (0.94m x 1m - 0.94 sq.m)	10 pcs/box	25 boxes

# PROVA-FLEX®



PROVA-FLEX® is a durable, lightweight tile underlayment that provides crack isolation protection to the substrate and an easy-to-install, labor saving alternative to backer board on wood substrates. The PROVA-FLEX® unique design features an impermeable polypropylene sheet formed with a regular pattern of hollow studs to hold thinset mortar, sandwiched between a woven polypropylene netting on top and a polypropylene non-woven anchoring fabric that is laminated to the bottom with a polyolefin based adhesive (*Shear Stress Control*®). The top netting ensures a superior mechanical bond with the cured thinset holding the tile to the PROVA-FLEX®, while the bottom fabric neutralizes stress caused by multi-directional lateral substrate movement thereby protecting the tiled surface.




Part Number	Size	Pack Size	Pallet
TT8004RED05	3.28' x 16' - 52.48sq.ft (1m x 5m - 5sq.m)	1 roll	25 rolls
TT8004RED82R	3.28' x 82' - 269sq.ft (1m x 25m - 25sq.m)	1 roll	9 rolls

# PROTEGGA®

TILE UNDERLAY *PLUS+*



PROTEGGA® Plus is a durable, lightweight tile underlayment that provides crack isolation protection to the substrate and an easy-to-install, labour saving alternative to backer board on wood substrates. The PROTEGGA® Plus unique design features an impermeable polypropylene sheet formed with a consistent pattern of cavities to hold thin set mortar and a polypropylene non-woven anchoring fleece fabric that is laminated to the bottom with a polyolefin based adhesive (**Shear Stress Control®**). The bottom fleece neutralizes stress caused by multi-directional lateral substrate movement thereby protecting the tiled surface. **Exclusive for Canada.**



Part Number	Size	Pack Size	Pallet
TT8000RED82R	3.28' x 82' - 269sq.ft (1m x 25m - 25sq.m)	1 roll	9 rolls

# PROVA TILE EDGE®

## TILE TRIM, NOSING & PROFILES





PROVA TILE EDGE® by M-D PRO provides a precise selection of the most popular profiles and finishes for both commercial and residential building projects. These profiles and finishes are among the most widely used and selected by installers, designers and architects in the industry.

With over 60 years of manufacturing aluminum and vinyl extrusions in North America, M-D PRO and the PROVA TILE EDGE® series are able to cover a broad spectrum of installation challenges with high quality, industry-approved products. The vast array of finishes and quick solutions provide assurance that no matter what the scope of the job, it will always be finished off just right with PROVA TILE EDGE®



# ALUMINUM TILE EDGE

## FLAT TILE EDGE



Flat Tile Edge for use with tile. Pre-punched for easy setting into adhesive. Protects tile from damage while providing a finished butting edge for other flooring materials.

LENGTH: 8 FT, 12 FT | PACK SIZE: 25 PCS


Profile Numbers (8 FT)	Height (H)	Aluminum Finishes											
		BBR	BCL	MIL	SAB	SBK	SCA	SCP	SDB	SGA	STI	WHT	
* ADA CM2148	3/16"(4.5mm)			•									
* ADA CM2149	1/4"(6.5mm)		•	•	•	•	•	•	•	•	•	•	•
CM2150	5/16"(8mm)	•	•	•	•	•	•	•	•	•	•	•	•
CM2151	3/8"(10mm)	•	•	•	•	•	•	•	•	•	•	•	•
CM2152	1/2"(12.5mm)	•	•	•	•	•	•	•	•	•	•	•	•
CM2154	5/8"(16mm)		•	•		•	•	•		•		•	
CM2155	3/4"(19mm)		•	•		•	•	•		•		•	

Profile Numbers (12 FT)	Height (H)	Aluminum Finishes				
		BCL	SBK	SCA	STI	WHT
CM2150	5/16"(8mm)	•	•	•	•	•
CM2151	3/8"(10mm)	•	•	•	•	•
CM2152	1/2"(12.5mm)	•	•	•	•	•


## CONTOUR FLEXMAX (Available in 8 ft only)

All of our Flat Edge can be ordered in a contour (flex) style. The setting flange is punched to allow trim to be molded and shaped around curved floor applications up to 2' radius.

Available for: CM2148 \ CM2149 \ CM2150 \ CM2151 \ CM2152 \ CM2154 \ CM2155



## ROUND TILE EDGE




Round Tile Edge is pre-punched for easy setting into adhesive. It protects edge of tile from chipping, provides a 90° corner, and can be used with inside and/or outside corners.

LENGTH: 8 FT | PACK SIZE: 25 PCS

Profile Numbers	Height (H)	Aluminum Finishes										
		BBR	BCL	MIL	SAB	SBK	SCA	SCP	SDB	SGA	STI	WHT
* ADA CM2249	1/4"(6.5mm)	•	•	•	•		•			•	•	
CM2250	5/16"(8mm)	•	•	•	•	•	•	•	•	•	•	•
CM2251	3/8"(10mm)	•	•	•	•	•	•	•	•	•	•	•
CM2252	1/2"(12.5mm)	•	•	•	•	•	•	•	•	•	•	•

\* ADA Denotes ADA Compliant Profiles

## ROUND OUTSIDE CORNER




Ceramic Corner for use with Ceramic or Stone tile for a finished look and protective corner.

PACK SIZE: 10 PCS

Profile Numbers	Height (H)	Application	Packaging Style	Aluminum Finishes		
				SAB	SCA	STI
CM5008__OC	5/16"(8mm)	Outside	Bulk	•	•	•
CM5110__OC	3/8"(10mm)	Outside	Bulk	•	•	•
CM5212__OC	1/2"(12.5mm)	Outside	Bulk	•	•	•
ET5008__OC	5/16"(8mm)	Outside	Packaged	•	•	•
ET5110__OC	3/8"(10mm)	Outside	Packaged	•	•	•
ET5212__OC	1/2"(12.5mm)	Outside	Packaged	•	•	•

## ROUND INSIDE CORNER



Ceramic Corner for use with Ceramic or Stone tile for a finished look and protective corner.

PACK SIZE: 10 PCS


Profile Numbers	Height (H)	Application	Packaging Style	Aluminum Finishes		
				SAB	SCA	STI
CM5008__IC	5/16"(8mm)	Inside	Bulk	•	•	•
CM5110__IC	3/8"(10mm)	Inside	Bulk	•	•	•
CM5212__IC	1/2"(12.5mm)	Inside	Bulk	•	•	•
ET5008__IC	5/16"(8mm)	Inside	Packaged	•	•	•
ET5110__IC	3/8"(10mm)	Inside	Packaged	•	•	•
ET5212__IC	1/2"(12.5mm)	Inside	Packaged	•	•	•

### PACKAGED

All Ceramic Corners are now available in merchandisable packaging when you order the "Packaged" option under the "ET" part number.



## SQUARE TILE EDGE




Square Tile Edge can be used to finish and protect the outer edge of tiled walls, floors, and backsplashes. This profile can also be used as an accent with a feature strip or listello border and provides a sleek, contemporary look with clean lines formed by the square edge.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Numbers	Height (H)	Aluminum Finishes				
		BCL	SAB	SCA	STI	WHT
CM2350	5/16"(8mm)	•	•	•	•	
CM2351	3/8"(10mm)	•	•	•	•	•
CM2352	1/2"(12.5mm)	•		•	•	•

## SQUARE CORNER



This dual purpose corner can be used for inside and outside corner applications with our Square Tile Edge profile. The Square corner provides a clean, finished look while also protecting the outside or inside corner edges of the exposed tile.

PACK SIZE: 10 PCS



Profile Numbers	Height (H)	Application	Packaging Style	Aluminum Finishes			
				BCL	SAB	SCA	STI
CM2350__CR	5/16"(8mm)	Dual Purpose	Bulk	•	•	•	•
CM2351__CR	3/8"(10mm)	Dual Purpose	Bulk	•	•	•	•
CM2352__CR	1/2"(12.5mm)	Dual Purpose	Bulk	•		•	•
ET2350__CR	5/16"(8mm)	Dual Purpose	Packaged	•	•	•	•
ET2351__CR	3/8"(10mm)	Dual Purpose	Packaged	•	•	•	•
ET2352__CR	1/2"(12.5mm)	Dual Purpose	Packaged	•		•	•

### PACKAGED

All Ceramic Corners are now available in merchandisable packaging when you order the "Packaged" option under the "ET" part number.



## CERAMIC COVE



The Ceramic Cove profile is designed for sanitary base applications as it prevents dirt build-up with its wide-faced cove. It is typically used for floor-to-wall and/or countertop-to-backsplash transitions in commercial kitchens, washrooms and any other tiled environment where sanitation is necessary.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Aluminum Finishes		
		BCL	SCA	STI
CM2450	H=5/16"(8mm), R=3/8"(10mm)	•	•	•
CM2451	H=3/8"(10mm), R=3/8"(10mm)	•	•	•
CM2452	H=1/2"(12.5mm), R=3/8"(10mm)	•	•	•

## CERAMIC COVE CORNER



The one size fits all inside and outside corner accessory pieces provide a finished corner edge at a 90° angle while also inhibiting the collection of dirt build up with their matching cove shape.

PACK SIZE: 10 PCS



Profile Numbers	Size	Application	Packaging Style	Aluminum Finishes		
				BCL	SCA	STI
CM2400__OCR	one size	Outside	Bulk	•	•	•
CM2400__ICR	one size	Inside	Bulk	•	•	•
ET2400__OCR	one size	Outside	Packaged	•	•	•
ET2400__ICR	one size	Inside	Packaged	•	•	•

### PACKAGED

All Ceramic Corners are now available in merchandisable packaging when you order the "Packaged" option under the "ET" part number.



## J MOLDING




J-Molding for use with tile. Can also be used to frame glass, mirrors and wood panels.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Aluminum Finishes						
		BBR	BCL	MIL	SCA	SCP	SGA	STI
CM2130	H=1/4"(6.5mm), W=3/4"(19mm)	•	•	•	•	•		•
CM2135	H=3/8"(10mm), W=3/4"(19mm)		•	•	•		•	•
CM2136	H=1/2"(12.5mm), W=1"(25mm)	•	•	•	•		•	•

## CERAMIC ADAPTER




Ceramic adapters used where tile meets low pile carpet or other 1/4" (6.5mm) flooring.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Numbers	Height (H)	Aluminum Finishes									
		BBR	BCL	MIL	SAB	SBK	SCA	SCP	SDB	SGA	STI
*  CM2160	5/16"(8mm)	•	•	•	•	•	•		•	•	•
*  CM2161	3/8"(10mm)	•	•	•	•	•	•	•	•	•	•
*  CM2162	1/2"(12.5mm)		•	•	•	•	•	•	•		•

\* Denotes ADA Compliant Profiles

## CERAMIC REDUCER




Tile Reducer has a sloped face to create a smooth transition between tile and adjacent surface such as resilient tile or sheet goods. Pre-punched for easy setting into adhesive

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Numbers	Height (H)	Aluminum Finishes									
		BBR	BCL	MIL	SAB	SBK	SCA	SCP	SDB	SGA	STI
* ADA CM2170	5/16"(8mm)		•	•	•	•	•	•	•	•	•
* ADA CM2171	3/8"(10mm)	•	•	•	•	•	•	•	•	•	•
* ADA CM2172	1/2"(12.5mm)	•	•	•	•	•	•	•	•	•	•

## CERAMIC TILE STAIR NOSING



Ceramic Tile Stair Nosing provides increased strength and rigidity to stairs while also serving to protect edge of tile. The long inside drop covers nose of standard stairs and gives a smooth, clean appearance. May be used in light commercial or residential applications. Product available in 6' or 12' lengths and is punched to accept adhesives.


LENGTH: 6 FT, 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Aluminum Finishes						
		HAB	HBB	HBC	HCA	HDB	HGA	HTI
CM4050	H1=5/16"(8mm), H2=1-5/8"(41mm)	SP	•	•	•			•
CM4051	H1=3/8" (10mm), H2=1-5/8"(41mm)	SP		•	•	•	•	•
CM4052	H1=1/2" (12.5mm), H2=1-5/8"(41mm)	SP		•	•	•		•
CM4251	H1=3/8" (10mm), H2=2"(51mm)	SP		•	•	•	•	•

SP = SPECIAL ORDER ONLY

\* ADA Denotes ADA Compliant Profiles

## DECORATIVE TILE STAIR NOSING





Ceramic Tile Stair Nosing provides increased strength and rigidity to stairs while also serving to protect edge of tile. The long inside drop covers nose of standard stairs and gives a smooth, clean appearance. May be used in light commercial or residential applications. Product available in 12' lengths and is punched to accept adhesives.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Aluminum Finishes		
		SBK	SCA	STI
CM4551	H1=5/16"(8mm), H2=2"(51mm)	SP	•	•
CM4552	H1=1/2"(12.5mm), H2= 2"(51mm)	SP	•	•

SP = SPECIAL ORDER ONLY

## DUAL PURPOSE DECORATIVE EDGING





Dual Purpose Decorative Edging used for counter tops, raised platforms, and stairs. Can be used for both 10mm and 12.5mm tile.

LENGTH: 8 FT | PACK SIZE: 6PCS

Profile Number	Dimensions	Aluminum Finishes					
		BCL	SBK	SCA	SCP	SDB	STI
CM4151	H1=3/8"(10mm), H2=1/2"(12.5mm)	•	•	•	•	•	•

## COUNTER TOP / STAIR NOSING



Counter top/stair nose provides a decorative finish while protecting the edge of tile or stone from chips and dents. The radius top provides a round edge for a smooth, clean appearance and meets the building code for stairs. Inside and outside corners available in both sizes. Product is available in 8' lengths and is punched to accept adhesives.


LENGTH: 8 FT | PACK SIZE: 6 PCS

Profile Numbers	Height (H)	Aluminum Finishes	
		SCA	STI
* ADA CM4152	H1=3/8"(10mm), H2=1-1/2"(38mm)	•	•
* ADA CM4153	H1=1/2"(12.5mm), H2=1-1/2"(38mm)	•	•


## COUNTER TOP CORNER

Inside and outside corners to be used in conjunction with the counter top nosing. Provides a protective corner edge and finished look.

PACK SIZE: 1 PC




Profile Numbers	Height (H)	Aluminum Finishes	
		SCA	STI
CM4152__OCR (10mm Outside Corner)	3/8"(10mm)	•	•
CM4153__OCR (12mm Outside Corner)	1/2"(12.5mm)	•	•



Profile Numbers	Height (H)	Aluminum Finishes	
		SCA	STI
CM4152__ICR (10mm Inside Corner)	3/8"(10mm)	•	•
CM4153__ICR (12mm Inside Corner)	1/2"(12.5mm)	•	•

\* ADA Denotes ADA Compliant Profiles

## EXPANSION JOINT




Can be used between ceramic, hardwood and laminate floors of equal heights where expansion is expected.

LENGTH: 8 FT, 9 FT | PACK SIZE: 12 PCS

Profile Number (8 FT)	Dimensions	Aluminum Finishes									
		BBR	BCL	MIL	SBK	SCA	SCP	SDB	SGA	STI	
* ADA CM1156	W=7/8"(22mm), H=5/16"(8mm)	.	.	.	.	.	.	.	.	.	.

Profile Number (9 FT)	Dimensions	Aluminum Finishes	
		SCA	STI
* ADA CM1159	W=1-1/4"(32mm), H=12/32"(9mm)	.	.

## JOINT REDUCER



Joint Reducer can be used between ceramic, hardwood, and laminate floors of different heights where expansion is expected.


LENGTH: 8 FT, 9 FT | PACK SIZE: 12 PCS

Profile Number (8 FT)	Dimensions	Aluminum Finishes	
		SCA	STI
* ADA CM1158	W=7/8"(22mm), H=5/16"(8mm)	.	.

Profile Number (9 FT)	Dimensions	Aluminum Finishes	
		SCA	STI
* ADA CM1160	W=1-1/4" (32mm), H=5/16" (8mm)	.	.

\* ADA Denotes ADA Compliant Profiles

## ANTI SKID STAIR NOSING




Anti Skid Stair Nosing for stairways with high traffic, or where wet conditions exist. An anti skid vinyl insert is placed onto an aluminum base to form a sturdy and long lasting stair nose.

LENGTH: 8 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Vinyl Insert Colors			
		BGE	BLK	BRN	GRY
CM4071	H=3/8"(10mm), W=1-1/8"(29mm)	•	•	•	•
CM4072	H=1/2"(12mm), W=1-1/8"(29mm)	•	•	•	•
CM4071V*	H=3/8"(10mm), W=1"(25mm)	•	•	•	•
CM4072V*	H=1/2"(12mm), W=1"(25mm)	•	•	•	•

V\* = REPLACEMENT VINYL INSERT

## CERAMIC EDGE PROTECTION RAMP




Ceramic Edge Protection Ramp used to help transition the edges of adjoining floor covering surfaces of unequal height.

LENGTH: 8 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Aluminum Finishes
		MIL
* ADA CM2551	H = 3/8"(10mm), W1=2-1/2"(64mm), W2=1-1/16"(27mm), W3=1-1/4"(32mm)	•
CM2252	H = 1/2"(14mm), W1=2-1/2"(64mm), W2=1-1/16"(27mm), W3=1-1/4"(32mm)	•

## HEAVY DUTY EXPANSION JOINT



Heavy Duty Expansion Joint for placement over control and cold joints. Expansion joints are a prerequisite in ceramic tile, natural stone and terrazzo installations. Made in Aluminum.

**Also available in PVC on page 38.**

LENGTH: 8 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Vinyl Colors			
		BGE	BLK	BRN	GRY
CM3051 / CM3051V*	H = 3/8"(10mm), W1=5/8"(16mm), W2=7/8"(22mm)	•	•	•	•
CM3052	H = 1/2" (14mm), W1 = 5/8"(16mm), W2 = 7/8"(22mm)	•	•	•	•


V\* = REPLACEMENT VINYL INSERT

\* ADA Denotes ADA Compliant Profiles

# STAINLESS STEEL TILE EDGE

These solid stainless steel tile trims and corners provide strength and durability for numerous applications without sacrificing style or finishing flare with a subtly brushed finish. Stainless steel trims are typically selected for more challenging applications where aluminum just won't do the trick. Exterior, wet and/or sanitary environments most commonly call for stainless steel due to the unique rust-resistant and inert properties of this material.

## FLAT TILE EDGE




Flat Tile Edge protects tile from damage while providing a finished butting edge for other flooring materials. Pre-punched for easy setting into adhesive.

LENGTH:8 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Finishes
		STS (Brushed Stainless Steel)
CM2141STS08	H=3/8" (10mm)	•
CM2142STS08	H=1/2" (12.5mm)	•

## ROUND TILE EDGE



Round Tile Edge protects the edge of tile from chipping, provides a 90° corner, and can be used with inside and/or outside corners. Pre-punched for easy setting into adhesive.

LENGTH:8 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Finishes
		STS (Brushed Stainless Steel)
CM2241STS08	H=3/8" (10mm)	•
CM2242STS08	H=1/2" (12.5mm)	•

## ROUND CORNERS



Round inside and outside corner accessories are used to finish and protect edges of tile and join two pieces of round tile edge at a 90° angle.

PACK SIZE: 10 PCS


Profile Numbers	Dimensions	Application	Packaging Style	Finishes
				STS (Brushed Stainless Steel)
CM2241STSOCR	H=3/8" (10mm)	Outside	Bulk	•
CM2242STSOCR	H=1/2" (12.5mm)	Outside	Bulk	•
CM2241STSICR	H=3/8" (10mm)	Inside	Bulk	•
CM2242STSICR	H=1/2" (12.5mm)	Inside	Bulk	•
ET2241STSOCR	H=3/8" (10mm)	Outside	Packaged	•
ET2242STSOCR	H=1/2" (12.5mm)	Outside	Packaged	•
ET2241STSICR	H=3/8" (10mm)	Inside	Packaged	•
ET2242STSICR	H=1/2" (12.5mm)	Inside	Packaged	•

### PACKAGED

All Ceramic Corners are now available in merchandisable packaging when you order the "Packaged" option under the "ET" part number.



## SQUARE TILE EDGE



Square Tile Edge can be used to finish and protect the outer edge of tiled walls, floors and backsplashes. This profile can also be used as an accent with a feature strip or listello border and provides a sleek, contemporary look with clean lines formed by the square edge.

LENGTH: 8 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Finishes
		STS (Brushed Stainless Steel)
CM2341STS08	H=3/8" (10mm)	•
CM2342STS08	H=1/2" (12.5mm)	•

## SQUARE CORNERS



Square inside and outside stainless steel corners can be used with the square tile edge profile to finish and protect 90° corner edges of exposed tile.

PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Application	Packaging Style	Finishes
				STS (Brushed Stainless Steel)
CM2341STSOCR	H=3/8" (10mm)	Outside	Bulk	•
CM2342STSOCR	H=1/2" (12.5mm)	Outside	Bulk	•
CM2341STSICR	H=3/8" (10mm)	Inside	Bulk	•
CM2342STSICR	H=1/2" (12.5mm)	Inside	Bulk	•
ET2341STSOCR	H=3/8" (10mm)	Outside	Packaged	•
ET2342STSOCR	H=1/2" (12.5mm)	Outside	Packaged	•
ET2341STSICR	H=3/8" (10mm)	Inside	Packaged	•
ET2342STSICR	H=1/2" (12.5mm)	Inside	Packaged	•


### PACKAGED

All Ceramic Corners are now available in merchandisable packaging when you order the "Packaged" option under the "ET" part number.



# PVC TILE EDGE

## VINYL TILE EDGE




Tile Edge for use around bathtubs, windows, back splashes, etc. Can also be used to eliminate mitering of tiles at corners such as step up tubs. Pre-punched for easy setting into mortar.

LENGTH: 8 FT | PACK SIZE: 50 PCS

Profile Numbers	Dimensions	Rigid Vinyl Colors				
		BGE	BLK	BON	GRY	WHT
CT1034	H=3/16"(4mm), W=1"(25mm)		•	•	•	•
CT1036	H=1/4"(6mm), W=7/8"(22mm)	•	•	•	•	•
CT1039	H=3/8"(10mm), W=1"(25mm)	•	•	•	•	•
CT1085	H=1/2"(12.5mm), W=1"(25mm)	•	•	•	•	•

## VINYL J CAP




Vinyl J-Cap used as a tile edge around bath tubs, windows back splashes, etc.

LENGTH: 8 FT | PACK SIZE: 50 PCS

Profile Numbers	Dimensions	Rigid Vinyl Colors	
		BON	WHT
CT1024	H=3/16"(4mm), W=5/8"(16mm)	•	•
CT1025	H=1/4"(6mm), W=3/4"(19mm)	•	•
CT1026	H=3/8"(10mm), W=3/4"(19mm)	•	•

## HEAVY DUTY VINYL EDGE - FLAT




Flat Heavy Duty Vinyl Tile Edge for use around bath tubs, windows, back splashes, etc. This heavy profile allows it to be used on floor tile where thinner products may not stand up to heavy traffic. Pre-punched for easy setting into mortar.

LENGTH: 8 FT | PACK SIZE: 50 PCS

Profile Numbers	Dimensions	Rigid Vinyl Colors				
		BGE	BLK	BON	GRY	WHT
CT1076	H=1/4"(6mm), W=1"(25mm)	•	•	•	•	•
CT1078	H=5/16"(8mm), W=1"(25mm)	•	•	•	•	•
CT1080	H=3/8"(10mm), W=1"(25mm)	•	•	•	•	•

## HEAVY DUTY VINYL EDGE - ROUND




Round Heavy Duty Vinyl Tile Edge for use around bath tubs, windows, back splashes, etc. This heavy profile allows it to be used on floor tile where thinner products may not stand up to heavy traffic. Pre-punched for easy setting into mortar.

LENGTH: 8 FT | PACK SIZE: 50 PCS

Profile Numbers	Dimensions	Rigid Vinyl Colors				
		BGE	BLK	BON	GRY	WHT
CT1058	H=5/16"(8mm), W=1"(25mm)	•	•	•	•	•
CT1060	H=3/8"(10mm), W=1-1/4"(32mm)	•		•	•	•

## SURFACE EXPANSION JOINT




Surface Expansion Joint is coextruded from rigid and soft PVC. Use in tiled floor applications where flexibility in stress is needed. PVC is resistant to weather and UV rays. Resistant to most household cleaning products.

**Also available in aluminum on page 33.**

LENGTH: 8 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	PVC Insert Color
		GRY
CM3071	H = 3/8"(10mm), W1=5/16"(8mm), W2=1"(25mm)	•
CM3072	H = 1/2" (14mm), W1 = 5/8"(16mm), W2 = 7/8"(22mm)	•

## ALUMINUM FINISHES \*




**BBR**  
BRIGHT BRASS




**BCL**  
BRIGHT CLEAR




**HAB**  
HAMMERED  
ANTIQUÉ BRONZE



**HBB**  
HAMMERED  
BRIGHT BRASS



**HBC**  
HAMMERED  
BRIGHT CLEAR



**HCA**  
HAMMERED  
CLEAR ANODIZED



**HCP**  
HAMMERED  
CHAMPAGNE



**HDB**  
HAMMERED  
DARK BRONZE



**HGA**  
HAMMERED  
GOLD ANODIZED



**HTI**  
HAMMERED  
TITANIUM




**MIL\*\***  
MILL FINISH




**SAB**  
SATIN ANTIQUÉ  
BRONZE




**SBK**  
SATIN BLACK




**SCA**  
SATIN CLEAR  
ANODIZED



**SCP**  
SATIN  
CHAMPAGNE



**SDB**  
SATIN  
DARK BRONZE



**SGA**  
SATIN GOLD  
ANODIZED




**STI**  
SATIN TITANIUM

## RIGID VINYL COLORS \*



**BGE**  
BEIGE



**BLK**  
BLACK



**BON**  
BONE



**GRY**  
GREY



**WHT**  
WHITE

## STAINLESS STEEL FINISH \*



**STS** BRUSHED STAINLESS STEEL

\* Colors may not appear exactly as shown. Please request a sample prior to placing an order.

\*\*DISCLAIMER: DO NOT USE MILL FINISH IN WET AREAS. MILL product is aluminum in its raw state, therefore there is a high risk of oxidization on the product and staining on the tile and/or grout when it is used in wet areas.

## PROVA-SHOWER® 10 YEAR LIMITED WARRANTY

M-D warrants that all components of the PROVA-SHOWER® system will meet all composition criteria for 10 years from the date of purchase. Additionally PROVA-SHOWER® system will conform to its performance criteria for 10 years from the date of purchase if the tile assembly was subjected to normal usage and installed in accordance with the PROVA-SHOWER® system. Installation Instructions and the installation standards of the Tile Council of North America (TCNA) and the Terrazzo, Tile and Marble Association of Canada (TTMAC).

If the products fail to meet this warranty, M-D, at its election, will a) reinstall or replace the failed portion of the tile assembly or b) pay an amount not to exceed the original square foot cost of the installation of the tile assembly shown to be defective. Tile assembly is defined and limited to include all PROVA-SHOWER® system components, non-reusable tile surfaces, and the appropriate setting and grouting materials.

Due to conditions beyond the control of M-D (e.g., color and shade availability, discontinuation, normal wear and tear), M-D cannot guarantee or warrant an exact match to the specific tile, stone or other covering materials used in the installation. In such events and at M-D election, substantially similar materials may be substituted.

### Disclaimer

This Warranty is given in lieu of any other warranty expressed or implied. M-D assumes no liability or responsibilities for lost profits, losses due to delays or any indirect, incidental, punitive, exemplary or consequential damages. Acts of god including but not limited to flooding, hurricane, tornado, earthquakes; acts of war, terrorism, intentional acts of destruction and fire shall not be covered under this warranty. Damage due to structural movement, excessive deflection or other failure of the substrate and damage to structural or subfloor elements from water are also not covered.

**NO ASSIGNMENT-TERRITORY:** This Limited Warranty extends ONLY to the original end-user (defined as homeowner - owner of the premises/unit owner) for sales made ONLY in the United States and Canada and is not transferable or assignable, unless otherwise prohibited by specific state or provincial law.

**CLAIMS ON THIS LIMITED WARRANTY:** To make a claim under this Limited Warranty, the owner must provide M-D with written notice within 30 days of any alleged defect in the products covered by this Limited Warranty, together with date and proof of purchase of the products, proof of the costs of the original installation and name and address of all installers, failing which this Limited Warranty shall be of no legal effect. M-D reserves the right at its election and as a condition of this Limited Warranty to inspect the alleged failure and defect prior to any repair.

### Acceptable Materials and Conditions

It is the responsibility of the owner/installer to ensure the suitability of all materials and all associated building materials for PROVA-SHOWER® system's intended use. The flooring substrate shall be level, clean, dry and sufficiently load bearing. The flooring material shall be suitable for the particular type of application. It is recommended that the owner consults and/or obtains the services of an experienced and professional installer.

### Warranty Claims

M-D must be notified in writing to request a claim, including date and proof of purchase as well as the name and address of installers. The original owner must then, at M-D's discretion, allow an inspection of the installation. If upon inspection, M-D determines the PROVA-SHOWER® system to be defective, M-D will, at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the portion of the tile assembly that has proven to be defective. The tile assembly includes PROVA-SHOWER® system components, non-reusable tile surfaces, and the appropriate setting and grouting materials. The claim must be submitted and evaluated by M-D before any repair work is done. For any claim that is not valid, M-D will be paid reasonable charges, including travel and labor, associated with investigation of such claim.

This limited warranty extends only to the original owner.

## PROVA TILE EDGE® LIMITED WARRANTY

PROVA TILE EDGE® by M-D PRO products are warranted for a period of 1 (one) year from date of shipment. All products will be subject to the following manufacture warranties; Products will conform to original product and contract description with only such reasonable variations as is acceptable in the trade. These products will be fit for the purposes for which they were intended and that they will be professionally packaged and labeled. M-D PRO will replace any defective product found if said defect is identified before installation. If a defect is found after installation, M-D PRO must be notified in writing within 10 days of installation. The customer must then, at M-D PRO's discretion, allow an inspection of the installation. If upon inspection, M-D PRO determines the product to be defective, M-D PRO will at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the goods in question. M-D PRO assumes no liability or responsibilities for labour or the cost of other materials used in such installations.

These warranties do not circumvent any individual product category warranties implied or stated by M-D PRO.

Warranties do not apply to the following specified items, terms and conditions:

- A. Exact matching of color, shade, texturing or mottling.
- B. Any warranties, other than expressed above, implied or promised by any sales representative.
- C. Tears, scratches, burns, or other damage caused by improper installation, improper use or maintenance.
- D. Sales of "Seconds", or "Imperfect" goods.
- E. Problem caused by moisture, hydrostatic pressure or alkali in the sub-floor.
- F. Problem caused by installation with non-approved adhesive. If you are unsure about the suitability of a particular adhesive, please call us for our recommendations.
- G. Product installed outdoors. M-D PRO products are designed for interior use only.
- H. Color degradation caused by sunlight or other U.V. exposure. These warranties are supplied in lieu of any other warranty, expressed or implied. All product specifications are subject to change without notice.

## BROKEN CARTON POLICY

Less than full cartons may be purchased on select items with a minimum up charge of 20%, please contact your Customer Service Representative for details. No returns will be granted for items that fall below the standard carton/pack size.



5720 Ambler Drive  
Mississauga, ON, L4W 2B1  
Telephone: 1 800 565 6653  
E-mail: [service@mdteam.com](mailto:service@mdteam.com)  
Website: [www.mdpro.com](http://www.mdpro.com)  
[www.provaproducts.com](http://www.provaproducts.com)

Part #: MPCATCERAMIC  
Print date: June. 2020