




**TRIMS FOR CARPET,
SHEET VINYL & SPECIALTY**
Product Catalog **2024**





The information in this catalog is gathered from customers, end users, and our personal experiences. The products have been created to provide you with solutions for today's transition challenges.

We would like to thank you for your patronage and for giving us the opportunity to become "Your Flooring Accessories Specialist". Being "Your Flooring Accessories Specialist" means ...

- We will provide the best service in the industry by utilizing a team of dedicated Customer Service Specialists.
- Our product will maintain a high degree of consistency and quality to meet the needs of our customers, by manufacturing our product to ISO standards.
- We will incorporate our customers input when making decisions, by using ideas and suggestions brought to us.
- All our business dealings will be handled with integrity, by ensuring customers and suppliers alike know the facts.
- New product innovation will be an integral part of our business strategy, by continually anticipating market trends and designing the accessories demanded by the industry.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

Toll free: 1 800 565 6653

E-mail: service@mdteam.com

Website: mdpro.com

TABLE OF CONTENTS

TAP DOWNS

CM1740	Pg.04
CM1741	Pg.04
CM1750	Pg.04
CM1760	Pg.05
CM1770	Pg.05
CM1780	Pg.05
CM1621	Pg.05
CM1650	Pg.06
CM1653	Pg.06
CM1657	Pg.06

BEVEL BARS

CM1196	Pg.07
CM1197	Pg.07
CM2196	Pg.07
CM2197	Pg.07
CM3196	Pg.08

SEAM BINDERS

CM1342	Pg.08
CM1344	Pg.08
CM1142	Pg.09

NOSING

CM2184	Pg.09
CM2190	Pg.09
CM2191	Pg.10
CM2193	Pg.10
CM2199	Pg.10
CM2194	Pg.11
CM2182	Pg.11
CM2195	Pg.11
CM2198	Pg.12
CM2185	Pg.12
CM2192	Pg.12

THRESHOLDS

CM1144	Pg.13
CM1145	Pg.13
CM1146	Pg.14
CM1148	Pg.14
WSB4424	Pg.14

WSB4425	Pg.14
WSB4426	Pg.14
WSB4424LP	Pg.14
WSB4425LP	Pg.14
WSB4426LP	Pg.14

SPECIALTY

CM1121	Pg.15
CM1122	Pg.15
CM1125	Pg.15
CM1155	Pg.16
CM14281	Pg.16
CM2130	Pg.16
CM330	Pg.17
CM3330	Pg.17
CM332	Pg.18
CM332__OCR	Pg.18
CM3340	Pg.19
CM3220	Pg.19
CM1666	Pg.19
CM1766	Pg.20
CM1162	Pg.20
CM1163	Pg.20
CM1164	Pg.20
CM3210	Pg.20

CAP TRACK - PINLESS

CM1651	Pg.21
CM1655	Pg.21
CM1658	Pg.21
CM1659	Pg.21
CM1660	Pg.21

CAP TRACK - PINNED

CM1751	Pg.22
CM1752	Pg.22
CM1755	Pg.22
CM1759	Pg.22

LUXURY VINYL FINISHING ESSENTIALS

LVT FLOOR PROFILES

LV8903	Pg.23
LV8905	Pg.23
LV8907	Pg.23
CM2161	Pg.23
CM2162	Pg.23
LV8303	Pg.24
LV8305	Pg.24
LV8307	Pg.24
LV8503	Pg.24
LV8505	Pg.24
LV8507	Pg.24

LVT STAIR PROFILES

LV8603	Pg.25
LV8605	Pg.25
LV8607	Pg.25
LV8803	Pg.25
LV8805	Pg.25
LV8807	Pg.25
LV8703	Pg.25
LV8705	Pg.25
LV8707	Pg.25

LVT MULTI-PURPOSE PROFILES

CM1156	Pg.26
CM1158	Pg.26

ALUMINUM FINISHES

.....	Pg.27
-------	-------

POLICY AND WARRANTY

.....	Pg.28
-------	-------


CARPET METAL & SPECIALTY TRIM

M-D PRO's traditional line of carpet metal and specialty trim was designed to provide products that aid in unique and detail oriented installations.

This tried and true program has been honed and fine tuned over decades of countless installations and experience. These can include applications such as counters, mirrors/glass, fireplaces, and wheelchair accessible ramps. No matter what the situation is, M-D PRO can provide the item to finish the job with functionality and flare.



TAPDOWNS



CM1740


Residential weight pinned Tapdown. For use with low to medium pile action backed carpet up to 30 oz. Ultra Pin system for maximum holding strength.

ADA compliant after install.*

LENGTH: 12 FT | PACK SIZE: 42 PCS

AVAILABLE IN FLEX (CONTOUR) : 12 PCS 

Profile Number	Dimensions	Finishes			
		HAB	HGA	HSI	HTI
 CM1740	H=9/16" (14.5mm), W=1-3/8" (35mm)	•	•	•	•




CM1741

Residential weight pinned Tapdown with additional top return to lock in carpet. For use with low to medium pile action backed carpet up to 30 oz. Ultra Pin system for maximum holding strength.

ADA compliant after install.*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		HAB	HGA	HSI	HTI
 CM1741	H=9/16" (14.5mm), W=1-3/8" (35mm)	•	•	•	•



CM1750

Heavy duty pinned Tapdown for use with high pile action backed carpet up to 60oz. Ultra Pin system for maximum holding strength.



ADA compliant after install.*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI
 CM1750	H=5/8" (16mm), W=1-1/2" (38mm)	•	•	•	•	•

*  Denotes ADA Compliant Profiles

TAPDOWNS




CM1760

Extra heavy duty pinned Tapdown for use with the thickest action backed carpets. Ultra Pin system for maximum holding strength. 3/4" (19mm) top face.

LENGTH: 12 FT | PACK SIZE: 42 PCS
AVAILABLE IN FLEX (CONTOUR) : 12 PCS 

Profile Number	Dimensions	Finishes				
		CVG	HGA	HSI	HTI	PBK
CM1760	H=3/4" (19mm), W=1-5/8" (41mm)	•	•	•	•	•




CM1770

Economy large lip 3/4" (19mm) Tapdown for use with the thickest action backed carpet. May be used in areas of low traffic. Ultra Pin system as our other pinned metals for maximum holding strength.

LENGTH: 12 FT | PACK SIZE: 42 PCS
AVAILABLE IN FLEX (CONTOUR) : 12 PCS 

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI
CM1770	H=3/4" (19mm), W=1-1/2" (38mm)	•	•	•	•	•





CM1780

Heavy duty pinned Tapdown used to hold down a very thick stretch of carpet.

ADA compliant after install.*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI
 CM1780	H=51/64" (20mm), W=1-11/16" (43mm)	•	•	•



CM1621



Multi-purpose Tapdown that can be used for carpet underpad installation or glue down installations. The large lip covers even the thickest carpets with room for tucking the edge. Tackless can be used on the bottom for carpet with underpad installations.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		HAB	HGA	HSI	HTI
CM1621	H=3/4" (19mm), W=1-3/8" (35mm)	•	•	•	•

*  Denotes ADA Compliant Profiles

TAPDOWNS





CM1650

Heavy duty pinless Tapdown for use with rubber backed and direct glue down installations. Nail holes on 12" (30.5cm) centres.

ADA compliant after install.*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		HGA	HSI	HTI	KHG
 CM1650	H=5/8" (16mm), W=1-3/8" (35mm)	•	•	•	•



CM1653


Residential weight Pinless Tapdown for use with foam backed carpet or direct glue down installations.

ADA compliant after install.*

LENGTH: 12 FT | PACK SIZE: 42 PCS

AVAILABLE IN FLEX (CONTOUR) : 12 PCS 

Profile Number	Dimensions	Finishes					
		CVG	HAB	HCA	HGA	HSI	HTI
 CM1653	H=1/2" (12.5mm) , W=1-1/4" (32mm)	•	•	•	•	•	•



CM1657


Commercial duty Pinless Tapdown for use in high traffic commercial settings. Used in glue down carpet installations.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		HSI
CM1657	H=3/4" (19mm), W=1-7/8" (47.5mm)	•

*  Denotes ADA Compliant Profiles


BEVEL BARS



CM1196
1" (25mm) Residential Bevel Bar for transitions.
Made for height differentials of up to 5/16"(8mm).

LENGTH: 12 FT | PACK SIZE: 42 PCS



Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI
 CM1196	H=1/4" (6.5mm), W=1" (25mm)	.	.	.	.	.



CM1197
1" (25mm) Economy Bevel Bar for transitions.
Made for height differentials of up to 5/16"(8mm).

LENGTH: 12 FT | PACK SIZE: 42 PCS


Profile Number	Dimensions	Finishes					
		CVG	HAB	HGA	HSI	HTI	PBK
 CM1197	H=1/4" (6.5mm), W=1" (25mm)	.	.	.	.	.	.



CM2196
1-1/2" (38mm) Residential Bevel Bar for transitions.
Made for height differentials of up to 3/8"(10mm).

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes						
		CVG	HAB	HDB	HGA	HSI	HTI	PBK
 CM2196	H=3/8" (10mm), W=1-1/2" (38mm)	.	.	.	.	.	.	.





CM2197
1-1/2" (38mm) Economy Bevel Bar for transitions.
Made for height differentials of up to 3/8"(10mm).

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI
 CM2197	H=3/8" (10mm), W=1-1/2" (38mm)	.	.	.	.	.

*  Denotes ADA Compliant Profiles

BEVEL BARS




CM3196

2" (51mm) Commercial weight Bevel Bar. For use in high traffic areas or where extreme height differentials exists.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI
 CM3196	H=3/8" (10mm), W=2" (51mm)	•	•	•

SEAM BINDERS




CM1342

3/4" (19mm) Seam Binder Covers seams of hard surface or resilient floors.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI
 CM1342	H=1/10" (2.5mm), W=3/4" (19mm)	•	•	•



CM1344


1" (25mm) Flat Joiner. For binding seams at doorways where dissimilar floors of equal height meet.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		CVG	HGA	HSI	HTI
 CM1344	H=1/10" (2.5mm), W=1" (25mm)	•	•	•	•

*  Denotes ADA Compliant Profiles



SEAM BINDERS



CM1142
1-1/4" (32mm) for seams where greater bridging is required.
LENGTH: 12 FT | PACK SIZE: 42 PCS



Profile Number	Dimensions	Finishes					
		CVG	HAB	HGA	HSI	HTI	PBK
 CM1142	H=1/10" (2.5mm), W=1-1/4" (32mm)	.	.	.	.	.	.

NOSING



CM2184
1-1/8" (28.5mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.
LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes							
		CVG	DOK*	GOK*	HAB	HGA	HSI	HTI	KHG
CM2184	H=1-1/8" (28.5mm), W=1-1/8" (28.5mm)	.	.	.	.	.	.	.	.





CM2190
1-3/8" (35mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.
LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes			
		HDB	HGA	HSI	HTI
CM2190	H=1-3/8" (35mm), W=1-1/8" (28.5mm)	.	.	.	.

*  Denotes ADA Compliant Profiles

NOSING





CM2191

1-5/8" (41mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes								
		CVG	HAB	HBK	HCR	HGA	HSI	HTI	KHG	PBK
CM2191	H=1-5/8" (41mm), W=1-1/8" (28.5mm)	•	•	•	•	•	•	•	•	•




CM2193

1-7/8" (47.5mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes				
		HDB	HGA	HSI	HTI	PBK
CM2193	H=1-7/8" (47.5mm), W=1-3/16" (30mm)	•	•	•	•	•



CM2199

Full 2" (51mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.



LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes		
		HGA	HSI	HTI
CM2199	H=2" (51mm), W=1-1/4" (32mm)	•	•	•



* Denotes ADA Compliant Profiles

NOSING




CM2194

Full 2" (51mm) Drop Stair Nosing with 1-1/2" (38mm) top tread. Covers most imperfections. The wider top tread allows for nosing to be secured away from stair edge especially when edges of stairs are damaged. Designed for commercial and residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI
CM2194	H=2" (51mm), W= 1-1/2" (38mm)	•	•	•




CM2182

1-1/8" (28.5mm) Drop Stair Nosing. Protects edge of stair from damage. Designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes					
		CVG	HAB	HGA	HSI	HTI	PBK
CM2182	H=1-1/8" (28.5mm), W=1-1/8" (28.5mm)	•	•	•	•	•	•



CM2195



1-1/2" (38mm) Drop X 2-1/2" (63.5mm) Tread Stair Nosing. Provides excellent traction and protection at edge of stair. Ideal for repairing stairs where existing nosing has worn out. Designed for commercial use. Available in Drilled Staggered (DS) or Drilled Center (DC).

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes				
		BCL	HGA	HSI	HTI	SGA
CM2195	H=1-1/2" (38mm), W= 2-1/2" (63.5mm)	•	•	•	•	•

*  Denotes ADA Compliant Profiles

NOSING




CM2198

1-3/16" (30mm) Drop X 3-1/16" (78mm) Tread Stair Nosing. Provides excellent traction and protection at edge of stair. Ideal for repairing stairs where existing nosing has worn out. Designed for commercial use.

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		BCL	SGA
CM2198	H=1-3/16" (30mm), W=3-1/16" (78mm)	•	•





CM2185

Scribe to Nosing for 1/8" (3mm) VCT or resilient floors of similar thicknesses. 1-5/8" (41mm) inside drop to work in most settings. With adhesive reservoir for clean and easy installation.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	STI
CM2185	H1=1/8" (3mm), H2=1-5/8" (41mm), W=1-3/16" (30mm)	•	•



CM2192



1-3/8" (35mm) Drop Commercial Square Nose for use on concrete pan or square stair. Can also be used as a heavy duty corner guard. Drilling available by special order.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL
CM2192	H=1-3/8" (35mm), W=1-1/2" (38mm)	•

*  Denotes ADA Compliant Profiles

THRESHOLDS





CM1144

Ribbed threshold for use in joining large gaps. Can also be used as an expansion joint cover. Suitable where low profile or wheelchair access is required. Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL
 CM1144	H=3/16" (5mm), W=2-1/2" (63.5mm)	•



CM1145


Smooth-top threshold for use in joining large gaps. Can also be used as an expansion joint cover. Suitable for high traffic areas. Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL
 CM1145	H=1/4" (6.5mm), W=2-1/2" (63.5mm)	•

*  Denotes ADA Compliant Profiles

THRESHOLDS




CM1146/1148

Ribbed threshold for use in joining large gaps.
Can also be used as an expansion joint cover.

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL
ADA CM1146	H=1/8" (3mm), W=2-1/2" (63.5mm)	•
ADA CM1148	H=1/8" (3mm), W=4" (101.5mm)	•



WSB4424/4425/4426

Barrier Free quality extruded Aluminum Thresholds designed for use in commercial applications. Support bars built for added strength.

Full 1/2" (12.5mm) height for retrofit situations. 1/4" (6.5mm) low profile (LP) height.

Construction Materials Board (CMB) listed material.

- Thresholds come drilled center line, staggered, or undrilled.
- **Thresholds shown meet requirements of ADA, CAN/CSA-B651 and ADMG-1992.**


Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Finishes
		MIL
ADA WSB4424	H1=1/8" (3mm), H2=1/2" (12.5mm), W=4" (10cm)	•
ADA WSB4425	H1=1/8" (3mm), H2=1/2" (12.5mm), W=5" (13cm)	•
ADA WSB4426	H1=1/8" (3mm), H2=1/2" (12.5mm), W=6" (15cm)	•
ADA WSB4424LP	H1=1/8" (3mm), H2=1/4" (6.5mm), W=4" (10cm)	•
ADA WSB4425LP	H1=1/8" (3mm), H2=1/4" (6.5mm), W=5" (13cm)	•
ADA WSB4426LP	H1=1/8" (3mm), H2=1/4" (6.5mm), W=6" (15cm)	•

* ADA Denotes ADA Compliant Profiles



SPECIALTY



CM1121
Tile Edge Cap for Finishing the edge of tile or resilient floor. Accommodates materials from 0.080" (2mm) up to 1/8" (3mm) thick.

LENGTH: 12 FT | PACK SIZE: 42 PCS



Profile Number	Dimensions	Finishes	
		HSI	HTI
 CM1121	H=1/10" (2.5mm), W=3/4" (19mm)	•	•



CM1122
Resilient Flooring Cap. Used when coving sheet goods up the wall to finish off the exposed edge. For materials up to 1/10"(2.5mm) or 1/8" (3mm) thick.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	
 CM1122	H=1/10" (2.5mm), W=15/16" (24mm)	•	





CM1125
Resilient Flooring Cap. Used when coving sheet goods up the wall to finish off the exposed edge. For materials up to 1/10"(2.5mm) or 1/8" (3mm) thick.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	
 CM1125	H=1/8" (3mm), W=15/16" (24mm)	•	

*  Denotes ADA Compliant Profiles

SPECIALTY





CM1155

7/8" (22mm) wide Hatch Cover molding. Used to cover gaps in the floor where hatch covers are installed.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		MIL	SCA	STI
ADA CM1155	H=5/8" (16mm), W=7/8" (22mm)	•	•	•





CM14281

1/4" (6mm) face cap trim for 1/8" (3mm) material.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes		
		MIL	SCA	STI
ADA CM14281	H=1/8" (3mm), W=3/4" (19mm)	•	•	•



CM2130



9/32" (7mm) face cap trim for 1/4" (6.5mm) material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	SGA
CM2130	H=1/4" (6.5mm), W=3/4" (19mm)	•	•



* ADA Denotes ADA Compliant Profiles

SPECIALTY



CM330
Small face cap trim for 1/10" (2.5mm) material.
LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		MIL	SCA
 CM330	H=1/10" (2.5mm), W1=1/4" (6mm), W2=13/16" (20.5mm)	•	





CM3330
1/10" (2.5 mm) insert cove for resilient sheet goods up to 1/10" (2.5 mm).
LENGTH: 12 FT | PACK SIZE: 40 PCS

Profile Number	Dimensions	Finishes	
		MIL	SCA
CM3330	H1=7/16" (11mm), H2=1/10" (2.5mm), W=3/4" (19mm)	•	•

*  Denotes ADA Compliant Profiles

SPECIALTY





CM332

Stainless Steel Cove Cap protects the top edge of sheet vinyl flooring material and holds it in place in a uniform manner along the wall. It is ideal for use in industrial and sanitary settings, where hygiene is a priority, and is designed to accommodate installations of flooring material up to 1/8" (3 mm). Install CM332 in combination with Fillet Strip (FL3010, FL3020, FL3030) to protect vinyl flooring material from cracking or being punctured along floor-to-wall joints.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		STS
ADA CM332	H1=1/8" (3mm), H2=5/32" (4mm), W1=9/32" (7mm), W2=1-1/16" (27mm)	•



CM332__OCR



Stainless Steel Cove Cap Corners wrap easily around the outside corner walls where extra protection may be needed. The preformed corners are free from sharp edges and save on installation time—Cove Cap Corners easily connect to full-length pieces and eliminate the need to miter cut profiles.

PACK SIZE: 25 PCS

Profile Number	Dimensions	Finishes
		STS
ADA CM332__OCR	W=6" (15mm), H1=9/32" (7mm)	•



* ADA Denotes ADA Compliant Profiles

SPECIALTY




CM3340
1/8" (3mm) insert cove for resilient sheet goods up to 1/8" (3mm).
LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		MIL	SCA
CM3340	H1=7/16" (11mm), H2=1/8" (3mm), W=3/4" (19mm)	•	•



CM3220
Z-Bar is an offset hearth metal for installing carpet around fireplaces. Provides grip while remaining invisible.
LENGTH: 4 FT | PACK SIZE: 25 PCS

Profile Number	Dimensions	Finishes
		MIL
CM3220	H=1/2" (12.5mm), W=1-3/16" (30mm)	•




CM1666
Pinless Divider for commercial use. Used where glue down carpet meets ceramic, hardwood, laminate, cushion floor on plywood or sheet vinyl on subfloor. (Can be adjusted to accept slightly thinner materials). For high traffic areas.
LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes	
		HSI	HTI
 CM1666	H1=7/16" (11mm), H2=5/16" (8mm), W1=1-7/16" (36.5mm), W2=3/4" (19mm)	•	•

*  Denotes ADA Compliant Profiles

SPECIALTY




CM1766

Pinned Divider for commercial use. Used where stretched in carpet meets ceramic, hardwood, laminate, cushion floor on plywood or sheet vinyl on subfloor. (Can be adjusted to accept slightly thinner materials). For high traffic areas.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		HGA	HSI
 CM1766	H1=7/16" (11mm), H2=5/16" (8mm), W1= 1-1/2" (38mm), W2= 3/4" (19 mm)	•	•




CM1162/1163/1164

Angle for use on corners to protect edge. Can also be used as an accent. Can be drilled.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Finishes		
		BCL	SCA	STI
CM1162	H=1/2" (12.5mm), W=1/2" (12.5mm)	•	•	•
CM1163	H=3/4" (19mm), W=3/4" (19mm)	•	•	•
CM1164	H=1" (25mm), W=1" (25mm)	•	•	•





CM3210

2-1/4" (57mm) wide **SABRE TOOTH STRAIGHT EDGE**. Grooves prevent tool from moving by biting into carpet. Allows carpet technician to cut carpet up to 12 feet wide. Clear Anodized to prevent marking carpet.

SIZE AVAILABLE: SE 29" SE 36" SE 75" SE 84" SE 150"
PACK SIZE: 1 PC

Profile Number	Dimensions	Finishes
		SCA
CM3210	H=1/4" (6.5mm), W=2-1/4" (57mm)	•

CAP TRACK - PINLESS




CM1651/1655

Pinless Channel for use where rubber backed carpet meets dissimilar flooring.

LENGTH: 12 FT | PACK SIZE: 25 PCS
AVAILABLE IN FLEX (CONTOUR) : 12 PCS 
ALSO AVAILABLE WITH PRE-PUNCHED BASE

Profile Numbers	Dimensions	Style		Finishes
		NARROW	WIDE	MIL
		Use with all 1/8" (3mm) Leg "E" or "T" caps	Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1651	H=3/8"(10mm), W1=1-1/4" (32mm), W2=1/8" (2.5mm)	•		•
CM1655	H=3/8" (10mm), W1=1-1/4" (32mm), W2=5/32" (4mm)		•	•





CM1658/1659/1660

Pinless Channel for areas where extra strength or height is needed. Extra height for installations where floor covering are over 3/8" (9.5mm) high but less than 5/8" (16mm). Tack strips can be used when installing under pad.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Style		Finishes
		NARROW	WIDE	MIL
		Use with all 1/8" (3mm) Leg "E" or "T" caps	Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1658	H=1/2" (12.5mm), W1=1-1/4" (32mm), W2=1/8" (3mm)	•		•
CM1659	H=5/8" (16mm), W1=1-1/4" (32mm), W2=1/8" (3mm)	•		•
CM1660	H=11/16" (17.5mm), W1=1-1/4" (32mm), W2=3/16" (4mm)		•	•

CAP TRACK - PINNED




CM1751/1752/1755

Pinned Channel for use where action backed carpet meets dissimilar flooring. Ultra Pin continuous pinning system for maximum holding strength.

LENGTH: 12 FT | PACK SIZE: 25 PCS

AVAILABLE IN FLEX (CONTOUR): 12 PCS 

Profile Numbers	Dimensions	Style		Finishes
		NARROW	WIDE	MIL
		Use with all 1/8" (3mm) Leg "E" or "T" caps	Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1751	H=3/8" (10mm), W1=1-7/16" (36.5mm), W2=1/8" (3mm)	•		•
CM1752	H=3/8" (10mm), W1=1-1/2" (38mm), W2=1/8" (3mm)	•		•
CM1755	H=3/8" (10mm), W1=1-7/16" (36.5mm), W2=3/16" (5mm)		•	•



CM1759

Wide Pinned Channel for areas where extra strength or height is needed. Added strength of one piece aluminum track holds up under increased traffic. Ultra Pin continuous pinning system for maximum holding strength. Extra height for installations where floor covering are over 3/8" (10mm) high but less than 3/4" (19mm).

LENGTH: 12 FT | PACK SIZE: 12 PCS



Profile Number	Dimensions	Style - WIDE	Finishes
		Use with all 3/16" (5mm) Leg "E" or "T" caps	MIL
CM1759	H=11/16" (17.5mm), W1=1-1/2" (38mm), W2=5/32" (4mm)	•	•

LUXURY VINYL FINISHING ESSENTIALS

The **M-D PRO** line of luxury vinyl transitions and finishing accessories provide versatility and function for the most common LVT/LVP applications. Providing these **ESSENTIAL profiles** allows you to consolidate inventory while satisfying customer needs.

- All Floor and Stair profiles can accommodate flooring material up to **7mm thick!**
- New sizes provide versatility and range for flooring material thickness
- Universal **3/8"** top lip accepts both floating and glue down applications
- Rounded corner edge for smooth and **safe transition**
- Durable, **anodized finishes** complement today's most popular flooring styles
- Reduce SKU count and stock these **ESSENTIALS** today!

LVT FLOOR PROFILES




LVT TO CARPET

LVT to Carpet transition for use where Luxury Vinyl Tile or Plank Flooring meets low pile carpet or other flooring material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Number	Dimensions	Finishes		
		SCA	SAB	STI
LV8903	T=5/64"- 1/8" (2mm - 3mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•
LV8905	T=5/32"- 13/64" (4mm - 5mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•
LV8907	T=15/64"- 9/32" (6mm - 7mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•



LVT TO TILE ADPATER



LVT to Tile Adapter for use where tile meets existing Luxury Vinyl Tile or Plank Flooring up to 1/4" (6.5mm) thick.

LENGTH: 8 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Number	Dimensions	Finishes									
		BBR	BCL	MIL	SAB	SBK	SCA	SCP	SDB	SGA	STI
CM2161	T=1/4" (6.5mm), H=3/8" (10mm)	•	•	•	•	•	•	•	•	•	•
CM2162	T=1/4" (6.5mm), H=1/2" (12.5mm)	•	•	•	•	•	•	•	•		•

LVT FLOOR PROFILES





REDUCER

Reducer for use with Luxury Vinyl Tile or Plank Flooring.

LENGTH: 12 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes		
		SAB	SCA	STI
ADA LV8303	T=5/64" - 1/8" (2mm - 3mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•
ADA LV8305	T=5/32" - 13/64" (4mm - 5mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•
ADA LV8307	T=15/64" - 9/32" (6mm - 7mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•



J-MOLDING

J-Molding/End Cap for use with Luxury Vinyl Tile or Plank Flooring.



LENGTH: 12 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes		
		SAB	SCA	STI
ADA LV8503	T=5/64" - 1/8" (2mm - 3mm), H=15/64" (6mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•
ADA LV8505	T=5/32" - 13/64" (4mm - 5mm), H=19/64" (7.5mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•
ADA LV8507	T=15/64" - 9/32" (6mm - 7mm), H=3/8" (10mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•

* ADA Denotes ADA Compliant Profiles

LVT STAIR PROFILES





INSIDE COVE

Inside Cove for use with Luxury Vinyl Tile or Plank Flooring. Typically used to finish corners of stair tread-to-riser applications. Avoid dirt build-up in riser corners.

LENGTH: 12 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes		
		SAB	SCA	STI
LV8603	T=5/64" - 1/8" (2mm - 3mm), H/W=1" (25mm)	•	•	•
LV8605	T=5/32" - 13/64" (4mm - 5mm), H/W=1" (25mm)	•	•	•
LV8607	T=15/64" - 9/32" (6mm - 7mm), H/W=1" (25mm)	•	•	•




OUTSIDE CORNER SQUARE STAIR NOSE

Outside Corner Square Stair Nosing for use with Luxury Vinyl Tile or Plank Flooring. Minimal reveal outside corner edge provides clean finish.

LENGTH: 12 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes		
		SAB	SCA	STI
LV8803	T=5/64" - 1/8" (2mm - 3mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•
LV8805	T=5/32" - 13/64" (4mm - 5mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•
LV8807	T=15/64" - 9/32" (6mm - 7mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•



STAIR NOSING

Stair Nosing for use with Luxury Vinyl Tile or Plank Flooring.


LENGTH: 12 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes		
		SAB	SCA	STI
LV8703	T=5/64" - 1/8" (2mm - 3mm), H=1-7/8" (47.5mm), W1=3/8" (10mm), W2=1-5/8" (41mm)	•	•	•
LV8705	T=5/32" - 13/64" (4mm - 5mm), H=1-7/8" (47.5mm), W1=3/8" (10mm), W2=1-5/8" (41mm)	•	•	•
LV8707	T=15/64" - 9/32" (6mm - 7mm), H=1-7/8" (47.5mm), W1=3/8" (10mm), W2=1-5/8" (41mm)	•	•	•

*  Denotes ADA Compliant Profiles

LVT MULTI-PURPOSE PROFILES




T-MOLDING

T-Molding for use between Luxury Vinyl Tile/Plank Flooring and other flooring materials of equal heights where expansion is expected.

LENGTH: 8 FT | PACK SIZE: 12 PCS

*(T) APPLICATION THICKNESSS

Profile Number	Dimensions	Finishes								
		BBR	BCL	MIL	SBK	SCA	SCP	SDB	SGA	STI
 CM1156	T=5/16" (8mm), W=7/8" (22mm)	.	.	.	.	.	.	.	.	.



T-MOLDING REDUCER

T-Molding Reducer for use between Luxury Vinyl Tile/Plank Flooring and other flooring materials of different heights where expansions is expected.

LENGTH: 8 FT | PACK SIZE: 12 PCS


*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes	
		SCA	STI
ADA CM1158	T=13/64" - 9/32" (5mm - 7mm), H=5/16" - 3/8" (8mm - 10mm), W=7/8" (22mm)	.	.


* ADA Denotes ADA Compliant Profiles

ALUMINUM FINISHES


(Finishes may not appear exactly as shown. Please request a sample prior to placing an order)



BCL
BRIGHT CLEAR




CVG
COVENTRY GOLD



HAB
HAMMERED ANTIQUE BRONZE




HCR
HAMMERED COPPER




HGA
HAMMERED GOLD ANODIZED




HSI
HAMMERED SILVER




HTI
HAMMERED TITANIUM




KHG
KINTRIM HAMMERD GOLD




MIL
MILL FINISH




PBK
MATTE BLACK



SAB
SATIN ANTIQUE BRONZE




SBK
SATIN BLACK



SCA
SATIN CLEAR ANODIZED



STI
SATIN TITANIUM



SGA
SATIN GOLD ANODIZED

****DISCLAIMER:** DO NOT USE MILL FINISH IN WET AREAS. MILL product is aluminum in its raw state, therefore there is a high risk of oxidization on the product and staining on the flooring material and/or grout when it is used in wet areas.

BROKEN CARTON POLICY

Less than full cartons may be purchased on select items with a minimum up charge of 20%, please contact your Customer Service Representatives for details. No returns will be granted for items that fall below the standard carton/pack size.

M-D PRO LIMITED WARRANTY

M-D Pro products are warranted for a period of 1 (one) year from date of shipment. All products will be subject to the following manufacture warranties; Products will conform to original product and contract description with only such reasonable variations as is acceptable in the trade. These products will be fit for the purposes for which they were intended and that they will be professionally packaged and labeled. M-D PRO will replace any defective product found if said defect is identified before installation. If a defect is found after installation, M-D PRO must be notified in writing within 10 days of installation. The customer must then, at M-D PRO's discretion, allow an inspection of the installation. If upon inspection, M-D PRO determines the product to be defective, M-D Pro will at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the goods in question. M-D PRO assumes no liability or responsibilities for labor or the cost of other materials used in such installations.

These warranties do not circumvent any individual product category warranties implied or stated by M-D PRO.

Warranties do not apply to the following specified items, terms and conditions:

- A.** Exact matching of color, shade, texturing or mottling.
- B.** Any warranties, other than expressed above, implied or promised by any sales representative.
- C.** Tears, scratches, burns, or other damage caused by improper installation, improper use or maintenance.
- D.** Sales of "Seconds", or "Imperfect" goods.
- E.** Problem caused by moisture, hydrostatic pressure or alkali in the sub-floor.
- F.** Problem caused by installation with non-approved adhesive. If you are unsure about the suitability of a particular adhesive, please call us for our recommendations.
- G.** Product installed outdoors. M-D PRO products are designed for interior use only.
- H.** Color degradation caused by sunlight or other U.V. exposure. These warranties are supplied in lieu of any other warranty, expressed or implied. All product specifications are subject to change without notice.

NOTES

[illegible]

NOTES



5720 Ambler Drive
Mississauga, ON, L4W 2B1
Telephone: 1 800 565 6653
E-mail: service@mdteam.com
Website: mdpro.com



Part #: MPCATMDPRO
Print date: June 2024