



Heterogeneous Vinyl

eternal[®] step collection

step | SR | SR aqua | stone

creating better environments

forbo

FLOORING SYSTEMS

eternal® step collection

step | SR | SR aqua | stone

Our Eternal Step collection of safety vinyl offers guaranteed lifetime slip resistance in a wide variety of designs and colors, with ease of cleaning and maintenance. The collection covers relevant slip resistance ratings and is designed for different applications, including wet and barefoot/footwear combined areas. The flooring features slip resistant particles throughout the matrix and advanced printing techniques for coordinated color schemes and realistic designs. All of our Step products are finished with a PUR Pearl coating, providing exceptional stain and chemical resistance, scratch resistance, superior appearance retention, and unmatched ease of cleaning and maintenance. With over 50 years of experience, Forbo is a trusted name in safety vinyl production.



Slip resistance explained

The step range has solutions for all applications where safety flooring is a requirement. From Step ranges for general use to industrial or wetroom solutions: we have designed the floors that work and look best in each application.

WHAT to use WHERE		
ETERNAL STEP ETERNAL STEP STONE	ETERNAL STEP SR AQUA	ETERNAL STEP SR
GENERAL AND SPILLAGE AREAS WITH INCREASED (A HIGHER) SLIP RISK	SPA'S, SHOWERS AND SWIMMING POOL AREAS	INCREASED SLIP RISK FROM CONTAMINATION
<ul style="list-style-type: none"> • General workrooms areas • Wet cellars in food and beverage production • Various types of kitchens (thawing, coffee related, hotels & station) • Acceptance areas for packaged goods (such as meat) • General storage areas • Parking areas • School areas including toilets & kitchens • Healthcare areas for sterilization, sewage, section, & wash/bath rooms • Wet areas in food & beverage production • Kitchens and dining rooms • Outlets and commercial spaces • Rooms in health/welfare care facilities • Storerooms • School and kindergarten facilities • Operational infrastructure areas 	<ul style="list-style-type: none"> • Continuously wet areas, barefoot & soft shoes • Walk in showers • Hydrotherapy areas • Indoor swimming pool 	<ul style="list-style-type: none"> • Gourmet kitchens • Community kitchens in public areas • Cold rooms for packaged goods • Acceptance and operation of meat products • Food production including milk, cheese, chocolate, confectionery, bakery products • Wet areas for food and beverage production • Ceramic industry equipment such as wet milling, mixers, and presses • Loading and processing of glass and stone • Laundry facilities • Leather production and textiles • Concrete buildings for various purposes • Chemical and thermal treatment of iron and metal • Metalworking and metal processing workshops • Vehicle and aircraft maintenance workshops • Operational infrastructure for various industries



Scan here to access technical specifications or request samples.





WATER AND SOAP		OIL	
eternal® step eternal® step stone eternal® step SR eternal® step SR aqua	eternal® step SR aqua	eternal® step eternal® step stone eternal® step SR eternal® step SR aqua	
20' ESf	15' ESb	35' R12	27' R11
		24' C	19' R10
		18' B	
		12' A	
EN 13845	EN 13845	DIN 51097	DIN 51130

eternal® step collection


step | SR | SR aqua | stone

Forbo's Eternal Step collection is a heterogeneous vinyl sheet flooring that offers a cleaner look and improved slip resistance. Heterogeneous vinyl flooring is made up of multiple layers, each with a slightly different appearance. The layers include a back layer, a coated core layer, and a wear layer.






171082 | snow LRV 75%




171032 | smoke LRV 47%



172182 | warm greige LRV 37%




172472 | white moss LRV 48%




172332 | daffodil LRV 59%




172472 | white moss




172752 | slate grey LRV 29%




171922 | concrete LRV 28%




172192 | light kelp LRV 32%




172542 | moss LRV 27%




172442 | hay LRV 47%




172092 | granite LRV 15%



171952 | elephant LRV 19%




171872 | earth LRV 18%




172362 | kelp LRV 19%




172472 | white moss




171592 | lava LRV 10%



171992 | charcoal LRV 6%




171282 | dragon LRV 10%




172072 | dark kelp LRV 12%




171772 | cement




172312 | warm mortar LRV 45%




171772 | cement LRV 30%




172152 | grey terra LRV 15%




171262 | umber LRV 19%




172052 | chocolate LRV 10%




172842 | salmon LRV 38%




172952 | blush LRV 31%




172882 | burgundy LRV 9%




172212 | china blue LRV 34%




171642 | cloudy LRV 21%




172812 | grey lavender LRV 22%




171962 | steel LRV 11%



172582 | pale blue LRV 48%




172662 | reef green LRV 27%




172712 | denim LRV 8%

eternal[®] step stone



17352 | taupe speckled LRV 25%



17342 | loam speckled LRV 17%



17122 | cool concrete LRV 37%



17812 | speckled ceramic tile LRV 40%




17842 | speckled concrete tile LRV 33%



17132 | blue concrete LRV 25%




17312 | sand speckled LRV 43%




17362 | grey speckled LRV 24%




17162 | grey concrete LRV 17%



17482 | gravel concrete LRV 15%



17422 | beton concrete LRV 28%



17172 | black concrete LRV 8%




17132 | blue concrete & 17842 | speckled concrete tile

eternal® step SR aqua

eternal® step SR




180312 | mortar




180482 | greige LRV 39%




180312 | mortar LRV 45%




180742 | sage LRV 30%




180092 | elephant LRV 17%




180362 | umber LRV 20%




180662 | reef green LRV 27%




174032 | smoke LRV 46%



174752 | slate grey LRV 29%




174542 | moss LRV 26%




174962 | steel LRV 11%




174962 | steel




174922 | concrete LRV 28%




174952 | elephant LRV 19%




174992 | charcoal LRV 6%




174232 | fossil LRV 30%



174262 | umber LRV 20%



174872 | earth LRV 18%



174282 | dragon LRV 10%



Scan here to access
technical specifications
or request samples.

Forbo Flooring Systems
online: www.forboflooringNA.com | email: info.na@forbo.com

Find us on
[f](#) [v](#) [p](#) [in](#) [D](#) [@](#)

creating better environments

forbo
FLOORING SYSTEMS