Safety Data Sheet MAPESIL 3D

Safety Data Sheet dated: 06/10/2021 - version 4 Date of first edition: 09/15/2017



1. Identification

Product identifier Mixture identification: Trade name: MAPESIL 3D Other means of identification Trade code: 6UT020191 Recommended use and restrictions on use Recommended use: Sealant Restrictions on use: N.A. Supplier's details Company: MAPEI INC. (Canada) 2900 Francis-Hughes Avenue H7L 3J5 - Laval - QC - CAN Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. Hazard identification



Classification of the product

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility.

May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

Label elements

Pictograms and Signal Words



Hazard statements:

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

Precautionary statements:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 P333+P313	IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
122212	

P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.

Other hazards

None

Ingredient(s) with unknown acute toxicity

None

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

3. Composition/information on ingredients

Substances

N.A.

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	2-BUTANONE, O,O',O''- (METHYLSILYLIDYNE)TRIOXIME	CAS:22984-54-9	Eye Irrit. 2A, H319; STOT RE 2, H373; Skin Sens. 1B, H317	
0.49-1 %	VINYLTRIS(METHYLETHYLKETOXIME) SILANE	CAS:2224-33-1	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
0.49-1 %	N-[3- (TRIMETHOXYSILYL)PROPYL] ETHYLENEDIAMINE	CAS:1760-24-3	Flam. Liq. 4, H227; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317	
0.49-1 %	2-BUTANONE OXIME	CAS:96-29-7	Flam. Liq. 4, H227; Acute Tox. 4, H312; Eye Dam. 1, H318; Skin Sens. 1, H317; Carc. 2, H351	
0.49-1 %	OCTAMETHYLCYCLOTETRASILOXANE	CAS:556-67-2	Flam. Liq. 3, H226; Repr. 2, H361 Aquatic Chronic 4, H413	;
0.49-1 %	TITANIUM DIOXIDE	CAS:13463-67-7	Carc. 2, H351	

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
TITANIUM DIOXIDE	OSHA			15					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation;
	MAK	GERMANY		0,3					
	ACGIH			10					A4 - Not Classifiable as a

MAK	AUSTRIA	5
MAK	SWITZERLAND	3

Appropriate engineering controls

N.A.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

10

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: paste Pigmented Odour: Characteristic Odour threshold: No data available pH: No data available Melting point / freezing point: No data available Initial boiling point and boiling range: No data available Flash point: 96 °C (205 °F) Evaporation rate: < 1Upper/lower flammability or explosive limits: No data available Vapour density: > 1 Vapour pressure: No data available Relative density: 1.04 g/cm3 Solubility in water: reacts Solubility in oil: No data available Partition coefficient (n-octanol/water): No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: No data available Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

Other information

Substance Groups relevant properties No data available Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

N-[3- (TRIMETHOXYSILYL) PROPYL] ETHYLENEDIAMINE	a) acute toxicity	LD50 Oral Rat = 2413 mg/kg
2-BUTANONE OXIME	a) acute toxicity	LD50 Oral Rat = 930 mg/kg LD50 Skin Rabbit 1000 mg/kg LC50 Inhalation Rat > 4800 mg/m3 4h LC50 Inhalation Rat > 4,83 mg/l 4h
OCTAMETHYLCYCLOTETR ASILOXANE	a) acute toxicity	LD50 Skin Rabbit = 794 µL/kg LC50 Inhalation Rat = 36 g/m3 4h LD50 Oral Rat = 1540 mg/kg LD50 Skin Rabbit = 794 µL/kg LC50 Inhalation Rat = 36 g/m3 4h
TITANIUM DIOXIDE	a) acute toxicity	LD50 Oral Rat > 10000 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

TITANIUM DIOXIDE

Substance(s) listed on the IARC Monographs:

Group 2B

Substance(s) listed as OSHA Carcinogen(s):

TITANIUM DIOXIDE

Substance(s) listed as NIOSH Carcinogen(s):

TITANIUM DIOXIDE

Substance(s) listed on the NTP report on Carcinogens:

None

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
2-BUTANONE OXIME	CAS: 96-29-7	a) Aquatic acute toxicity: LC50 Fish Pimephales promelas 777 mg/L 96h EPA
		a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 760 mg/L 96h IUCLID
		a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 750 mg/L 48h IUCLID
		a) Aquatic acute toxicity: EC50 Algae Desmodesmus subspicatus = 83 mg/L 72h IUCLID
OCTAMETHYLCYCLOTETRASILOXA NE	CAS: 556-67-2	a) Aquatic acute toxicity: LC50 Fish Brachydanio rerio > 500 mg/L 96h IUCLID
		a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus > 1000 mg/L 96h IUCLID
Persistence and degradability		
N.A.		

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

TDG-UN number: N.A. ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

UN proper shipping name

TDG-Shipping Name: N.A. ADR-Shipping Name: N.A. DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A.

IMDO	G-Technical name: N.A.
Transport ha	azard class(es)
-	Class: N.A.
ADR-	Class: N.A.
DOT	Hazard Class: N.A.
IATA	-Class: N.A.
IMDO	G-Class: N.A.
Packing grou	qL
TDG-	Packing Group: N.A.
ADR-	Packing Group: N.A.
DOT	Packing Group: N.A.
IATA	-Packing group: N.A.
IMDO	G-Packing group: N.A.
Environment	tal hazards
Marin	ne pollutant: No
Envir	ronmental Pollutant: N.A.
Transport in	bulk (according to Annex II of MARPOL 73/78 and the IBC Code)
N.A.	
Special prec	autions in connection with transport or conveyance
TDG:	
TDG	Special provisions: N/A
Department o	f Transportation (DOT):
N.A.	
Road and Rail	(ADR-RID):
N.A.	
Air (IATA):	
N.A.	
Sea (IMDG)	:
N.A.	
15. Regulat	tory information
Canada - Fo	ederal regulations
DSL - Domes	stic Substances List

DSL Inventory:

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL Inventory: No substances listed

NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

No substances listed

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

2-BUTANONE, 0,0',0''- (METHYLSILYLIDYNE)TRIOXIME	is listed in TSCA	Section 8b
VINYLTRIS (METHYLETHYLKETOXIME)SILANE	is listed in TSCA	Section 8b
N-[3- (TRIMETHOXYSILYL)PROPYL] ETHYLENEDIAMINE	is listed in TSCA	Section 8b
2-BUTANONE OXIME	is listed in TSCA	Section 8b
OCTAMETHYLCYCLOTETRASILOXA NE	is listed in TSCA	Section 8b Section 8a - PAIR Section 12b
TITANIUM DIOXIDE	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

No substances listed

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

TITANIUM DIOXIDE Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

TITANIUM DIOXIDE

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

TITANIUM DIOXIDE

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

TITANIUM DIOXIDE

16. Other information

Safety Data Sheet dated: 6/10/2021 - version 4

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and

- H373 May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.
- H413 May cause long lasting harmful effects to aquatic life.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 6. ACCIDENTAL RELEASE MEASURES

- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 9. PHYSICAL AND CHEMICAL PROPERTIES