



LAMINATE, MDF & WOOD FLOORING ACCESSORIES

Product Catalog **2018**





The information in this catalog is gathered from customers, end users, and our personal experiences. The products have been created to provide you with solutions for today's transition challenges.

We would like to thank you for your patronage and for giving us the opportunity to become "Your Flooring Accessories Specialist". Being "Your Flooring Accessories Specialist" means ...

- We will provide the best service in the industry by utilizing a team of dedicated Customer Service Specialists.
- Our product will maintain a high degree of consistency and quality to meet the needs of our customers, by manufacturing our product to ISO standards.
- We will incorporate our customers input when making decisions, by using ideas and suggestions brought to us.
- All our business dealings will be handled with integrity, by ensuring customers and suppliers alike know the facts.
- New product innovation will be an integral part of our business strategy, by continually anticipating market trends and designing the accessories demanded by the industry.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

Toll free: 1 800 565 6653

E-mail: service@mdteam.com

Website: www.mdpro.com

TABLE OF CONTENTS

WOOD GRAIN METAL LAMINATE MOLDINGS

EXPANSION JOINT (DIVIDER)

LM4002Pg.04

REDUCERS

LM4003Pg.04

LM4005Pg.04

STAIR NOSING

LM4004Pg.04

TRACKS

LM3001Pg.05

LM3002Pg.05

LM3003Pg.05

LM3004Pg.05

METAL LAMINATE MOLDINGS

END STOPS

LM1001Pg.06

LM1251Pg.06

EXPANSION JOINTS (DIVIDERS)

LM1002Pg.06

LM1005Pg.07

LM1255Pg.07

REDUCERS

LM1003Pg.07

LM1253Pg.07

STAIR NOSING

LM1004Pg.08

LM1254Pg.08

MDF LAMINATE MOLDINGS

T-MOLDINGS

LM7002Pg.10

LM7102Pg.10

MDF LAMINATE MOLDINGS

REDUCERS

LM7003Pg.10

LM7103Pg.10

STAIR NOSING

LM7004Pg.11

LM7104Pg.11

QUARTER ROUND

LM7010Pg.11

MDF LAMINATE ACCESSORIES

SHIM

LM7030Pg.12

MDF LAMINATE FINISHES GUIDE

.....Pg.13-14

SOLID OAK

EQUALIZERS

FW6830Pg.16

FW6840Pg.16

OVERLAP EDGING

FW6820Pg.16

REDUCERS

FW6800Pg.17

FW6810Pg.17

FW6880Pg.17

SEAM BINDERS

FW6860Pg.18

FW6870Pg.18

T-MOLDING

FW6890Pg.18

UNFINISHED SOLID WOOD

EQUALIZER

FW6901Pg.19

REDUCERS

FW6900Pg.19

FW6904Pg.19

FW6905Pg.19

SEAM BINDER

FW6902Pg.20

STAIR NOSING

FW6906Pg.20

T-MOLDING

FW6903Pg.20

MARKETING TOOLS

CHAIN SETS

MPCHAINSETS15Pg.22

MPCHAINSETS13Pg.22

MPCHAINSET32Pg.22

MPCHAINSET11Pg.22

MPCHAINSET27Pg.22

MPSWATCH614MDFPg.22

SAMPLE BOARD


MPSAMPLEMDFPg.22

POLICY AND WARRANTY

.....Pg.23


METAL LAMINATE FLOORING TRIMS

LAMINATE flooring products have become the economical alternative to hardwood. Our wide variety of aluminum profiles and wood grain finishes provide the ideal solution for any installation or transitional needs. Our wood grain laminate moldings are made of solid aluminum providing incomparable strength and durability. In addition the wood grain surface is treated with an aluminum oxide finish that increases surface hardness up to 3 times more over other sealers and coatings.



WOOD GRAIN METAL LAMINATE MOLDINGS

EXPANSION JOINT (DIVIDER)




Expansion Joint (Divider) for floating floors. Used when installing large areas of floating floors as an expansion joint. Overhang allows expansion of floors and eliminates buckling. Should be used for any installation greater than 12' in any one direction.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes (see page 5 for wood grain finishes)				
		MAP	OAK	ROK	WAL	SCA
LM4002	W1=1-7/16" (3.7cm), W2=5/8" (16mm), H=5/16" (8mm)

REDUCERS




Floating Floor Reducer. Reduces from 5/16" to 1/8" floor. Used when butting floating floors on top of existing floors, subfloor, floor tile or resilient sheet goods.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes (see page 5 for wood grain finishes)				
		MAP	OAK	ROK	WAL	SCA
LM4003	W1=1-1/2" (3.8cm), W2=11/16" (17.5mm), H1=5/16" (8mm), H2=1/8" (3mm)
LM4005	W1=1-5/8" (4.1cm), W2=5/8" (16mm), H1=5/16" (8mm), H2=0"

STAIR NOSING



Stair Nosing finishes edge of stair. For nosing applications use LM3002, LM3003 or LM3004 track.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes (see page 5 for wood grain finishes)				
		MAP	OAK	ROK	WAL	SCA
LM4004	W1=1-5/16" (3.3cm), W2=5/8" (16mm), H1=1-3/16" (3cm), H2=1/4" (6mm)



* All dimensions are approximate

WOOD GRAIN METAL LAMINATE FINISHES

Wood Grain Metal Laminate Moldings available in: Oak (OAK), Red Oak (ROK), Maple (MAP), Walnut (WAL)




TRACKS



The easy to install LM3001 snap-in track design. Made of rigid PVC.

LENGTH: 12 FT | PACK SIZE: 50 PCS


Profile Number	Dimensions	Finishes	
		GRY	WHT
LM3001	W1=7/32"(6mm), W2=7/16"(11mm), H=5/16"(8mm)	•	



Track to be used for laminate floors. Flange adds strength and stability. Staggered drilled. Made of rigid PVC.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Number	Dimensions	Finishes	
		GRY	WHT
LM3002	W1=7/32"(6mm), W2=1"(2.5cm), H=5/16"(8mm)	•	




Track to be used for laminate floors. Track provides secure grip of molding for greater durability and safety. Flange adds extra strength and stability. Made of rigid PVC.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Number	Dimensions	Finishes	
		GRY	WHT
LM3003	W1=7/32"(6mm), W2=1"(2.5cm), H=3/8"(10mm)	•	
LM3004	W1=7/32"(6mm), W2=1"(2.5cm), H=1/2"(12.5mm)		•

METAL LAMINATE MOLDINGS

END STOPS




One piece floating floor End Stop (J-Mold) used when butting floating floors to walls, patio doors or other flooring materials of similar heights such as hardwood or ceramic tile.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		BLK	STI	SCP
LM1001	W1=3/4"(2cm), W2=1-3/16"(3cm), H=5/16"(8mm)	•	•	•
LM1251	W1=9/16"(14mm), W2=1-3/16"(3cm), H=1/2"(12.5mm)	•	•	•

EXPANSION JOINT (DIVIDER)



One piece Expansion Joint (divider) for floating floors. Used when installing large areas of floating floors as an expansion joint. Large overhangs allows expansion of floors and eliminates buckling. Should be used for any installation greater than 12' in any one direction.


LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		BLK	STI	SCP
LM1002	W1=1"(2.5cm), W2=1-5/8"(4.1cm), H=5/16"(8mm)	•	•	•

* All dimensions are approximate

METAL LAMINATE MOLDINGS

EXPANSION JOINTS (DIVIDER)




One piece Expansion Joint (divider) for floating floors. Used when installing large areas of floating floors as an expansion joint. Large overhangs allows expansion of floors and eliminates buckling. Should be used for any installation greater than 12' in any one direction.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		SCA	STI	SCP
LM1005	W1=1"(2.5cm), W2=1"(2.5cm), H=5/16"(8mm)	•	•	•
LM1255	W1=1-1/10"(2.8cm), W2=1-1/16"(2.7cm), H=1/2"(12.5mm)	•	•	•

REDUCERS




One piece floating floor Reducer. Used when butting floating floors up to 1/8" tile or resilient sheet goods. The large overhang allows the laminate floor to expand and contract up to 1/2".

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		SCA	STI	SCP
LM1003	W1=1-1/2"(12.5mm), W2=1-1/10"(2.8cm), H1=5/16"(8mm), H2=1/8"(3mm)	•	•	•
LM1253	W1=1-9/16"(40mm), W2=1-1/10"(2.8cm), H1=1/2"(12.5mm), H2=1/8"(3mm)	•	•	•

METAL LAMINATE MOLDINGS

STAIR NOSINGS



One piece floating floor Stair Nosing. Used when installing floating floors on stairs. Can also be used with ceramic tiles or other floors of similar thickness.

LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		SCA	STI	SCP
LM1004	W1=5/8"(16mm), W2=1-3/16"(3cm), H1=5/16"(8mm), H2=1-5/8"(4.1cm), H3=2"(5.1cm)	•	•	•
LM1254	W1=9/16"(14mm), W2=1-3/16"(3cm), H1=1/2"(13mm), H2=1-5/8"(4.1cm), H3=2-1/4"(5.7cm)	•	•	•

ALUMINUM FINISHES

(Finishes may not appear exactly as shown. Please request a sample prior to placing an order)



SCA
SATIN
CLEAR
ANODIZED



STI
SATIN
TITANIUM



SCP
SATIN
CHAMPAGNE

* All dimensions are approximate


MDF LAMINATE MOLDINGS

Our superior **MDF LAMINATE MOLDINGS** are built on structurally sound, water resistant **MDF (MEDIUM DENSITY FIBERBOARD)**. The finish is wrapped laminate using waterproof adhesive. The laminate surface is impregnated with aluminum oxide then wrapped over the transition to give our transitions superior durability over the competition. Choose from a selection of 32 colours and wood grain styles to complement today's most popular flooring finishes.



MDF LAMINATE MOLDINGS

T-MOLDINGS




Finishes gap between level flooring areas.

LENGTH: 6 FT | PACK SIZE: 7 PCS

***SEE PAGES 13 & 14 FOR FINISHES**

Profile Number	Dimensions	To be used with	
		6-9 mm	10-14 mm
		laminate/floating floors	
LM7002	W1=1-3/4"(4.5cm), W2=1/2"(12.5cm), H=1/4"(6mm)	•	
LM7102	W1=1-3/4" (4.5cm), W2=1/2" (12.5cm), H=7/16"(11mm)		•

REDUCERS



Finishes edge between laminate/wood flooring and other hard surface or carpet. Finishes edge at outside doors.

LENGTH: 6 FT | PACK SIZE: 7 PCS


***SEE PAGES 13 & 14 FOR FINISHES**

Profile Number	Dimensions	To be used with	
		6-9 mm	10-14 mm
		laminate/floating floors	
LM7003	W1=1-3/4" (4.5cm), W2=1-1/8"(2.9cm), W3=5/8"(16mm), H=3/8"(9.5mm)	•	
LM7103	W1=1-3/4" (4.5cm), W2=1-1/8"(2.9cm), W3=5/8"(16mm), H=1/2"(12.5mm)		•

* All dimensions are approximate

MDF LAMINATE MOLDINGS

STAIR NOSINGS




Finishes edge of laminate/wood flooring at stairs.

LENGTH: 8 FT | PACK SIZE: 5 PCS
***SEE PAGES 13 & 14 FOR FINISHES**

Profile Number	Dimensions	To be used with	
		6-9 mm	10-14 mm
LM7004	W1=2-1/8" (5.4cm), W2=1-1/10" (2.8cm), W3=5/8" (16mm), H=1/4" (6mm)	•	
LM7104	W1=2-1/8" (5.4cm), W2=1-1/10" (2.8cm), W3=5/8" (16mm), H=1/2" (12.5mm)		•

QUARTER ROUND




Quarter round finishes space between laminate/wood flooring and wall base.

LENGTH: 8 FT | PACK SIZE: 10 PCS
***SEE PAGES 13 & 14 FOR FINISHES**

Profile Number	Dimensions	SO Special Order Only
LM7010	W=3/4" (2cm), H=5/8" (16mm)	Minimum Order Quantity for Quarter Round: 50 Please allow a minimum of 15 business days for Special Orders

MDF LAMINATE ACCESSORIES

SHIM




Shim - when used in conjunction with each other - can accommodate installation of the MDF moldings with floors up to 15 mm thick.

LENGTH: 6 FT | PACK SIZE: 40 PCS

Profile Number	Dimensions
LM7030	W=13.5mm, H=4mm

METAL SNAP-IN TRACK




Metal Snap-In track is included with each molding and comes complete with screws and anchors. Not sold separately.

LENGTH: 6 FT

LM7003 with track

Dimensions
W=9/16"(14mm), H=5/16"(8mm)



* All dimensions are approximate

MDF LAMINATE FINISHES GUIDE

All Colors Stocked in 6-9 MM and 10-14 MM

Color Number	Finishes	Color Number	Finishes
169		258	
173		294	
177 NEW		300	
188 NEW		354	
220		448 NEW	
224		456	
248		476	
256		492	

DISCLAIMER: Wood grain finishes may not appear exactly as shown. Request a sample for actual color visual.

MDF LAMINATE FINISHES GUIDE

All Colors Stocked in 6-9 MM and 10-14 MM

Color Number	Finishes	Color Number	Finishes
504		626	
506		638	
520 NEW		640	
521 NEW		648 (SO Quarter Round Only)	
532		672	
533 NEW		786	
568 NEW		790	
576		902	

DISCLAIMER: Wood grain finishes may not appear exactly as shown. Request a sample for actual color visual.

SO Minimum Order Quantity for Quarter Round: 50. Please allow a minimum of 15 business days for Special Orders.


UNFINISHED WOOD TRIM

Not everyone is looking for a fully finished product. Many like the natural look and feel of solid oak and maple while others prefer the flexibility to paint or varnish in their own custom applications and we have a molding selection for that! Our line of solid oak trims come drilled or un-drilled and sanded for quick installation and ready for any custom treatment. Available in several different profiles, this product is sure to please even the pickiest installer and their clients.



SOLID OAK

EQUALIZER




Equalizer. Joins adjacent floor height differentials. Items are supplied **pre-drilled** with a sanded but unfinished surface.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak

FW6830

W=1-1/2"(3.8cm), H=3/16"(5mm)



Equalizer. Joins adjacent floor height differentials. Items are supplied **pre-drilled** with a sanded but unfinished surface.


LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak

FW6840

W=2"(5.1cm), H=1/4"(6mm)

OVERLAP EDGING



Overlap Edging. For use with resilient floors or tile up to 1/8". Items are supplied **pre-drilled** with a sanded but unfinished surface.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak


FW6820

W1=13/16"(2.1cm), W2=7/16"(11mm), H1=1/8"(3mm), H2=3/8"(9.5mm)

* All dimensions are approximate

SOLID OAK

REDUCERS



Reducer. Used when butting floating floors up to 1/8" tile or resilient sheet goods. Items supplied **undrilled**.


LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak

FW6800

W=1"(2.5cm), H1=3/8"(9.5mm), H2=1/4"(6mm)

•



Reducer. Used when butting floating floors up to 1/8" tile or resilient sheet goods. Items supplied **undrilled**.


LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak

FW6810

W=1-3/4"(4.5cm), H1=7/16"(11mm), H2=1/8"(3mm)

•



Reducer molding for reducing 3/4" flooring materials such as ceramic or hardwood. Gives smooth transition from lower to higher floors. Joins adjacent floor height differentials. Items supplied **undrilled**.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak


FW6880

W=2-1/2"(6.4cm), H1=3/4"(2cm), H2=1/4"(6mm)

•

SOLID OAK

SEAM BINDERS




Seam binder for joining adjacent floors of equal height. Items are supplied **pre-drilled** with a sanded but unfinished surface.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak
FW6860	W=1-3/4"(4.5cm), H=3/8"(9.5mm)	•
FW6870	W=2-1/2"(6.4cm), H=3/8"(9.5mm)	•

T-MOLDING



T-Molding. Joins adjacent floors of equal heights. Items supplied **undrilled**.


LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
		Solid Oak
FW6890	W1=1-1/2"(3.8cm), W2=7/16"(11mm), H1=9/16"(14mm), H2=3/16"(5mm)	•

* All dimensions are approximate

UNFINISHED SOLID WOOD

EQUALIZER




Equalizer. Joins adjacent floor height differentials up to 3/16".

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
		OAK	MAP
FW6901	W=1-1/2"(3.8cm), H1=3/16"(5mm), H2=5/16"(8mm)	•	•


REDUCERS



Reducer molding for reducing flooring materials such as ceramic or hardwood. Gives smooth transition from lower to higher floors.

LENGTH: 6 FT | PACK SIZE: 5 PCS


Profile Number	Dimensions	Materials	
		OAK	MAP
FW6900	W=1-3/4"(4.5cm), H1=7/16"(11mm), H2=1/8"(3mm)	•	•



Reducer molding for reducing flooring materials such as ceramic or hardwood. Gives smooth transition from lower to higher floors.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
		OAK	MAP
FW6904	W=2-1/2"(6.4cm), H1=3/4"(2cm), H2=1/8"(3mm)	•	•




Reducer molding for reducing 3/4" hardwood to carpet.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
		OAK	MAP
FW6905	W1=2-1/2"(6.4cm), W2=5/8"(16mm), H1=3/4"(2cm), H2=3/8"(9.5mm)	•	•

UNFINISHED SOLID WOOD

SEAM BINDER




Seam binder for joining adjacent floors of equal height 1-3/4" wide.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
		OAK	MAP
FW6902	W=1-3/4"(4.5cm), H=5/16"(8mm)	•	•

STAIR NOSING




Finishes 3/4" hardwood at top of stairs or landings.

LENGTH: 4 or 8 FT | PACK SIZE: 1 PCS

Profile Number	Dimensions	Materials	
		OAK	MAP
FW6906	W1=3-1/2"(9cm), W2=2-1/4"(5.7cm), H1=3/4"(2cm), H2=1/4"(6mm)	•	•

T-MOLDING



T-molding for joining adjacent floors of equal height 1-3/4" wide.

LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
		OAK	MAP
FW6903	W1=1-3/4"(4.5cm), W2=1/2"(12.5mm), H=5/8"(16mm)	•	•

* All dimensions are approximate

MARKETING TOOLS


At M-D PRO, we believe that our customers come first and that not only is apparent in the products and care we provide but also in how we aid in future sales of our products at the distributor level. The following section outlines all of the sample materials available for customer use which gives the purchaser the opportunity to see finish/color, feel the product, and choose a profile that is right for their project.



CHAIN SETS



MPCHAINSETS15
Wood Grain laminate chain set.
PACK SIZE: 1 PC



MPCHAINSETS13
Laminate metal chain set.
PACK SIZE: 1 PC



MPCHAINSET32
Unfinished Wood - Oak/Maple chain set.
PACK SIZE: 1 PC



MPCHAINSET11
Solid Oak moldings chainset.
PACK SIZE: 1 PC



MPCHAINSET27
MDF Profile chain set.
PACK SIZE: 1 PC



MPSWATCH614MDF
MDF Wood Grain fan deck.
PACK SIZE: 1 PC

SAMPLE BOARD



MPSAMPLEMDF
MDF Sample board.
PACK SIZE: 1 PC

ORDER POLICIES AND WARRANTY

MDF LAMINATE

Requests for MDF moldings/trims that fall within our published Special Order (SO) assortment are subject to minimums. The minimum order quantity (MOQ) is dependent on the profile ordered. Please refer to the chart below for minimums.

Profile	MOQ
Quarter Round	50 pieces

*Please allow a minimum of 15 business days from receipt of PO for shipment.

BROKEN CARTON POLICY

Less than full cartons may be purchased on select items with a minimum up charge of 20%, please contact your Customer Service Representatives for details. No returns will be granted for items that fall below the standard carton/pack size.

M-D PRO LIMITED WARRANTY

M-D PRO products are warranted for a period of 1 (one) year from date of shipment. All products will be subject to the following manufacture warranties; Products will conform to original product and contract description with only such reasonable variations as is acceptable in the trade. These products will be fit for the purposes for which they were intended and that they will be professionally packaged and labeled. M-D PRO will replace any defective product found if said defect is identified before installation. If a defect is found after installation, M-D PRO must be notified in writing within 10 days of installation. The customer must then, at M-D PRO's discretion, allow an inspection of the installation. If upon inspection, M-D PRO determines the product to be defective, M-D PRO will at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the goods in question. M-D PRO assumes no liability or responsibilities for labor or the cost of other materials used in such installations.

These warranties do not circumvent any individual product category warranties implied or stated by M-D PRO.

Warranties do not apply to the following specified items, terms and conditions:

- A.** Exact matching of color, shade, texturing or mottling.
- B.** Any warranties, other than expressed above, implied or promised by any sales representative.
- C.** Tears, scratches, burns, or other damage caused by improper installation, improper use or maintenance.
- D.** Sales of "Seconds", or "Imperfect" goods.
- E.** Problem caused by moisture, hydrostatic pressure or alkali in the sub-floor.
- F.** Problem caused by installation with non-approved adhesive. If you are unsure about the suitability of a particular adhesive, please call us for our recommendations.
- G.** Product installed outdoors. M-D PRO products are designed for interior use only.
- H.** Color degradation caused by sunlight or other U.V. exposure. These warranties are supplied in lieu of any other warranty, expressed or implied. All product specifications are subject to change without notice.



5720 Ambler Drive
Mississauga, ON, L4W 2B1
Telephone: 1 800 565 6653
E-mail: service@mdteam.com
Website: www.mdpro.com

Part #: MPCATWOOD
Print date: May 2018