

Vinyl Composition Tile (VCT) - Commercial Tile by Armstrong Flooring Inc.

CLASSIFICATION: 09-65-00

PRODUCT DESCRIPTION: THIS PRODUCT SETS THE INDUSTRY STANDARD FOR VCT IN QUALITY AND VALUE WITH TRUE-COLOR AND PATTERN CONSTRUCTION BACKED BY DECADES OF PROVEN PERFORMANCE.

Health Product Declaration v2.1.1

created via: toxnot.com

+ Section 1: Summary

Basic Method/Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for

Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances

Screened Yes Ex/SC Yes No

Screened using Priority Hazard Lists with results disclosed

Identified Yes Ex/SC Yes No

Disclosed by Name (Specific or Generic) and identifier

SC = Special Condition (See Notes)

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE GREENSCREEN SCORE HAZARD TYPE;

CALCIUM CARBONATE LT-UNK ; **RECYCLED STREAMS** NOGS ; **POLYVINYL CHLORIDE** LT-P1 RES | CAN; **VINYL CHLORIDE-VINYL ACETATE COPOLYMERS** LT-UNK ; **BLENDED DIBENZOATES** NOGS ; **DI(2-ETHYLHEXYL) TEREPHTHALATE** LT-UNK ; **14-BENZENEDICARBOXYLIC ACID 14-DIBUTYL ESTER** NOGS ; **TITANIUM DIOXIDE** LT-1 END | CAN; **AMORPHOUS SILICA** LT-P1 CAN; **CALCIUM HYDROXIDE (CA(OH)2)** LT-P1 ; **VARIOUS COLORED PIGMENTS** NOGS ; **ZINC COMPOUNDS** NOGS ;

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings*

VOC content: FloorScore®

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE:

PUBLISHED DATE: Not published on the HPDC repository

EXPIRY DATE: Not published on the HPDC repository



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold
- Basic Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

VINYL COMPOSITION TILE (VCT)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Considered

RESIDUAL/IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

OTHER PRODUCT NOTES:

CALCIUM CARBONATE

ID: 1317-65-3

#: 80-85

GS: LT-UNK

RC: None

NANO: UNK

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

RECYCLED STREAMS

ID: NO RN

#: 5-15

GS: NoGS

RC: None

NANO: UNK

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES: Trace amounts of BBP and DINP may be present in the finished product due to the use of recycled content.

POLYVINYL CHLORIDE

ID: 9002-86-2

#: 5-8

GS: LT-P1

RC: None

NANO: UNK

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

MAK

Carc. 4

RES

AOEC - Asthmagens

Rs

SUBSTANCE NOTES:

VINYL CHLORIDE-VINYL ACETATE COPOLYMERS

ID: 9003-22-9

#: 5-8

GS: LT-UNK

RC: None

NANO: UNK

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

BLENDED DIBENZOATES

ID: 21738-31-4

#: 3-6

GS: NoGS

RC: None

NANO: UNK

ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

%: 1-2	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None Found	No warnings found on HPD Priority Lists			
SUBSTANCE NOTES:				

14-BENZENEDICARBOXYLIC ACID 14-DIBUTYL ESTER

ID: 1962-75-0

%: < 1	GS: NoGS	RC: None	NANO: UNK	ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None Found	No warnings found on HPD Priority Lists			
SUBSTANCE NOTES: Only VCT produced in our Jackson, Mississippi facility contains this component.				

TITANIUM DIOXIDE

ID: 13463-67-7

%: 0.5-1	GS: LT-1	RC: None	NANO: UNK	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	CA EPA - Prop 65		cancer	
CAN	IARC		2B	
CAN	MAK		Carc. 4	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
END	TEDX - Potential Endocrine Disruptor		Potential Endocrine Disruptor	

SUBSTANCE NOTES: Titanium dioxide is listed as a hazard in respirable form. Titanium dioxide is not in a respirable form in the final product.

AMORPHOUS SILICA

ID: 7631-86-9

%: < 0.1	GS: LT-P1	RC: None	NANO: UNK	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	Australia - GHS		Specific target organ toxicity (repeated exposure) – category 1	
CAN	Australia - GHS		Carcinogenicity – category 1A	
CAN	Australia - GHS		H350i	
CAN	Japan - GHS		CarcinogenicityCategory 1A	
SUBSTANCE NOTES:				

CALCIUM HYDROXIDE (CA(OH)2)

ID: 1305-62-0

%: < 0.1	GS: LT-P1	RC: None	NANO: UNK	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None Found	No warnings found on HPD Priority Lists			
SUBSTANCE NOTES:				

VARIOUS COLORED PIGMENTS

ID: NO RN

%: < 0.1	GS: NoGS	RC: None	NANO: UNK	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None Found	No warnings found on HPD Priority Lists			
SUBSTANCE NOTES: Pigment content varies according to SKU.				

%: < 0.1

GS: NoGS

RC: None

NANO: UNK

ROLE: Stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

FloorScore®

CERTIFYING PARTY: Third Party

ISSUE DATE: September 1 2019

EXPIRY DATE: August 31 2020

CERTIFIER OR LAB: SCS Global Services

APPLICABLE FACILITIES: Jackson MS; South Gate CA; Kankakee IL

CERTIFICATE URL: <https://www.armstrongflooring.com/pdbupimages-flr/220313.pdf>

CERTIFICATE AND COMPLIANCE NOTES:

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide <http://www.scsglobalservices.com/certified-green-products-guide>.

LCA

Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: January 1 2019

EXPIRY DATE: January 1 2024

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Jackson MS; South Gate CA; Kankakee IL

CERTIFICATE URL: <https://www.armstrongflooring.com/pdbupimages-flr/220487.pdf>

CERTIFICATE AND COMPLIANCE NOTES:

The Resilient Floor Covering Institute (RFCI) is an industry trade association of leading resilient flooring manufacturers. This declaration for vinyl composition tile covers a broad range of styles and colors produced by the RFCI manufacturers of this flooring product. The EPD is intended to represent an industry average.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Adhesives recommended for installation include the following:

Full Spread Adhesives S-515, S-525, S-700, S-750 & S-240,

Flip® Spray Adhesive



Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information Armstrong Flooring expresses no opinion and makes no representations as to the applicability suitability accuracy or completeness of the declaration form or the standards rules classifications warnings or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong Flooring Inc.
 ADDRESS:
 1401 N Hobbie Ave
 Kankakee, IL 60901
 United States of America

CONTACT NAME: TechLine
 TITLE: Customer Service
 PHONE: 1-888-276-7876
 EMAIL: fpotechline@armstrongflooring.com

WEBSITE: www.armstrongflooring.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/ organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/ Irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark-4 (prefer – safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark-3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark-2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark-1 (avoid – chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

- Nested Method/Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method/Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method/Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nanoscale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1.1 is not:

-a method for the assessment of exposure or risk associated with product handling or use,

-a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

Vinyl Composition Tile (VCT) - Commercial Tile