Product Item Numbers

8.2 Schluter®-KERDI-DRAIN





4" Grate Options

Tileable Covering Support

Anodized Aluminum



TILE (ECS) Patent pending



CONTOUR

Brushed Nickel (ATGB)

Brushed Copper (AKGB)

Available in the following colors and finishes:

Brushed Brass (AMGB)

Stainless Steel



CLASSIC

Available in the following colors and finishes:





Chrome (EP)











PURE



CURVE



FLORAL



Available in the following colors and finishes:



Brushed

Nickel (EBT)

Brushed

Rose Gold

(EBRG)

Brushed

Vintage Gold (EBVG)

Stainless Steel Cover for Cleanout Applications




















Stainless Steel - CLASSIC



(6E)



(6RE)



(6CE)

ABS - 2" or 3" Outlet

PVC - 2" or 3" Outlet

Stainless Steel - 2" or 3" No-hub Outlet












ABS or PVC FLANGE — 2" or 3" OUTLET

2" (50 mm) drain outlet	
Material	Item No.
ABS	KD2 FLK ABS
PVC	KD2 FLK PVC

3" (75 mm) drain outlet	
Material	Item No.
ABS	KD3 FLK ABS
PVC	KD3 FLK PVC





4x
Inside



2x Outside




1 XPipe seal (3/4" - 20 mm)



1xMixing valve seal (4-1/2" - 114 mm)

Flange measurements

ABS or PVC



	2" (50 mm) drain outlet	3" (75 mm) drain outlet
А	11-13/16" <i>- 300 mm</i>	11-13/16" <i>- 300 mm</i>
В	4-17/32" - 115.2 mm	4-17/32" <i>- 115.2 mm</i>
С	2-45/64" - 68.6 mm	3-15/16" - 100 mm
D	2-3/8" - 60.5 mm	3-1/2" - 88.8 mm
E	3-15/16" <i>- 100 mm</i>	3-15/16" <i>- 100 mm</i>
F	1-39/64" - 40.6 mm	2" - 50.8 mm
G	7/8" <i>- 22.5 mm</i>	1-1/2" - 38.1 mm


(i)

When using a flange with 3" outlet, a 6" grate is recommended.

STAINLESS STEEL FLANGE — 2" or 3" OUTLET

2" (50 mm) drain outlet	
Material	Item No.
No-hub	KD2 FLK E
Threaded	KD2 FLK ETH

3" (75 mm) drain outlet	
Material	Item No.
No-hub	KD3 FLK E





4xInside corners



2x Outside corners




1 XPipe seal (3/4" - 20 mm)



1x Mixing valve seal (4-1/2" - 114 mm) 1x KERDI-FIX sealing and bonding compound (3.38 fl oz - 100 ml)

Flange measurements

Stainless steel



	2" <i>(50 mm)</i> no-hub outlet	3" <i>(75 mm)</i> no-hub outlet
А	9-27/32" <i>- 250 mm</i>	9-27/32" <i>- 250 mm</i>
В	4-1/2" - <i>115.4 mm</i>	4-1/2" - <i>114 mm</i>
С	2-13/32" <i>- 61.3 mm</i>	3-7/16" - 87.4 mm
D	2-13/32" <i>- 60.6 mm</i>	3-5/16" - 84.2 mm
Е	3-11/32" - 85 mm	3-7/16" - 87.4 mm
F	53/64" - 21 mm	1-5/32" - 29.4 mm




When using a flange with 3" outlet, a 6" grate is recommended.

ABS or PVC FLANGE — 2" OUTLET HORIZONTAL

2" (50 mm) drain outlet	
Material	Item No.
ABS	KDH2 FLK ABS
PVC	KDH2 FLK PVC


Additional components included 2x Outside corners Outside corners



Schluter®-KERDI-SHOWER-CB

Schluter®-KERDI-SHOWER-CB

a height compensation board made of lightweight expanded polystyrene used to accommodate the drain body and waste pipe height, when installing the Schluter®-KERDI-DRAIN-H in conjunction with the Schluter®-KERDI-SHOWER -T/TS/TT shower trays. The compensation board can easily be cut to size to fit around the drain and waste pipe, and multiple boards can be used to fit the size and shape of the shower.






Schluter®-KERDI-SHOWER-CB	
Compensation board	
Item No.	Dimensions
KSCB 90 610 1220	122 cm x 61 cm x 8.9 cm (48" x 24" x 3-1/2")


ADAPTOR KIT — 5-1/4" or 7-1/2" ADAPTOR RING


Schluter®-KERDI-DRAIN ADAPTOR KITS are used to convert traditional clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical. A stainless steel adaptor ring with an overmolded rubber gasket replaces the clamping ring and is sealed to the existing drain body using Schluter®-KERDI-FIX. The bonding flange then slides into the adaptor ring and seals against the rubber gasket. Adaptor kits are suitable for both mortar bed and Schluter®-KERDI-SHOWER-T/-TS/-TT shower tray applications.











 $\left(\mathbf{i}\right)$

The tileable grate and the 6" round/square grates are **NOT** compatible with the 5-1/4" ring flange.

GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

Schluter®-KERDI-DRAIN-STYLE

PURE


U.S. Patent No. D831,795














Brushed stainless steel	
Item No.	
KDIF4 GRK EB D8	












Cream
Item No.
KDIF4 GRK TSC D8





Item No.

KDIF4 GRK TSOB D8

Matte white

Item No.

KDIF4 GRK MBW D8

Matte black
Item No.
KDIF4 GRK MGS D8

CURVE

U.S. Patent No. D831,171












Brushed stainless steel
Item No.
KDIF4 GRK EB D6

Brushed nickel	
Item No.	
KDIF4 GRK EBT D6	



Item No.

KDIF4 GRK EBVG D6

Brushed classic gold

Item No.

KDIF4 GRK EBCG D6













Cream
Item No.
KDIF4 GRK TSC D6

Greige	
Item No.	
KDIF4 GRK TSBG D6	ĺ

Stone grey	
Item No.	
KDIF4 GBK TSSG D6	

Bronze		
Item No.		
KDIF4 GRK TSOB D6		

Matte white
Item No.
KDIF4 GRK MBW D6

Matte black		
]	Item No.	
	KDIF4 GRK MGS D6	

FLORAL

U.S. Patent No. D831,172



	XXX
ı	
K	(
2	////\







Item No.

KDIF4 GRK EBD5

Brushed nickel	
Item No.	
KDIF4 GRK EBT D5	

brusileu iose golu		
Item No.		
KDIF4 GRK EBRG D5		

	Brushed vintage gold Item No.
	KDIF4 GRK EBVG D5













1/1//
XXX

Cream	
Item No.	
KDIF4 GRK TSC D5	

Greige
Item No.
KDIF4 GRK TSBG D5

Stone grey
Item No.
KDIF4 GRK TSSG D5

	Bronze	
Item No.		
KDIF	4 GRK TSOB D5	

Matte white			
Item No.			
KDIF4 GRK MBW D5			

Matte black
Item No.
KDIF4 GRK MGS D5

Stainless steel - CLASSIC







Chrome
Item No.
KD4 GRK EP



Oil-rubbed bronze
Item No.
KD4 GRK EOB



Nickel
Item No.
KD4 GRK ET



Rose gold
Item No.
KD4 GRK ERG



Vintage gold
Item No.
KD4 GRK EVG



Classic gold

Item No.

KD4 GRK ECG

Anodized aluminum - CONTOUR



Brushed nickel anodized aluminum
Item No.
KD4 GRK ATGB



Brushed copper anodized aluminum

Item No.

KD4 GRK AKGB



Brushed brass anodized aluminum
Item No.
KD4 GRK AMGB

Contents



1x
Grate and frame



1x Height adjustment collar



1x Lateral adjustment

GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

TILE



Tileable covering support

Item No.

KD4 GRK ECS

Patent pending

Contents



1x
Tileable covering support



1x Spacer



1x Lateral adjustment

GRATES FOR USE WITH FLANGES WITH 2" or 3" OUTLET

6" (150 mm) Grate

Stainless steel - CLASSIC



Stainless steel - 6" square

Item No.

KD6 GRK E



Stainless steel - 6" round

Item No.

KD6 GRK RE

Contents




Grate and frame with integrated height adjustment collar




1x Lateral adjustment


DRAIN KITS — ABS or PVC FLANGE - 2" OUTLET - STAINLESS STEEL GRATE

Schluter®-KERDI-DRAIN					
	ABS - 2" (50 mm)	PVC - 2" (50 mm)			
4" (100 mm) square g	4" (100 mm) square grate				
Stainless steel	KD2/ABS/E	KD2/PVC/E			



ADAPTOR KIT — 5-1/4" ADAPTOR RING - 4" STAINLESS STEEL GRATE





ABS or PVC FLANGE — 2" or 3" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet		
Material	1 Unit	10 Units
iviateriai	Item No.	Item No.
ABS	KD2/ABS/FL	KD2/ABS/FL10
PVC	KD2/PVC/FL	KD2/PVC/FL10

3" (75 mm) drain outlet				
Material	Item No.			
ABS	KD3/ABS/FL			
PVC	KD3/PVC/FL			

ABS or PVC HORIZONTAL FLANGE — 2" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet				
Material	Item No.			
ABS	KDH2/ABS/FL			
PVC	KDH2/PVC/FL			

STAINLESS STEEL FLANGE — 2" or 3" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet		
Matarial	1 Unit	10 Units
Material	Item No.	Item No.
No-hub	KD2/E/FL	KD2/E/FL10
Threaded	KD2/ETH/FL	-







When using a flange with 3" outlet, a 6" grate is recommended.

10 PACKS - ABS OR PVC FLANGE - 2" OUTLET

2" (50 mm) drain outlet				
Material	Item No.			
ABS	KD2 FLK ABS 10			
PVC	KD2 FLK PVC 10			

Additional components included

40x
Inside corners

10x
Pipe seal
(3/4" - 20 mm)

10x
Mixing valve seal
(4-1/2" - 114 mm)

Note: 10 packs are packaged in bulk, not individually boxed.

10 PACKS - ABS FLANGE - 5-1/4" ADAPTOR RING



Note: 10 packs are packaged in bulk, not individually boxed.



The tileable grate and the 6" round/square grates are **NOT** compatible with the 5-1/4" ring flange.

40x Inside corners 10x Pipe seal (3/4" - 20 mm) 10x KERDI-FIX sealing and bonding compound (3.38 fl oz - 100 ml)

10 PACKS - 4" GRATE - STAINLESS STEEL


Stainless steel - CLASSIC



Stainless steel

Item No.

KD4 GRK E 10



Note: 10 packs are packaged in bulk, not individually boxed.

6" SQUARE CLEAN OUT COVER

The Schluter®-KERDI-DRAIN Clean Out Cover is a 6" stainless steel cover available for installations where the KERDI-DRAIN bonding flange is to be used in a cleanout application.



Clean out cover 6"	
Item No.	Finish
KD-GR6C-E	Stainless steel

TAMPER PROOF SCREWS

Schluter®-KERDI-DRAIN Tamper Proof Screws are designed as a high security accessory for the KERDI-DRAIN. Ideal for loss prevention and anti-theft, these tamper proof screws are used in environments where tamper resistance is desired or required (e.g., healthcare or education facilities, etc.). Phillips head screws are included with the KERDI-DRAIN. The tamper-proof screws as well as the driver bit must be purchased separately.



Tamper proof screw a	and driver bit
Item No.	Description
KD/TPSCRW	Tamper proof screw
KD/TPWRCH	Driver bit

STRAINER

The Schluter®-KERDI-DRAIN Strainer is a hair catcher customized to fit inside the KERDI-DRAIN flange to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.



Strainer for KERDI-DF	RAIN
Item No.	Description
KD-STR	Strainer

Product Listings and Certifications Table

Schluter®-KERDI-DRAIN - Listings and Certifications								
Grates	Grate - 4" (100 mm)				Grate - 6" (150 mm)			
Grates	CLASSIC	CLASSIC	CONTOUR		STYLE	CLASSIC Stainless steel		
Flanges	Stainless steel (All finishes except EOB)	Stainless steel EOB	Anodized aluminum (All finishes)	TILE	PURE, CURVE and FLORAL Stainless steel (All finishes)	Square 6E	Round 6RE	Cover 6CE
2" PVC	1	-	1	1	1	1	1	2
2" ABS	1	-	1	1	1	1	1	2
2" PVC Horizontal	1	-	1	1	1	1	1	2
2" ABS Horizontal	1	-	1	1	1	1	1	2
2" Stainless steel	1	-	1	1	1	1	1	2
2" Stainless steel Threaded	1	-	1	1	1	1	1	2
3" PVC	-	-	-	-	-	1	1	2
3" ABS	-	-	-	-	-	1	1	2
3" Stainless steel	-	-	-	-	-	1	1	2
5-1/4" Adaptor	-	-	-	-	-	-	-	-
7-1/2" Adaptor	-	-	-	-	-	-	-	-

Various configurations of KERDI-DRAIN are listed by ICC-ES (Report No. PMG-1204), UPC®, and CSA as shown in the table above.

For copies of these documents, please contact Schluter®-Systems at 800-472-4588 (USA) or 800-667-8746 (Canada) or by email at info@schluter.com. Links to the documents can also be accessed at www.schluter.com.

^{1 -} Listed by ICC-ES (Report No. PMG-1204), UPC®, and CSA.

^{2 -} Listed by CSA