Schluter® Thin-set Mortar

Made for Schluter® membranes and boards





Schluter® Systems

PROFILE OF INNOVATION

NOW YOU'RE ALL SET.

A line of thin-set mortars specifically formulated for Schluter membranes and boards.

Schluter SET®

Premium Unmodified Thin-set Mortar

- Approved to set tile, including porcelain tile, over Schluter boards and membranes
- 50 lbs - *22.7 kg* bag

ANSI A118.1T

Schluter ALL-SET®

Specialized Modified Thin-set Mortar

- Engineered for use both under and over all DITRA and KERDI products
- 50 lbs - *22.7 kg* bag

ANSI A118.4T, A118.11, and A118.15T

Schluter FAST-SET®

Specialized Rapid-setting Modified Thin-set Mortar

- Ready to grout in 4 hours for fast-track projects
- 50 lbs - *22.7 kg* bag

ANSI A118.4TF, A118.11, and A118.15TF


30

FEATURES

The line of Schluter thin-set mortar is designed by Schluter, for Schluter products. All Schluter Systems' thin-set mortars, including the ALL-SET and FAST-SET modified varieties can be used to set tile over Schluter®-DITRA, DITRA-HEAT, KERDI, and KERDI-BOARD products.

Workability

- Sag resistant
- Smooth and creamy
- Easy to handle and spread

Applications

- Large and heavy tile (LHT)
- Floors and walls
- Natural stone, ceramic (incl. porcelain)

Guaranteed Compatibility

- Providing "single source" supply
- No need to rely on third-party mortars
- No more finger-pointing!

SUITABLE USES

Application	Schluter SET®	Schluter ALL-SET®	Schluter FAST-SET®
DITRA® over			
Plywood/OSB	X	√	√
Concrete	√	√	√
Gypsum	√	√	√
Vinyl flooring	X	X	√
KERDI® over			
Gypsum board	√	√	√
Cement backerboard	√	√	√
Fiber-cement board	√	√	√
Portland cement mortar	√	√	√
KERDI®-SHOWER prefabricated substrates	√	√	√
TILE over DITRA® & KERDI®			
Ceramic	√	√	√
Porcelain	√	√	√
Natural stone (e.g., granite, marble, etc.)	√	√	√

- For Schluter Systems® applications, refer to the Schluter®-DITRA®, Schluter®-DITRA-HEAT™, and Schluter®-Shower System Installation Handbooks.
- For other applications, refer to the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation and TTMAC Specification Guide 09 30 00 Tile Installation Manual.
- Contact Schluter®-Systems Technical Services for installation of glass tile, resin-backed tile, and/or moisture sensitive stone.

√ = Approved use **X** = Not recommended

DITRA and DITRA-XL

OR



DITRA-HEAT and DITRA-HEAT-DUO
membranes

OR

Shower System
with KERDI or KERDI-BOARD

OR

KERDI and KERDI-DS

+

=

LIMITED LIFETIME WARRANTY AVAILABLE*

*Applicable when used as a Thin-Set System. For full warranty details, please visit **www.schluter.com/warranty***

Find out more about our full line of thin-set mortars.

Visit **www.schluter.com** for:

- Videos
- Technical & marketing material
- Product specs
- Warranty information

FSC MIX Paper FSC® C100216

Schluter Systems L.P.
194 Pleasant Ridge Road, Plattsburgh, NY 12901-5841
Tel.: 800-472-4588 • Fax: 800-477-9783

Schluter Systems (Canada) Inc.
21100 chemin Ste-Marie, Ste-Anne-de-Bellevue, QC H9X 3Y8
Tel.: 800-667-8746 • Fax: 877-667-2410

www.schluter.com

555408 03/2021 © 2021 Schluter Systems L.P. SET, ALL-SET and FAST-SET are trademarks of Schluter Systems