

BARWALT®



## What's New at



# BARWALT®

THE PRECISION TOOL COMPANY

### We have great news!



Since our last catalog, we have brought EVA technology into our North Idaho factory. EVA is tough waterproof foam that will not deteriorate or compress over time. We are now making three new products using this technology. The most recent one is the **SET N SEAL®** toilet bowl seal, which seals perfectly yet is repositionable. You'll find details about this new product on page 34.



Another great EVA product we have created is **The Kneel Pad**. This oversized, comfortable and tough kneel pad will not compress over time and lasts for years. It also makes a great seat cushion, and can be used for work or play. Details are on page 23.

In addition, we have revived our lightest, toughest and mega comfortable **Megalight Knee Pad** also on page 23. These are so lightweight you may even forget you have them on!



Great news! We can now offer you an even softer float than the Ultrasoft Float. The **Megasoft Float**, on page 19, is just as soft as the polyurethane types already on the market, but ours lasts much longer!



We also have more options in the spacer and leveling system categories. First, we have added more sizes to the **Spin Doctor** line, as well as the new **Torque Monster** to make it even easier to use **Spin Doctor**. You'll find those details on page 5. We have also added the **Curved Lash** to the **LASH Leveling System**, expanding the applications you can use with this system and now offer the lashes in two different size packages. More about that on page 6.



The **RTC Turn Buckle Rescue Clamp** is a brand new leveling product which is fully reusable. This product is unlike anything else on the market today and can be found on page 6.

We are also offering the new **TAVY Two Sided** and "**T**" **Spacers**. We've also included the **TAVY Tile Puck**, an easy way to instantly know if your tiles are level! You'll find all the **TAVY** products on page 4.



Dust Control is a very important factor when mixing grout or mortar and we now carry the **Wale Tale** to help control that issue. This is a must have product! Details are on page 25.

Be sure to check out these and all the great new and improved products we have added to this catalog. We welcome any questions or comments. Just give us a call at 800-423-5243.



# Index of products

Blades, Diamond Saw.....	9, 10	Grouting Systems.....	17	Scrapers.....	33
Blades, Knives.....	31	Hammer Tackers.....	42	Screws, Cement Board.....	44
Blades, Saw.....	9, 10	Handi-Kirb.....	39	SET N SEAL.....	34
Blades, Scraper.....	33	Handyman Installation Kit.....	17	Shims.....	2
Boot Guards.....	45	Hard Hat.....	45	Shower Installation Kits.....	36-39
Brushes.....	44	Hole Saws.....	30, 31	Shower Niches.....	35
Carbide Scoring/Cutting Tool.....	32	Jamb Saw.....	9	Snips.....	31
Caulking Guns.....	43	Kirb Perfect.....	36	Spacer Pullers.....	2
Caution Tape.....	45	Knee Pads.....	22-24	Spacers – Hollow Leave-In.....	3
Chalk.....	43	Kneel Pad.....	23	Spacers – Rubber Take-Out.....	2
Chalk Line Reels.....	43	Knives.....	31	Sponges.....	40
Cheesecloth.....	40	Leveling Systems.....	5,6	Staple Gun.....	42
China Markers.....	43	Levels.....	26	Staples.....	42
Chisels.....	33	Mallets.....	42	Straightedges.....	26
Cutters, Tile.....	7, 8	Margin Trowels.....	15, 16	Stringa Levels.....	38
Diamond Drill Bits.....	30, 33	Mark E Products.....	36-39	Suction Cups.....	21
Drains, PVC.....	34	MeasureRIGHT.....	42	Tape.....	44
Dressing Stones.....	41	Mixers.....	27	Tape Measures.....	42
Drill Bits.....	33	Nippers.....	11	Tile Cutters.....	7, 8
Dust Masks.....	45	Pencils, Carpenter.....	43	Tile File.....	32
Ear Muffs.....	45	Polisher, Electric.....	9	Tile Spacers.....	2, 3, 4
Earplugs.....	45	Polishing Pads.....	28, 29	Toilet Seals.....	34
E-Z Floor Guard.....	27	Pre Pitch System.....	37	Trowels.....	10-16
Float, Margin.....	15	Profile Gauge.....	25	Ultra Grouting System.....	17
Floats.....	18-20	Pry Bars.....	33	Ultralife Trowel System.....	12
Glasses, Safety.....	45	Tile Puck.....	4	Undercut Saw.....	32
Gloves.....	41	PVA Pads.....	28, 29	Vacuum Lifters.....	21
Goof Proof Shower Seat.....	37	PVC Drains.....	34	Wale Tale.....	25
Grout Bag.....	44	Quick Pitch.....	39	Water Heaters.....	29
Grout Cleaner, R-Teez.....	40	Rub Bricks.....	41	Water Pump.....	29
Grout Grabber.....	32	Safety Products.....	45	Wax Bowl Rings.....	34
Grout Scraper.....	32	Saw Shack.....	25	Wedges.....	3
Grout Sealer Applicators.....	43	Scoring Cutter.....	32	Wheels for Tile Cutters.....	7

No portion of this catalog may be reproduced in any form without the written permission of Barwalt® Tool Company.  
This catalog and all Barwalt® images, logos, and copy are a trademark and copyright of Barwalt® Tool Company.



# The Original Precision Tile Spacer™ Line From Barwalt®



*After all these years we still make the best spacer on the market! Others claim they do but we always have!*

These are the original rubber flex spacers that ensure the professional tile setter an accurate installation every time. We use the highest quality rubber material available which produces the best possible spacers that give a premium response in use. We also carry more sizes than anyone! **All sizes are available in both bags and boxes.**



*(Spacers must be removed before grouting)*

Size	Regular	Long	Thin	Size	Regular
1/16"	+		+	1/16"	T
3/32"	+			1/8"	T
1/8"	+	+	+	3/16"	T
3/16"	+	+	+	1/4"	T
1/4"	+	+	+	3/8"	T
3/8"	+			1/2"	T
1/2"	+				



*All precision spacers are available in unpackaged bulk quantities. Call for details.*

## Barwalt® Horseshoe Shims

These shims are great for marble and granite installation. The design enables the installer to lift both corners of the material to align the joints and give a uniform joint appearance. They are easy to install and remove after set and they are color coded for easy identification.

Item #	Description	Box count
12000	Horseshoe Shim 1/16" Blue	270
12020	Horseshoe Shim 1/8" Black	160
12030	Horseshoe Shim 3/16" Gray	120
12040	Horseshoe Shim 1/4" Green	95



## Barwalt® Spacer Chaser™

This spacer removal tool has an exclusive fulcrum action that allows for quick spacer removal without damaging the tile before grouting.



No. 84000 Spacer Chaser™  
No. 84441 Replacement Hook

## Tile Spacer Puller

- Soft grip handle



No. 71700



## Barwalt® Hollow Leave-In Spacers

**The first industry approved Hollow Spacer to be left in!**


Years of research led to a spacer that would react like a rubber spacer but be hollow, so it will stay in the joint and be grouted over. Now the installer can grout a day earlier and not have to come back to remove the spacers before grouting. The Hollow Spacers will adjust on 10% and not compress further and these spacers are longer to handle the radius corner tiles.



## Our fastest growing product!




No. 16000




No. 16020



No. 16030



No. 16040



No. 16050



No. 16060



No. 16100



No. 16120



No. 16130



No. 16140

Description	Box #	Count	Bag#	Count
Granite 1/16" + spacer*	16000	500	16001	100
Hollow 1/8" + spacer	16020	500	16021	100
Hollow 3/16" + spacer	16030	500	16031	100
Hollow 1/4" + spacer	16040	400	16041	100
Hollow 3/8" + spacer	16050	300	16051	50
Hollow 1/2" + spacer	16060	200	16061	50
Granite 1/16" T spacer*	16100	500	n/a	
Hollow 1/8" T spacer	16120	500	16121	100
Hollow 3/16" T spacer	16130	500	16131	100
Hollow 1/4" T spacer	16140	500	16141	100

\* The 1/16" spacers are not hollow and therefore must be removed.

Patent No: US 6,823, 640 B1

## Barwalt® Tile Wedges

All of our wedges have a gripper built into the design which makes removal easier. Wedges are a great tool for leveling the first row of tile on a tub or straightening rows as they stack up a wall. We have three different sizes for all your needs. Our Super Wedge handles the jobs where the joints are larger and the Gripper Wedge, which has less incline and is narrower, will get into those tight spots. If the Gripper Wedge bottoms out before opening the joint wide enough, just snip off the end and the wedge will be larger.




Item #	Description	Count	Item #	Description	Count
10370	Regular Wedges Red Bag	100	12380	Super Wedges Yellow Jar	75
12370	Regular Wedges Red Jar	450	16370	Gripper Wedges Blue Jar	550
10380	Super Wedges Yellow Bag	25	16371	Gripper Wedges Blue Bag	100



## TAVY 4-Corner View Two-sided Spacer

These spacers are known for setting straight grout lines. Now you can see that each intersection is perfectly lined up every time by simply packing the tile tight against the spacer. A major benefit of The TAVY Tile Spacer is that it is extremely easy to remove. The circular design prevents the spacer from bottoming out into the cement or adhesive. Another benefit is the versatile, two sided design of the TAVY Tile Spacer which allows for an installer to use both sides the spacer. The cross side can be used at any four corner intersection and the straight edge side can be used at any location a spacer is required.



**1/32"**  
**(1mm)**

**1/16"**  
**(1.5mm)**

**3/32"**  
**(2mm)**

**1/8"**  
**(3mm)**

**3/16"**  
**(5mm)**

**1/4"**  
**(6mm)**

**3/8"**  
**(10mm)**

**No. 77080 1/32" (100 pcs)**

**No. 77081 1/16" (100 pcs)**

**No. 77082 3/32" (100 pcs)**

**No. 77083 1/8" (100 pcs)**

**No. 77084 3/16" (100 pcs)**

**No. 77085 1/4" (100 pcs)**

**No. 77086 3/8" (100 pcs)**

**No. 77091 1/32" (500 pcs)**

**No. 77092 1/16" (500 pcs)**

**No. 77093 3/32" (500 pcs)**

**No. 77094 1/8" (500 pcs)**

**No. 77095 3/16" (500 pcs)**

**No. 77096 1/4" (400 pcs)**

**No. 77097 3/8" (400 pcs)**

## TAVY Two-Sided T-Spacer

The Two-Sided T-Spacer is the ideal tool for ensuring straight grout lines in any offset tile installation. The unique two-sided design offers both a "T" side and a "Straight" side to be used between tiles at appropriate intersections.

### Helpful Hint:

Be sure to pack your tiles tightly against the TAVY Two-Sided T-Spacer for the straightest grout lines possible.



**1/16"**  
**(1.5mm)**

**1/8"**  
**(3mm)**

**3/16"**  
**(5mm)**

**1/4"**  
**(6mm)**

**No. 77087 1/16" (100 pcs)**

**No. 77088 1/8" (100 pcs)**

**No. 77089 3/16" (100 pcs)**

**No. 77090 1/4" (100 pcs)**

## TAVY Tile Puck

This Puck is an easy way to instantly know if your tiles are level. If there are any high spots, the 10 ounce weight makes a definite clicking sound as you move it from tile to tile. It can also be used for any number of other leveling applications, from appliances to shelving and more.

### Directions for Lippage Detecting:

Slide the TAVY TILE PUCK back and forth on walls or floors from tile to tile or slab to slab and listen for clicking to detect lippage.

### Directions for Leveling:

Place the TAVY TILE PUCK on any portion of any flat surface to get an instant reading in all directions at one time.

### Helpful Hint:

Gently spinning the TAVY TILE PUCK when using it will help keep the edges sharp.



**No. 77100**



# RTC Spin Doctor

## Tile Lippage Control System

### PROBLEM?

Lippage is caused by high or low tiles set improperly creating an undesirable install.



### SOLUTION!

Easily spin the Leveling Cap down to the tile surface and tighten to perfection.



Achieving a flush surface from one tile to another has never been easier. With the Spin Doctor Lippage Control System, you can spin the leveling cap down to the tile surface in seconds. Other systems require tools, use of both hands, or awkward repetitive motions which can cause user fatigue when installing large format tile. The Spin Doctor System uses a fast and precise free spin action that will accommodate most tile up to 3/4" (20mm)



- No. 77050** Spin Doctor Leveling Cap (Red) (100pc.)
- No. 77055** Anti Friction Clear View Shield (Optional) (100 pcs)
- No. 77056** 1/32" (1 mm) Red Breakaway Spacer Posts (250 pcs)
- No. 77057** 1/16" (1.5 mm) White Breakaway Spacer Posts (250 pcs)
- No. 77058** 1/8" (3 mm) Black Breakaway Spacer Posts (250 pcs)
- No. 77059** 3/16" (5 mm) Gray Breakaway Spacer Posts (250 pcs)
- No. 77060** Torque Monster Anti-Fatigue Tool

Easily spin the Leveling Cap down to the tile surface



Anti-Friction Shield (optional)



Eliminate hand fatigue. Just grip it and twist!




## RTC Turn Buckle Rescue Clamp

Eliminate uneven tile edges during installation with one hand!

The Turn Buckle Rescue Clamp allows user to level and align tiles on the spot. This fully reusable component is unlike anything on the market today. Not only can it be used as a stand alone lippage turning product, but it will also work in conjunction with any other system on the market. Works on material 1/4" - 7/16" thick.

Insert pin parallel into the grout joint, then twist square base 90° into position and simply press the lever down until it clicks into place.


**\*IMPORTANT\*** Immediately after the mortar has cured to manufacturer's specifications, simply flip the lever the opposite direction to release. Twist the square base back 90°, unlocking the pin parallel to the grout joint, allowing it to be removed.



Shape Pin holds tile from below



Simply depress the lever with one hand to eliminate lippage



Level & align tiles on-the-spot after tile is set into mortar

**No. 77070** Turn Buckle (20pcs)

**No. 77071** Turn Buckle (100pcs)

## LASH Leveling System

The LASH system is designed for quick installation and reduces costly call backs by insuring that the finished floor surface is lippage-free. This time saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.

- Combine with regular spacers for wider joints - up to 1/4"
- Durable nylon construction for a secure installation
- Great for use with tiles of varied thickness
- Produces 1/16" joint spacing
- Wedges are reusable



**No. 71363** LASH Leveling Wedges (96 pcs)


**No. 71362** LASH Leveling Clips Flat (96 pcs)

**No. 71373** LASH Leveling Clips Flat (300 pcs)

**No. 71374** LASH Leveling Clips Curved (96 pcs)

**No. 71375** LASH Leveling Clips Curved (300 pcs)

**No. 71364** LASH Leveling System Pliers



## Barwalt® Tile Cutters

- Professional quality at an affordable price
- High quality aluminum die-cast base
- Adjustable full size measuring guide
- Tungsten carbide with titanium plated cutting wheel
- Linear ball bearing slides



- No. 70605** 17" straight cut / 10-1/2" diagonal cut  
**No. 70606** 20" straight cut / 14" diagonal cut  
**No. 70607** 24" straight cut / 16" diagonal cut

## Superior Tile Cutters®

### 1A-400

- Scores and breaks tile up to 6-3/4"
- Table is 6" on both sides
- Carbide scoring wheel included

**No. 72861**

### 2A-400

- Scores and breaks tile up to 10"
- Table is 7-1/4" on both sides
- Carbide scoring wheel included

**No. 72862**



## Superior Carbide Wheels

- No. 72837** Carbide replacement wheel  
**No. 72865** 3 turret steel wheel (2 pk)  
**No. 72866** 6 turret steel wheel (2pk)



**No. 72837 No. 72866**

(See price list for Superior Tile Cutter parts)

## Ishii Ceramic Tile Cutter

- Smooth ball bearing head for accurate cuts
- High quality aluminum base
- Toshiba carbide scoring wheel



**No. 70619** 20" straight cut / 14" diagonal cut  
 Replacement parts available

## DIY Tile Cutter

- Sturdy metal base
- Angled rip guide



**No. 70618** 16" straight cut / 11" diagonal cut  
**No. 70654** Replacement cutter wheel

## Superior Tile Cutter® 3A-400

- Scores and breaks tile up to 16" straight and 10" x 10" on a diagonal
- 10-1/2" work area
- Carbide scoring wheel included



**No. 72863**

## Ishii Carbide Wheels

- No. 70665** 7/8" wheel for Ishii MC cutters  
**No. 70660** 7/8" titanium coated rotary wheel for Ishii JP, MX, JW & AP cutters



**No. 70660**

**No. 70665**

## Replacement Cutter Wheels

- No. 70640** 7/8" carbide replacement wheel for 70605, 70606, 70607  
**No. 70641** 7/8" carbide with titanium plated replacement wheel for 70605, 70606, 70607



**No. 70640**

**No. 70641**



## Ishii Ceramic Tile Cutters

These cutters give new meaning to the term "Clinker"

- Adjustable scoring wheel device to raise or lower the carbide wheel for thick or thin tiles
- Adjustable rip guide with angle feature
- Plastic pads on breaking points



### JW/JP Series

No. 70622 23" straight cut / 16-1/4" diagonal cut

No. 70623 27-1/2" straight cut / 19-1/2" diagonal cut

No. 70625 28-1/4" straight cut / 20" diagonal cut

Replacement parts available



### AH Series

No. 70620 34-1/4" straight cut / 24-1/4" diagonal cut

No. 70624 41" straight cut / 29" diagonal cut

No. 70626 48-3/4" straight cut / 34-1/2" diagonal cut

Replacement parts available

## Ishii Ceramic MX Style

- Features 7/8" carbide scoring wheel with ball bearings
- Plastic pads on breaker prevent marring of the tile



No. 70621 19" straight cut / 13-1/2" diagonal cut

Replacement parts available

## Super Jamb & Undercut Saw

The 10-46 Jamb Saw is a powerful and versatile tool, with a big 6-3/16" carbide tipped blade. The blade height adjusts from flush to the floor to 1-1/2" to allow proper heights for all floor coverings. Includes 6-3/16" 36-tooth carbide tip blade and custom molded carrying case.



- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Powerful 7.5 Amp, 900 Watt industrial grade power unit has all ball and needle bearings, 120 V
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Blade below

No. 71352

## Super Jamb Saw Blade

- 5/8" arbor



No. 71353 6-3/16" blade

## Alpha® Electric Polisher

New model upgrade has a gear system that includes the step-down transmission and a bevel and pinion gear to produce the variable speed range of 700 to 2,500 rpm. Other changes include the spindle which is now specially coated to reduce friction extending the life of the oil seals. The water hose is now very flexible and kink-free. The hose lengths are now 15 ft.



Includes

- Ground Fault Circuit Interrupter
- Water Valve and Flexible Hose
- Faucet Garden Hose Adapter
- Wrench, Ventilation Cap
- C-Handle, Side Handle
- Extra Carbon Brush Set
- Splash Guard with Clamp
- EasyOn—EasyOff Sleeve

No. 72559

## BEAST Pro Porcelain Blades

- Designed to cut porcelain, marble, granite and ceramic
- Thin kerf edge allows for a clean, fast cut with no chipping
- Reinforced silent core hub greatly reduces noise



No. 71335 7" Blade

No. 71336 10" Blade



## Barwalt® PRO Glass Tile/ Block Wet Diamond Blades

This highest quality glass blade will cut any thickness of glass, including dual thickness laminate glass. It is engineered with a special ultra-fine-grit diamond bond matrix which allows it to cut the glass cleanly and chip free.

- **Wet use only**
- Long life
- 5/8" arbor
- 8mm diamond depth

No. 70429 7" blade  
No. 70430 10" blade



## Barwalt® Wet J Slot Blades

- Designed to cut ceramic, light-weight (500 lb break strength) porcelain, clay and roofing tiles, with an accurate clean cut with razor sharp edges
- Higher diamond concentration, longer lasting
- 7 mm diamond depth
- **Wet use only**
- 5/8" arbor

No. 70426 7" blade  
No. 70423 8" blade  
No. 70427 10" blade



## Barwalt® Wet Premium Diamond Blades

- Diamond cutting edge
- Designed with a continuous rim for a clean cut with minimum chipping to cut ceramic tile as well as softer tiles such as clay and soft stone
- Higher diamond concentration, longer lasting
- 7 mm diamond depth
- 5/8" arbor
- **Wet use only**

No. 70440 7" blade  
No. 70421 8" blade  
No. 70431 10" blade



## Barwalt® Dry Continuous Rim Turbo Blades

- For dry cutting general purpose concrete, brick, tile, marble, granite, and other aggregates
- 10 mm diamond depth
- 7/8" to 5/8" arbor

No. 70416 4" blade  
No. 70425 7" blade



## Barwalt® Continuous Rim Tile Blade

- Gives smooth chip free cuts on a wide variety of materials
- For use with a small tile saw or disc grinder
- Wet or dry
- Higher diamond concentration, longer lasting
- 7 mm diamond depth
- 7/8" arbor

No. 70411 4" blade



## Barwalt® Dry Turbo Rim Blades

- Designed for general purpose cutting on concrete, brick, tile, marble, and granite
- 10 mm diamond depth

No. 70414 4" blade  
No. 70441 7" blade



## DeWALT Wet 10" Porcelain Cutting Blade

- Aggressive diamond matrix designed for porcelain
- Provides smooth finish
- Minimizes chipping
- **Wet use only**

No. 75010 10" blade



# Barwalt® Ultrabite™ Tile Nippers

With porcelain tile getting harder all the time and the present nippers out there failing, we at Barwalt® set out to design a revolutionary new nipper. And we did just that! First we chose the finest carbide which is ground to a precision finish with industrial diamonds and will cut even porcelain like butter. Then, we designed a whole new nipper body that is not only the most comfortable, but also has a mechanical advantage when nipping. The handles have over-molded cushioned sleeves that won't fall off in use.

Independent testing proved that our nipper only requires one third the compressive force to cut porcelain tile all the way through, therefore requiring less force and more control when nipping. And true to Barwalt®'s innovation, we made the carbide teeth replaceable! No other GT style nipper in the world does that!

We have two models, the original and the radius version that has a curved edge which cuts corners with ease as well as being able to cut far more configurations than the original.

- 50% less weight than other GT style nippers, less fatiguing
- Stainless steel bearing, won't rust and needs less oiling

**No. 70316** Ultrabite Tile Nipper – Blue Handle

**No. 70317** Ultrabite Tile Nipper Replacement Carbide Tips (includes two screws and wrench)

**No. 70318** Ultrabite Radius Tile Nipper – Green Handle

**No. 70319** Ultrabite Radius Tile Nipper Replacement Carbide Tips (includes two screws and wrench)



*Ultrabite Tile Nipper*



*Ultrabite Radius Tile Nipper*

## “Offset” Tile Nipper

- Offset “side biter” style jaws
- Carbide tipped 5/8” straight jaw
- 8” red vinyl gripped handles



**No. 70311**

## Pro GT-Type Tile Nipper

- Preferred handle shape
- Offset “side biter” style jaws
- Carbide tipped 5/8” straight jaw
- 8” yellow vinyl gripped handles



**No. 70312**

## Journeyman Offset Tile Nipper

- Offset “side biter” style jaws
- Tungsten carbide tipped
- 8” green vinyl gripped handles



**No. 70315**

## Superior Nippers

- 8” nippers with carbide tips
- Vinyl coated hand grips



**No. 70321** Offset “side biter” 5/8” straight jaws

**No. 70322** Centered 5/8” jaws with one convex side



# Barwalt® Ultralife™ Trowel System

The perfect combination of function and versatility!

- The interchangeable blades are made with premium stainless steel
- The handy carrying case will hold up to seven blades. A complete trowel acts as a handle and lid for the case so that, in the space of a lunch box, an installer can carry as many as eight trowels!
- The trowel handle is made of high-impact, glass-filled, chemical resistant nylon with a comfortable, textured, cushioned grip for good control!

Patent 5,479,675  
Patent Des. 359,221



## Ultralife™ Trowel Carrying Case



**No. 34000**  
Blades not included

## Ultralife™ Trowel Blades

- Stainless steel 4-1/2" x 12" blade

- No. 31091** Ultralife™ Blade #09-R
- No. 31100** Ultralife™ Blade #10
- No. 31231** Ultralife™ Blade #23-R
- No. 31331** Ultralife™ Blade #33-R
- No. 31361** Ultralife™ Blade #36-R
- No. 31421** Ultralife™ Blade #42-R
- No. 31581** Ultralife™ Blade #58-R
- No. 31611** Ultralife™ Blade #61-R
- No. 31701** Ultralife™ Blade #70-R
- No. 31721** Ultralife™ Blade #72-R
- No. 31761** Ultralife™ Blade #76-R
- No. 31771** Ultralife™ Blade #77-R
- No. 31781** Ultralife™ Blade #78-R
- No. 31841** Ultralife™ Blade #84-R
- No. 31951** Ultralife™ Blade #95-R
- No. 31981** Ultralife™ Blade #98-R



## Ultralife™ Trowel Handle



**No. 32000** Handle with latch  
**No. 33000** Latch only

WALL TILE	FINISHING	VINYL TILE	LARGE WALL TILE	CERAMIC FLOOR	CERAMIC FLOOR
<b>#09</b> 1/4 3/16	<b>#10</b>	<b>#23</b> 1/16	<b>#33</b> 1/16 5/16 1/4	<b>#36</b> 1/4 3/8	<b>#42</b> 1/4
<b>#58</b> 1/2	<b>VINYL SHEET GOODS</b> <b>#61</b> 1/32 -1/16 -1/32	<b>MOSAIC TILE</b> <b>#70</b> 1/8	<b>CERAMIC FLOOR</b> <b>#72</b> 1/4	<b>CERAMIC FLOOR</b> <b>#76</b> 1/4 3/8	<b>MARBLE MORTAR</b> <b>#77</b> 3/4 -25/64 19/32
<b>CERAMIC FLOOR</b> <b>#78</b> 1/2	<b>CARPET</b> <b>#84</b> 3/32	<b>CARPET</b> <b>#95</b> 1/16 1/8 1/8	<b>PLANK FLOOR</b> <b>#98</b> 5/16 3/16 1/4	<b>EURO</b> <b>#100</b>	

Euro notch available in Ultrastainless and Ultragrip only



## Barwalt® Ultrastainless Riveted Trowels

This is our latest generation of the highest quality riveted stainless steel trowels with the soft and comfortable handle in the preferred style, just like our Ultragrip™ Trowels. Stainless steel will never rust and will outlast carbon steel.

- 4-1/2" x 11" hardened and tempered stainless steel, riveted, ground and polished blade
- Soft cushioned handle



- No. 70950 *Ultrastainless Trowel #09*
- No. 70951 *Ultrastainless Trowel #10*
- No. 70952 *Ultrastainless Trowel #23*
- No. 70953 *Ultrastainless Trowel #33*
- No. 70954 *Ultrastainless Trowel #36*
- No. 70955 *Ultrastainless Trowel #42*
- No. 70956 *Ultrastainless Trowel #58*
- No. 70957 *Ultrastainless Trowel #61*
- No. 70958 *Ultrastainless Trowel #70*

- No. 70959 *Ultrastainless Trowel #72*
- No. 70960 *Ultrastainless Trowel #76*
- No. 70961 *Ultrastainless Trowel #77*
- No. 70962 *Ultrastainless Trowel #78*
- No. 70963 *Ultrastainless Trowel #84*
- No. 70964 *Ultrastainless Trowel #95*
- No. 70965 *Ultrastainless Trowel #98*
- No. 70966 *Ultrastainless Trowel #100*



### Euro Notch #100

This notch can be used on most tile installations, but really shines on large format tiles. The secret of this notch design is evident when bedding tile into thinset. The notches collapse in a way that gives you a more complete bond, while helping the installer level the tiles next to each other. Available in Ultrastainless and Ultragrip trowels only.



## Barwalt® Ultragrip™ Notched Trowels

- 4-1/2" x 11" hardened and tempered high carbon steel blade, ground and polished with soft cushioned handle



- No. 71011 *Ultragrip™ Trowel #09*
- No. 71014 *Ultragrip™ Trowel #10*
- No. 71024 *Ultragrip™ Trowel #23*
- No. 71034 *Ultragrip™ Trowel #33*
- No. 71037 *Ultragrip™ Trowel #36*
- No. 71043 *Ultragrip™ Trowel #42*
- No. 71059 *Ultragrip™ Trowel #58*
- No. 71062 *Ultragrip™ Trowel #61*
- No. 71071 *Ultragrip™ Trowel #70*
- No. 71073 *Ultragrip™ Trowel #72*
- No. 71075 *Ultragrip™ Trowel #77*

- No. 71079 *Ultragrip™ Trowel #76*
- No. 71080 *Ultragrip™ Trowel #78*
- No. 71085 *Ultragrip™ Trowel #84*
- No. 71096 *Ultragrip™ Trowel #95*
- No. 71099 *Ultragrip™ Trowel #98*
- No. 71145 *Ultragrip™ Trowel #100*

## Barwalt® Extra Long Notched Trowels

- 4" x 16" hardened and tempered high carbon steel blade, ground and polished, soft cushioned handle



- No. 71134 *Ultragrip Long #09*
- No. 71136 *Ultragrip Long #42*
- No. 71137 *Ultragrip Long #23*
- No. 71138 *Ultragrip Long #58*
- No. 71140 *Ultragrip Long #76*
- No. 71141 *Ultragrip Long #77*
- No. 71142 *Ultragrip Long #36*

## Barwalt® Wood Notched Trowels

- 4-1/2" x 11" hardened and tempered high carbon steel blade, ground and polished with California-shaped wood handle



- No. 71009 *Wood Trowel #09*
- No. 71015 *Wood Trowel #10*
- No. 71023 *Wood Trowel #23*
- No. 71033 *Wood Trowel #33*
- No. 71036 *Wood Trowel #36*
- No. 71042 *Wood Trowel #42*
- No. 71058 *Wood Trowel #58*
- No. 71061 *Wood Trowel #61*
- No. 71070 *Wood Trowel #70*
- No. 71072 *Wood Trowel #72*
- No. 71076 *Wood Trowel #76*
- No. 71077 *Wood Trowel #77*
- No. 71078 *Wood Trowel #78*

- No. 71084 *Wood Trowel #84*
- No. 71095 *Wood Trowel #95*
- No. 71098 *Wood Trowel #98*



## Barwalt® Cement Finishing Trowel

- 4" x 14" hardened and tempered high carbon steel blade, ground and polished
- Soft cushioned handle



No. 71013

## Barwalt® Plastering Trowel

- 4-1/2" x 11" hardened and tempered high carbon steel blade, ground and polished
- Soft cushioned handle



No. 71014

## Economy Trowels

- Tempered steel blade
- Plastic handle
- 9" x 4" blade

- No. 35091 Economy Trowel #09
- No. 35101 Economy Trowel #10
- No. 35231 Economy Trowel #23
- No. 35331 Economy Trowel #33
- No. 35361 Economy Trowel #36
- No. 35421 Economy Trowel #42
- No. 35581 Economy Trowel #58
- No. 35611 Economy Trowel #61
- No. 35701 Economy Trowel #70
- No. 35721 Economy Trowel #72
- No. 35761 Economy Trowel #76
- No. 35771 Economy Trowel #77



- No. 35781 Economy Trowel #78
- No. 35841 Economy Trowel #84
- No. 35951 Economy Trowel #95
- No. 35981 Economy Trowel #98

## Margin Float

- 1/8" gum rubber pad on lightweight foam pad
- Great for hard to reach places
- 6" x 2" pad



No. 70922

## Notched Margin Trowels

- Great for applying adhesives in small and hard to reach areas
- Ground and tempered, forged blades
- Lacquer coated wood handles
- 5" x 2" blades



- No. 70920 1/4" x 1/4" V notch
- No. 70921 1/4" x 1/4" SQ notch

WALL TILE	FINISHING	VINYL TILE	LARGE WALL TILE	CERAMIC FLOOR	CERAMIC FLOOR
#09 3/16   1/4	#10	#23 1/16   1/16	#33 1/4   1/16   5/16	#36 3/8   1/4	#42 1/4
CERAMIC FLOOR	VINYL SHEET GOODS	MOSAIC TILE	CERAMIC FLOOR	CERAMIC FLOOR	MARBLE MORTAR
#58 1/2   1/2	#61 1/32   1/32	#70 1/8   1/8	#72 1/4   1/4	#76 3/8   1/4	#77 3/4   25/64
CERAMIC FLOOR	CARPET	CARPET	PLANK FLOOR	EURO	
#78 1/2   1/4	#84 3/32	#95 1/8   1/16   1/8	#98 1/4   5/16   3/16	#100	

Euro notch available in Ultrastainless and Ultragrip only



## Barwalt® Margin Trowels

This design is a single piece which is drop forged from tough high carbon spring steel and then heat treated. The blades are then tapered and ground for strength and flexibility. We designed a soft touch, over-molded handle that is well balanced which reduces fatigue on the job.



No. 70910 5" x 2" blade

No. 70911 6" x 2" blade

No. 70912 8" x 2" blade

## Barwalt® Pointing Trowel

- Same quality as Margin Trowel
- 6" blade



No. 70913

## Barwalt® Gauging Trowel

- Same quality as Margin Trowel
- 7" blade



No. 70914

## Journeyman Margin Trowel

- High quality tempered steel
- Tapered and ground blade
- 5" x 2" blade



No. 70900

## Journeyman Pointing Trowel

- High quality tempered steel
- Tapered and ground blade
- 5-1/2" blade



No. 70901



# Barwalt® Ultra Grouting System

This complete grouting system will cut your grouting time by 30-50% and you will never squeeze a sponge again! You will find this system faster and better than the old way and once you've tried it, the only way!

The Velcro hook and sponge attachment system now has much less water retention, making it easier than ever to clean the tile!

**The Ultra Grouting System Kit** includes a large bucket, two ultra-comfortable cushioned grip handles with grout sponges, and an abrasive and non-abrasive scrub pad for the wall handle.

**No. 81584** *Ultra Grouting System Kit*

**No. 81510** *Ultra Grouting System Wall Sponge/Handle*  
(5-1/2" x 11" x 1")

**No. 81520** *Ultra Grouting System Floor Sponge/Handle*  
(4-3/4" x 13" x 1")

**No. 81511** *Ultra Wall Replacement Sponge*

**No. 81521** *Ultra Floor Replacement Sponge*

**No. 81530** *Ultra Wall Non-Abrasive Scrub Pad*

**No. 81540** *Ultra Wall Abrasive Scrub Pad*

Patent des 470,285



## The Ultra Grouting System Starter Kit

Includes a large bucket and the Ultra Floor Sponge. Same bucket, rollers and grate as above, but only includes the Ultra Floor Sponge. Additional products are also sold separately.

**No. 81595** *Ultra Grouting System Starter Kit*

## Barwalt® Handyman Complete Installation Kit

Perfect kit for the handyman and do-it-yourselfer.

This kit includes:

- Grouting system (which consists of the bucket and the grout sponge and handle)
- Instructional DVD
- 12" ceramic tile cutter
- High quality grout float
- 1/4" x 1/4" notched trowel
- Carbide tile nippers
- Margin float
- 1/4" spacers

**No. 74000**



## Barwalt® Ultralight™ 2000 Floats

Barwalt® floats are built tough to last longer than other floats. These are top of the line and the ones professionals prefer! Our handle shape is a favorite of professionals the world over, but we have gone one step further and over-molded the handle with a cushioned material that will give you a firm, comfortable grip like no other.



- No. 81400** UFF-2000 *Ultralight™ Epoxy Floor Float 4" x 10-1/2" (solid green pad)*
- No. 81410** UWF-1-2000 *Ultralight™ Wall Float 4" x 10-1/2" (green surface)*
- No. 81420** UWF-2-2000 *Ultralight™ Wall Float 4" x 10-1/2" (beige surface)*
- No. 81440** UTSF-2000 *Ultralight™ Toe Space Float 3-3/8" x 12-7/8" (green surface)*
- No. 81450** UOWF-2000 *Ultralight™ Oversized Wall Float 3-3/4" x 12-7/8" (green surface)*

Patent Des. 426,134

## Barwalt® Ultralight™ Grout Floats

We have redesigned the handle on the UFF-1, UWF-1 and the UWF-2 to be more comfortable than ever. They are now longer, wider and the UFF-1 is lighter, reducing fatigue! The new handle allows more room for larger hands and the soft comfortable grip provides a greater ease of handling than the original handle.



- No. 81300** UFF-1 *Ultralight™ epoxy floor float 4" x 10-1/2" (solid green pad)*
- No. 81310** UWF-1 *Ultralight™ wall float 4" x 10-1/2" (green surface)*
- No. 81320** UWF-2 *Ultralight™ wall float 4" x 10-1/2" (beige surface)*
- No. 81340** EMF-1 *Economy float 3-1/2" x 9-1/2" (black pad)*



## Barwalt® Ultrasoft Float

Due to requests for a softer float, we designed a float that is very comfortable to hold and then we incorporated a much softer rubber material that encompasses the base and will not mar or scratch the tile. This float is very responsive to the tiles variegated surface as you spread the grout.

- Ideal for textured tile and natural stone
- Base size 4" x 10-1/2"

**No. 71185**




## Barwalt® Megasoft Float

For the tradesmen who like the feel of a polyurethane-type float. Ours is better made than others, yet just as soft and will last much longer.

- Base size 3-1/2" x 9-1/2"

**No. 71180**



## Journeyman Cushion Handle Grout Floats

- Cushioned, overmolded grip handle
- 1/8" gum rubber face on 5/8" foam rubber



**No. 71175** 4" x 9"

**No. 71176** 4" x 12"

**No. 71177** 3" x 12" offset handle

## Journeyman Cushion Handle Tapered Float

- Cushioned, overmolded grip handle
- Rounded front corners
- 1/8" gum rubber face on 5/8" foam rubber
- 2-3/4" x 11-1/2" offset handle



**No. 71178**

## Journeyman Grout Floats

- Wood handle, aluminum back, tapered sides
- 1/8" gum rubber face on 5/8" foam rubber

**No. 71170** 4" x 9-1/2"

**No. 71171** 4" x 12"

**No. 71172** 3" x 12" offset handle



## Barwalt® Ultralight Full Scrubs

- Velcro on bottom for easy pad change
- US-1 Non Abrasive (white pad) can be used on highly glazed wall tile without the worry of surface scratching
- US-2 Abrasive (blue pad) is for tough jobs and will quickly cut through sanded or epoxy grouts

**Each complete Full Scrub comes with one handle and one pad which measures 10" x 4-1/2"**



- No. 81350 US-1 Non-abrasive scrub
- No. 81351 USRP-1 Replacement Pad (white)
- No. 81360 US-2 Abrasive scrub
- No. 81361 USRP-2 Replacement Pad (blue)

## Premium Hardwood Floats

Great for dry pack cement shower floors.

- Base 1/2" thick



- No. 71152 3-7/8" x 12"
- No. 71153 3-7/8" x 14"
- No. 71154 3-7/8" x 16"

## Magnesium Float

- Over-molded rubber handle
- Magnesium base
- Works well on shower floors



No. 71181 12" float

## Multi Purpose Grout Float

- Lightweight
- Cushion handle
- 3-7/8" x 9-1/4"



No. 71158

## Journeyman Tapered Float

- Rounded front corners
- 1/8" gum rubber face on 5/8" foam rubber
- 2-3/4" x 11-1/2" offset handle



No. 71173



## RTC Suction Cup Squared

This tile lifter is the best suction cup lifter for textured and smooth tile alike. With its 110 lb lifting capacity and simple one handed operation, it is one of the easiest and most efficient suction cups available. The square base eliminates "rocking" when setting the handle, allowing you to use two at a time if needed for larger format tiles. The ergonomic handle gives you a comfortable grip for continued use.


- Lifting Capacity 110 lbs
- Square anti-rocking base
- Easy one handed operation
- Ergonomic handle design

No. 72208



## 2 Cup Plastic Vacuum Lifter

- Capacity 110 lbs



No. 73300

## 3 Cup Plastic Vacuum Lifter

- Capacity 165 lbs



No. 73301

## 2 Cup Aluminum Vacuum Lifter


- Capacity 176 lbs



No. 73302

## 3 Cup Aluminum Vacuum Lifter

- Capacity 220 lbs



No. 73303

## Plastic Vacuum Lifter

- 4-1/2" diameter
- Capacity 110 lbs



No. 70802

## Aluminum Vacuum Lifter

- 4-1/2" diameter
- Capacity 110 lbs



No. 70800

## Rubber Suction Cup

- 3-1/4" diameter



No. 70801



# Barwalt® Ultralight™ Knee Pads

These knee pads are famous the world over for starting the comfort revolution! The folding accordion top allows for comfort while standing and the knee pads are totally rebuildable with replacement straps, buttons and liners.

**KN-1** This knee pad offers excellent grip, maximum comfort and security with a tough, yet flexible, nonskid outer shell. At only 11 oz. each, this is the no-stress knee pad you've been looking for.



*The Original and still the Best!*

**No. 20010** U.S. Patent Des 355,067 Trademark Reg. No. 2,026,305

## KN-3

The Ultralight™ hard cap knee pad offers a smooth hard shell exterior with a flat kneeling surface. The hard cap is ultrasonically heat staked, eliminating the use of rivets which can cause scratching on sensitive work surfaces.



**No. 20030**

## KN-5

- Same maximum comfort as KN-1, great for roofing
- Patterned gripping surface will not collect small particles



**No. 21210**

## EZ-1 Econolight™

- Great DIY knee pad
- Replaceable straps
- Foam liner



**No. 21020**

## Replacement Straps, Buttons and Liners



- No. 20991 KN** Replacement straps (4 per set)
- No. 20998 EZ** Replacement straps (2 per set)
- No. 20993 KN** Replacement buttons (8 per set)
- No. 20992 KN** Replacement liners (2 per set)

U.S. Patent Des. 355,067 Trademark Reg. No. 2,026,305



## The Kneel Pad

New from Barwalt, the best kneeling pad ever! This pad can be used to both kneel and sit on and will not compress over time. It is also extremely tough and very comfortable! Excellent for all kinds of floor installation, construction, changing tires, sporting events, and so much more. Everyone needs one in their truck!

- Provides ultimate comfort on any surface
- Super tough closed cell foam
- Waterproof, lightweight and portable
- 18-5/8" x 13-3/8" x 1-1/2"



No. 29000

## Megalight Knee Pad

We have brought back a new and improved knee pad that provides above average comfort under a variety of conditions. They give your knees protection at a minimal investment and are the knee pad of choice when price is the key consideration. This knee pad is made of extremely comfortable and durable foam with replaceable straps. Megalights are SO lightweight, you will forget you are wearing them!

- Super tough closed cell foam
- Only 3 oz each



No. 20060

## Racatac

The Racatac's design eliminates the normal pressure you have on toes, ankles and knees. The seat provides the support, leaving your feet to control your movement.

- Adjusts from 11-1/2" to 15-1/2" high
- Comfortable web spring seat
- Weighs 8 lbs, max capacity 300 lbs



No. 70856

## Racatac Chest Support

The chest support attachment is fully adjustable and attaches quickly to any Racatac model. It will allow you to work in a supported, leaning over position while using the Racatac.



No. 70858



### Kneepro Ultra Flex III

- Strong hinged hard plastic outer shell
- 2" x 4" grip strip
- Thick foam liner



No. 71205

### Brutus Knee Pad

- Non-liquid gel knee pad for comfort
- Velcro straps that will not pinch
- Washable neoprene, flexes with body
- Protective, dual-stitch reinforced coating



No. 71208

### Heavy Duty Gel Knee Pad

- Velcro closures with elastic straps above knee allow easy positioning
- Thick foam padding backed by gel liner
- Wide neoprene lower strap for comfort
- Non-marring cap



No. 71222

### AltaFLEX Knee Pads

- Long cap offers maximum surface coverage
- Cordura® Nylon and 1/2" foam padding
- Tricot liner wicks away moisture
- Dual strapping system for non-slip fit
- Original AltaLok™ Easy On/Off



No. 71233 *Hard Cap*  
No. 71234 *Soft Cap*

### AltaPRO Knee Pad

- Hard-rounded plastic swivel cap
- Cordura® Nylon Cover with 1/2" foam padding
- Dual strapping system for non-slip fit
- Tricot liner wicks away moisture
- Original AltaLok™ Easy On/Off



No. 71232

### AltaSOFT Knee Pad

- Grey suede front with 1/2" foam padding
- Tricot liner wicks away moisture
- Dual strapping system for non-slip fit
- Original AltaLok™ Easy On/Off



No. 71235

### Alta Contour Rubber Knee Pad

Multipurpose and water resistant contoured design and light weight with elastic AltaGrip fastener.



No. 71231

### Alta Pro Leather Knee Pad

Tough Pro Leather with thick water resistant felt padding and metal buckle strap.



No. 71230




## Barwalt® Saw Shacks

No more wasting time by going outside the house to keep the mess of cutting tile and related materials off the floor and walls of the jobsite! No more having to heat the water for your saw so it will not freeze in the winter! No more having to try and make that cut by hand so you don't have to go outside again!

The Barwalt® Saw Shacks are well designed, easy to assemble, collapse into a neat bundle for storage and are very affordable. These two products will save time, which is money, and is a must have for every contractor!

- The aluminum framework is well designed and durable
- All plastic parts are made out of glass filled nylon – used for intake manifolds in car engines
- All bolts are stainless steel and fitted with aircraft nuts that will not fall off
- The heavy gauge plastic used on the pan is industrial strength
- The clear plastic surround is made of heavy gauge plastic and uses industrial strength zippers
- The Velcro used at all attachment points is commercial grade
- The heavy gauge storage bag included will make it easy to store your Saw Shack as well as tote to the next job



No. 70832 shown

**No. 70832** Large 47" x 47" x 62"

**No. 70852** Extra Large 47" x 60" x 62"

**No. 70833** Replacement pan liner for 70832

**No. 70853** Replacement pan liner for 70852

**No. 70839** Replacement clips

## Wale Tale Dust Control Vacuum Attachment

Use this vacuum attachment to help control dust and debris when mixing grout or mortar on the job site. To control dust, simply turn on the wet dry vacuum and put the WaleTale on the bucket and you're ready to mix!

- Cuts down on clean up time
- Greatly reduces silica dust from mixing mortar and grout in buckets
- Will not allow dust to escape the top of the bucket
- Fits on standard 2-1/4 inch shop vac hoses and onto the rim of 5, 3 1/2 or 1 gallon buckets



Problem



Solution

**No. 70871**

## Profile Gauge

- Quickly copies awkward shapes
- Used for cutting around pipes, door jambs, and other difficult contours
- 10" length



**No. 70867**



## Barwalt® Straightedges

- Tough tempered aircraft aluminum
- Cut from 3" x 7/8" stock with reinforced construction
- Sets feature vinyl tote for comfortable transportation


**No. 80100** Mini 5 piece set. Sizes: 12", 15", 18", 21" and 24"

**No. 80110** 5 piece set. Sizes: 2'2", 3', 4', 4'10" (to fit in tub area) and 6'

**Singles** Sizes: 2', 4', 6', 8', 9-3/4', and 11-3/4' (singles sold in 3-pack only)

See price list for singles item numbers

**No. 80011** Barwalt® Straightedge Replacement Tote



No. 80100

## Barwalt® "L" Straightedges

- High quality aluminum
- Will not warp or rot

**No. 80410** 5 piece set. Sizes: 2'2", 3', 4', 4'10"  
(to fit in tub area) and 6'



## Johnson Aluminum Pro Box Levels

- Glo-View® recharges the vial surrounds from light sources for easy-read in low light
- Domed level vial offers 320° visibility, and accuracy
- Large comfortable rubberized hand grips
- Lifetime guarantee



**No. 72200** 24" Pro Box Level

**No. 72201** 48" Pro Box Level

## Johnson Economy Box Levels

- Solid block acrylic vials won't fog, leak or break
- Ergonomic hand grips
- Protective end caps



**No. 72205** 24" Econ Box Level

**No. 72206** 48" Econ Box Level

## Torpedo Level

- 2 vials (1 plumb, 1 level)



**No. 72240** 9" Level

## Johnson Aluminum Box Levels

- SurroundView® vials reflect ambient light
- Screwed on hand grips stay on tool
- Solid block acrylic vials won't fog, leak or break
- Protective end-caps



**No. 72202** 24" Box Level

**No. 72203** 48" Box Level

**No. 72204** 72" Box Level

## Aluminum Box Sced Levels

- Horizontal and vertical level bubbles
- Straightedge and level in one handy tool



**No. 72231** 24" Level 2 vials (1 plumb, 1 level)

**No. 72232** 48" Level 2 vials (1 plumb, 1 level)




## Barwalt® Mixers

- For mixing grouts, thinset, concrete, mortar, etc.
- These unique designs minimize air entrapment for greater compressive strength of mortars
- Plated finish

No. 82000 *Kwikmixer™* 30" hex shaft 5" x 5" blade

No. 82300 *EZ-Mixer™* 30" hex shaft 5" x 5" blade



EZ-Mixer Design U.S. Patent Des. 403,920

## Economy Mixer


- Mixes a variety of materials
- Minimizes air entrapment
- 28" hex shaft
- 5" x 5" blade



No. 73500

## Cross-Blade Mixer

- Designed to mix product quickly and efficiently
- 28" hex shaft
- 6" blade
- welded design



No. 73502

## Wavy 2-Blade Mixer

- Folds material without lumping
- 23-1/2" hex shaft
- 5" blade



No. 73501

## Twist Mixer

- Popular European design
- 24" hex shaft
- 4" blade



No. 73503

## E-Z Floor Guard

E-Z Floor Guards work by easily placing a sheet of adhesive plastic film on the bottom of your shoe or boot to avoid tracking dirt and debris into a home or jobsite. Simply STEP, PULL and TEAR. No need to bend over and struggle to apply like traditional shoe covers. Going back outside? Don't bother removing the film, just reapply a new layer as you re-enter the jobsite.

- Up to 250 pairs per roll
- Fits any size shoe
- Plastic film can be recycled
- Easier to apply than traditional shoe covers

No. 70860 *Starter Kit (1 pod and 1 roll of film)*

No. 70861 *Refill Roll (6.3" x 590')*



## Alpha® PVA VP Dry Polishing Pads

Alpha's® new PVA VP polishing disc is a versatile, high-speed, dry polishing system. Fast working and long lasting, the polishing disc is easy to use and works well on most common high-speed angle grinders, sanders and polishers. It can be used for applications such as stone, ceramic, wood and a variety of metals. In addition, it works great for paint, rust and coating removal, as the disc will not clog. The discs are available with a straight 7/8" arbor or a 5/8"-11 disposable zinc hub for your convenience.

- For use with polishers, sanders and grinders
- Designed to polish stone, ceramics, metals and wood
- Can be used for paint, coating, mill scale and rust removal
- Max RPM 13,200
- Disk 4-1/2"
- **Sold individually**

## Alpha® PVA MS Dry Polishing Pads

Alpha® PVA MS style is a dry polishing system used to polish marble edges and is ideal for baseboard, corner and countertop edge applications. It is also excellent for job site touch-ups. It can be used for other applications such as the edges of ceramics, wood and metals. It can also be used for paint removal, as the material will not clog. Marble shops will find Alpha® PVA MS very effective on contours, edges and irregular surfaces such as chamfers, bead molding, and other types of curved or rounded edges.

- Pads are 4" with a 5/8" arbor
- Assortment kit contains 2 of each grit
- **All cartons contain 10 pads**



**No. 72546** Assortment Kit  
**No. 72547** 40 Extra coarse  
**No. 72548** 80 Coarse  
**No. 72551** 220 Medium

**No. 72552** 400 Fine  
**No. 72553** 600 Extra fine

## Rigid Backer Pad

- Accepts sandpaper and felt wheels
- Velcro backed, 4" pad



**No. 72597**

## Flexible Backer Pad

- Accepts sandpaper and felt wheels
- Velcro backed, 4" pad



**No. 72596**

## Alpha® PVA Quick Change Backer Pad

- Accepts quick change pads
- Snail-lock adapter



**No. 72563**

## PVA VP Polishing Pads without Hub - Arbor 7/8"



**No. 72530** 40 Extra coarse  
**No. 72531** 80 Coarse  
**No. 72532** 220 Medium

**No. 72533** 400 Fine  
**No. 72534** 600 Extra fine

## PVA VP Polishing Pads with Hub - Arbor 5/8"-11



**No. 72535** 40 Extra coarse  
**No. 72536** 80 Coarse  
**No. 72537** 220 Medium

**No. 72538** 400 Fine  
**No. 72539** 600 Extra fine

## Alpha® PVA QC Dry Quick Change Polishing Pads

Alpha® PVA QC "Quick Change" System is a low speed version of the original PVA MS style and is designed for use on an aluminum snail-lock backer plate (No. 72563) and will work on all of the same applications as the PVA MS style. The aluminum backer plate is attached to the polishing tool and each of the pads has a snail lock adapter. The adapter simply fits into place and locks on with a twisting motion. To remove the pads simply untwist and remove, then replace with the next grit. This "Quick Change" process saves time, increases productivity and is an Alpha® exclusive.

- Assortment kit includes one each of 40-extra coarse, 80-coarse, 220-medium, 400-fine, 600-extra fine
- 4" pads



**No. 72562**



## Barwalt® Diamond Dry Polishing Pads

Diamond Polishing Pads utilize hardeners permeated with industrial diamonds to level and polish granite, marble, and concrete surfaces.

- Velcro backed for quick change
- Pads are 4" with a 5/8" arbor
- Dry resin pads primarily used for granite and marble countertops
- Can be used on most floor polishers for concrete floors


**No. 72564** Assortment (includes one of each)

**No. 72565** 50 grit                      **No. 72569** 800 grit

**No. 72566** 100 grit                    **No. 72570** 1500 grit

**No. 72567** 200 grit                   **No. 72571** 3000 grit

**No. 72568** 400 grit



## Barwalt® Diamond Wet Polishing Pads

Diamond Polishing Pads utilize hardeners permeated with industrial diamonds to level and polish granite, marble, and concrete surfaces.

- Velcro backed for quick change
- Pads are 4" with a 5/8" arbor
- Wet resin pads primarily used for polishing granite and marble in a shop
- Can be used for polishing concrete countertops

**No. 72572** Assortment (includes one of each)

**No. 72573** 50 grit                      **No. 72577** 1000 grit

**No. 72574** 150 grit                    **No. 72578** 2000 grit

**No. 72575** 300 grit                   **No. 72579** 3000 grit

**No. 72576** 500 grit



## Immersion Water Heaters

- Ideal for heating water
- 5-1/2" max depth for water pans and most saws
- 11-1/2" max depth for buckets
- 1150W – 120V



**No. 71341** 5"

**No. 71342** 10-1/2"

## Bucket Water Heater

- Ideal for heating water
- Automatic shut off
- Heats continuously past 150°



**No. 71340**

## Little Giant® Pump

- Pumps 170 gallons of water per hour on a one foot lift
- Epoxy coated motor
- 6' power cord, 115V



**No. 71389**



## DiamondSure Drill Bits

DiamondSure bonded diamond core drill bits cut through materials where other bits fail. They are designed to drill in the hardest surfaces or the most delicate and fragile.

DiamondSure bits can be used in any standard variable speed drill. They are electroplated, bonded and designed for drilling to depths of about 1/2" in ceramic tile, porcelain tile, glass block, slate, marble, quartz, granite, limestone and more! Not designed for use on concrete, masonry, metal or for use with impact hammer drills.



**Wet use only!**

Item #	Size	Tip OSD	Tip ISD	Shaft Size
70470	1/8"	.13"	.08"	5/32"
70471	3/16"	.19"	.12"	3/16"
70472	1/4"	.26"	.19"	1/4"
70473	5/16"	.32"	.25"	1/4"
70474	3/8"	.38"	.31"	1/4"
70475	1/2"	.51"	.43"	1/4"
70476	5/8"	.63"	.54"	5/16"
70477	3/4"	.76"	.66"	5/16"
70478	7/8"	.88"	.78"	5/16"
70479	1"	1.01"	.90"	5/16"
70480	1-1/8"	1.13"	1.03"	5/16"
70481	1-1/4"	1.26"	1.16"	5/16"
70482	1-3/8"	1.38"	1.28"	5/16"
70483	1-1/2"	1.51"	1.40"	5/16"
70484	1-3/4"	1.76"	1.65"	3/8"
70485	2"	2.01"	1.91"	3/8"
70486	2-1/4"	2.26"	2.16"	3/8"
70487	2-1/2"	2.51"	2.41"	3/8"
70488	2-3/4"	2.76"	2.65"	3/8"
70489	3"	3.01"	2.90"	3/8"

## RTC Hole Shot Wet Diamond Drill Bit Kit

Designed for use on a variety of materials such as hard porcelain, ceramic, marble, glass, granite, quarry, slate, onyx and travertine. Use the Universal Drill Guide to stabilize the selected bit size to your targeted hole area.

- Diamond grit edged bit ideal for drilling hard tiles
- Slotted bit design for easy waste removal
- **Must be used with water**
- Use with handheld drill (800-2500 RPM) or drill press
- Drill guide works with bit ranging from 1/8" (3mm) – 1-3/8" (35mm)
- Drill Guide equipped with dual 2-1/4" suction cups
- Kit includes one each of 1/4", 5/16", 1/2", 1", and 1-1/4"
- Bits also sold separately



- No. 70323 Hole Shot Wet 6pc Diamond Drill Kit
- No. 70324 1/4" Drill Bit Wet
- No. 70325 5/16" Drill Bit Wet
- No. 70326 3/8" Drill Bit Wet (not included in kit)
- No. 70327 1/2" Drill Bit Wet
- No. 70328 1" Drill Bit Wet
- No. 70329 1-3/8" Drill Bit Wet

## RTC Hole Shot Dry Diamond Drill Bit Kit

These bits are the latest in dry cut diamond technology. Great for all types of hard material such as hard porcelain, quarry, slate, ceramic, marble, travertine and granite. Life expectancy up to 30 holes without water.

- For use when water is limited or not an option
- New vacuum brazed dry diamond technology
- Use with handheld drill (800-2500 RPM) or drill press
- Kit includes one each of 5/16", 3/8", 1/2", and two of 1/4"
- Bits also sold separately



- No. 70330 Hole Shot Dry 6pc Diamond Drill Kit
- No. 70331 1/4" Drill Bit Dry
- No. 70332 5/16" Drill Bit Dry
- No. 70333 3/8" Drill Bit Dry
- No. 70334 1/2" Drill Bit Dry



## Barwalt® Diamond Hole Saw

- Continuous turbo diamond rim
- For wet/dry drilling of ceramic tile, porcelain and stone
- Produces smooth finish
- Bits equipped with pilot bit and mandrel
- 1-3/8" diameter



No. 70125

## Heavy Duty Carbide Hole Saw

- For use on ceramic wall tile, slate, concrete block and sandstone
- Tungsten carbide grit rim
- Produces smooth finish
- 1-3/8" diameter
- Ejector spring



No. 70130

## Economy Diamond Hole Saw

- Can be used either wet or dry on a wide variety of tile, porcelain and stone materials
- 1-3/8" diameter



No. 70120

## Malco® Snips

- Strong, lightweight aluminum frame
- Straight cutting pattern
- Replaceable blades



No. 71832 12" Snips


No. 71834 14" Snips

No. 71833 12" Replacement blade set

No. 71835 14" Replacement blade set

## Multi Function Shears

- Great product for cutting plastic edging strips



No. 72730

## Two Function Utility Knife

- The knife blade can be loaded two different ways for a variety of applications



No. 72725

## Retractable Utility Knife

- Durable metal knife with overlap nose for safety
- Accepts all standard replacement blades
- Blade storage in handle



No. 72727

## Trim Puller

A revolutionary tool that does all the work of a pry bar and claw but without the damage. The Trim Puller is designed specifically for repair or remodel projects where you aren't destroying but rather reusing your trim, cabinets, flooring and other materials. What sets the Trim Puller apart from other tools is the contact area combined with the 15" wedged center for easy extraction. The Trim Puller has the largest and flattest contact area versus the single contact areas found on a pry bar or a claw. No shim or small board spacer is needed.

No. 72757



## Undercut Saw

- High carbon steel blade
- Blade is 12" long with 10 point teeth



No. 71838 Saw

No. 71858 Replacement blade

## Carbide/Steel Grout Saw

- Cushioned, overmolded grip handle
- Less fatiguing handle shape
- Removes old or discolored grout



No. 70807 Carbide/steel grout saw

No. 70808 Replacement blades, one of each style

## Scoring Cutter

- Great for grout removal
- Scores and cuts cement backer board
- Reversible double-edged blade has 2 carbide tips



No. 71810 Scoring cutter

No. 71811 Replacement blade

## Silicone Finisher

- Use for finishing sealant around window sills, sinks and baths
- Surface has a non-stick finish that gives you extra control to create great calk joints
- Creates a professional look



No. 70866

## Grout Grabber®

### Grabs the grout and rips it out!


The Grout Grabber® accommodates joints from 1/16" to 1/2" by simply adding or subtracting blades. The Grout Grabber® will not jump out of the joint, scratch the tile or create dust. The blades have a unique curved bottom which easily gets the blades started in the joint.



(Shown with 1 blade)



(Shown with 4 blades)




(Shown in action)

No. 71807 Grout Grabber® one blade included

No. 71808 Grout Grabber® two replacement blades

## Barwalt® Grout Scraper

- Unique screwdriver design with a screw cap end for storing tips (2 carbide tips included)
- Excellent for removing old grout and doing repairs



No. 83400 Grout Scraper

No. 83411 Diamond shape replacement tip

No. 83421 Triangular shape replacement tip

## Carbide Scoring/Cutting Tool

- Features 3 tungsten carbide scoring blades
- Scores countertop laminates, roof and flooring tiles, tile backerboard, etc.



No. 70803

## Carbide Tile File

- Ideal for sanding and smoothing the rough edges on tile or marble
- Has flat and round sides for straight or contour shapes
- Contoured handle for maximum comfort



No. 70819

## Economy Grout Scraper

- Removes grout easily
- Diamond shape tip



No. 70809



## Heavy Duty 4" Floor Scraper with Cushioned Grip Handle

Heavy duty, extra thick, double edged blade that can be resharpened, while still assembled. This scraper is designed to stand up to rough treatment and just keep working. The 18" handle is for small areas where working space is minimal and the 48" size is for larger areas.

**No. 72715** Scraper with 18" handle

**No. 72716** Scraper with 48" handle

**No. 72717** Replacement blade



## Extreme Heavy Duty Scraper 56" Handle

No matter how well the floor is attached to the substrate, this heavy duty welded, 3/8" thick blade will remove the old floor, whether it is ceramic tile, VCT, sheet vinyl, or glued carpet.

- With this tough design, one can scrape and, with the fulcrum effect, pry the floor loose
- The 3" wide blade can be sharpened with your grinder
- This is a "must have" tool for any remodel work

**No. 72706**



## Barwalt® 4" Replaceable Blade Scrapers

- Ideal for removing materials such as adhesive, grout or cement
- Not recommended for any type of prying
- Angled blades for easy scraping
- Replacement blades available
- **Improved quality blade, nuts, bolts**

**No. 72708** Scraper with 19" handle

**No. 72714** Scraper handle adjusts 36" to 56"



**No. 72709** Replacement blades 10 per pkg

**No. 72710** Replacement blades 100 per pkg

## 8" Replaceable Blade Scrapers

- Length adjusts quickly and easily for maximum comfort
- Not recommended for any type of prying
- Replacement blades available
- **Improved quality blade, nuts, bolts**

**No. 72761** Short handle scraper adjusts from 23" to 26"

**No. 72762** Long handle scraper adjusts from 39" to 59"



**No. 72764** Replacement blades 3 per pkg

**No. 72765** Replacement blades 10 per pkg

## Carbide Drill Bits

- Consists of a blend of tungsten carbide and cobalt which gives maximum hardness and wear resistance
- Can be used on ceramic tile, granite, marble, wood, glass

**No. 70812** 1/8"

**No. 70813** 3/16"

**No. 70814** 1/4"



## Carbide Chisels

- With proper use, a damaged tile can be removed without disturbing the adjoining tiles

**No. 71786** 1/4" x 6-3/16"

**No. 71787** 3/8" x 6-3/16"

**No. 71788** 1/2" x 6-3/16"



# BARWALT SET N SEAL® TOILET BOWL SEAL

## Flexible & Repositionable!

We have created a revolutionary closed cell foam seal that remains flexible to keep the toilet sealed to the floor, even if there is movement. Unlike messy wax seals, SET N SEAL® can be repositioned as many times as necessary! Comes complete with hardware and leveling wedges.

## Waterproof tough closed cell foam



## Will not deteriorate over time

## No sticky mess


- Set your toilet in any temperature with the same sealing confidence
- Seal ring will handle up to a 3/4" oak floor, when the drain is flush with the sub floor
- Use IPS spacer rings (No. 70845) to raise floor flanges on floors where flange height might be a problem.
- Flange introduces waste well into the drain
- For 3" flanges, set gasket on bolts and push the flange down into the 3" drain
- For offset flanges, trim the seal flange to fit the shallow depth without affecting the flow of waste
- **If floor flange is above the finished floor, DO NOT USE SET N SEAL® as there won't be enough space to compress seal.**
- **Patents Pending**

No. 86000 SET N SEAL®


No. 70845 Closet Flange Extension Rings (two)



NORMAL INSTALLATION



SPACER RINGS



IRREGULAR FLANGE

## PVC Low Profile Drains

- Fits 2" hub or 3" inside fit (solvent weld)
- For residential showers with tile flooring
- Strainers: round or square, stamped steel snap-in or screw down, and heavy cast brass screw down
- Square barrel accessory allows installer to convert round drains to square
- Easy to use test plug is included



No. 73306



No. 73308

## Wax Bowl Ring

- 4" plastic flange
- Standard brass bolts



No. 70843

## Jumbo Wax Bowl Ring

- Extended wax and longer bolts
- 4" plastic flange
- 3-1/2" brass bolts



No. 70844



## Duk Liners

**The custom niche in 20 minutes!**

All you have to do is add nailing blocks, overlay the moisture barrier, install mortar/backerboard and apply anti-fracture waterproofing membrane and it's ready to tile!





- No. 73410** Red Duk Liner 14"W x 6"H x 3-1/2"D
- No. 73411** Yellow Duk Liner 14"W x 14"H x 3-1/2"D
- No. 73412** Blue Duk Liner 14"W x 24"H x 3-1/2"D
- No. 73413** Green Duk Liner 14"W x 14"H x 3-1/2"D arched
- No. 73414** Duk Divider Acrylic Shelf 13-13/20" x 3-1/2" x 1/4"

## QuickShelf

With QuickShelf you can easily create a recessed tile shelf in showers, bathrooms and kitchens. The wall inserts are manufactured from tough textured ABS so they are waterproof and corrosion resistant. QuickShelf is adaptable and is compatible with all installation systems and methods.

The QuickShelf mounting flange is easy to trim and fasten as needed, thin enough to surface mount over tile backer boards for easier placement. Makes installation much easier and faster.




- No. 73415** Square 13"W x 13"H x 3-1/2"D
- No. 73416** Rectangle 9"W x 13"H x 3-1/2"D
- No. 73417** Large Rectangle 13"W x 20"H x 3-1/2"D



## Kirb-Perfect®


The Kirb-Perfect® Shower Curb is a stay-in-place plastic form for building perfect shower curbs. Kirb-Perfect® is designed to be used with a pan liner. It can be used with or without a 2 x 4 wood curb. With molded in dovetail connecting lugs, this curb can be used for multiple length installations. Each piece of the Kirb-Perfect® shower curb is easily cut with a hacksaw, PVC cutters or angle grinder. Two (1-1/4" long) and eight (3/4" long) stainless steel self tapping screws. Illustrated installation instructions included. Kirb-Perfect® is 4-9/16" wide x 30" long and 5-1/2" high.



No. 71511



Kirb-Perfect® cut to fit



Kirb-Perfect® ready for mud



Kirb-Perfect® filled with mud



Kirb-Perfect® set with tile

## Goof Proof Square Drain

The No. GPSD Goof Proof Square Drain is a 4" square shower drain. This drain has a tileable insert top (metal grates not available) with a female receiver which permits attaching the Quick Pitch Float Sticks directly to the drain. This drain can be used with any waterproofing method including Roll-on, Vinyl, and Sheet Membrane.

1. Goof Proof Square Drain
2. Threaded Clamping Ring
3. Drain Flange Assembly
4. Insert Removal Tool
5. Hair Screen
6. Threaded Riser and Insert




The No. GPSD Goof Proof Square Drain contains the following items:  
1 GPSD Tileable Square Drain, 1 Drain Flange Assembly with Threaded Clamping Ring, 1 Threaded Riser and Insert, 1 Hair Screen, and 1 Insert Removal Tool.

No. 71524

## Positive Weep Hole Protector™

This patented clear plastic ring is designed to keep mortar from the weep holes in a drain. The ridges of the Positive Weep Hole Protector™ allow for water to flow underneath the mortar and into the weep holes. The inner and outer diameter of the disk are perforated to allow for customizing depending on shower drain size.



No. 71519

## Quick Clips

The Quick Clips are designed to be used with the Schluter Kerdi Drain, Noble TS and Quick Drain Systems. These clips hold the Quick Pitch® Standard and Extended Float sticks in place for the installation on a wood or concrete sub-floor. Package contains 12 clips, 24 screws, and 12 double-sided tape pieces.

Note: The Extra Float Stick Kit XFS-101.2 is also recommended for these applications.



No. 71522

## Pre-Pitch™ System

Pre-Pitch™ is a unique, stay in place screeding tool designed for use underneath shower pan liners. The first product to be installed, Pre-Pitch™ creates the proper sub floor pitch (1/4" per 12" run) needed to direct water flow towards the weep holes that are an integral part of shower floor drains. By having a pitch under the pan liner, water that passes through the mud bed is now directed to the weep holes instead of being trapped between the mud bed and the liner where many mold and mildew related issues often originate. The plastic Pre-Pitch™ sticks have holes in their vertical web which helps to act as reinforcement and are easily cut with a hacksaw, PVC cutter, or dry diamond blade. For wood subfloors, Pre-Pitch™ can be screwed or nailed in place. For concrete subfloors, use two sided tape. Subfloor must be level, sound, and properly prepared prior to installing Pre-Pitch™.

### For "goof proof" subfloor construction



Lay out the kit



Install the kit



Fill with mud


### No. 71510 Standard Kit

This kit is for standard shower areas with a centered drain, or custom shower areas where the drain is within 36" of each wall. For shower areas where the walls are more than 36" (but less than 72") from the floor drain, also use the Pre-Pitch™ Extended Kit shown below. Sticks measure 1/8" to 7/8" taper x 36" long. Sold 6 per package. Screws and tape included.



### No. 71521 Extended Kit

These Extended Sticks attach to the 7/8" end of the Standard Pre-Pitch™ Sticks. They are for use in shower areas where the walls are more than 36" (but less than 72") from the floor drain. Sticks measure 7/8" to 1-5/8" taper x 36" long. Sold 4 per package. Screws and tape included.





## Goof Proof Shower Seat

This Shower Seat is a heavy duty stay-in-place molded plastic form that is easily installed, and can be tiled the same day. The Shower Seat is a standard 30" wide, and has guide marks on the top surface to make it easy to trim the seat to 24" wide. Two level vials are supplied to indicate the proper minimum water drainage slope of 1/4" per 12" run. For new installations, the seat is installed over the wall boards and secured into blocking between the studs using six 2-1/4" long screws. For retrofit installations, the seat is installed over the tile and secured with the screws into six plastic toggle anchors.

- Easily adjustable width 24" or 30"
- Six pre-drilled mounting holes
- Level vials ensure correct pitch
- Full width tile support ledge
- Waffle pattern ensures optimal tile adhesion

### Specifications



No. 71523



## StringA-Level™ System B

Designed primarily for shower wall tile installations, the StringA-Level™ Tile Support System is for use on any wall mounted tile installation where tiling begins above the floor. The system is a set of reusable tools that eliminate time-wasting straightness and level problems. The system is comprised of interlocking sections with level vials that are used in series to form a continuous angle support shelf on which the first course of tile rests. The sections are temporarily attached to the wall with user supplied screws and washers through multiple slots in each section. Available in kit and component form. Illustrated usage instructions included.

### For "goof proof" subfloor construction



Roughly align StringA-Level™



Secure StringA-Level™ sections to wall



Set tile on top of StringA-Level™

### Flexible Section

This is the 13" long yellow plastic section for curves and corners. It has four living hinges that conform to inside and outside corners. A level vial set in each end makes it easy to maintain level around corners. This section can be attached to another Flexible Section, or a Rigid Section, and has five slots for attaching to the wall. This yellow plastic molded section is 13-15/16" long x 1-1/4" wide x 2" high.

No. 71517



### Rigid Section

This is the 27" long red plastic section for straight walls. It has a single level vial in the center. It can be attached to another Rigid Section, or a Flexible Section, and has four slots for attaching to the wall. Molded of red plastic and is 26-7/8" long x 1-1/4" wide x 2" high.



No. 71518

## Handi-Kirb™

Designed for easy wheelchair accessible shower curb installations.

- Handi-Kirb™ creates a roll-in, wheelchair accessible shower when recessing the compartment floor is not achievable or practical.
- Handi-Kirb™ can be installed regardless of shower size and is adjustable to as low as 3/4" in height (not including tile).
- Handi-Kirb™ is 30" long and designed with dove tail connectors to accommodate any length shower opening.
- Handi-Kirb™ can be used on concrete or wood sub-floors.

No. 71531

## StringA-Level™ Kits

### No. SLK-0404 StringA-Level™ Standard Kit

For use over standard bathtubs or in showers. Consists of four Flexible Sections for the corners, and four Rigid Sections, using one or two on the side wall and one each on the front and back walls. Carrying case included.

No. 71515

### No. SLK-1010 StringA-Level™ Contractor Kit

For use in custom showers, or jobs with multiple tiled areas. Consists of 10 each of both the Flexible Section and Rigid Section. Carrying case included.

No. 71516

## StringA-Level™ Replacement Vials

### 7/8" Vials

For use with No. SL-1300-FS StringA-Level™ Flexible Section.

No. 71526 5 vials per package

### 1-3/8" Vials

For use with No. SL-2700-RS StringA-Level™ Rigid Section.

No. 71527 5 vials per package



Handi-Kirb™ standard rough-in



Handi-Kirb™ thin bed rough-in



Handi-Kirb™ standard finished



Handi-Kirb™ thin bed finished




## Quick Pitch® Float Stick System

The Quick Pitch® Float Stick System permits easy construction of shower floors with the proper minimum water drainage slope of 1/4" per 12" run. With this time-saving system there is now no chance for an error in measurement, or the need for a level, to achieve a properly sloped shower floor. The Quick Pitch® Float Stick System uses a Center Ring and tapered Float Sticks to assure the correct drainage slope in standard or custom shower areas with walls up to 6' in any direction from the floor drain. This system does not add to the pan liner preslope as the Center Ring sits on top of the drain flange bolts.

### For "goof proof" shower floor construction



Install the kit



Fill with mud



Trowel it smooth


### Custom Shower Floor Construction

The Quick Pitch® Float Stick System is available in component form for custom shower applications. The three components include:

**No. 71525** Quick Pitch® Center Ring

**No. 71513** Quick Pitch® Standard Float Sticks

**No. 71514** Quick Pitch® Extended Float Sticks



### Standard Shower Floor Construction

The Quick Pitch® Standard Kit permits construction of standard 36" x 60" shower areas with a centered drain, or custom shower areas where the drain is within 36" of each wall. Included in each package is one each Center Ring and 6 each Standard Float Sticks (1" to 1-3/4" taper x 36" long) that attach in any of the 24 slots on the Center Ring.


### No. 71512 Quick Pitch Standard Kit



See Quick Clips on page 36.

## Universal Center Ring

This Universal Center Ring is designed to accommodate either 2" or 3" shower drains, square drain risers, and most other specialty shower drains. It comes with a 2" and 3" snap-in insert to match the threaded riser portion of the drain. The Universal Center Ring has 24 Standard Float Stick attachment slots placed every 15°, a 6" inside diameter, and is 1-3/8" high. It is recommended that extra Standard Float Sticks (No. 71513) be used because the center ring which is supplied in the Quick Pitch® Standard Kit (No. 71512) is not needed.



**No. 71520**





## Hydrophilic Tile Sponges

- Professional premium sponge for grouting and clean-up
- Open cell construction prevents sand and grout from loading up
- Provides excellent absorption and rinses out easily

**No. 70201** *Medium 6" x 3-3/4" x 1-7/8"*\*

**No. 70202** *Medium Bale (800 pieces)*

**No. 70211** *Large 6-1/8" x 4" x 2"*\*

**No. 70212** *Large Bale (650 pieces)*

**No. 70221** *X-Large 6-3/4" x 5-3/4" x 1-7/8"*\*

**No. 70222** *X-Large Bale (450 pieces)*

**\*Sizes approximate**



## Scrubber Sponge

- Professional Hydra grout sponge on one side and scrubbing sponge on the other creates dual usage
- Rounded edges minimize "digging out" or marring of grout
- Available in X-Large



**No. 70224**

## Sealer Sponge

- This superfine pore sponge is used to apply a uniform application of sealer to tile, mainly used on mosaic tile
- 6-1/2" x 4-1/8" x 2-1/8"



**No. 70207**

## R-Teez Tile Grout Cleaner

Restores grout to its original color! It simply erases the stains away! It works either wet or dry on sanded or unsanded, sealed or unsealed grout, any color. Not for use on tile, use on grout only.

- Will not damage grout
- Uses no chemicals
- Cleans 200-400 lineal feet
- Each package contains 2 bars:  
4-1/2" x 3" x 1/4"  
4-1/2" x 3" x 1/2"

**No. 70828**



## Micro-Fiber Sponge

- Microfiber side is ideal for final grout haze removal and applying sealer
- Available in X-Large



**No. 70225**

## Cheesecloth

- Unbleached cotton
- 5 square yards per package



**No. 70257**



## Natural Latex Gloves


- Resistant to most chemicals, cleaners and sealers
- Heavy duty
- Flocked liner
- Patterned grip



No. 71915 *Medium*  
No. 71916 *Large*  
No. 71917 *X-large*

## Disposable Nitrile Gloves

- Tear resistant and extra durable
- No natural rubber latex proteins
- Chemical/solvent resistant
- Lightly powdered



No. 71921 *Large* 100 ct  
No. 71922 *X-large* 95 ct

## Neoprene Gloves

- Excellent protection against abrasion, tears, cuts and punctures
- Provides protection against a broad range of chemicals and oils
- Flocked liner, textured grip



No. 71925 *Medium*  
No. 71926 *Large*  
No. 71927 *X-large*

## Disposable Latex Gloves

- Medical grade "A" latex
- 100 per box
- Large only



No. 71911

## Rub Bricks

- Won't discolor tile



No. 70500 *8" x 2" x 1" 80 grit white*  
No. 70501 *8" x 2" x 1" 60 grit white*  
No. 70502 *4" round 60 grit white*

## Fluted Rub Brick with Handle

- Smooths rough concrete floors before installing new tile
- 6" x 3" x 1"
- 20 grit



No. 70503

## RTC Rockin Red™ Dressing Stone

This dressing stone sharpens and reactivates glazed over diamond products such as : Wet or dry diamond blades, diamond core bits and diamond grinding wheels.

- Has a higher concentration of Aluminum Oxide for improved sharpening



No. 70504

## Mean Green Dressing Stone

This dressing stone does every thing the Rockin Red™ does but has an even higher, concentration of Aluminum Oxide for the ultimate dressing.

- Brings your diamond products back to life!



No. 70505



## Centerpoint Pro Tape Measure

Only this ruler has a unique patented feature that always tells you where the center of your measurement is at-a-glance!

A must tool for every layout.

- Comfort grips
- 1" x 25' blade

No. 72650



## ABS Tape Measure

- Comfort touch casing
- Easy to read
- 1" x 25' blade

No. 72421



## MeasureRIGHT Pro 30"

These tools measure and mark complicated diagonal installations with ease!

- No more mismarking on crooked walls
- No readjusting staggered cuts
- No tape measure needed
- Eliminates guesswork
- Measures tile 17" - 30"



No. 72402

## Arrow® Power Shot Pro

- Uses T50 staples and drives 9/16" brads
- Forward action design
- Anti-slip comfort grip
- Visual refill window
- Capable of rapid fire



No. 73103

No. 73146 9/16" Brads for Power Shot

## Arrow® T50 Staples

1250 Pack

No. 73151 5/16"

No. 73152 3/8"

No. 73158 1/2"

5000 Pack

No. 73156 5/16"

No. 73157 3/8"

No. 73159 1/2"

## Vaughan® Rubber Mallet

- Quality rubber for high impact strength
- White 24 oz.



No. 72301

## Arrow® Heavy Duty Hammer Tacker - HT50

- Specially designed power grip handle
- All steel construction
- High carbon hardened steel working parts
- Precision-locked rear loading
- Retractable striking edge



No. 73101

## Economy Hammer Tacker

- All steel construction
- Uses Arrow staples



No. 72380

## Economy Rubber Mallet

- White 24 oz.



No. 72300



## Dripless Caulking Gun

- Seal puncture tool
- Spout cutter
- Hex rod
- Ladder hook
- EZ load front cap
- Cartridge retainer spring
- 13 oz cartridge

No. 71604



## Standard Ratchet Caulking Gun

- Recommended for light and medium consistency caulks, sealants and adhesives
- 13 oz cartridge



No. 71602

## Wheel Grout Sealer Applicator

- Roller Wheel System provides complete coverage
- Includes (2) wheels for 1/8" and 1/4" grout joints
- Works with all grout sealers



No. 70825

## Quick-Fill Chalk Line Reel

- Rugged poly case
- 100' of spun cotton/poly line
- Self-chalking every time you rewind



No. 72417

## Carpenter's Pencils

- Premium grade
- Medium carbon
- 12 pack



No. 73210

## China Markers

- Mark easily on glass, ceramic tile, porcelain and any similar surface
- 12 per box



No. 73201 Yellow  
No. 73203 Black

No. 73204 Red  
No. 73206 White

## Super Ratchet Caulking Gun

- Equipped with a built-in spout cutter, sealant puncture tool and ladder hook, 1/4 gallon capacity



No. 71610

## Brush Grout Sealer Applicator

- Quick and easy application of grout sealer
- Brush provides complete coverage of 1/8" grout joints and larger
- No mess or dripping, clean application.



No. 70850

## Plastic Chalk Line Reel

- ABS impact resistant case
- 100' of spun cotton/poly line
- Crank handle



No. 72427

## Keson® Chalk

Premium chalk, it sticks to your line until you decide you want it to stick to something else.



No. 72411 8 oz. blue chalk  
No. 72412 8 oz. white chalk  
No. 72413 8 oz. red chalk



## Counter Duster Brushes

- These brushes have self-flagging bristles which pick up the finest particles



**No. 71401** Flagged polystyrene 2-1/2" trim, 8" block



**No. 71402** Horsehair blend 2-1/2" trim, 8" block

## Grout and Crevice Brush

- Long lasting nylon bristles
- 7/8" trim, 8-1/8" plastic handle



**No. 71440**

## Masonry Cement Brush

- Designed for applying foundation, waterproofing, cold water paints, kalsomine and cement coating
- 3-1/2" trim, 6-1/2" block



**No. 71420**

## Utility Brushes

- Molded polypropylene block discourages mildew, rot and bacteria
- Crimped plastic bristles
- 2" trim



**No. 71430** 9" length

## Blue Masking Tape

- Can be removed without leaving residue
- 2" x 180'



**No. 72649**

## Masking Tape

- 2" x 180'



**No. 72602**

## Mesh Backer Board Tape

- Adhesive-backed fiberglass tape



**No. 72601** 2" x 75'

**No. 72603** 2" x 300'

## Grout Bag

- Comes with a metal and a plastic tip




**No. 70820**



## Cement Board Screws

- Sharp point for attaching board to wood or metal studs (25 - 20 gauge)
- High and low threads and a large wafer head for extra clamping power



**No. 70810** 8# x 1-1/4" 100 piece box

**No. 70811** 8# x 1-1/4" 1000 piece box

## Wrap Around Safety Glasses

- Adjustable temples
- 99% UV protection
- Meets ANSI Z87.1 standard
- Coated scratch and solvent resistant lens



No. 70710

## Safety Glasses

- Lightweight wrap-around style
- 99% UV protection
- Meets ANSI Z87.1 standard
- Scratch resistant lens



No. 70708 *Clear lens*

No. 70709 *Gray lens*

## Industrial Ear Muffs

- Protect your ears when using power equipment



No. 70711

## Gorilla Guards Boot Protector

Gorilla Guards protect the tips of your boot from wearing out. Made of non-marking flexible rubber. Each Gorilla Guard package includes a pair of Gorilla Guards, sandpaper and glue for prep.



No. 70732 *Black*

No. 70733 *Brown*

No. 70734 *Dark Tan*

## Dust Mask

- Protects against non-toxic nuisance dust and mist
- **NOT NIOSH** approved and **SHOULD NOT** be used for protection against toxic airborne contaminants
- 50 per package
- Single strap



No. 70713

## Particulate Mask

- Flexible nose piece
- Dual head strap for optimum fit
- 20 per package



No. 70717

## Tapered Earplugs With Cord

- Noise reduction rating of 19
- Connecting cord



No. 70712

## Hard Hat

- Good to have in your truck for those commercial jobs that require hard hats



No. 70730

## Caution Tape

- Protects new installation
- 3" x 1000'



No. 72600





# BARWALT®

THE PRECISION TOOL COMPANY

