LATICRETE

SAFETY DATA SHEET

1. Identification

Product identifier LATICRETE® NXT™ Vapor Reduction Coating Part A

Other means of identification None.

Recommended use Vapor reduction membrane.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name LATICRETE International

Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010

Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1B

Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1
Reproductive toxicity Category 2

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements







Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of

damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.

Precautionary statement

Response

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Contaminated work clothing must

not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection. Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Avoid release to the environment.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated

clothing before reuse. If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % | |
|--|--------------|-----------|--|
| Carbomonocyclic alkylated mixtures of poly-aza-alkanes, hydrogenated | 1173092-74-4 | 15 - 20 | |
| m-Phenylenebis(methylamine) | 1477-55-0 | 5 - 10 | |
| 4-Tert-butylphenol | 98-54-4 | 5 - 8 | |
| 1,6-Hexanediamine, 2,2,4-trimethvl- | 3236-53-1 | | |
| 1,3-bis[3-(dimethylamino)propy I]urea | 52338-87-1 | 0.5 - 1.5 | |

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Rinse skin with water/shower. Call a physician or poison control center immediately. Wash

contaminated clothing before reuse.

Eve contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or poison control center immediately.

Most important

symptoms/effects, acute and

delayed

Corrosive effects. Irritation of eyes and mucous membranes. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Sensitization.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Heating may cause the release of ammonia vapors.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Do not discharge into drains, water courses or onto the ground.

Environmental manager must be informed of all major releases.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Avoid contact during pregnancy/while nursing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Туре | Value | |
|---|---------------|-----------|--|
| m-Phenylenebis(methylami ne) (CAS 1477-55-0) | Ceiling | 0.1 mg/m3 | |
| US. NIOSH: Pocket Guide to Chem | nical Hazards | | |
| Components | Туре | Value | |
| m-Phenylenebis(methylami ne) (CAS 1477-55-0) | Ceiling | 0.1 mg/m3 | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

m-Phenylenebis(methylamine) (CAS 1477-55-0) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if

needed.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get this material on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

LATICRETE® NXT™ Vapor Reduction Coating Part A
919013 Version #: 01 Revision date: - Issue date: 12-July-2017

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Yellow.

Odor Ammoniacal.
Odor threshold Not available.
pH alkaline

Melting point/freezing point Not available.

Initial boiling point and boiling > 392 °F (> 200 °C)

range

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Vapor pressure < 0.01 mm Hg (21°C)

Vapor density Not available.

Relative density 1.04

Solubility(ies)

Solubility (water) Soluble in water.

Solubility (solvents) Soluble.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity680 cP (21°C)

Other information

Bulk density 1.04

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidAvoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Alkaline metals. Oxidizing agents. Strong acids. A reaction accompanied by large heat release

occurs when the product is mixed with acids. Heat generated may be sufficient to cause vigorous

boiling creating splash hazard.

Hazardous decomposition

products

Carbon dioxide (CO2). Carbon monoxide. Ammonia. By heating and fire, irritating vapors/gases

may be formed.

11. Toxicological information

Information on likely routes of exposure

InhalationVapors may cause headache, fatigue, dizziness and nausea.Skin contactCauses skin burns. May cause an allergic skin reaction.

Eye contact Causes eye burns.

Ingestion May cause burns of the gastrointestinal tract if swallowed. May cause nausea, headache,

dizziness and intoxication.

Symptoms related to the physical, chemical and toxicological characteristics Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Vapors may irritate throat and respiratory system and cause coughing.

Information on toxicological effects

May cause discomfort if swallowed. Acute toxicity

Components **Species Test Results**

4-Tert-butylphenol (CAS 98-54-4)

Acute Oral

LD50 Rat 3620 mg/kg

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Acute Dermal

Rabbit LD50

2000 mg/kg

Inhalation

Aerosol

LC50 Rat 3.75 mg/l, 1 Hours

Oral

LD50 Rat 930 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard Not classified, however droplets of the product may be aspirated into the lungs through ingestion

or vomiting and may cause a serious chemical pneumonia.

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components **Species Test Results**

4-Tert-butylphenol (CAS 98-54-4)

Aquatic

Acute

Crustacea EC50 Daphnia magna 3.4 mg/l, 48 Hours Fish LC50 5.1 mg/l, 96 Hours Cyprinus carpio

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

LATICRETE® NXT™ Vapor Reduction Coating Part A 919013 Version #: 01 Revision date: -Issue date: 12-July-2017 Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s. (Carbomonocyclic alkylated mixtures of poly-aza-alkanes,

hydrogenated, 1,6-Hexanediamine, 2,2,4-trimethyl-)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s. (Carbomonocyclic alkylated mixtures of poly-aza-alkanes,

hydrogenated, 1,6-Hexanediamine, 2,2,4-trimethyl-)

Transport hazard class(es)

 Class
 8

 Subsidiary risk

 Label(s)
 8

 Packing group
 III

 Environmental hazards
 No

 ERG Code
 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s. (Carbomonocyclic alkylated mixtures of poly-aza-alkanes,

hydrogenated, 1,6-Hexanediamine, 2,2,4-trimethyl-)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Environmental hazards

Marine pollutant No S F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

This substance/mixture is not intended to be transported in bulk.

the IBC Code

General information IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

m-Phenylenebis(methylamine) (CAS 1477-55-0)

US. New Jersey Worker and Community Right-to-Know Act

1,6-Hexanediamine, 2,2,4-trimethyl- (CAS 3236-53-1) m-Phenylenebis(methylamine) (CAS 1477-55-0)

US. Pennsylvania Worker and Community Right-to-Know Law

m-Phenylenebis(methylamine) (CAS 1477-55-0)

US. Rhode Island RTK

m-Phenylenebis(methylamine) (CAS 1477-55-0)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |

Country(s) or region Inventory name On inventory (yes/no)*

Korea Existing Chemicals List (ECL)

Philippine Inventory of Chemicals and Chemical Substances (PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 12-July-2017

Revision date - 01

NFPA ratings

Philippines



References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

8/8

SDS US

Yes