Safety Data Sheet ULTRABOND ECO 907

Safety Data Sheet dated: 06/10/2021 - version 5 Date of first edition: 05/09/2018



1. Identification

Product identifier Mixture identification: Trade name: ULTRABOND ECO 907 Other means of identification Trade code: 9019479 Recommended use and restrictions on use

Recommended use: Adhesive Restrictions on use: N.A.

Supplier's details

Company: MAPEI INC. (Canada) 2900 Francis-Hughes Avenue H7L 3J5 - Laval - QC - CAN

Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. Hazard identification



Classification of the product

May cause an allergic skin reaction.

Label elements

Pictograms and Signal Words



Hazard statements:

H317

May cause an allergic skin reaction.

Precautionary statements:

| P201 | Obtain special instructions before use. |
|-----------|--|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P261 | Avoid breathing dust or mist. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P321 | Specific treatment (see supplementary instructions on this label). |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with applicable regulations. |
| | |

Other hazards

None

Ingredient(s) with unknown acute toxicity

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

3. Composition/information on ingredients

Substances

N.A.

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of components

| Concentration (% w/w) | Name | Ident. Numb. | Classification | Registration Number |
|--------------------------|---|----------------|---|---------------------|
| 1-2.5 % | VINYLTRIMETHOXYSILANE | CAS:2768-02-7 | Flam. Liq. 3, H226; Acute Tox. 4, H332 | |
| 0.49-1 % | TITANIUM DIOXIDE | CAS:13463-67-7 | Carc. 2, H351 | |
| 0.49-1 % | Silica Sand | CAS:14808-60-7 | STOT RE 1, H372; Carc. 1A, H350 | |
| 0.1-0.25 % | BIS(1,2,2,6,6-PENTAMETHYL-4- PIPERIDYL) SEBACATE | CAS:41556-26-7 | Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | 2 |

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

N.A.

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media: Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A. Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Exercise the greatest care when handling or opening the container. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises: Adequately ventilated premises.

8. Exposure controls/personal protection Control parameters

List of components with OEL value

| Component | OEL Type | Country | Ceiling | Long Term mg/m3 | Long Term ppm | Short Term mg/m3 | Short Term ppm | Behaviour | Note |
|------------------|-------------|-------------|---------|-----------------------|---------------------|------------------------|----------------------|-----------|---|
| TITANIUM DIOXIDE | OSHA | | | 15 | | | | | |
| | ACGIH | | | 10 | | | | | A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation; |
| | MAK | GERMANY | | 0,3 | | | | | |
| | ACGIH | | | 10 | | | | | A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation |
| | MAK | AUSTRIA | | 5 | | 10 | | | |
| | MAK | SWITZERLAND | | 3 | | | | | |
| Silica Sand | ACGIH | | | 0,025 | | | | | A2 - Suspected Human Carcinogen;lung |

Appropriate engineering controls

N.A.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

cancer; pulmonary fibrosis;

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: paste white

Odour: Fruity

N.A.

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point: 100 °C (212 °F)

Evaporation rate: No data available Upper/lower flammability or explosive limits: No data available

Vapour density: No data available

Vapour pressure: No data available

Relative density: 1.54 g/cm3

Solubility in water: No data available

Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

Solid/gas flammability: No data available

Other information

Substance Groups relevant properties No data available Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

| VINYLTR E | IMETHOXYSILAN | a) acute toxicity | LD50 Oral Rat = 7340 µL/kg |
|--------------|---------------|-------------------|-----------------------------|
| TITANIU | M DIOXIDE | a) acute toxicity | LD50 Oral Rat > 10000 mg/kg |
| Silica Sa | nd | a) acute toxicity | LD50 Oral Rat = 500 mg/kg |
| Date | 6/29/2021 | Production Name | ULTRABOND ECO 907 |

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

| ٦Ì | acuto | toxicity | |
|----|-------|----------|---|
| u, | acute | LUNICIL) | 1 |

- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

| TITANIUM DIOXIDE | Group 2B |
|------------------|----------|
| Silica Sand | Group 1 |

Substance(s) listed as OSHA Carcinogen(s):

TITANIUM DIOXIDE Silica Sand

Substance(s) listed as NIOSH Carcinogen(s):

TITANIUM DIOXIDE

Silica Sand

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with eco-toxicological properties

| Component | Ident. Numb. | Ecotox Infos |
|---|-----------------|---|
| VINYLTRIMETHOXYSILANE | CAS: 2768-02-7 | a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 191 mg/L 96h ECHA |
| Silica Sand | CAS: 14808-60-7 | a) Aquatic acute toxicity: LC50 carp > 10000,00000 mg/L 72h |
| BIS(1,2,2,6,6-PENTAMETHYL-4- PIPERIDYL) SEBACATE | CAS: 41556-26-7 | a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = $0,97 \text{ mg/L} 96h$ |

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible. Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

TDG-UN number: N.A. ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

UN proper shipping name

TDG-Shipping Name: N.A. ADR-Shipping Name: N.A. DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A. IMDG-Technical name: N.A.

Transport hazard class(es)

TDG-Class: N.A. ADR-Class: N.A. DOT-Hazard Class: N.A. IATA-Class: N.A. IMDG-Class: N.A.

Packing group

TDG-Packing Group: N.A. ADR-Packing Group: N.A. DOT Packing Group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

Environmental hazards

Marine pollutant: No

Environmental Pollutant: N.A.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

```
N.A.
```

Special precautions in connection with transport or conveyance

```
TDG:
```

TDG Special provisions: N/A Department of Transportation (DOT): N.A. Road and Rail (ADR-RID) : N.A. Air (IATA) : N.A. Sea (IMDG) : N.A.

15. Regulatory information Canada - Federal regulations DSL - Domestic Substances List

DSL Inventory:

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL Inventory:

No substances listed

NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

No substances listed

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

| VINYLTRIMETHOXYSILANE | is listed in TSCA | Section 8b |
|---|-------------------|------------|
| TITANIUM DIOXIDE | is listed in TSCA | Section 8b |
| Silica Sand | is listed in TSCA | Section 8b |
| BIS(1,2,2,6,6-PENTAMETHYL-4- PIPERIDYL) SEBACATE | is listed in TSCA | Section 8b |

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

No substances listed

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

Silica Sand

Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

TITANIUM DIOXIDE

Silica Sand

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

TITANIUM DIOXIDE

Silica Sand

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

TITANIUM DIOXIDE

Silica Sand

16. Other information

Safety Data Sheet dated: 6/10/2021 - version 5 Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

| Code | Description | |
|------|--------------------------------------|--|
| H226 | Flammable liquid and vapour. | |
| H317 | May cause an allergic skin reaction. | |
| H332 | Harmful if inhaled. | |
| H350 | May cause cancer. | |

- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 2. HAZARDS IDENTIFICATION

- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 12. ECOLOGICAL INFORMATION