Neo TNEO
Carpet Tiles • Mainstreet Tiles - InnoFibe

Benefits

Safe and healthy	Green Label Plus certified ensuring that you are purchasing the very lowest VOC-emitting products on the market Improves indoor air quality by trapping particles, removing them from the breathing zone and reducing their circulation Slip Resistant Cushion falls and reduces the risk of injury Soft to the touch but also for the body thanks to its shock absorption capacity which helps limit damage to muscles and articulations
Environmentally-Friendly	Made with solution-dyed fibers a process that reduces significantly water consumption
Best-in-class Warranty	30 Days No Questions Asked Replacement
Limitless designabilities	One of the most versatile floor coverings because you get to choose from a wide range of colors and textures Easy to mix and match colors and designs for a personalized look
Warm, quiet and comfortable	Without a doubt, the most comfortable flooring Greatest soundproofing and insulating properties Reduces heat loss Soft and warm to the touch
Quickship	Stock product for faster delivery
Stain resistant & easy to clean	Made with solution-dyed polypropylene, a fiber inherently resistant to stain and fade Stainproof for life meaning you're buying a carpet that offers lasting stain resistance
High performance	Made with our InnoFibe solution-dyed polypropylene fiber for excellent stain and fade resistance Part of our Mainstreet InnoFibe product offering, ideal for light commercial applications Made with EnduroBac backing which provides strong and non-fraying edge and offers durability and exceptional dimensional stability
Easy to install and repair	Easy installation with our 301 Carpet Tiles Adhesive Modular floor covering for fast and easy repair when needed

Neo TNEO
Carpet Tiles • Mainstreet Tiles - InnoFibe

Product Specifications

Market Segments	Builder, Hospitality, Pro, Property Management, Residential, Senior Living, Workspace
Brand	InnoFibe Tiles
Collection	Mainstreet Tiles - InnoFibe
Style Name	Neo
Style Number	TNEO
Colors	6
Construction	Multi-Level Loop
Format	Tile
Fiber Type	100% Polypropylene
Abrasion Resistance	Residential and Light Commercial Use
Dye Method	Solution Dyed
Pile Weight	18.00 oz./y^2 (610.2 g/m^2)
Pile Height	9/64 in (3.5 mm)
Total Height	7/32 in (5.5 mm)
Backing	Endurobac
Stitch Count	10/in (40/10 cm)
Gauge	1/12 in (2.11 mm)
Density Factor	3560
Static Control	n/a
Flammability	n/a
Flooring Radiant Panel	n/a
Tarr	2
Indoor Air Quality	GLP 101088
Dimension	19.7 x 19.7" (50 X 50 cm)
Color Fastness	n/a
Certifications	Green Label Plus, QuickShip, Stainproof for life
Installation Methods	Brick, Ashlar, Monolithic, Quarter Turn

Carpet Tiles Installation Guide



Color Names & Numbers

#01	Touch Of Blue	**#02**	Thunderstorm
#03	Tweed Blazer	**#04**	Green Roof
#05	Bread Crumbs	**#06**	Chambray Shirt

Warranties


Carpet Tiles Warranty Guide

Carpet Tiles Care & Maintenance Guide


Residential use	Wear Resistance *Lifetime* Delamination Resistance *Lifetime* Dimensional Stability *Lifetime* Anti-Zippering *Lifetime* No Questions Asked Replacement *30 days* Stain Resistance *Lifetime* Static Control *Lifetime* Edge Ravelling *Lifetime*
Light commercial use	Anti-Zippering *7 Years* Stain Resistance *7 Years* Static Control *7 Years* Wear Resistance *7 Years* Edge Ravelling *7 Years* Delamination Resistance *7 Years* Dimensional Stability *7 Years*

Neo TNEO
Carpet Tiles • Mainstreet Tiles - InnoFibe


Colors




#01
Touch Of Blue



#02
Thunderstorm




#03
Tweed Blazer



#04
Green Roof



#05
Bread Crumbs



#06
Chambray Shirt

Packaging information

Units Per Box	20
Boxes Per Pallet	32
Box Weight	55.14 pounds (25009.07 grams)
Square Yards Per Box	5.98
Square Meters Per Box	5.00
Square Yards Per Pallet	191.36
Square Meters Per Pallet	159.98

Neo TNEO
Carpet Tiles • Mainstreet Tiles - InnoFibe

Accessories



301 Carpet Tiles Adhesive - 4 U.S. Gallons
4 Gallons (15.14 Litres)
1/16" x 1/32" x 1/32" U-notch Trowel

Porous Coverage
680 - 760 sq.ft. / 4 Gallons (63 - 71 m² / 15 L)

Non-Porous Coverage
680 - 760 sq.ft. / 4 Gallons (63 - 71 m² / 15 L)

- **Specifications - 301 Pressure Sensitive Carpet Tile Adhesive**
- **Label - 301 Pressure Sensitive Carpet Tile Adhesive**
- **SDS - 301 Pressure Sensitive Carpet Tile Adhesive**