Nexio TNEX
Carpet Tiles • Mainstreet Tiles - Nyluxe

Benefits

Safe and healthy	Green Label Plus certified ensuring that you are purchasing the very lowest VOC-emitting products on the market Improves indoor air quality by trapping particles, removing them from the breathing zone and reducing their circulation Slip Resistant Soft to the touch but also for the body thanks to its shock absorption capacity which helps limit damage to muscles and articulations
Environmentally-Friendly	Made with solution-dyed fibers a process that reduces significantly water consumption
Best-in-class Warranty	30 Days No Questions Asked Replacement
Limitless designabilities	One of the most versatile floor coverings because you get to choose from a wide range of colors and textures Easy to mix and match colors and designs for a personalized look
Warm, quiet and comfortable	Without a doubt, the most comfortable flooring Greatest soundproofing and insulating properties Reduces heat loss Soft and warm to the touch
Quickship	Stock product for faster delivery
Stain resistant & easy to clean	Protected with Stain Control for resistance to the most stubborn stains Treated with SoilScreen to keep soil on the surface making your carpet easier to clean
High performance	Made with our Nyluxe solution-dyed nylon fiber for outstanding wear resistance Part of our Mainstreet Nyluxe product offering, ideal for general commercial applications Made with EnduroBac backing which provides strong and non-fraying edge and offers durability and exceptional dimensional stability
Easy to install and repair	Easy installation with our 301 Carpet Tiles Adhesive Modular floor covering for fast and easy repair when needed

Nexio TNEX
Carpet Tiles • Mainstreet Tiles - Nyluxe


Sustainability

Next Generation Sustainable Backing
Eco3RBac isn't just a catchy name, it reflects our dedication to innovation and sustainability. Made entirely from recycled plastic bottles, this new backing challenges common misconceptions about recycled plastics in consumer goods.

Free from PVC, plasticizers, DOP, DINP, bitumen and odors.
Eco3RBac is **made of 100% recycled plastic bottles** (PET).
20-25% lighter than PVC backing products which means lower energy use during transport and reduced building load.
Provides dimensional stability.
May contribute to obtaining LEED® v4, WELL Building Standard, and Living Building Challenge certifications.
Reduced foot fatigue.
Sound absorption and matches other materials in the room to improve indoor acoustic environment.

Comfort enhancement

Low VOC emission materials
Odor free
Reduced foot fatigue
Sound absorption and matches other materials in the room to improve indoor acoustic environment.



Sustainable certifications

Green Label Plus

S-P-00123 EPD®
environdec.com

Environmental Product Declaration (EPD)

Nexio TNEX
Carpet Tiles • Mainstreet Tiles - Nyluxe

Product Specifications

Market Segments	Builder, Hospitality, Pro, Property Management, Residential, Senior Living, Workspace
Brand	Nyluxe Tiles
Collection	Mainstreet Tiles - Nyluxe
Style Name	Nexio
Style Number	TNEX
Colors	6
Construction	Multi-Level Loop
Format	Tile
Fiber Type	100% Solution Dyed Nylon
Abrasion Resistance	General Commercial Use
Dye Method	Solution Dyed
Pile Weight	18.05 oz./y^2 (612.0 g/m^2)
Pile Height	11/64 in (4.0 mm)
Total Height	9/32 in (7.0 mm)
Backing	Eco3Rbac
Stitch Count	12/in (47/10 cm)
Gauge	1/12 in (2.11 mm)
Density Factor	6584
Static Control	Less Than 2.0 kV (AATCC 134)
Flammability	Meets DOC FF-1-70
Flooring Radiant Panel	Class 1 (ASTM E-648)
Tarr	0
Indoor Air Quality	n/a
Dimension	19.7 x 19.7" (50 X 50 cm)
Color Fastness	Meets 5.0 AATCC 16
Certifications	Green Label Plus, QuickShip, Environmental Product Declaration (EPD), SoilScreen, Stain Control
Installation Methods	Quarter Turn, Monolithic, Brick

Carpet Tiles Installation Guide



Color Names & Numbers

#01	Rocky Trail	**#02**	Paved Road
#03	Brown Boots	**#04**	Light Graphite
#05	Steel Grey	**#06**	Nightlife

Warranties


Carpet Tiles Warranty Guide

Carpet Tiles Care & Maintenance Guide


Residential use	Wear Resistance *Lifetime* Edge Ravelling *Lifetime* Static Control *Lifetime* Stain Resistance *Lifetime* Colorfastness *Lifetime* No Questions Asked Replacement *30 days* Anti-Zippering *Lifetime* Delamination Resistance *Lifetime*
Commercial use	Static Control *15 Years* Stain Resistance *15 Years* Wear Resistance *15 Years* Edge Ravelling *15 Years* Delamination Resistance *15 Years* Anti-Zippering *15 Years* Colorfastness *15 Years*

Nexio TNEX
Carpet Tiles • Mainstreet Tiles - Nyluxe

Colors



#01
Rocky Trail




#02
Paved Road




#03
Brown Boots



#04
Light Graphite



#05
Steel Grey



#06
Nightlife

Packaging information

Units Per Box	20
Boxes Per Pallet	32
Box Weight	39.53 pounds (17929.49 grams)
Square Yards Per Box	5.98
Square Meters Per Box	5.00
Square Yards Per Pallet	191.36
Square Meters Per Pallet	159.98

Nexio TNEX
Carpet Tiles • Mainstreet Tiles - Nyluxe

Accessories



301 Carpet Tiles Adhesive - 4 U.S. Gallons
4 Gallons (15.14 Litres)
1/16" x 1/32" x 1/32" U-notch Trowel

Porous Coverage
680 - 760 sq.ft. / 4 Gallons (63 - 71 m² / 15 L)

Non-Porous Coverage
680 - 760 sq.ft. / 4 Gallons (63 - 71 m² / 15 L)

- **Specifications - 301 Pressure Sensitive Carpet Tile Adhesive**
- **Label - 301 Pressure Sensitive Carpet Tile Adhesive**
- **SDS - 301 Pressure Sensitive Carpet Tile Adhesive**