


Textures

RUBBER TILE FLOORING

Gaining
traction.



In addition to simplifying safety, comfort and maintenance, Tarkett's rubber flooring provides a great deal of design flexibility and style. Our updated collection of 20 textures introduces another element to catch the eye, and superior traction to reduce accidents. The softened peaks and valleys of each texture make the entire surface easier to clean. Apply a texture to any color or pattern in our rubber flooring collections—including 36 ColorMatch® colors that coordinate with finishing borders, stairwell management and accessories—for a beautifully integrated, multisensory experience.

A sensory
experience in
every step.



Hammered (HRT)



Forged (FG)



Woven (WV)



Linen (LE)




Concrete (CO)



Rice Paper (FRPA)



Woodgrain (WG)



Leather (LR)



Brushed (BR)



Smooth (RET)



Flagstone (FRT)



Bamboo (BMRT)



Raised Square (RT-SQ)




Raised Round (RT-RD)




Cubis (CRT)




CIRCULINITY FastLane® (CFL)




CIRCULINITY Tricycle® (CRT)



CIRCULINITY Round-A-Bout® (CRB)



CIRCULINITY Tic-TacToe® (CTT)




CIRCULINITY Effervescent® (CEF)


No one
covers you
better.



At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more productive workspaces that maximize return on investment.

The Tarkett Solution SPECtrum™ helps you expertly recommend a flooring platform for the specific needs of every space and every budget. And our full palette of colors, patterns, and textures is coordinated to work together visually across platforms. So the endless balance of function, safety, and longevity is always done on budget, in style, sustainably. Without compromise.





PRODUCTS SHOWN

1. RUBBER TILE: TEXTURE WOVEN (ICICLE)
2. RUBBER TILE: TEXTURE ROUNDED (VAPORIZE)
3. LINOLEUM: HARMONIUM XF VENETO (BLOOMING)
4. RUBBER TILE: TEXTURE ROUNDED (MIST)
5. RUBBER TILE: MINERALITY™ (OXIDE)
6. RUBBER TILE: PENTAGONAL SHAPES TEXTURE FORGED (CHARCOAL)
7. RUBBER TILE: TEXTURE WOODGRAIN (CHARCOAL)
8. RUBBER TILE: TEXTURE LINEN (THUNDER)
9. MILLWORK: REVEAL (PEARL)
10. MODULAR: TAILORED TWIST TAILORED (CHAINLINK)
11. ACCESSORIES: SLIM LINE TRANSITION (PEBBLE)
12. MODULAR: TAILORED TWIST TAILORED (RAINFALL)

Color may vary from actual swatch.
To order a sample, please visit
tarkettna.com.

Tarkett's rubber tile flooring is designed to provide a balanced solution for the competing demands of every project, with special focus on Safety, Durability and Ease of Maintenance.



Durability



Maintenance



Safety

Doing Good— Together.

At Tarkett North America, we believe that together, we can make a positive impact on people and the planet. That's why we're Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It's an active, living commitment to create a future where people and the planet prosper in balance. Where sustainable flooring solutions don't just perform, they inspire.

With incredible strength and durability, Tarkett's rubber flooring balances the needs of every project with comfort and style. Its composition of natural and recycled material is virtually maintenance-free, with no wax needed for the life of the floor. Non-PVC rubber is naturally slip resistant, absorbs shock and sound, and is manufactured in a facility that operates on 97% recycled water and 100% renewable electricity.



DESIGNING FOR LIFE

Developing products based on Cradle to Cradle® principles that contribute to people friendly spaces AND respect the planet's natural capital.



CLOSING THE LOOP

Building a circular economy inclusive of programs and business models that encourage take back, reuse, recycling and elimination of waste.



DRIVING COLLABORATION

Inviting others to join us in Doing Good through education, collaboration, transparency and communication.

TEXTURES		
TECHNICAL DATA	STANDARDS	TEXTURES
Type of Floor Covering	ASTM F1344	Rubber Floor Tile
Pattern		Solid
Format Type		Tile
Polyurethane Reinforced		Yes
Total Thickness		.125" (3.20mm)
Hardness	ASTM D2240	Not less than 85 Shore A
Smoke Generation	ASTM E662	<450
Static Load Limit	ASTM F970	Passes
Slip Resistance	ASTM D2047	SCOF \geq 0.6
Flooring Radiant Panel	ASTM E648	Class 1 (mean average CRF: 0.45 w/sq cm or higher)
Chemical Resistance	ASTM F925	Good
Heat Stability	ASTM F1514	$\Delta E \leq 8$





Tarkett North America

30000 Aurora Rd
Solon, OH 44139
800.899.8916
tarkettna.com

42399400054

©2018 Tarkett North America
08/2018