



Full Line Distributor Pricebook

Underlayments Crack Suppression Shower System Waterproofing Sound Control
Floor Warming Adhesives Mortars Grouts Caulk



Globally Proven Construction Solutions

	PAGE		PAGE		PAGE
VAPOR REDUCTION		FRACTURE BAN™ SC	44	3701 Mortar Admix & 226 Thick Bed Mortar	67
NXT® Vapor Reduction Coating	3	FRACTURE BAN™	45	209 Floor Mud	67
NEW VAPOR BAN™ Primer ER	4	FRACTURE BAN Primer	45		
PLAZA & DECK SYSTEM		FLOOR WARMING		CEMENTITIOUS GROUTS	
Tile and Drain Mat	5	STRATA_HEAT™ Mat	46	PERMACOLOR® Select Color Kit and Base	68
UNCOUPLING MAT		STRATA_HEAT Wire	47-48	PERMACOLOR Select NS Base	69
STRATA_MAT™ and STRATA_MAT XT	6	STRATA_HEAT Spacing Strips	49	PERMACOLOR Select Color Kits	70-71
UNDERLAYMENTS		STRATA_HEAT Thermostats	49	PERMACOLOR Select Fix-it Jug	71
NXT Level Plus	7	STRATA_HEAT Thermal Pack	50	PERMACOLOR Grout [®]	72
NXT Level	7			1500 Sanded Grout	72
NXT Level DL	8	EPOXY ADHESIVES		1600 Unsanded Grout	73
NEW NXT Level SP	9	LATAPOXY® 310 Stone Adhesive	51		
NXT Epoxy Primer	10	LATAPOXY 310 Cordless Mixer	52	GROUT ADDITIVE	
NXT Primer	10	LATAPOXY BIOGREEN 300 Adhesive	53	1776 Grout Enhancer	73
NXT Skim	11	LATAPOXY 300 Adhesive	53		
NXT Embossing Admix	11			EPOXY GROUTS	
NXT Patch	12	MULTIPURPOSE BONDING PRIMER		SPECTRALOCK® PRO Premium Grout Translucent	74
		PRIME-N-BOND™	52	SPECTRALOCK® PRO Premium Grout [†]	74
PREFORMED SHOWER SYSTEM AND DRAINS		MODULAR ADHESIVE MORTAR SYSTEM		SPECTRALOCK DAZZLE™ Part D Component	75
NEW HYDRO BAN® Shower Pan	13	NEW LATICRETE® SELECT BOND™	53-54	SPECTRALOCK PRO Grout [†]	76
NEW HYDRO BAN Curb	13	POLYMER FORTIFIED THIN-SET MORTARS		SPECTRALOCK Grout Part C	76
NEW HYDRO BAN® Shower Pan Kit	14	257 TITANIUM™	55	SPECTRALOCK 2000 IG	77
HYDRO BAN Pre-Sloped Shower Pan	15	254 Platinum	56		
HYDRO BAN Linear Pre-Sloped Shower Pan	16	254R Platinum Rapid	56	PRE-MIXED GROUTS	
HYDRO BAN Board and Accessories	17-18	Glass Tile Adhesive	57	NEW SPECTRALOCK 1	78
HYDRO BAN Preformed Seats, Niches and Benches	19-20	253 Gold	58	READY-TO-USE™ Grout	79
HYDRO BAN Adhesive and Sealant	20	253R Gold Rapid	58		
HYDRO BAN Accessories	21			CAULK AND SEALANT	
HYDRO BAN Sheet Membrane Rolls	22	MODIFIED THIN-SET MORTARS		Premium Acrylic Caulk	79
HYDRO BAN Sealing Tape	23	252 Silver	59	LATASIL™	80
HYDRO BAN Preformed Corners	23			LATASIL 9118 Primer	80
HYDRO BAN Pipe Collars and Mixing Valve Seal	24	NON-MODIFIED THIN-SET MORTARS			
NEW HYDRO BAN Drain Collars	24	272 Mortar	59	Grout and sealant color chart	81
NEW HYDRO BAN Linear Drains	25-31	317 Mortar	60	NEW LATICRETE Tool Kit	82
NEW HYDRO BAN Bonding Flange Drains	32-33			Grout coverage charts	83-86
NEW HYDRO BAN Drains Grates 4" x 4"	34	LATEX FORTIFIED THIN-SET MORTARS AND LATEX THIN-SET ADDITIVES			
		333 Super Flexible Additive	60	COLOR CHART PART NUMBERS	
WATERPROOFING		MASTIC		PERMACOLOR Select Kit	87
HYDRO BAN	35	15 Premium Mastic	61	PERMACOLOR Grout	88
HYDRO BAN Quick Cure Waterproofing	36	LARGE AND HEAVY TILE MORTARS		1500 Sanded Grout	89
HYDRO BAN Cementitious Waterproofing Membrane	36	MULTIMAX™ Lite	61	1600 Unsanded Grout	90
9235 Waterproofing Membrane	39	TRI-LITE™	62	SPECTRALOCK PRO Premium Grout	91
HYDRO BARRIER™	40	4-XLT	62	SPECTRALOCK 1	92
LATAPOXY® Waterproof Flashing Mortar	40	4-XLT Rapid	63	Caulk	93
		LHT™ Plus	63	LATASIL	94
		LHT	64		
SOUND CONTROL/ANTI-FRACTURE		PREMIUM MORTAR BEDS		Discontinued product skus	95-96
NEW 170.5 Sound & Crack Isolation Mat	39	3701 Fortified Mortar	64		
170 Sound & Crack Isolation Mat	39	NEW 3701 Lite Mortar	65	Terms and conditions	97-98
Blue 92 Anti-Fracture Membrane and Crack Suppression Kit	41	NEW 3701 Lite Mortar R	65	Contact information	99
NEW 125 TRI MAX™	42	Quick Cure Mortar Bed	66		

SEE PAGES 97-99 FOR SERVICE TERMS



Warranty: 25 Year
Refer to Data Sheet 507.0

NXT® Vapor Reduction Coating

A single-coat, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs prior to installing NXT underlayments. NXT Vapor Reduction Coating when applied at a minimum 12 mils thickness exceeds ASTM F3010 and will control moisture vapor emission rate up to 25 lbs/1,000 ft²/24 hr (1415 µg/(s • m))[^] per ASTM F1869/maximum[^] RH conditions per ASTM F2170.

Full Unit Kit: 6.5 gallon (24.6 L)

Part A — 2.2 gallon (8.3 L) steel pail

Part B — 4.3 gallon (16.3 L) steel pail

** Each full unit will yield approximately 865 ft² (80.8 m²)

Mini Unit Kit: 2.5 gallon (9.4 L)

Part A — 0.8 gallon (2.8 L) steel pail

Part B — 1.7 gallon (6.6 L) steel pail

** Each mini unit will yield approximately 319 ft² (29.8 m²)

NXT® Vapor Reduction Coating is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

APPROXIMATE COVERAGE			
Vapor Permeance ^μ	MVER/RH	mil thickness	ft ² /gal (m ² /L)
0.052 grains/h/ft ² /in Hg (3 ng/h • m ² • Pa)	≤25 lbs (1415 µg)/100%	12	133 (3.2)



**Coverage is approximate and will vary depending on CSP (concrete surface profile), mil thickness, absorption, and other field conditions. [^]No visible water or condensation on the surface. ^μTested according to ASTM E96 Wet Method

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0906-0006-2	
0906-0003-2	

NXT® VAPOR REDUCTION COATING – PART A AND B - FULL UNIT

ITEM NUMBER	KIT PART	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0906-0006-2	PART A + PART B	KIT/A2GAL/B4.5GAL	2 STEEL PAILS	69LB	24	1720LB		

NXT VAPOR REDUCTION COATING – PART A AND B - MINI UNIT

0906-0003-2	PART A + PART B	KIT/A0.75GAL/B1.74GAL	2 STEEL PAILS	31LB	24	794LB		
-------------	-----------------	-----------------------	---------------	------	----	-------	--	--



Warranty: 25 Year

Refer to Data Sheet 35222.0

VAPOR BAN™ Primer ER

VAPOR BAN™ Primer ER is a single-coat, ASTM F3010 approved, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs. It will also perform as a primer prior to installing NXT® and SUPERCAP® self-leveling underlayments. Can be used with multiple LATICRETE tile adhesives as well. It converts two steps into one. VAPOR BAN Primer ER reduces MVER ≤ 25 to below 3 lbs/1000 ft²/24 hrs (170 $\mu\text{g}/(\text{s}\cdot\text{m}^2)$).

Mini Unit Kit: 2.4 gallon (9.1 L)

Part A — .99 gallon (3.75 L) steel pail

Part B — 1.41 gallon (5.34 L) steel pail

**Each mini unit will yield approximately 240 ft² (22.3 m²) VAPOR BAN Primer ER is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

APPROXIMATE COVERAGE

Vapor Permeance ^a	MVER/RH	mil thickness	ft ² /gal (m ² /L)
0.094 grains/h/ft ² /in. Hg (5.4 ng/s • m ² • Pa)	≤ 25 lbs (170 μg)/100%	16	100 (9.3)

**Coverage is approximate and will vary depending on CSP (concrete surface profile), mil thickness, absorption, and other field conditions.

^aNo visible water or condensation on the surface. μ Tested according to ASTM E96 Wet Method


LATICRETE ITEM NUMBER

0913-0003-2

CUSTOMER ITEM NUMBER

VAPOR BAN PRIMER ER – PART A AND B - MINI UNIT

ITEM NUMBER	KIT PART	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0913-0003-2	PART A + PART B	2.4 gallon (9.1 L)	2 steel pails	31 lbs	24 kits	794 lbs		




Warranty: 25 Year

Refer to Data Sheet 290.0

Tile Drain Mat

A component of the Plaza and Deck System, this lightweight subsurface mat drains infiltrated water and reduces the potential for mineral deposits.

- Part of the Plaza and Deck System
- “Extra Heavy” service rating per ASTM C627 (TCNA)



LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9100-0200-2	

TILE DRAIN MAT							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
9100-0200-2	200SF	BLACK	ROLL	30LB	6	230LB	

AVAILABILITY LIMITATION: Stock Bethany, CT. All other plants allow 2 weeks lead time. Sold in full rolls only.

ORDERING TIPS: Tile Drain Mat is one component of the Plaza & Deck Installation System. Other required components include: LATICRETE premium latex mortar bed, LATICRETE premium latex thin-set mortar and LATICRETE fortified grout.



Warranty: Lifetime

Refer to Data Sheet DS026.0

Warranty: Lifetime

Refer to Data Sheet DS028.0



The Next Generation Uncoupling Mat

STRATA_MAT™ and STRATA_MAT XT

The Next Generation Uncoupling Mat for use under residential and commercial ceramic tile and stone installations, replacing traditional underlayment materials. Enhances the mechanical bond of adhesive mortar for faster drying and shorter wait times for grouting.

Available in the standard STRATA_MAT 1/8" (3 MM) version and STRATA_MAT XT 5/16" (8 MM) thickness. Use STRATA_MAT XT when installing typical 1/4" to 3/8" (6 to 9 mm) thick tile adjacent to 3/4" (19 mm) hardwood flooring.


- Use the appropriate mortar for the tile; polymer modified or unmodified mortar
- For Moisture Sensitive Tile and Stone, allows for installation of green marble and moisture sensitive stones with LATAPOXY® 300 thin-set mortar

Uncoupling: Patented design helps prevent delamination or cracking by accommodating the stresses experienced between the substrate and finished floor

Point Load: STRATA_MAT provides for increased thin-set mortar surface area forming an interlocking matrix to support point load distribution


Anti-Fracture: STRATA_MAT helps prevent transmission of surface cracks in concrete substrates to the tile surface

Vapor Management: Mortar hydration vents provide a controlled evacuation of any excess vapor from a concrete slab to protect tiled surface




Mortar Hydration Vents

Accelerates thin-set curing for faster dry time of porcelain and larger format tiles — grout the next day



Easy Layout

Chalk lines are easily visible




Mechanical Bond

Thin-set mortar forms a mechanical bond to STRATA_MAT™ surface for greater strength



Instant Coverage Verification

Translucent color indicates proper mortar coverage



STRATA_MAT XT

At 5/16" (8 mm) thick STRATA_MAT XT creates an even transition between typical 1/4" to 3/8" (6 to 9 mm) thick tile and 3/4" (19 mm) thick hardwood flooring.

LATICRETE ITEM NUMBER

0177-0323-2

0177-0150-2

0177-0150-XT

CUSTOMER ITEM NUMBER

STRATA_MAT™								
ITEM NUMBER*	SIZE		UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0177-0323-2	45INX86.13FT		ROLL	41LB	12	542LB		
0177-0150-2	45INX40FT		ROLL	19LB	20	430LB		
0177-0150-XT	45INX40FT		ROLL	33LB	6	248LB		

UNDERLAYMENTS



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheet 505.0



NXT® Level Plus

A high quality cement-based, free-flowing underlayment for use in leveling interior substrates. Rapid setting formula produces a flat, smooth and hard surface for the installation of finished flooring. NXT® Level Plus can be placed from 1/8–1 1/4" (3–32 mm) in a single lift.

APPROXIMATE COVERAGE Per 55 lb (25 kg) bag

NOMINAL THICKNESS	APPROXIMATE COVERAGE
1/8" (3 mm)	49 ft² (4.6 m²)
1/4" (6 mm)	24 ft² (2.2 m²)
1/2" (12 mm)	12 ft² (1.1 m²)
3/4" (18 mm)	8.1 ft² (0.8 m²)
1" (25 mm)	6.1 ft² (0.6 m²)
1-1/4" (32 mm)	4.9 ft² (0.5 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0901-0055-21	
0901-2200-21	

NXT® LEVEL PLUS								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0901-0055-21	55LB	N/A	BAG	56LB	40	2290LB		
0901-2200-21	2200LB	GREY	SACK	2200LB	1	2250LB		



Performance Level: BETTER
Warranty: 10 Year
 Refer to Data Sheet 504.0



NXT Level*

A cement-based underlayment for use in leveling interior substrates. NXT Level produces a flat, smooth and hard surface for the installation of finished flooring. NXT Level can be placed from 1/8–3" (3–76 mm) in a single lift.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOMINAL THICKNESS	APPROXIMATE COVERAGE
1/8" (3 mm)	44.6 ft² (4.1 m²)
1/4" (6 mm)	22.3 ft² (2.1 m²)
1/2" (12 mm)	11.2 ft² (1.0 m²)
1" (25 mm)	5.6 ft² (0.5 m²)
2" (51 mm)	2.8 ft² (0.3 m²)
3" (76 mm)	1.9 ft² (0.2 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0900-0050-21	
0900-2200-21	
0900-0050-21-DL	



*Special order only will take 4-6 weeks. Contact your local LATICRETE Sales Rep for further information.

NXT LEVEL								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0900-0050-21	50LB	GREY	BAG	51LB	48	2498LB		
0900-2200-21	2200LB	N/A	SACK	2200LB	1	2250LB		
0900-0050-21-DL*	50LB	GREY	BAG	51LB	48	2498LB		

*NXT® LEVEL is also available in version with new DUST LOCK™ Technology, dramatically reducing onsite respirable silica dust during transportation of the product as well as while mixing.



Performance Level: Good
Refer to Data Sheet 029.2



NXT® Level DL

A cement-based, high quality, fast drying dual purpose self-leveling underlayment/interior decorative wear surface topping. For application over a wide variety of substrates including concrete, VCT, and tile. Can be placed from 1/16" to 1-1/4" (1.5 – 32 mm) in a single lift.

APPROXIMATE COVERAGE: Yield/coverage may vary slightly depending on the amount of water, mixing equipment, temperature, and field conditions.

Nominal Thickness Approximate Coverage as a Wear Surface Approximate Coverage as an Underlayment

Nominal Thickness	Approximate Coverage as a Wear Surface	Approximate Coverage as an Underlayment
1/16" (1.5 mm)	96 ft² (8.9 m²)	100 ft² (9.3 m²)
1/8" (3 mm)	48 ft² (4.5 m²)	50 ft² (4.6 m²)
1/4" (6 mm)	24 ft² (2.2 m²)	25 ft² (2.3 m²)
1/2" (12 mm)	12 ft² (1.1 m²)	12.5 ft² (1.2 m²)
3/4" (18 mm)	8 ft² (0.7 m²)	8.3 ft² (0.8 m²)
1" (25 mm)	6 ft² (0.6 m²)	6.3 ft² (0.6 m²)
1-1/4" (32 mm)	4.8 ft² (0.4 m²)	5 ft² (0.5 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0907-0055-21	
0907-2200-21	
0908-0055-22	
0908-2200-22	

NXT® LEVEL DL								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0907-0055-21	55LB	N/A	BAG	56LB	40	2290LB		
0907-2200-21	2200LB	GREY	SACK	2200LB	1	2250LB		
0908-0055-22	55LB	WHITE	BAG	56LB	40	2290LB		
0908-2200-22	2200LB	WHITE	SACK	2200LB	1	2250LB		

*See TDS 238N for NXT® LEVEL DL polishing guidelines

NEW



Performance Level: Good
Refer to Data Sheet 35609.0



NXT Level SP

A medium/coarse-sanded, pumpable and pourable, low alkali cement-based, premium self-leveling topping suitable as a high-strength wear surface or underlayment. Apply it over uneven concrete and polish (min. 1/2") to a beautiful Salt and Pepper finish. Can be placed up to 2" in a single lift.

APPROXIMATE COVERAGE: Yield/coverage may vary slightly depending on the amount of water, mixing equipment, temperature, and field conditions.

NOMINAL THICKNESS	APPROXIMATE COVERAGE
1/4" (6 mm)	20 ft ² (1.9 m ²)
1/2" (12 mm)	10 ft ² (0.9 m ²)
3/4" (18 mm)	5.8 ft ² (0.5 m ²)
1" (25 mm)	4.7 ft ² (0.4 m ²)
2" (51 mm)	2.3 ft ² (0.2 m ²)



LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9600-0050-21	

NXT LEVEL SP							Price	
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		
9600-0050-21	50LB	GREY	BAG	56LB	40	2498LB		

See TDS 238N Guide for Polishing LATICRETE® Self-Leveling Overlayments.

UNDERLAYMENTS



Performance Level: Good
Refer to Data Sheet 029.3

NXT® Epoxy Primer

A two-component, high-solids epoxy primer applied with a sand broadcast for use with NXT Level DL or other decorative wear surfaces.

APPROXIMATE COVERAGE:

Yield/coverage may vary slightly depending on the amount of water, mixing equipment, temperature, and field conditions.

2 gal (7.6 L) Kit: 180 – 266 ft² (16.7 – 24.7 m²) at 12 – 18 mils (0.3 – 0.5 mm)

10 gal (38 L) Kit: 900 – 1330 ft² (83.6 – 123.6 m²) at 12 – 18 mils (0.3 – 0.5 mm)

LATICRETE ITEM NUMBER

0909-0302-2

CUSTOMER ITEM NUMBER

0909-0010-2

NXT® EPOXY PRIMER

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0909-0302-2	2GAL KIT	N/A	KIT	21LB	96	2047LB		
0909-0010-2	10GAL KIT	N/A	KIT	104LB	12	1298LB		



Warranty: 25 Year
Refer to Data Sheet 502.0



NXT Primer

A concentrated water-based primer, applied before installing NXT self-leveling underlayments. Penetrates deeply into substrates and maximizes bond strength.

NXT® Primer DILUTION / APPROXIMATE COVERAGE

SUITABLE SUBSTRATES	Dilution Ratio = Primer : Water	Approximate Coverage Per Gallon Diluted with Water
Normal Suction: Concrete	1:3	100 ft ² (9 m ²)
High-Suction: Highly Porous Dry Concrete / NXT Underlayments / Cement Mortar Beds	1st Coat: 1:5 2nd Coat: 1:3	50 ft ² (5 m ²)
Exterior Glue Plywood	1:1	100 ft ² (9 m ²)
Non-Suction: Ceramic, Stone, Quarry Tile / VCT, Sheet Vinyl / Cement Terrazzo	1:1 with Slurry	100 ft ² (9 m ²)
NXT Vapor Reduction Coating	1:1 with slurry	100 ft ² (9 m ²)

* NXT® Primer is sold as a concentrate. To estimate quantity of primer for a job, select the type of SUITABLE SUBSTRATE from the table, then look up Approximate Coverage Per Gallon Concentrate. Divide Square Footage by Approximate Coverage Per Gallon Concentrate to estimate the number of gallons of primer that will be required.

LATICRETE ITEM NUMBER

0905-0401-2

0905-0005-2

0905-0245-2

CUSTOMER ITEM NUMBER

NXT PRIMER

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0905-0401-2	1GAL	N/A	Each	38LB	48	1850LB		
0905-0005-2	5GAL	N/A	PAIL	42LB	48	2050LB		
0905-0245-2	245GAL	N/A	TOTE	2200LB	1	2250LB		

UNDERLAYMENTS



Refer to Data Sheet 506.0



NXT® Skim

A premium quality, fast-drying, trowel-applied cement-based underlayment designed for skim-coating, smoothing, and leveling prior to the installation of floor coverings. Install finished flooring as soon as 20 minutes after application.

APPROXIMATE COVERAGE Per 10 lb (4.5 kg) bag
UP TO 300 FT² (27.9 M²) FROM SKIM DEPTH TO 1" (25 MM)

LATICRETE ITEM NUMBER

0902-0410-21

CUSTOMER ITEM NUMBER

NXT® SKIM								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0902-0410-21	10LB	N/A	Each	40LB	44	2234LB		



Refer to Data Sheet 503.0

NXT Embossing Admix

A latex admixture for use with NXT® Skim for embossing over non-cushion backed vinyl and VCT flooring.

APPROXIMATE COVERAGE
PER 3.5 QTS. (3.1 L) WHEN MIXED WITH 10 LB (4.5 KG) BAG OF NXT SKIM
UP TO 300 FT² (27.9 M²) FROM SKIM DEPTH TO 1" (25 MM)

LATICRETE ITEM NUMBER

0903-0401-2

CUSTOMER ITEM NUMBER

NXT EMBOSSEING ADMIX								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0903-0401-2	5QTS	N/A	Each	46LB	28	1638LB		



Refer to Data Sheet 501.0

NXT® Patch

A fast-drying underlayment patch for use over most interior and exterior substrates. Cement-based formula is excellent for deep fills from 1/8" - 1 1/2" (3 - 38 mm) per lift.

APPROXIMATE COVERAGE Per 25 lb (11.3 kg) bag	
NOMINAL THICKNESS	APPROXIMATE COVERAGE
1/8" (3 mm)	32.5 ft² (3.0 m²)
1/4" (6 mm)	16.3 ft² (1.5 m²)
1/2" (13 mm)	8.1 ft² (0.8 m²)
1" (25 mm)	4.1 ft² (0.4 m²)
1-1/2" (38 mm)	2.7 ft² (0.3 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0904-0025-21	

NXT® PATCH								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0904-0025-21	25LB	N/A	BAG	26LB	64	1714LB		



PREFORMED SHOWER SYSTEM AND DRAINS

NEW



Warranty: Lifetime

Refer to Data Sheet 36588.0

HYDRO BAN® Shower Pan

The HYDRO BAN® Shower Pan provides you with the convenience of a smaller, easier to handle multi-piece pre-fab shower pan for waterproofing shower applications. Uses include: industrial, commercial and residential bathrooms, as well as stalled gang showers and pet showers where a pre-sloped shower is required.

The shower pan comes with an EPS pan along with HYDRO BAN Sheet Membrane to cover the pan (HYDRO BAN Curb and Bonding Flange Drain and accessories are sold separately). In this format the installer has the option to finish the shower walls using a variety of approved methods: cement backer board with HYDRO BAN Sheet Membrane, cement backer board with liquid applied HYDRO BAN or HYDRO BAN Board. HYDRO BAN Bonding Flange Drains are sold separately. (Not compatible with the tile in version).

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9243-3838-CDP	
9243-4848-CDP	
9243-4848-CDP-BF	
9243-7272-CDP	
9243-4872-CDP	
9243-3260-CDP	
9243-3260-OCDP	

HYDRO BAN® SHOWER PAN

ITEM #	PAN SIZE AND DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9243-3838-CDP	38"x38" CENTER DRAIN PAN	5.1LBS	BOX	32	197LBS		
9243-4848-CDP	48"x48" CENTER DRAIN PAN	7.3LBS	BOX	16	184LBS		
9243-4848-CDP-BF	48"x48" HYDRO BAN CD PAN BF	7.1LBS	BOX	16	180lbs		
9243-7272-CDP	72"x72" CENTER DRAIN PAN	15.7LBS	Each	6	165LBS		
9243-4872-CDP	48"x72" CENTER DRAIN PAN ONLY	10.8LBS	BOX	12	200LBS		
9243-3260-CDP	32"x 60" CENTER DRAIN PAN ONLY	6.3LBS	BOX	13	117LBS		
9243-3260-OCDP	32"x 60" OFFCENT DRAIN PAN ONLY	6.9LBS	BOX	12	118LBS		

NEW



Warranty: Lifetime

Refer to Data Sheet 36586.0

HYDRO BAN Curb

The HYDRO BAN Curb is a 24" EPS curb to be used with the HYDRO BAN Shower Pan and is sold separately. The HYDRO BAN Curb should be waterproofed using HYDRO BAN Sheet Membrane.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9243-0024-C	

HYDRO BAN CURB

ITEM #	PAN SIZE AND DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9243-0024-C	24"x4.5"x3.75" CURB	15LB	Each	264	310LBS		

NEW



Warranty: Lifetime

Refer to Data Sheet 36586.0

HYDRO BAN® Shower Pan Kit

The HYDRO BAN® Shower Pan Kit provides a cost effective solution for waterproofing shower applications. The shower installation kit includes all the key components for a waterproof shower. Available in multiple sizes, it fits almost any application where a pre-sloped shower is required — industrial, commercial and residential bathrooms, as well as stalled gang showers and pet showers.

The Shower Pan Kit comes packaged with the following accessories: Data Sheet, Shower Pan, Curbs to fit the longest side of pan, Adhesive and Sealant (10.3 FL. OZ. cartridge), Sheet Membrane for walls, Sheet Membrane for pan, Sealing Tape for installation, 4 Inside Corners, 2 Outside Corners, 1 Pipe Seal, 1 Mixing Valve Seal and 2 Bonding Flange Drain Rings. HYDRO BAN Bonding Flange Drains are sold separately. (Not compatible with the tile in version).



LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9243-3838-CDK	
9243-4848-CDK	
9243-7272-CDK	
9243-4872-CDK	
9243-3260-CDK	
9243-3260-OC DK	

HYDRO BAN® SHOWER PAN

ITEM #	PAN SIZE AND DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT	Price
9243-3838-CDK	38"x38" CENTER DRAIN KIT	16.4LBS	BOX	12	235LBS	
9243-4848-CDK	48"x48" CENTER DRAIN KIT	21.5LBS	BOX	6	194LBS	
9243-7272-CDK	72"x72" CENTER DRAIN KIT	37LBS	BOX	4	185LBS	
9243-4872-CDK	48"x72" CENTER DRAIN KIT	28LBS	BOX	6	200LBS	
9243-3260-CDK	32"x 60" CENTER DRAIN KIT	21.4LBS	BOX	6	163LBS	
9243-3260-OC DK	32"x 60" CENTER DRAIN KIT	22LBS	BOX	5	145LBS	

PREFORMED SHOWER SYSTEM AND DRAINS



Warranty: Lifetime
Refer to Data Sheet 031.0

HYDRO BAN® Pre-Sloped Shower Pan

HYDRO BAN® Pre-Sloped Shower Pan is a component of the expanded HYDRO BAN® line of products that allow for high quality rapid shower installations. Constructed of lightweight high-density expanded polystyrene, the HYDRO BAN Pre-Sloped Shower Pan comes with a factory installed drain/waste line connection, is 100% waterproof, and ready-to-tile. The HYDRO BAN Drain Grates are sold separately in brushed, polished and oil rubbed bronze finishes.

Each pre-sloped shower pan is packaged with one HYDRO BAN Pre-Sloped Shower Pan, one HYDRO BAN Preformed Curb and a tube of HYDRO BAN Adhesive and Sealant. All pans are available with either a PVC, ABS or BRS (Brass) drain connection where the plumbing code stipulates the use of a metal based waste line connection.

HYDRO BAN® Drain Grates are sold separately in brushed, polished and oil rubbed bronze finishes.

When ordering a HYDRO BAN Pre-Sloped Shower Pan, check with your local code official to determine whether a PVC, ABS or Brass drain connection is required. Custom sizes available with a 4 week lead time from receipt of site drawing and Purchase Order. Contact your local LATICRETE Sales Rep for further information.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER	LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9350-3660-PVC		9371-3866-ABS	
9351-3660-ABS		9465-3660-BRS	
9352-3648-PVC		9465-3648-BRS	
9353-3648-ABS		9465-4860-BRS	
9360-4860-PVC		9465-4848-BRS	
9361-4860-ABS		9465-3866-BRS	
9362-4848-PVC		9399-0000-PVC	
9363-4848-ABS		9399-0000-ABS	
9370-3866-PVC		9399-0000-BRS	

HYDRO BAN® PRE-SLOPED SHOWER PAN

ITEM #	PAN SIZE AND DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT	Price
9350-3660-PVC	36X60IN/91X152CM PVC	40LB	Each	5	250LB	
9351-3660-ABS	36X60IN/91X152CM ABS	40LB	Each	5	250LB	
9352-3648-PVC	36X48IN/91X122CM PVC	35LB	Each	5	225LB	
9353-3648-ABS	36X48IN/91X122CM ABS	35LB	Each	5	225LB	
9360-4860-PVC	48X60IN/122X152CM PVC	50LB	Each	5	300LB	
9361-4860-ABS	48X60IN/122X152CM ABS	50LB	Each	5	300LB	
9362-4848-PVC	48X48IN/122X122CM PVC	40LB	Each	5	250LB	
9363-4848-ABS	48X48IN/122X122CM ABS	40LB	Each	5	250LB	
9370-3866-PVC	38X66IN/122X168CM PVC OC	45LB	Each	5	275LB	
9371-3866-ABS	38X66IN/122X168CM ABS OC	45LB	Each	5	275LB	
9465-3660-BRS	BRASS 36INX60IN/91X152CM	40LBS	BOX	5	250LBS	
9465-3648-BRS	BRASS 36INX48IN/91X122CM	35LBS	BOX	5	225LBS	
9465-4860-BRS	BRASS 48INX60IN/122X152CM	50LBS	BOX	5	300LBS	
9465-4848-BRS	BRASS 48INX48IN/122X122CM	40LBS	BOX	5	250LBS	
9465-3866-BRS	BRASS 38INX66IN/97X168CM	45LBS	BOX	5	275LBS	
9399-0000-PVC	CUSTOM ORDER PVC	CUSTOM	Each	1	CUSTOM	
9399-0000-ABS	CUSTOM ORDER ABS	CUSTOM	Each	1	CUSTOM	
9399-0000-BRS	CUSTOM PAN WITH 2" BRASS COMPR	CUSTOM	Each	1	CUSTOM	



Warranty: Lifetime
Refer to Data Sheet 085.0



HYDRO BAN® Linear Drains
are sold separately.



HYDRO BAN® Linear Pre-Sloped Shower Pan

HYDRO BAN® Linear Pre-Sloped Shower Pan is a component of the expanded HYDRO BAN line of products that allow for high quality rapid shower installations. Constructed of lightweight high-density expanded polystyrene, the HYDRO BAN Linear Pre-Sloped Shower Pan allows for the combination of HYDRO BAN Linear Drains and Pre-Sloped Shower Pans. The HYDRO BAN Linear Pre-Sloped Shower Pans are 100% waterproof, and ready-to-tile. The HYDRO BAN Linear Drains are sold separately in brushed, polished, oil rubbed bronze finishes and a tile-in version to enhance the shower design.

Each pre-sloped shower pan is packaged with one HYDRO BAN Linear Pre-Sloped Shower Pan, one HYDRO BAN Preformed Curb and a tube of HYDRO BAN Adhesive & Sealant.

Custom sizes available with a 4 week lead time from receipt of site drawing and Purchase Order. Contact your local LATICRETE Sales Rep for further information.

- Pre-sloped ready to tile pan eliminates need for traditional mud bed installations
- Factory installed, code approved waterproofing meets ANSI A118.10 requirements
- The length can quickly and easily be modified to size on site
- Code approved, Meets IAPMO-PS- 106
- Works in conjunction with LATICRETE tile and stone installation materials

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9349-3466-LDP	
9349-3866-LDP	
9349-4466-LDP	
9349-5066-LDP	
9399-0000-LDP	

HYDRO BAN® PRE-SLOPED SHOWER PAN							Price
ITEM #	PAN SIZE AND DRAIN DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		
9349-3466-LDP	34X66IN/86.4X167.6CM	15LB	Each	10	200LB		
9349-3866-LDP	38X66IN/86.4X96.5CM	16LB	Each	10	210LB		
9349-4466-LDP	44X66IN/111.8X167.6CM	19LB	Each	10	240LB		
9349-5066-LDP	50X66IN/127X167.6CM	22LB	Each	10	270LB		
9399-0000-LDP	CUSTOM ORDER LINEAR PRE-SLOPED	CUSTOM	Each	1	CUSTOM		

PREFORMED SHOWER SYSTEM AND DRAINS



HYDRO BAN® Board

HYDRO BAN® board is a lightweight construction panel designed to be used in bonded tile or stone installations. It is made with a high-density, waterproof foam core and a reinforced, waterproof membrane on both sides. Available in a variety of thicknesses from 1/4" to 2" (6 mm to 50 mm) the HYDRO BAN board can be used as a substrate for tile and stone on walls or floors, as well as in many installations requiring dimensionally sound and stable substrates. The hydro ban board can be secured to wood or steel wall framing studs using the coated hydro ban board screws at 1 5/8", 2" or 3" (41, 50 or 150 mm), depending on the board thickness. Tab washers are only required for ceiling installations.

HYDRO BAN board is priced by the sheet but sold by the bundle.

HYDRO BAN board screws are priced and sold by the box.

When purchasing HYDRO BAN Board the minimum order is per bundle (see chart for sheets per bundle at each thickness). If a full pallet of board is ordered along with separate bundles of other thicknesses three bundles (any thickness) can be stacked on top of the pallet for delivery. Bundles that cannot be stacked on a full pallet will be palletized separately. Up to 8 bundles of any thickness combination can be loaded per pallet.

Warranty: Lifetime
Refer to Data Sheet 040.0

NEW

4' x 8' (122 x 244 cm)
1/2" (12.5 mm) 55 per
pallet, 5 per bundle

In any case when bundles need to be repalletized there will be a pallet charge for each pallet used in shipping.

Packaging

THICKNESS	WIDTH	LENGTH	SHEETS PER PALLET	SHEETS PER BUNDLE	Bundles per Pallet
1/4" (6 mm)	3' (91 cm)	5' (152 cm)	84	21	4
3/8" (9 mm)	3' (91 cm)	5' (152 cm)	80	10	8
1/2" (13 mm)	3' (91 cm)	5' (152 cm)	60	10	6
1/2" (13 mm)	4' (122 cm)	8' (244 cm)	55	5	11
5/8" (16 mm)	3' (91 cm)	5' (152 cm)	50	10	5
1" (25 mm)	3' (91 cm)	5' (152 cm)	30	5	6
1 1/2" (38 mm)	3' (91 cm)	5' (152 cm)	20	4	5
2" (50 mm)	3' (91 cm)	5' (152 cm)	15	3	5

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9450-0014-2	
9450-0038-2	
9450-0012-2	
9450-4812-2	
9450-0058-2	
9450-0100-2	
9450-0112-2	
9450-0200-2	



HYDRO BAN® BOARD

ITEM #	BOARD SIZE	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9450-0014-2	1/4" (6 mm)	3LB	SHEET	84	305LB		
9450-0038-2	3/8" (9 mm)	4.5LBS	SHEET	80	410LBS		
9450-0012-2	1/2" (13 mm)	6LBS	SHEET	60	410LBS		
9450-4812-2	1/2" (13 mm)	10.6LBS	5 / BUNDLE	55	633LBS		
9450-0058-2	5/8" (16 mm)	7.5LBS	SHEET	50	425LBS		
9450-0100-2	1" (25 mm)	6LBS	SHEET	30	230LBS		
9450-0112-2	1 1/2" (37.5 mm)	9LBS	SHEET	20	230LBS		
9450-0200-2	2" (50 mm)	6LBS	SHEET	15	140LBS		

HYDRO BAN® Board Accessories

Components of the HYDRO BAN line of waterproof products for rapid shower installations.



Accessories

DESCRIPTION	BOX COUNT	PACKAGING
HYDRO BAN® Board 1 1/4" (32 mm) tab washer	250 per box	12 boxes per case
HYDRO BAN Board 1 5/8" (41 mm) screw	250 per box	12 boxes per case
HYDRO BAN Board 2" (50 mm) screw	250 per box	12 boxes per case
HYDRO BAN Board 3" (150 mm) screw	250 per box	12 boxes per case
HYDRO BAN Waterproofing Membrane		1 and 5 gal (3.8 and 19 L) pails


LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9450-0114-TW	
9450-0158-S	
9450-0200-S	
9450-0300-S	

HYDRO BAN® BOARD ACCESSORIES

ITEM #	BOARD SIZE	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT	Price
9450-0114-TW	1 1/4" (32 mm) Tab Washer, 250 Count	3LB	BOX	96	346 LB	
9450-0158-S	1 5/8 (41 mm) screw, 250 Count	3LB	BOX	432	950 LB	
9450-0200-S	2" (50 mm) screw, 250 Count	3.25LB	BOX	144	494 LB	
9450-0300-S	3" (150 mm) screw, 250 Count	3.5LB	BOX	144	554 LB	



PREFORMED SHOWER SYSTEM AND DRAINS



Warranty: Lifetime
Refer to Data Sheet 032.0



HYDRO BAN® Preformed Seats

HYDRO BAN® Preformed Seats are components of the expanded HYDRO BAN line of waterproof products that allow for high quality rapid shower installations. HYDRO BAN Preformed Seats are made from high-density expanded polystyrene with a waterproof finish. The HYDRO BAN Preformed Seats are 100% waterproof and ready-to-tilde.

All HYDRO BAN Preformed Seats are 20" (51 cm) high

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9301-1616-T	
9302-2323-T	
9304-1616-C	

HYDRO BAN® PREFORMED SEATS

ITEM #	SEAT SIZE AND SHAPE DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLETS	PALLET WEIGHT		Price
9301-1616-T	16X16IN/41X41CM TRIANGLE	8LB	Each	8	114LB		
9302-2323-T	23X23IN/58X58CM TRIANGLE	10LB	Each	16	210LB		
9304-1616-C	16X16IN/41X41CM CONVEX	8LB	Each	8	114LB		



Warranty: Lifetime
Refer to Data Sheet 033.0



HYDRO BAN Preformed Niches

HYDRO BAN Preformed Niche is a component of the expanded HYDRO BAN line of waterproof products that allow for high quality rapid shower installations. HYDRO BAN Preformed Niche is constructed of lightweight, high-density expanded polystyrene with a waterproof finish and is ready to tile. Custom sizes available with a 4 week lead time from receipt of site drawing and Purchase Order. Contact your local LATICRETE Sales Rep for further information.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9311-1212-S	
9312-1212-WC	
9313-0812-NC	
9314-1220-M	
9315-0808-S	
9311-0000-N	

HYDRO BAN PREFORMED NICHEs

ITEM #	NICHE DESCRIPTION	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9311-1212-S	12X12IN/30X30CM SQUARE	Each	3LB	30	135LB		
9312-1212-WC	12X12X6IN/30X30X15CM WIDE COMB	Each	4LB	30	180LB		
9313-0812-NC	8X12X6IN/20X30X15CM NARROW COM	Each	3LB	30	145LB		
9314-1220-M	12X20IN/20X51CM MEGA	Each	4LB	30	180LB		
9315-0808-S	8X8IN/20X20CM SOAP	Each	2LB	30	100LB		
9311-0000-N	CUSTOM	Each	NA	NA	NA		

PREFORMED SHOWER SYSTEM AND DRAINS



HYDRO BAN® Preformed Bench

HYDRO BAN® Preformed Bench is a component of the expanded HYDRO BAN line of waterproofing products that allow for high quality rapid shower installations. The HYDRO BAN Preformed Bench is made from lightweight, high-density expanded polystyrene with a waterproof finish. The HYDRO BAN Preformed Benches are 100% waterproof and ready-to-til.

Can be installed anywhere a tiled bench is needed. Simple to install; ready-to-til.

All HYDRO BAN® Preformed Benches are 20" (51 cm) in height. Custom sizes available with a 4 week lead time from receipt of site drawing and Purchase Order. Contact your local LATICRETE Sales Rep for further information.

Warranty: Lifetime
Refer to Data Sheet 067.0



LATICRETE ITEM NUMBER

9305-3511-B

CUSTOMER ITEM NUMBER

HYDRO BAN® PREFORMED BENCH

ITEM #	NICHE DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9305-3511-B	35X11.5X20IN/88.X29X50.8CM	13LB	Each	8	154LB		



HYDRO BAN Adhesive and Sealant

HYDRO BAN Adhesive & Sealant is a one component, fast curing, hybrid elastomeric adhesive and sealant. This product is specifically formulated to meet today's Green Building Standards and has excellent adhesion on a wide variety of substrates. For use with all of the HYDRO BAN Shower System products and accessories.

PACKAGING

Cartridges available in 10.3 oz (305 ml) tubes. Packed 6 tubes per carton. Sausage packs available in 20 oz (592 ml). Packed 20 sausage packs per carton

Warranty: Lifetime
Refer to Data Sheet 108.0

LATICRETE ITEM NUMBER

9099-0601-2

CUSTOMER ITEM NUMBER

9099-2020-2

HYDRO BAN® ADHESIVE & SEALANT

SKU #	DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9099-0601-2	10.5OZ/0.3L	8LB	Each	200	1450LB		
9099-2020-2	SAUSAGE PACK/20OZ/0.57KG	2.14LBS	Each	900	1985LBS		

PREFORMED SHOWER SYSTEM AND DRAINS

Warranty: Lifetime

See the individual product data sheets for further information:



HYDRO BAN® Pre-Sloped Extension
DS-061.0



HYDRO BAN Pre-Sloped Ramp
DS-063.0



HYDRO BAN Preformed Curb
DS-064.0



HYDRO BAN Preformed Overlay Curb
DS-065.0

HYDRO BAN Accessories

A wide range of accessories are available for the HYDRO BAN Pre-Sloped Shower Pan. These accessories are all components of the expanded HYDRO BAN line of waterproof products that allow for high quality rapid shower installations. All of the HYDRO BAN Shower Pan Accessories are constructed of lightweight high-density expanded polystyrene with a waterproof finish and are ready to tile.

- The HYDRO BAN Pre-Sloped Extension comes 24" x 48" (61 x 122 cm) and can be added on to the HYDRO BAN Pre-Sloped Shower Pans with a center drain location when a larger pan is required
- The HYDRO BAN Pre-Sloped Ramp has a 1" in 8" (2.5 cm in 20 cm) slope and can be used for ADA compliant showers with all HYDRO BAN Pre-Sloped Shower Pans having a center drain location
- The HYDRO BAN Preformed Curbs are available in a full foam 5' (152 cm) length

Custom sizes available with a 3 week lead time from receipt of site drawing and Purchase Order. Contact your local LATICRETE Sales Rep for further information.

- The HYDRO BAN Preformed Overlay Curbs are available in 4' (122 cm) and 8' (244 cm) lengths and are designed to fit over a traditional 2" x 4" (5 x 10 cm) curb construction

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9372-2448-EXT	
9372-1360-RMP	
9372-0005-CRB	
9372-0004-OVL	
9372-0008-OVL	
9311-0000-C	

HYDRO BAN ACCESSORIES

ITEM #	DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9372-2448-EXT	24X48IN/61X122CM	7LB	Each	36	280LB		
9372-1360-RMP	13.5X60IN/34X152CM	4LB	Each	78	280LB		
9372-0005-CRB	5 FT/152CM	4LB	Each	120	350LB		
9372-0004-OVL	4 FT/122CM	4LB	Each	96	258LB		
9372-0008-OVL	8 FT/244CM	6LB	Each	72	400LB		
9311-0000-C	CUSTOM	No Data	No Data	No Data	No Data		



HYDRO BAN® Sheet Membrane

HYDRO BAN® Sheet Membrane is a high performance low-perm waterproofing sheet membrane for use in interior, residential and commercial waterproofing applications including steam showers and steam rooms. Constructed of a thin, durable polyethylene core with a fused non-woven polypropylene exterior surface for optimum bond strength, Hydro Ban Sheet Membrane allows for the appropriate mortar usage — polymer-modified or unmodified, depending upon substrate and type of tile used. Available in rolls, sealing tapes, pre-formed inside and outside corners and collars, HYDRO BAN Sheet Membrane allows for quick easy waterproofing installations which will retain their integrity for the life of the installation, backed by an available lifetime system warranty*.

- Approved for steam showers/rooms
- Allows for polymer-modified or unmodified mortar usage^
- IAPMO/ICC approved
- One source, one warranty from the substrate to the grout
- Allows for installation over green mortar beds

* See Data Sheet 230.99 for complete warranty information. ^Use a substrate and application appropriate thin-set mortar to install HYDRO BAN® Sheet Membrane. See product Data Sheet DS 041.0 for complete product and installation information.



HYDRO BAN Sheet Membrane Rolls

Two convenient roll sizes for large and small installations. Can be used in steam showers as a vapor barrier/waterproofing membrane.

- 3'3" x 98'5" = 323 ft² (1 m x 30 m = 30 m²), 38 rolls per pallet
- 3'3" x 33' = 108 ft² (1 m x 10 m = 10 m²), 120 rolls per pallet
- Easy to cut and embed — conforms easily to irregular substrates
- Durable polypropylene surface fused to the core for optimal bond strength and integrity

Warranty: Lifetime
Refer to Data Sheet 041.0

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9455-0108-2	
9455-0323-2	

HYDRO BAN® SHEET MEMBRANE ROLLS

SKU #	DESCRIPTION	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9455-0108-2	3'3"X 33' = 108 FT ² /1M X 10M	1	6LB	120	770LB		
9455-0323-2	3'3"X 98' 5" =323FT ² /1M X 30M	1	20LB	38	810LB		

PREFORMED SHOWER SYSTEM AND DRAINS



Warranty: Lifetime
Refer to Data Sheet 041.0

HYDRO BAN® Sealing Tape

Two convenient widths—5" (125 mm) and 7.25" (185 mm) to meet any job requirement. Each available in two roll lengths.

- 5" x 16'5" (125 mm x 5 m) individually packaged — 12 per carton
- 5" x 98'5" (125 mm x 30 m) individually packaged — 1 per carton
- 7.25" x 16'5" (185 mm x 5 m) individually packaged — 12 per carton
- 7.25" x 98'5" (185 mm x 30 m) individually packaged — 1 per carton

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9455-0516-2	
9455-0598-2	
9455-0716-2	
9455-0798-2	

HYDRO BAN® SEALING TAPE

SKU #	DESCRIPTION	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9455-0516-2	SEALING TAPE/ 5"X 16'5"/125MM	Each	6LB	96	626LB		
9455-0598-2	HYDRO BAN SEALING TAPE 5"X98'5"	1	3LB	252	806LB		
9455-0716-2	SEALING TAPE/7.25"X 16'5"/185M	Each	8.4LB	64	588LB		
9455-0798-2	SEALING TAPE/ 7.25"X 98'5"/185	1	4LB	210	890LB		




Warranty: Lifetime
Refer to Data Sheet 041.0

HYDRO BAN Prefomed Corners

HYDRO BAN® Prefomed Corners make waterproofing fast, easy and reliable. Use in conjunction with HYDRO BAN Sheet Membrane, Sealing Tape and Collars.

- Sturdy and pliable, conforms easily
- Inside Corners — 2 per bag — 12 bags per carton
- Outside Corners — 2 per bag — 12 bags per carton



LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9455-0002-IC	
9455-0002-OC	

HYDRO BAN PREFORMED CORNERS

SKU #	DESCRIPTION	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9455-0002-IC	INSIDE CORNERS	Each	1.2LB	240	338LB		
9455-0002-OC	OUTSIDE CORNERS	Each	1.2LB	240	338LB		

PREFORMED SHOWER SYSTEM AND DRAINS

Pipe Collar



Mixing Valve

Warranty: Lifetime

Refer to Data Sheet 041.0

HYDRO BAN® Collars and Mixing Valve Seal

Pre-formed to ensure an easier and more secure installation. (Can also be used with HYDRO BAN® liquid applied waterproofing membrane.) Use in combination with HYDRO BAN Board for steam showers.

- 3/4" (20 mm) Pipe Collar use with 1/2" – 3/4" pipe (12.7 – 20mm) packaged individually – 12 per carton
- 4 1/2" (114 mm) Mixing Valve Collar, 10 per carton



LATICRETE ITEM NUMBER

9455-0034-PC

CUSTOMER ITEM NUMBER

9455-0938-MV

HYDRO BAN® SEALING TAPE

SKU #	DESCRIPTION	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9455-0034-PC	PIPE COLLAR/3/4"/20MM/12 CASE	Each	1.2LB	240	338LB		
9455-0938-MV	9.38"LX9.38"W, 4.5"OPEN 10/CA	BOS	2LBS	1680	376LBS		



Warranty: Lifetime

Refer to Data Sheet 080.7

HYDRO BAN Drain Collars

The HYDRO BAN Deep Drawn Drain Collars are available in 3/4" (19 mm) and 1 1/2" (38 mm) depths and a 17" (43 cm) diameter.

Preformed drain collars are designed to use with HYDRO BAN Sheet Membrane when a shower pan is installed using 3701 Fortified Mortar Bed or similar materials. The HYDRO BAN Drain Collar enables the installer to easily waterproof a shower pan when using a divot method with mortar around a clamping ring drain assembly.

LATICRETE ITEM NUMBER

9455-0034-DC

CUSTOMER ITEM NUMBER

9455-0112-DC

HYDRO BAN DRAIN COLLARS

SKU #	DESCRIPTION	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9455-0034-DC	DEEP DRAWN DRAIN COLLAR-10/CA	BOX	2LBS	3600	720LBS		
9455-0112-DC	DEEP DRAWN DRAIN COLLAR-10/CA	BOX	2LBS	3600	720LBS		

NEW

HYDRO BAN Linear Drains Trough and Grates

The HYDRO BAN Linear Drains are sold in two parts:

1. HYDRO BAN Linear Drain Trough
2. HYDRO BAN Linear Drain Grate.


This enables a reduction in inventory dollars and/or creating broader stock range of HYDRO BAN Linear Drain options to serve your customers better and become more flexible in response to market demands. Custom sizes available with a 4 week lead time from receipt of site drawing and Purchase Order. Contact your local LATICRETE Sales Rep for further information.

THE NEW HYDRO BAN® LINEAR DRAINS WILL HAVE THE FOLLOWING ADVANTAGES:

FEATURES	BENEFITS
V-slope trough	Improved drainage flow, allows for a simple shower installation
Troughs and grates sold separately	Improved logistics, reduce inventory dollars
Precision hand crafted using heavy duty 304L stainless steel	Extremely strong, provides for long lasting performance; scratch, wear and rust resistant
Allows for a single slope to drain	Ideal for use with large format tile, eliminates pre-slope and primary shower pan
Linear drain only two parts; trough and grate	Quick and easy no hub drain installation
Linear drain height adjust from 3/8" to 3/4"	Accommodates larger range of tile with one grate
Versatile design	Can be installed next to walls or medial locations, ideal for ADA compliant showers
Compatible with HYDRO BAN® waterproofing membranes	Allows for direct bond to stainless steel flange edge
Lifetime system warranty	Peace of mind behind every installation
Single source supply	All your installation products from one supplier

HYDRO BAN® Linear Drain Grates are available in offset oval, wedge wire or a tile-in grate to enhance your shower design. The offset oval is available in brushed, polished or oil rubbed bronze and the wedge wire in brushed or polished finishes. Item numbers for all HYDRO BAN Linear Drain Grates are on the following page 22

V-slope trough



NEW

HYDRO BAN® Linear Drains Trough and Grates

The HYDRO BAN® Linear Drain Grate and Troughs are available in 24" (61 cm), 30" (81 cm), 32" (81 cm), 36" (91 cm), 42" (107 cm), 48" (122 cm), 54" (137 cm) and 60" (152 cm) lengths.

HYDRO BAN® Linear Drain Trough

LATICRETE SKU #	Linear Drain "T" Trough
9244-0024-T	HYDRO BAN® Linear Drain T Trough 24in
9244-0030-T	HYDRO BAN Linear Drain T Trough 30in
9244-0032-T	HYDRO BAN Linear Drain T Trough 32in
9244-0036-T	HYDRO BAN Linear Drain T Trough 36in
9244-0042-T	HYDRO BAN Linear Drain T Trough 42in
9244-0048-T	HYDRO BAN Linear Drain T Trough 48in
9244-0054-T	HYDRO BAN Linear Drain T Trough 54in
9244-0060-T	HYDRO BAN Linear Drain T Trough 60in

Linear Drain Side Outlet Trough

9244-0024-SO	HYDRO BAN Linear Drain Trough SO 24in
9244-0030-SO	HYDRO BAN Linear Drain Trough SO 30in
9244-0032-SO	HYDRO BAN Linear Drain Trough SO 32in
9244-0036-SO	HYDRO BAN Linear Drain Trough SO 36in
9244-0042-SO	HYDRO BAN Linear Drain Trough SO 42in
9244-0048-SO	HYDRO BAN Linear Drain Trough SO 48in
9244-0054-SO	HYDRO BAN Linear Drain Trough SO 54in
9244-0060-SO	HYDRO BAN Linear Drain Trough SO 60in

Linear Drain Thread Connector Trough

9244-0024-TN	HYDRO BAN Linear Drain Trough TN 24in
9244-0030-TN	HYDRO BAN Linear Drain Trough TN 30in
9244-0032-TN	HYDRO BAN Linear Drain Trough TN 32in
9244-0036-TN	HYDRO BAN Linear Drain Trough TN 36in
9244-0042-TN	HYDRO BAN Linear Drain Trough TN 42in
9244-0048-TN	HYDRO BAN Linear Drain Trough TN 48in
9244-0054-TN	HYDRO BAN Linear Drain Trough TN 54in
9244-0060-TN	HYDRO BAN Linear Drain Trough TN 60in

HYDRO BAN Linear Drain Grates

LATICRETE SKU #	Linear Drain Grates Offset Oval Brushed
2418-0024-BS	HYDRO BAN OO Drain Grate BS 24in
2418-0030-BS	HYDRO BAN OO Drain Grate BS 30in
2418-0032-BS	HYDRO BAN OO Drain Grate BS 32in
2418-0036-BS	HYDRO BAN OO Drain Grate BS 36in
2418-0042-BS	HYDRO BAN OO Drain Grate BS 42in
2418-0048-BS	HYDRO BAN OO Drain Grate BS 48in
2418-0054-BS	HYDRO BAN OO Drain Grate BS 54in
2418-0060-BS	HYDRO BAN OO Drain Grate BS 60in

Linear Drain Grates Offset Oval Polished

2418-0024-PS	HYDRO BAN OO Drain Grate PS 24in
2418-0030-PS	HYDRO BAN OO Drain Grate PS 30in
2418-0032-PS	HYDRO BAN OO Drain Grate PS 32in
2418-0036-PS	HYDRO BAN OO Drain Grate PS 36in
2418-0042-PS	HYDRO BAN OO Drain Grate PS 42in
2418-0048-PS	HYDRO BAN OO Drain Grate PS 48in
2418-0054-PS	HYDRO BAN OO Drain Grate PS 54in
2418-0060-PS	HYDRO BAN OO Drain Grate PS 60in

Linear Drain Grates Offset Oval Oil Rubbed Bronze

2418-0024-ORB	HYDRO BAN OO Drain Grate ORB 24in
2418-0030-ORB	HYDRO BAN OO Drain Grate ORB 30in
2418-0032-ORB	HYDRO BAN OO Drain Grate ORB 32in
2418-0036-ORB	HYDRO BAN OO Drain Grate ORB 36in
2418-0042-ORB	HYDRO BAN OO Drain Grate ORB 42in
2418-0048-ORB	HYDRO BAN OO Drain Grate ORB 48in
2418-0054-ORB	HYDRO BAN OO Drain Grate ORB 54in
2418-0060-ORB	HYDRO BAN OO Drain Grate ORB 60in

HYDRO BAN Linear Drain Grates

LATICRETE SKU #	Linear Drain Grates Tile-In
2418-0024-TI	HYDRO BAN TI Drain Grate 24in
2418-0030-TI	HYDRO BAN TI Drain Grate 30in
2418-0032-TI	HYDRO BAN TI Drain Grate 32in
2418-0036-TI	HYDRO BAN TI Drain Grate 36in
2418-0042-TI	HYDRO BAN TI Drain Grate 42in
2418-0048-TI	HYDRO BAN TI Drain Grate 48in
2418-0054-TI	HYDRO BAN TI Drain Grate 54in
2418-0060-TI	HYDRO BAN TI Drain Grate 60in

Wedge Wire Drain Grates Brushed

2418-WW24-BS	HYDRO BAN WW Drain Grate BS 24in
2418-WW30-BS	HYDRO BAN WW Drain Grate BS 30in
2418-WW32-BS	HYDRO BAN WW Drain Grate BS 32in
2418-WW36-BS	HYDRO BAN WW Drain Grate BS 36in
2418-WW42-BS	HYDRO BAN WW Drain Grate BS 42in
2418-WW48-BS	HYDRO BAN WW Drain Grate BS 48in
2418-WW54-BS	HYDRO BAN WW Drain Grate BS 54in
2418-WW60-BS	HYDRO BAN WW Drain Grate BS 60in

Wedge Wire Drain Grates Polished

2418-WW24-PS	HYDRO BAN WW Drain Grate PS 24in
2418-WW30-PS	HYDRO BAN WW Drain Grate PS 30in
2418-WW32-PS	HYDRO BAN WW Drain Grate PS 32in
2418-WW36-PS	HYDRO BAN WW Drain Grate PS 36in
2418-WW42-PS	HYDRO BAN WW Drain Grate PS 42in
2418-WW48-PS	HYDRO BAN WW Drain Grate PS 48in
2418-WW54-PS	HYDRO BAN WW Drain Grate PS 54in
2418-WW60-PS	HYDRO BAN WW Drain Grate PS 60in

KEY

TT = Linear Drain "T" Trough

SO = Linear Drain Side Outlet Trough

TN = Linear Drain Thread Connector Trough

KEY

OO = Linear Drain Grates Offset Oval

TI = Linear Drain Grates Tile-In

WW = Wedge Wire Drain Grates

HYDRO BAN Linear Drains Trough

NEW



LINEAR DRAIN
"T" Trough

Sold Separately

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9244-0024-T	
9244-0030-T	
9244-0032-T	
9244-0036-T	
9244-0042-T	
9244-0048-T	
9244-0054-T	
9244-0060-T	

NEW LINEAR DRAIN "T" TROUGH

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9244-0024-T	24"/61CM SS TROUGH	3.8LBS	Each	42	208LBS		
9244-0030-T	30"/76CM SS TROUGH	4.4LBS	Each	42	234LBS		
9244-0032-T	32"/81CM SS TROUGH	4.7LBS	Each	42	247LBS		
9244-0036-T	36"/91CM SS TROUGH	5.4LBS	42	42	278LBS		
9244-0042-T	42"/107CM SS TROUGH	6.0LBS	Each	42	304LBS		
9244-0048-T	48"/122CM SS TROUGH	6.6LBS	Each	42	328LBS		
9244-0054-T	54"/137CM SS TROUGH	7.7LBS	Each	42	371LBS		
9244-0060-T	60"/152CM SS TROUGH	8.2LBS	Each	42	396LBS		



HYDRO BAN Linear Drains Trough

NEW



LINEAR DRAIN SIDE OUTLET
Trough

Sold Separately

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

9244-0024-SO

9244-0030-SO

9244-0032-SO

9244-0036-SO

9244-0042-SO

9244-0048-SO

9244-0054-SO

9244-0060-SO

NEW LINEAR DRAIN SIDE OUTLET TROUGH

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9244-0024-SO	24"/61CM SS TROUGH SO	Each	3.8LBS	42	208LBS		
9244-0030-SO	30"/76CM SS TROUGH SO	Each	4.4LBS	42	234LBS		
9244-0032-SO	32"/81CM SS TROUGH SO	Each	4.7LBS	42	247LBS		
9244-0036-SO	36"/91CM SS TROUGH SO	Each	5.4LBS	42	278LBS		
9244-0042-SO	42"/107CM SS TROUGH SO	Each	6.0LBS	42	304LBS		
9244-0048-SO	48"/122CM SS TROUGH SO	Each	6.6LBS	42	328LBS		
9244-0054-SO	54"/137CM SS TROUGH SO	Each	7.7LBS	42	371LBS		
9244-0060-SO	60"/152CM SS TROUGH SO	BOX	8.2LBS	42	396LBS		

NEW



Linear Drain Threaded Connector
designed to connect to clamping ring
drain assemblies. Trough

Sold Separately

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

9244-0024-TN

9244-0030-TN

9244-0032-TN

9244-0036-TN

9244-0042-TN

9244-0048-TN

9244-0054-TN

9244-0060-TN

NEW LINEAR DRAIN THREADED CONNECTOR TROUGH

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9244-0024-TN	24"/61CMSS TROUGH TN	Each	3.8LBS	42	208LBS		
9244-0030-TN	30"/76CMSS TROUGH TN	Each	4.4LBS	42	234LBS		
9244-0032-TN	32"/81CMSS TROUGH TN	Each	4.7LBS	42	247LBS		
9244-0036-TN	36"/91CMSS TROUGH TN	Each	5.4LBS	42	278LBS		
9244-0042-TN	42"/107CMSS TROUGH TN	Each	6.0LBS	42	304LBS		
9244-0048-TN	48"/122CMSS TROUGH TN	Each	6.6LBS	42	328LBS		
9244-0054-TN	54"/137CMSS TROUGH TN	Each	7.7LBS	42	371LBS		
9244-0060-TN	60"/152CMSS TROUGH TN	Each	8.2LBS	42	396LBS		

HYDRO BAN Linear Drains Grates

NEW



LINEAR DRAIN GRATES
Offset Oval
Brushed

Sold Separately

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

2418-0024-BS

2418-0030-BS

2418-0032-BS

2418-0036-BS

2418-0042-BS

2418-0048-BS

2418-0054-BS

2418-0060-BS

NEW LINEAR DRAIN GRATES / Offset Oval / Brushed

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
2418-0024-BS	24"/61CM BS OO GRATE	Each	2LB	420	890LB		
2418-0030-BS	30"/76CM OO GRATE BS	Each	2.1LBS	210	491LBS		
2418-0032-BS	32"/81CM BS OO GRATE	Each	2.2LBS	210	512LBS		
2418-0036-BS	36"/91CM BS OO GRATE	Each	2.5LBS	210	573LBS		
2418-0042-BS	42"/107CM BS OO GRATE	Each	2.8LBS	210	632LBS		
2418-0048-BS	48"/122CM BS OO GRATE	Each	3.1LBS	210	693LBS		
2418-0054-BS	54"/137CM OO GRATE BS	Each	3.4LBS	210	772LBS		
2418-0060-BS	60"/151CM BS OO GRATE	Each	3.7LBS	210	831LBS		

NEW



LINEAR DRAIN GRATES
Offset Oval
Polished

Sold Separately

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

2418-0024-PS

2418-0030-PS

2418-0032-PS

2418-0036-PS

2418-0042-PS

2418-0048-PS

2418-0054-PS


2418-0060-PS

NEW LINEAR DRAIN GRATES / Offset Oval / Polished

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
2418-0024-PS	24"/61CM PS OO GRATE	Each	1.8LBS	210	428LBS		
2418-0030-PS	30"/76CM OO GRATE PS	Each	2.1LBS	210	491LBS		
2418-0032-PS	32"/81CM PS OO GRATE	Each	2.2LBS	210	512LBS		
2418-0036-PS	36"/91CM PS OO GRATE	Each	2.5LBS	210	573LBS		
2418-0042-PS	42"/107CM PS OO GRATE	Each	2.8LBS	210	632LBS		
2418-0048-PS	48"/122CM PS OO GRATE	Each	3.1LBS	210	693LBS		
2418-0054-PS	54"/137MC OO GRATE PS	Each	3.4LBS	210	772LBS		
2418-0060-PS	60"/152CM PS OO GRATE	Each	3.7LBS	210	831LBS		

HYDRO BAN Linear Drains Grates

NEW



LINEAR DRAIN GRATES
Offset Oval
Oil Rubbed Bronze

Sold Separately

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
2418-0024-ORB	
2418-0030-ORB	
2418-0032-ORB	
2418-0036-ORB	
2418-0042-ORB	
2418-0048-ORB	
2418-0054-ORB	
2418-0060-ORB	

NEW LINEAR DRAIN GRATES / Offset Oval / Oil Rubbed Bronze

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
2418-0024-ORB	24"/61CM ORB OO GRATE	Each	1.9LBS	210	428LBS		
2418-0030-ORB	30"/76CM OO GRATE ORB	Each	2.1LBS	210	491LBS		
2418-0032-ORB	32"/81CM ORB OO GRATE	Each	2.2LBS	210	512LBS		
2418-0036-ORB	36"/91CM ORB OO GRATE	Each	2.5LBS	210	573LBS		
2418-0042-ORB	42"/107CM ORB OO GRATE	Each	2.8LBS	210	632LBS		
2418-0048-ORB	48"/122CM ORB OO GRATE	Each	3.1LBS	210	693LBS		
2418-0054-ORB	54"/137CM OO GRATE ORB	Each	3.4LBS	210	772LBS		
2418-0060-ORB	60"/151CM ORB OO GRATE	Each	3.7LBS	210	831LBS		

NEW



LINEAR DRAIN / Tile-In Grate

Sold Separately

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
2418-0024-TI	
2418-0030-TI	
2418-0032-TI	
2418-0036-TI	
2418-0042-TI	
2418-0048-TI	
2418-0054-TI	
2418-0060-TI	

NEW LINEAR DRAIN / Tile-In Grate

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
2418-0024-TI	24" Tile-In Grate	Each	1.8LBS	210	428LBS		
2418-0030-TI	30" Tile-In Grate	Each	2.1LBS	210	491LBS		
2418-0032-TI	32" Tile-In Grate	Each	2.2LBS	210	512LBS		
2418-0036-TI	36" Tile-In Grate	Each	2.5LBS	210	573LBS		
2418-0042-TI	42" Tile-In Grate	Each	2.8LBS	210	632LBS		
2418-0048-TI	48" Tile-In Grate	Each	3.1LBS	210	693LBS		
2418-0054-TI	54" Tile-In Grate	Each	3.4LBS	210	772LBS		
2418-0060-TI	60" Tile-In Grate	Each	3.7LBS	210	831LBS		

HYDRO BAN Linear Drains Grates

NEW

Wedge Wire Drain Grates / Brushed
Sold Separately

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
2418-WW24-BS	
2418-WW30-BS	
2418-WW32-BS	
2418-WW36-BS	
2418-WW42-BS	
2418-WW48-BS	
2418-WW54-BS	
2418-WW60-BS	

NEW Wedge Wire Drain Grates / Brushed

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
2418-WW24-BS	24" Grate Brushed Stainless Steel	1XBOX	2LB	210	470LB		
2418-WW30-BS	30" Grate Brushed Stainless Steel	Each	3.8LBS	210	856LBS		
2418-WW32-BS	32" Grate Brushed Stainless Steel	1XBOX	2LB	210	470LB		
2418-WW36-BS	36" Grate Brushed Stainless Steel	1XBOX	2.5LB	210	575LB		
2418-WW42-BS	42" Grate Brushed Stainless Steel	1XBOX	3.3LB	210	733LB		
2418-WW48-BS	48" Grate Brushed Stainless Steel	1XBOX	4LB	210	890LB		
2418-WW54-BS	54" Grate Brushed Stainless Steel	Each	6.9LBS	210	1491LBS		
2418-WW60-BS	60" Grate Brushed Stainless Steel	1XBOX	4LB	210	890LB		

NEW

Wedge Wire Drain Grates / Polished
Sold Separately

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
2418-WW24-PS	
2418-WW30-PS	
2418-WW32-PS	
2418-WW36-PS	
2418-WW42-PS	
2418-WW48-PS	
2418-WW54-PS	
2418-WW60-PS	

NEW Wedge Wire Drain Grates / Polished

SKU #	LINEAR DRAIN LENGTH AND GRATE DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
2418-WW24-PS	PS/24IN/61CM	1XBOX	2LB	210	470LB		
2418-WW30-PS	30"/76CM WW GRATE PS	Each	3.8LBS	210	856LBS		
2418-WW32-PS	PS/32IN/81CM	1XBOX	2LB	210	470LB		
2418-WW36-PS	PS/36IN/91CM	1XBOX	2.5LB	210	575LB		
2418-WW42-PS	PS/42IN/107CM	1XBOX	3.25LB	210	733LB		
2418-WW48-PS	PS/48IN/122CM	1XBOX	4LB	210	809LB		
2418-WW54-PS	54"/137CM WW GRATE PS	Each	6.9LBS	210	1491LBS		
2418-WW60-PS	PS/60IN/152CM	1XBOX	4LB	210	890LB		

HYDRO BAN Bonding Flange and Grates

NEW



4 INCH X 4 INCH



Oil Rubbed Bronze
Stainless Steel



Polished Stainless Steel



Brushed Stainless Steel

Effective January 2, 2020

In listening to the voice of our Customers LATICRETE will be transitioning the current 5"x5" HYDRO BAN Drain Grates that are sold separately and the ones sold with the HYDRO BAN Bonding Flange Drains to a 4"x4" grate. The current 5"x5" drain grates and bonding flanges will be available until supplied run out but will not be produced moving forward.

All HYDRO BAN Bonding Flange Drains and Drain Grates will still be produced with the same quality finishes and styles to the ASME 112.18-2 / CSA B125.2.05 (US and Canada) standards and will continue to carry a LATICRETE Lifetime Warranty.

HYDRO BAN Bonding Flange and Grates

NEW

NEW



HYDRO BAN® BONDING FLANGE DRAINS/KITS

Comprised of a flange body, adjusting ring, and stainless steel drain assembly. Compatible with LATICRETE mortar bed and HYDRO BAN® liquid applied on Sheet Membrane for a complete waterproof assembly.

- All drain grates constructed of heavy duty 304 stainless steel to resist wear and scratching
- Bonding flange body available in PVC or ABS
- Adjusts both vertically and laterally for easy installation
- Polished, brushed and oil rubbed bronze grates are a low profile design suitable for tile thicknesses of 1/4" – 1-1/2" (6 mm – 38 mm), depending on grate design
- Code approved per ASME A112.18-2-2005/CSA B125.2.05 (US and Canada) The stainless steel Bonding Flange is available for use where the plumbing code stipulates the use of a metal based waste line connection. The Stainless Steel Bonding Flange comes with the flange and adjusting ring. The drain grate is purchase separately.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9246-0404-BS-PVC	
9246-0404-BS-ABS	
9246-0404-PS-PVC	
9246-0404-PS-ABS	
9246-0404-ORB-PVC	
9246-0404-ORB-ABS	
9246-0404-TI-PVC	
9246-0404-TI-ABS	
9248-0BFD-SS	
9248-0BFD-PVC	
9248-0BFD-ABS	

NEW HYDRO BAN® BONDING FLANGE DRAINS/KITS

SKU #	SIZE AND FINISH DESCRIPTION	ITEM WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9246-0404-BS-PVC	4"X4"/10X10CM BS BFD PVC	3.5LBS	Each	72	302LBS		
9246-0404-BS-ABS	4"X4"/10X10CM BS BFD ABS	3.5LBS	Each	72	302LBS		
9246-0404-PS-PVC	4"X4"/10X10CM PS BFD PVC	3.5LBS	Each	72	302LBS		
9246-0404-PS-ABS	4"X4"/10X10CM PS BFD ABS	3.5LBS	Each	72	320LBS		
9246-0404-ORB-PVC	4"X4"/10X10CM ORB BFD PVC	3.5LBS	Each	72	302LBS		
9246-0404-ORB-ABS	4"X4"/10X10CM ORB BFD ABS	3.5LBS	Each	72	302LBS		
9246-0404-TI-PVC	4"X4"/10X10CM TI BFD PVC	3.5LBS	Each	72	302LBS		
9246-0404-TI-ABS	4"X4"/10X10CM TI BFD ABS	3.5LBS	Each	72	302LBS		
9248-0BFD-SS	10"/25CM BFD SS	3.4LBS	Each	72	295LBS		
9248-0BFD-PVC	12"/30CM BFD PVC	3.1LBS	Each	72	273LBS		
9248-0BFD-ABS	12"/30CM BFD ABS	3.1LBS	Each	72	273LBS		

HYDRO BAN Grates

NEW

NEW

Available January 2020
Available in
4" x 4" (10 cm x 10 cm)

4 INCH X 4 INCH



Oil Rubbed Bronze
Stainless Steel



Polished Stainless Steel



Brushed Stainless Steel

HYDRO BAN® Drain Grates

HYDRO BAN® Drain Grates are low profile floor drains specifically designed for use with the HYDRO BAN Pre-Sloped Shower Pan. The grates are available in brushed, polished or oil rubbed bronze stainless steel. The HYDRO BAN Drain Grate can also be used in other areas requiring standard drain grate installations (i.e. with standard clamping ring drains).

- Available in multiple finishes to match your other plumbing fixtures
- Code approval per ASME A 112.18-2 / CSA B125.2.05 (US and Canada)
- Component of LATICRETE Lifetime Warranty*. Single source responsibility
- Works in conjunction with HYDRO BAN Pre-Sloped Shower Pan and other clamping ring style drains

* See DS 230.99 for complete warranty information.



Lower profile

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9248-0404-BS	
9248-0404-PS	
9248-0404-ORB	

Warranty: Lifetime

Refer to Data Sheet 069.0

NEW HYDRO BAN® DRAIN GRATES

NEW
NEW
NEW

SKU #	DESCRIPTION	UNIT WEIGHT	UNITS PER CARTON	UNITS PER PALLET	PALLET WEIGHT		Price
9248-0404-BS	4"X4"/10X10CM BS GRATE	0.5LBS	Each	72	86LBS		
9248-0404-PS	4"X4"/10X10CM PS GRATE	0.5LBS	Each	72	89LBS		
9248-0404-ORB	4"X4"/10X10CM ORB GRATE	0.5LBS	Each	72	86LBS		



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheets 663.0 and 663.5



HYDRO BAN®

A thin waterproofing anti-fracture membrane that combines optimum performance and unmatched productivity. HYDRO BAN® is rapid drying allowing for a faster tiling time and flood testing in just 2 hours* after final cure, as well as faster flood testing in cold temperatures and over mortar beds. Save yourself time and money, and complete your installations faster with greater ease.

- Flood test in 2 hours*
- Improved flood testing over fresh mortar beds and at cooler temperatures
- No fabric required in coves or corners*
- IAPMO and ICC approved
- Anti-fracture protection up to 1/8" (3 mm)
- Easy to clean with water

APPROXIMATE COVERAGE

Per Commercial Unit	250 ft² (23.2 m²)
Per Mini Unit	50 ft² (4.7 m²)
International Bulk Container	13,750 ft² (1,277 m²)

LATICRETE ITEM NUMBER

9255-0005-2

9255-0401-2

9255-1275-2

CUSTOMER ITEM NUMBER

HYDRO BAN®

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9255-0005-2	5GAL	GREEN	PAIL	58.5LB	36	2156LB		
9255-0401-2	1GAL	GREEN	Each	49LB	30	1520LB		
9255-1275-2	275GAL	GREEN	TOTE	3211LB	1	3211LB		

~ See Data Sheet 230.99 for complete warranty information.

* See Data Sheet 663.0 and 663.5 for complete product information. HYDRO BAN® can be flood tested in 2 hours when cured at 70°F (21°C) or above 50% R.H. It can be flood tested in 24 hours when cured at 50 – 69°F (10 – 20.6°C) and up to 70% R.H. The time to flood testing starts when the second coat has completely cured from a light sage green to a darker olive green color.





Performance Level: BEST

Warranty: 25Year

Refer to Data Sheets 670.4



HYDRO BAN® QUICK CURE

A rapid, thin, liquid applied ready-to-use waterproofing membrane that is ANSI A118.10 Compliant. Featuring Wet-Cure technology, this allows curing even in humid, cold and damp environments. HYDRO BAN® Quick Cure allows for flood testing in as soon as 30 minutes* allowing contractors to install a shower system all in one day.

- Interior and exterior
- Shower pans, stalls and tub surrounds
- Thin; only 0.012" (0.3 mm) thick when cured
- Wet-Cure Technology - Can be used in humid, cold and damp environments.
- Allows for flood testing in 30 min. at 70°F (21°C) or higher*

APPROXIMATE COVERAGE

1 Gallon Unit: 134 ft²/gal (12.4 m²/3.8 L)

LATICRETE ITEM NUMBER

9266-0001-2

CUSTOMER ITEM NUMBER

HYDRO BAN® QUICK CURE WATERPROOFING								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9266-0001-2	1 GAL	N/A	PAIL	14LB	No Data	1120LB		



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheets 628.7



HYDRO BAN CEMENTITIOUS Waterproofing Membrane

A one component, polymer fortified, cement based waterproofing material that mixes only with water. HYDRO BAN Cementitious Waterproofing Membrane handles negative and positive hydrostatic pressure up to 2 BARS (29 PSI) when applied at 40 Mils (1 mm) thick. Flood test within 2 hours. Passes ANSI A118.10 Waterproofing and ANSI A118.12 Crack Isolation (with mesh/fabric up to 1/8" (3 mm)).

- Interior and exterior
- Designed for use in swimming pools, fountains, water features, spas and hot tubs
- Flood testing in 2 hours at 70°F (21°C) or higher*
- Can be used under pool plasters
- Bonds directly to metal, PVC and ABS plumbing fixtures
- Anti-fracture protection of up to 1/8" (3 mm)
- Exceeds ANSI A118.10 and A118.12 (with mesh) ISO 13007-5 CMP

APPROXIMATE COVERAGE

At 40 mil (1mm) Thick - 120 ft² (11.2 m²)

LATICRETE ITEM NUMBER

9259-0030-2

CUSTOMER ITEM NUMBER

HYDRO BAN® CEMENTITIOUS WATERPROOFING MEMBRANE								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9259-0030-2	30LB	N/A	BAG	30LB	56	1680LB		



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheets 236.0 and WPAF.5



9235 Waterproofing Membrane

A thin, load-bearing waterproofing designed specifically for the special requirements of ceramic tile, stone and brick installations. A self-curing liquid rubber polymer and a reinforcing fabric are quickly applied to form a flexible, seamless waterproofing membrane that bonds to a wide variety of substrates.

APPROXIMATE COVERAGE

Per Full Unit	300 ft ² (27.8 m ²)
Per Mini Unit	75 ft ² (7 m ²)
International Bulk Container	13,750 ft ² (1,277 m ²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

9235-0001-2

9235-0002-2

S-09235-NS-06

9235-1275-2

S-09235-NF-19

S-09235-NF-18

9235 WATERPROOFING MEMBRANE LIQUIDS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9235-0001-2	6GAL	BLACK	PAIL, CARTON	68LB	36	2498LB		
9235-0002-2	2GAL	BLACK	PAIL KIT	23LB	48	1154LB		
S-09235-NS-06	6GAL	BLACK	PAIL	60LB	36	2210LB		
9235-1275-2	275GAL	GREEN	TOTE	3211LB	1	3211LB		

9235 WATERPROOFING MEMBRANE FABRIC

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-09235-NF-19	6 INX75 FT	WHITE	ROLL	1LB	560	610LB		
S-09235-NF-18	300 SQSF	WHITE	CARTON	8LB	70	610LB		

ORDERING TIPS: Full Unit consists of 1 x 6 (23 L) gallon pail liquid. 1 x carton fabric. Covers approximately 300 ft².



Performance Level: BETTER
Warranty: 5 Year
 Refer to Data Sheet 105.0



HYDRO BARRIER™

A thin, load-bearing, self-curing, liquid rubber polymer easily applied to form a flexible, seamless waterproofing, anti-fracture membrane.

- Interior and exterior
- Swimming pools, fountains, water features, shower pans, stalls, and tub surrounds
- Industrial, commercial and residential

APPROXIMATE COVERAGE

Per Full Unit	175 ft² (16.3 m²)
Per Mini Unit	50 ft² (4.6 m²)
International Bulk Container	13,750 ft² (1,277 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
9256-0035-2	
9256-0401-4	
9256-1275-2	
S-09235-NF-19	

HYDRO BARRIER™								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9256-0035-2	3.5GAL	NA	PAIL	40LB	48	1970LB		
9256-0401-4	1GAL	NA	Each	49LB	30	1520LB		
9256-1275-2	275GAL	BLUE	TOTE	3211LB	1	3211LB		

WATERPROOFING/ANTI-FRACTURE MEMBRANE FABRIC								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-09235-NF-19	6 INX75 FT	WHITE	ROLL	1LB	560	610LB		



Performance Level: BEST
Warranty: 25 Year
 Refer to Data Sheet 070.0

LATAPOXY® Waterproof Flashing Mortar

A 3-component epoxy-based flashing to waterproof seams, gaps, or joints between a substrate, metal and PVC pipes, drains, and flashing.

- Easy to apply using a trowel
- Adheres to metal and PVC pipes, drains and flashing
- Waterproof seam between flashing and façade

APPROXIMATE COVERAGE

45 ft²/unit (4.2 m²) at 1/8" (3 mm) thick, depending on application

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0024-0001-2	

LATAPOXY® WATERPROOF FLASHING MORTAR								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0024-0001-2	3.5GAL	NA	PAIL	18LB	48	914LB		

ORDERING TIPS:

Unit contains LATAPOXY® Waterproof Flashing Mortar Part A 2.7 lbs (1.2 kg), LATAPOXY Waterproof Flashing Mortar Part B liquids 2.3 lbs (1.0 kg), and LATAPOXY Waterproof Flashing Mortar Part C filler powder 11 lbs (5.0 kg) conveniently packed in a 3.5 gal (13.2 L) mixing pail.

NEW

Performance Level: BEST
Warranty: 25 Year
 Refer to Data Sheet 35615.0

170.5 Sound & Crack Isolation Mat

170.5 Sound & Crack Isolation Mat is a high performance acoustical underlayment system that muffles impact noises through ceramic tiles, stone and other hard surfacing materials. It also minimizes the transmission of cracks from the substrate to the tile installation up to 1/8" (3 mm) non-movement cracks. 170.5 Sound & Crack Isolation Mat is a 5 mm thick rubberized membrane comprised of 88.5% post-consumer recycled materials.

- ΔIIC rating – 22 per ASTM E2179
- ΔIIC rating - 50 per ASTM E492/E989
- Isolates cracks up to 1/8" (3 mm)
- "Moderate RATING" per ASTM C627 (TCNA)
- Contains 88.5% post consumer recycled content

LATICRETE ITEM NUMBER

0176-0120-2

CUSTOMER ITEM NUMBER

170.5 SOUND & CRACK ISOLATION MAT

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT Price		
0176-0120-2	ROLL	89LBS	16	1474LBS				



Performance Level: BETTER
Warranty: 25 Year
 Refer to Data Sheet 170.0

170 Sound & Crack Isolation Mat

A 1/8" (3 mm) thick underlayment membrane that provides sound reduction and anti-fracture protection for tile or stone installations.

- ΔIIC rating – 16 per ASTM E2179
- Isolates cracks up to 1/8" (3 mm)
- "LIGHT RATING" per ASTM C627 (TCNA)
- Contains 88.5% post consumer recycled content

APPROXIMATE COVERAGE per roll

150 ft² (13.9 m²)

LATICRETE ITEM NUMBER

0170-0150-2

CUSTOMER ITEM NUMBER

170 SOUND & CRACK ISOLATION MAT

ITEM NUMBER	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0170-0150-2	ROLL	75LB	20	1550LB	

Blue 92 Anti-Fracture Membrane and Crack Suppression Kit

A 2-part system that forms a flexible, full-coverage membrane that reduces crack transmission from the substrate to floor finishes.

Kit: 2 gallon (7.6 L) jug of liquid, 1 each 15" (38 cm) wide roll of LATICRETE Waterproofing/Anti-Fracture Fabric packed together in one carton; 36 cartons per pallet.

Full Unit: 5 gallon (19 L) pail liquid; 1 carton LATICRETE Waterproofing/Anti-Fracture Fabric, packed separately, 36 units per pallet.

APPROXIMATE COVERAGE

75 linear feet (23 m) at 15" (38 mm) wide.

300 ft² (28 m²) per full unit.

Performance Level: BETTER

Warranty: 5 Year

Refer to Data Sheets 647.0, 648.0 and WPAF.5



LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

9200-0001-2

S-09200-NS-05

S-09235-NF-18

S-09235-NF-19

9200-0001-2-4

BLUE 92 ANTI-FRACTURE MEMBRANE LIQUIDS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9200-0001-2	5GAL	NA	PAIL, CARTON	63LB	36	2318LB		
S-09200-NS-05	5GAL	BLUE	PAIL	53LB	36	1958LB		

ORDERING TIPS: Full unit consists of 1 x 5 (19 L) gallon pail liquid. 1 x carton fabric. Covers approximately 300 ft² (28 m²).

BLUE 92 ANTI-FRACTURE MEMBRANE FABRIC

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-09235-NF-18	300 SQSF	WHITE	CARTON	8LB	70	610LB		
S-09235-NF-19	6 INX75 FT	WHITE	ROLL	1LB	560	610LB		

CRACK SUPPRESSION KIT


ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9200-0001-2-4	2GAL	BLUE	PAIL	26LB	45	1220LB		

**125 TRI MAX™**

The new 125 TRI MAX™ is a single component material that you spread, set tile or stone and grout in as little as 5 hours. No special latex or containers just add water to mix. 125 TRI MAX - no other thin-set allows for a faster, more economical method of installing tile or stone. It contains a special combination of latex, rare rubber fillers and reinforcing fibers for strength, giving it the ability to do what the others can't do - provide tremendous anti-fracture protection and sound deadening performance!

FEATURES	BENEFITS
Anti-fracture and sound protection in one step	Install tile fast reducing labor and material cost by 15 to 20%
Single component — just add water	Easy to mix, spread and use
Lightweight	50 lb (22.7 kg) coverage in a 25 lb (11.4 kg) bag
36% post-consumer recycled content	Contributes to LEED
Reinforced with Kevlar®	A stronger bond
Heavy per ASTM C627 Robinson Floor Test — TCNA	Can be used in high traffic areas

3 products in one large heavy tile mortar
for maximum performance.

**LATICRETE ITEM NUMBER**

0125-0025-21

CUSTOMER ITEM NUMBER

125 TRI MAX™						
ITEM NUMBER	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0125-0025-21	BAG	26LB	56	1411LB		



Performance Level: GOOD

Warranty: 5 Year

Refer to Data Sheets 544.0



FRACTURE BAN™ SC

A thin, load bearing, self-curing liquid rubber polymer that can be easily applied in a single coat to form a flexible seamless anti-fracture membrane.

- Exceeds ANSI A118.12
- Anti-fracture protection of up to 1/8" (3 mm) over shrinkage and other non-structural cracks
- Rapid drying for a faster time to tile
- Single coat application

APPROXIMATE COVERAGE

175 ft² (16.2 m²) / unit at wet coat thickness 30 - 44 mils (0.8-1.2 mm)

LATICRETE ITEM NUMBER

9209-0035-2

CUSTOMER ITEM NUMBER

FRACTURE BAN™ SC

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9209-0035-2	3.5GAL		1XPAIL	40LBS	48	1970LBS		



Warranty: 25 Year

Refer to Data Sheet 155.0

FRACTURE BAN™

A high performance, pliable, light weight peel and stick membrane designed for use under ceramic tile, stone and other hard surface installations. This reinforced high strength membrane performs as an anti-fracture and an acoustical underlayment system that eliminates the transmission of stresses from the substrate while dampening the transmission of impact and air borne noise through the floor to the room below. The unique design of this peel and stick membrane allows for usage in both commercial and residential settings where a quick dependable turnaround is required on interior installations.

Available in both 40 mil (1.0 mm) and 90 mil (2.3 mm) thicknesses, must be installed on a clean substrate primed using FRACTURE BAN™ primer.

- Hot-applied polymer modified asphaltic adhesive coated on a 100% polyester non-woven with a 60# release liner paper
- Has a white surface for easy chalk line identification
- Acts as a water resistive barrier

Anti-Fracture: helps to prevent the transmission of horizontal in plane cracks from the substrate, up to 3/8" (9.5 mm), transmitting up through the tile and stone.

Sound control: FRACTURE BAN™ 40 has a ΔC of 14 and FRACTURE BAN 90 a ΔC of 17 through independent ASTM E2179 testing.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0178-0040-2	
0178-0090-2	

FRACTURE BAN™							
ITEM NUMBER	SIZE		UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0178-0040-2	39.25IN x 69FT = 225FT ²		ROLL	32LBS	24	818LBS	
0178-0090-2	39.25IN X 30.6FT = 100FT ²		ROLL	32LBS	24	818LBS	



Warranty: 25 Year

Refer to Data Sheet 156.0

FRACTURE BAN Primer

FRACTURE BAN primer is a concentrated premium quality, water-based primer designed to be applied prior to the installation of FRACTURE BAN membrane. FRACTURE BAN primer penetrates deeply into substrates and maximizes bond strength of the FRACTURE BAN peel and stick membrane to the substrate.


Fracture Ban Primer is formulated as a concentrate and must be diluted 1:1 with clean potable water. When diluted, one gallon of concentrate will cover approximately 285 ft² (26.5 m²).

- FRACTURE BAN Primer is multi-purpose and can be used on a wide range of substrates
- FRACTURE BAN Primer may be broom, roller, or spray applied

Do not allow FRACTURE BAN primer to freeze.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0178-0401-2	
0178-0005-2	
0178-0245-2	

FRACTURE BAN PRIMER							
ITEM NUMBER	SIZE		UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0178-0401-2	4X1GAL		JUG	38LBS	36	1850LBS	
0178-0005-2	5GAL		PAIL	42LBS	48	2050LBS	
0178-0245-2	245GAL		TOTE	2200LBS	1	2200LBS	



STRATA_HEAT™

The most advanced floor heating system in the world.

STRATA_HEAT


The STRATA_HEAT™ floor heating system consists of an innovative high performance floor heating uncoupling mat, cable, spacing strips and a programmable touch screen thermostat or innovative WiFi enabled thermostat. This combination will provide you with the most advanced and efficient floor heating system on the market today.



Warranty: Lifetime
Refer to Data Sheet 026.1

STRATA_HEAT Mat

STRATA_HEAT Mat combines the comfort of floor heating wire with the advantages associated with an uncoupling membrane. Warm your tile floor and enhance the mechanical bond to the substrate. STRATA_HEAT Mat will provide faster drying of the mortar while allowing for shorter time to grout. At the same time it will easily hold the STRATA_HEAT Wire in 2, 3 or 4 peg positions for floor heating or warming installations. Just like our other uncoupling membranes it is specifically designed for use with both modified and unmodified mortars, you can use the appropriate mortar for the installation.




Roll

150 ft² roll — 39" W x 46' 2" L

Sheet

10 x 8.2 ft² sheet — 29" W x 39" L



LATICRETE ITEM NUMBER


0177-0150-H

CUSTOMER ITEM NUMBER

0177-1084-H

STRATA_HEAT MAT

ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0177-0150-H	3'3" x 46'2" per roll	1XROLL	33LBS	9	312LBS	
0177-1084-H	30.3" x 39" per sheet, 10 sheets per box	Each	19LBS	14	316LBS	

**Warranty: Lifetime**

Refer to Data Sheet 026.2

Installation Instructions Data Sheet 044.6

STRATA_HEAT Wire

STRATA_HEAT WIRE is a versatile floor heating wire designed for use under tile and stone to provide luxury and comfort. STRATA_HEAT WIRE can be used with the STRATA_HEAT Mat or STRATA_HEAT Spacing Strips to meet all of your floor heating needs. It is available in 120 or 240V and fifteen convenient lengths

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0802-0017-2	
0802-0034-2	
0802-0050-2	
0802-0067-2	
0802-0084-2	
0802-0100-2	
0802-0133-2	
0802-0166-2	
0802-0200-2	
0802-0233-2	
0802-0266-2	
0802-0299-2	
0802-0332-2	
0802-0365-2	
0802-0398-2	


120V STRATA_HEAT WIRE


ITEM NUMBER	LENGTH	Unit Sq Ft Coverage at 3 Peg Spacing	WATTS	AMPS	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0802-0017-2	17 FT (5.2m)	5	65	0.5	1XBOX	1.7LBS	48	82.5LBS		
0802-0034-2	34 FT (10.4m)	10	130	1.1	1XBOX	2.1LBS	48	98.4LBS		
0802-0050-2	50 FT (15.2m)	15	195	1.6	1XBOX	2.4LBS	48	115LBS		
0802-0067-2	67 FT (20.4m)	20	260	2.2	1XBOX	2.8LBS	48	132LBS		
0802-0084-2	84 FT (25.6m)	25	325	2.7	1XBOX	3.1LBS	48	148LBS		
0802-0100-2	100 FT (30.5m)	30	390	3.3	1XBOX	3.4LBS	48	164LBS		
0802-0133-2	133 FT (40.5m)	40	525	4.4	1XBOX	4.1LBS	48	199LBS		
0802-0166-2	166 FT (50.6m)	50	655	5.5	1XBOX	5.9LBS	48	283LBS		
0802-0200-2	200 FT (61.0m)	60	785	6.5	1XBOX	6.6LBS	48	316LBS		
0802-0233-2	233 FT (70.0m)	70	920	7.7	1XBOX	7.3LBS	48	352LBS		
0802-0266-2	266 FT (81.1m)	80	1050	8.8	1XBOX	8.1LBS	48	389LBS		
0802-0299-2	299 FT (91.1m)	90	1180	9.8	1XBOX	9.1LBS	48	437LBS		
0802-0332-2	332 FT (101.2m)	100	1315	11.0	1XBOX	9.9LBS	48	477LBS		
0802-0365-2	365 FT (111.3m)	110	1445	12.0	1XBOX	10.9LBS	48	82.5LBS		
0802-0398-2	398 FT (121.3m)	120	1575	13.1	1XBOX	11.8LBS	48	568LBS		

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0802-0083-4	
0802-0100-4	
0802-0133-4	
0802-0166-4	
0802-0200-4	
0802-0233-4	
0802-0266-4	
0802-0332-4	
0802-0415-4	
0802-0498-4	
0802-0581-4	
0802-0664-4	
0802-0747-4	
0802-0830-4	

240V STRATA_HEAT WIRE

ITEM NUMBER	LENGTH	Unit Sq Ft Coverage at 3 Peg Spacing	WATTS	AMPS	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0802-0083-4	83 FT (25.3m)	25	325	1.4	1XBOX	3.1LBS	48	147LBS		
0802-0100-4	100 FT (30.5m)	30	390	1.6	1XBOX	3.4LBS	48	165LBS		
0802-0133-4	133 FT (40.5m)	40	535	2.2	1XBOX	4.1LBS	48	197LBS		
0802-0166-4	166 FT (50.6m)	50	670	2.8	1XBOX	5.9LBS	48	284LBS		
0802-0200-4	200 FT (61.0m)	60	800	3.3	1XBOX	6.5LBS	48	314LBS		
0802-0233-4	233 FT (70.0m)	70	935	3.9	1XBOX	7.3LBS	48	349LBS		
0802-0266-4	266 FT (81.1m)	80	1070	4.5	1XBOX	8.0LBS	48	385LBS		
0802-0299-4	299 FT (91.1m)	90	1205	5.0	1XBOX	8.6LBS	48	411LBS		
0802-0332-4	332 FT (101.2m)	100	1340	5.6	1XBOX	9.3LBS	48	444LBS		
0802-0415-4	415 FT (126.5m)	125	1675	7.0	1XBOX	11.1LBS	48	531LBS		
0802-0498-4	498 FT (151.8m)	150	2010	8.4	1XBOX	5.9LBS	48	622LBS		
0802-0581-4	581 FT (177.1m)	175	2345	9.8	1XBOX	15.1LBS	36	544LBS		
0802-0664-4	464 FT (141.4m)	200	2680	11.2	1XBOX	18.4LBS	64	662LBS		
0802-0747-4	747 FT (227.7m)	225	3015	12.6	1XBOX	20.7LBS	36	747LBS		
0802-0830-4	830 FT (253.0 m)	250	3240	13.5	1XBOX	23.1LBS	36	833LBS		



**Warranty: Lifetime**

Installation Instructions Data Sheet 044.6

STRATA_HEAT™ WIRE SPACING STRIPS

STRATA_HEAT WIRE SPACING STRIPS are a 12" (30.5 cm) long interlocking plastic strip to hold the STRATA_HEAT WIRE. The spacing strips can be adhered to any subfloor to provide the correct wire spacing for the STRATA_HEAT WIRE. STRATA_HEAT WIRE SPACING STRIPS are sold 40 per box.

LATICRETE ITEM NUMBER

0802-4012-1

CUSTOMER ITEM NUMBER**STRATA_HEAT WIRE SPACING STRIPS**

ITEM NUMBER	PRODUCT	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0802-4012-1	40 Spacing Strips, 12" (30.5 cm) long each	1XBOX	1.2LBS	540	540LBS		

NEW

Improved Vertical Thermostat

WIFI Compatible

Refer to Data Sheet 026.3

STRATA_HEAT Thermostats

STRATA_HEAT™ Thermostats are smart, "Floor Focused", these new innovative thermostats are specifically designed to work with floor heating systems. Available in a standard touch screen programmable or Wi-Fi compatibility which offers remote control through your smart phone to control and view energy statistics from anywhere. The STRATA_HEAT Thermostats are dual voltage (120V/240V), and easy to use.

See Easy Set Up Guide DS-46.4 and DS-0507

LATICRETE ITEM NUMBER

0802-0403-T

CUSTOMER ITEM NUMBER

0802-0404-T

STRATA_HEAT THERMOSTAT

MODEL NUMBER	PRODUCT	SUPPLY	MAX. LOAD	FLOOR SENSOR	GFCI	UNIT	CARTON WEIGHT	CARTONS PER PALLET	PALLET WEIGHT		Price
0802-0403-T	Programmable	120V/240V	15A, 60 Hz	NTC (10K)	5 mA	1XBOX	1LB	360	349LBS		
0802-0404-T	WIFI Compatible	120V/240V	15A, 60 Hz	NTC (10K)	5 mA	1XBOX	1LB	360	349LBS		



Refer to Data Sheet 107.7


STRATA_HEAT™ THERMAL PACKS

Available only from LATICRETE. The world's first patent pending additive designed exclusively for use in select LATICRETE adhesives. Utilizing *Thermal Diffusion Technology™* heat from the STRATA_HEAT Wire, is uniformly distributed throughout the adhesive, providing faster floor heat-up and a more comfortable and energy efficient installation!


- Eliminates cold spots between wires — thermal heat diffusion is increased by 20% — providing uniform warmth for more comfort
- Reduces energy costs by 15% — since heat is transferred faster and more uniformly to achieve desired floor temp — number of heating cycles are reduced, saves money
- Economical and energy efficient — STRATA_HEAT Thermal Pack pays for itself in months by lowering electrical utilization costs



STRATA_HEAT™ Thermal Pack



Infrared image using standard tile adhesive shows cold spots between wires



Infrared image using STRATA_HEAT™ Thermal Pack diffuses heat uniformly throughout — no cold spots

LATICRETE ITEM NUMBER

0802-0003-2

CUSTOMER ITEM NUMBER

STRATA_HEAT THERMAL PACK							
ITEM NUMBER	PRODUCT	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0802-0003-2	18 Lb Carton Contains (6) Thermal Packs	CA	18LB	42	756LB		



Performance Level: BEST

Warranty: 25 Year

Refer to Data Sheets 679.0 and 679.3

LATAPOXY® 310 Stone Adhesive

A strong, two-component epoxy adhesive for spot-bonding tile and stone on vertical surfaces. Easier and faster than traditional methods of veneer installation.

APPROXIMATE COVERAGE		
AVERAGE INCHES (OR MILLIMETERS) OUT OF PLUMB	LATAPOXY® 310 STONE ADHESIVE THICKNESS	APPROXIMATE COVERAGE/10 LITER UNITS
Plumb Wall (3 mm)	1/8" Thick (3 mm)	300 – 325 ft² (27 – 30 m²)
1/4" (6 mm)	1/4" Thick (6 mm)	150 – 170 ft² (14 – 16 m²)
1/2" (12 mm)	1/2" Thick (12 mm)	75 – 80 ft² (7 – 7.5 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
S-310AB-NC-08	
S-310AB-NC-08-1	
S-310AB-NC-10	
S-310AB-NC-10-1	
S-310AB-CC-10	
S-310AB-CC-10-1	

MINI UNITS

LATAPOXY® 310 STONE ADHESIVE MINI JARS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-310AB-NC-08	MINI JARS	N/A	Each	20LB	40	850LB		

LATAPOXY 310 RAPID STONE ADHESIVE MINI JARS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-310AB-NC-08-1	MINI JARS	N/A	Each	20LB	40	850LB		

FULL UNITS

LATAPOXY 310 STONE ADHESIVE PAILS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-310AB-NC-10	FULL UNIT	N/A	CARTON	38LB	40	1570LB		

LATAPOXY 310 RAPID STONE ADHESIVE PAILS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-310AB-NC-10-1	FULL UNIT	N/A	CARTON	38LB	40	1570LB		

CARTRIDGE PACKS – FOR USE WITH LATAPOXY® 310 CORDLESS MIXER (NEXT PAGE).

LATAPOXY® 310 STONE ADHESIVE CARTRIDGES								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-310AB-CC-10	CARTRIDGE PACKS	N/A	Each	38LB	36	1026LB		

LATAPOXY 310 RAPID STONE ADHESIVE CARTRIDGES								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-310AB-CC-10-1	CARTRIDGE PACKS	N/A	Each	38LB	36	1026LB		



Refer to Data Sheets 683.0

LATAPOXY® 310 Cordless Mixer

This dual-component mixer quickly dispenses LATAPOXY® 310 Stone Adhesive onto tile, porcelain, and stone veneers.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
RT8480310	
RT8480500	

LATAPOXY® 310 CORDLESS MIXER								
ITEM NUMBER	SIZE	COLOR	UNIT	WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
RT8480310	14.4 Volt Cordl	N/A	Each	9.5LB	24	314LB		

LATAPOXY 310 CORDLESS MIXER DISPOSABLE NOZZLE								
ITEM NUMBER	SIZE	COLOR	UNIT	WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
RT8480500	Disposable Mixe	N/A	Each	3LB	108	374LB		



Performance Level: BEST
Warranty: 25 Year, Lifetime
 Refer to Data Sheet 023.0



LATAPOXY® BIOGREEN™ 300

An industry first — a high-strength, chemical resistant epoxy adhesive for installing tile and stone, made with bio-based material. Bio-based materials are derived from plants and other renewable agricultural, marine, and forestry materials. These products provide an alternative to conventional non-renewable materials such as petroleum derived products, contribute to a cleaner environment and may contribute to LEED V4 points

BIOGREEN 300 offers the performance you have come to rely on from LATAPOXY 300 Adhesive with the additional enhancement of a faster cure time. BIOGREEN 300 is designed for your most demanding installations of tile and stone, exceeding both ANSI A118.3 and ISO 13007 R2 requirements for epoxy adhesives.

APPROXIMATE COVERAGE Per #2 unit	
NOTCH TROWEL	COVERAGE
1/16" (1.5 mm) V-notch	180 – 200 ft ² (16.7 – 18.6 m ²)
1/8" x 1/8" (3 mm x 3 mm) Square	60 – 70 ft ² (5.6 – 6.5 m ²)
3/16" (4 mm) V-notch	70 – 80 ft ² (6.5 – 7.4 m ²)
1/4" x 1/4" (6 mm x 6 mm) Square	30 – 35 ft ² (2.8 – 3.3 m ²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0304-0001-2	

LATAPOXY® BIOGREEN™ 300							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0304-0001-2	LATAPOXY BIOGREEN 300	N/A	#2UNIT/24LB/10.	26LB	48	1298LB	

SHIPPING LIMITATION: All shipments via ground only, no air shipment allowed.



Performance Level: BEST
Warranty: 25 Year, Lifetime
 Refer to Data Sheet 633.0



LATAPOXY 300 Adhesive

A high-strength, three-part, 100% solids epoxy adhesive formulated for chemical-resistant installations of quarry tile, brick, and packing house tile.

APPROXIMATE COVERAGE Per #2 unit	
NOTCH TROWEL	COVERAGE
1/16" (1.5 mm) V-notch	180 – 200 ft ² (16.7 – 18.6 m ²)
1/8" x 1/8" (3 mm x 3 mm) Square	60 – 70 ft ² (5.6 – 6.5 m ²)
3/16" (4 mm) V-notch	70 – 80 ft ² (6.5 – 7.4 m ²)
1/4" x 1/4" (6 mm x 6 mm) Square	30 – 35 ft ² (2.8 – 3.3 m ²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0300-0001-2	

LATAPOXY 300 ADHESIVE							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0300-0001-2	LB2 UNIT	N/A	PAIL	26.2LB	48	1442LB	

SHIPPING LIMITATION: All shipments via ground only, no air shipment allowed.



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 307.0



PRIME-N-BOND™

Versatile, ready-to-use, single coat, low VOC primer designed to enhance the adhesion of mortars to many smooth and non-absorptive substrates that can be difficult to bond to. PRIME-N-BOND also improves bonding of self-leveling underlayments (SLUs) over cementitious substrates.

- One Component, ready-to-use, no dilution required
- Single coat application
- Contains aggregate for enhanced mechanical bond
- For use with Polymer Modified adhesives and self-leveling underlayments (SLU's)
- Low voc, low odor
- White color will not darken the back of light colored stone

APPROXIMATE COVERAGE

(varies depending on substrate)

1 Gal (3.78 L) pail: 150 – 300 ft² (13.9 – 27.9 m²)

3.5 Gal (13.25 L) pail: 525-1050 ft² (48.8 – 97.5 m²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0095-0401-2	
0095-0035-2	

PRIME-N-BOND™								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0095-0401-2	4 x 1 GAL PAIL	N/A	Each	52LB	30	1610LB		
0095-0035-2	3.5GAL	N/A	PAIL	43.75LB	36	1625LB		



NEW



Performance Level: GOOD

Warranty: 5 Year

Refer to Data Sheet 36579



LATICRETE® SELECT-BOND™ ADHESIVE

A revolutionary adhesive system that allows you to replace a warehouse full of adhesives with a modular adhesive system with a fraction of the space at a fraction of the cost. The system consists of a highly versatile polymer-modified adhesive designed to be used either alone or with one of three LATICRETE SELECT-BOND Kits for additional performance enhancements. Create the adhesive you need when you need it!

A polymer modified tile and stone adhesive that can be used for both thin bed and Large Heavy Tile applications. Designed to be used alone or mixed with one of three optional LATICRETE Adhesive System Kits for additional performance enhancements – Non-Sag, Rapid and High Performance (ANSI A118.15).

When used alone (without an additional LATICRETE SELECT-BOND system Kit) LATICRETE Adhesive Base provides a one-step installation for ceramic tile, porcelain tile, marble and stone on floors and walls. Approved for use over exterior glue plywood for interior installations.

- For both thin bed and Large and Heavy Tile applications
- Exceeds ANSI A118.4 H and ANSI A118.11
- Exceeds ISO/EN 13007-2 Requirements for C1
- For interior and exterior floor and wall applications
- "Extra Heavy" rating per ASTM C627



LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
2700-0025-21	
2700-0025-22	

LATICRETE® SELECT BOND™								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2700-0025-21	25LB	GREY	BAG	26LB	104	2754LB		
2700-0025-22	25LB	WHITE	BAG	26LB	104	2754LB		

NEW



RAPID

RAPID KITS Warranty: 10 YEAR

Refer to Data Sheet 36581



LATICRETE® SELECT-BOND™ RAPID KITS

The LATICRETE SELECT-BOND Rapid Kit is a component of the LATICRETE SELECT-BOND Adhesive System. The SELECT-BOND Rapid Kit is designed to be mixed with the LATICRETE SELECT-BOND Adhesive to provide a fast setting adhesive for the installation of tile and stone.

- Rapid setting
- Ready for grouting in 3 to 4 hours.
- Exceeds ANSI A118.4 H F and A118.11 Requirements

NEW



NON-SAG

NON-SAG KITS Warranty: 10 YEAR

Refer to Data Sheet 36581



LATICRETE® SELECT-BOND™ NON-SAG KITS

The LATICRETE SELECT-BOND Non-Sag Kit is a component of the LATICRETE SELECT-BOND Adhesive System. The Non-Sag Kit is designed to be mixed with the LATICRETE Adhesive Base to provide superior non-sag performance for installation of tile and stone on walls

- Excellent non-sag performance on walls
- Extended Open Time

NEW



**HIGH PERFORMANCE
(A118.15)**

HIGH PERFORMANCE Warranty: 25 YEAR

Refer to Data Sheet 36580



LATICRETE® SELECT-BOND™ HIGH PERFORMANCE KITS

The LATICRETE SELECT-BOND™ High Performance (A118.15) Kit is a component of the LATICRETE SELECT-BOND Adhesive System. The SELECT-BOND High Performance A118.15 Kit is designed to be mixed with LATICRETE SELECT-BOND Adhesive to provide superior bond to most substrates as well as non-sag performance for installation of tile and stone on floors and walls.

- High Performance ANSI A118.15 formula
- Excellent non-sag performance on walls
- Extended Open Time



LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

27OR-1001-2

27NS-1001-2

27HP-1001-2

LATICRETE® SELECT BOND™

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
27OR-1001-2	10X1RAPID KIT	N/A	Each	7.8LB	70	546LB		
27NS-1001-2	10X1NON-SAG KIT	N/A	Each	6.1LB	70	427LB		
27HP-1001-2	10X1HIGH PERFORMANCE	N/A	Each	6.1LB	70	427LB		



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheet 292.0



257 TITANIUM™

The ultimate, lightweight, polymer fortified, thin-set mortar that is ideal for the installation of Gauged Porcelain Tile Panels/Slabs (GTP), porcelain and glass tile as well as exterior and submerged applications. 257 TITANIUM™ is designed with key features to facilitate the installation of Gauged Porcelain Tile Panels including long open time, superior transfer for maximum coverage, easy to spread creamy consistency and a lightweight formula for easier handling. 257 TITANIUM is free of silica sand, and exceeds ANSI A118.15 requirements.

APPROXIMATE COVERAGE Per 50 lb (11.3 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)

80 – 95 ft² (7.4 – 8.8 m²)

1/4" x 3/8" (6 mm x 9 mm)

60 – 70 ft² (5.6 – 6.5 m²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0257-0025-21

0257-0025-22

257 TITANIUM™

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0257-0025-21	25LB	GREY	BAG	26LB	56	1506LB		
0257-0025-22	25LB	WHITE	BAG	26LB	56	1506LB		



MODIFIED THIN SET/POLYMER FORTIFIED THIN-SET MORTARS



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 677.0



Special order only will take 4-6 weeks.
Contact your local LATICRETE Sales Rep for
further information.

254 Platinum*

Premium one-step, polymer-fortified, thin-set mortar that provides unsurpassed strength and versatility. Ideal for interior, exterior, thin porcelain tile and thin porcelain tile panels, and submerged applications on virtually all substrates and applications. For interior and exterior use.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)

80 – 95 ft² (7.4 – 8.8 m²)

1/4" x 3/8" (6 mm x 9 mm)

60 – 70 ft² (5.6 – 6.5 m²)

LATICRETE ITEM NUMBER

0254-0050-21

0254-0050-22

0254-0050-22-DL

CUSTOMER ITEM NUMBER



254 PLATINUM

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0254-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0254-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		
0254-0050-22-DL	50LB	WHITE	BAG	51LB	56	2906LB		

* Also available in DUST LOCK™ Technology version, dramatically reducing respirable silica dust while mixing. Special order only will take 4-6 weeks. Contact your local LATICRETE Sales Rep for further information.



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 729.0

254R Platinum Rapid

One-step, polymer-fortified, thin-set mortar for applications requiring rapid setting. Excellent for exterior applications that require rapid setting, 254R has unsurpassed adhesion and workability.

APPROXIMATE COVERAGE Per 25 lb (11.3 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)

40 – 47 ft² (3.7 – 4.4 m²)

1/4" x 3/8" (6 mm x 9 mm)

25 – 30 ft² (2.3 – 2.8 m²)

1/2" x 1/2" (12 mm x 12 mm)

20 – 23 ft² (1.9 – 2.1 m²)

LATICRETE ITEM NUMBER

0254-0025-21-1

0254-0025-22-1

CUSTOMER ITEM NUMBER



254R PLATINUM RAPID

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0254-0025-21-1	25LB	GREY	BAG	26LB	104	2754LB		
0254-0025-22-1	25LB	WHITE	BAG	26LB	104	2754LB		



Performance Level: BETTER
Warranty: 25 Year
 Refer to Data Sheet 252.0



Glass Tile Adhesive

Specially formulated for use in glass tile applications. One-step, non-sag polymer-fortified mortar that can also be used with porcelain or ceramic tile.

APPROXIMATE COVERAGE Per 25 lb (11.3 kg) bag	
NOTCH TROWEL	COVERAGE
1/4" x 1/4" (6 mm x 6 mm)	35 ft ² (3.2 m ²)
1/4" x 3/8" (6 mm x 9 mm)	26 ft ² (2.4 m ²)
1/8" x 3/16" (3 mm x 4.5 mm)	52 ft ² (4.8 m ²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0285-0025-22	

GLASS TILE ADHESIVE							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0285-0025-22	25LB	WHITE	BAG	26LB	104	2754LB	



POLYMER FORTIFIED THIN-SET MORTARS



Performance Level: BETTER
Warranty: 10 Year
 Refer to Data Sheet 296.0



253 Gold

A polymer-fortified thin-set cementitious powder. Mix with water to install ceramic tile and stone.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm) 80 – 95 ft² (7.4 – 8.8 m²)

1/4" x 3/8" (6 mm x 9 mm) 60 – 70 ft² (5.6 – 6.5 m²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0253-0050-21

0253-0050-22

253 GOLD

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0253-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0253-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		

AVAILABILITY LIMITATIONS: Sold in full pallets only.



Performance Level: BETTER
Warranty: 10 Year
 Refer to Data Sheet 296.3

253R Gold Rapid

An excellent solution for both interior and exterior applications that require a mortar with rapid setting characteristics.

APPROXIMATE COVERAGE Per 25 lb (11.3 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm) 40 – 47 ft² (3.7 – 4.4 m²)

1/4" x 3/8" (6 mm x 9 mm) 30 – 35 ft² (2.8 – 3.3 m²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0253-0050-21-1

0253-0050-22-1

253R GOLD RAPID

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0253-0050-21-1	50LB	GREY	BAG	51LB	56	2906LB		
0253-0050-22-1	50LB	WHITE	BAG	51LB	56	2906LB		

AVAILABILITY LIMITATIONS: Sold in full pallets only.

MODIFIED THIN-SET MORTARS/ NON-MODIFIED THIN-SET MORTARS



Performance Level: GOOD
Warranty: 10 Year
 Refer to Data Sheet 676.0



252 Silver

Economical solution for interior and exterior installations. Mixes with water for a strong bond.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)	80 – 95 ft ² (7.4 – 8.8 m ²)
1/4" x 3/8" (6 mm x 9 mm)	60 – 70 ft ² (5.6 – 6.5 m ²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0252-0050-21

0252-0050-22

252 SILVER								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0252-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0252-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		

AVAILABILITY LIMITATIONS: Sold in full pallets only.



Performance Level: GOOD
 Refer to Data Sheets 259.0



272 Mortar

A cementitious powder for ceramic tile and stone installations.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)	75 – 90 ft ² (7.0 – 8.4 m ²)
1/4" x 3/8" (6 mm x 9 mm)	55 – 65 ft ² (5.1 – 6 m ²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0272-0050-22

272 MORTAR								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0272-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		

AVAILABILITY LIMITATIONS: Sold in full pallets only.



317 Mortar

A smooth, creamy, sanded thin-set mortar for interior and exterior use.

***Warranty: 5 Year**

Refer to Data Sheet 317.0

*When mixed with 333 Super Flexible Additive.



APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm) 75 – 90 ft² (7.0 – 8.4 m²)

1/4" x 3/8" (6 mm x 9 mm) 55 – 65 ft² (5.1 – 6 m²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0317-0050-21

0317-0050-22

317 MORTAR

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0317-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0317-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		

AVAILABILITY LIMITATIONS: Sold in full pallets only.



333 Flexible Additive

This liquid additive creates flexible thin-set mortars with superior bond strength.

APPROXIMATE COVERAGE

35 – 40 ft² per US gallon (0.85 – 1.00 m² per liter) using a 1/4" x 1/4" (6 x 6 mm) notched trowel.

Performance Level: BEST

***Warranty: 5 Year**

Refer to Data Sheet 266.0

*When mixed with 317.

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0333-0302-2

0333-0005-2

333 FLEXIBLE ADDITIVE

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0333-0302-2	2GAL	N/A	Each	57LB	40	2330LB		
0333-0005-2	5GAL	N/A	PAIL	44LB	36	1634LB		

MASTIC / LARGE AND HEAVY TILE MORTARS



Performance Level: BEST
Refer to Data Sheet 286.0

15 Premium Mastic

A white, non-flammable, pre-mixed latex adhesive for interior installations of ceramic tile and stone, on both floors and walls.

APPROXIMATE COVERAGE Per gallon (3.8 L) pail

NOTCH TROWEL	COVERAGE
1/8" (3 mm) V-notch	50 – 60 ft ² (4.6 – 5.6 m ²)
3/16" (5 mm) V-notch	30 ft ² (2.8 m ²)
1/4" x 1/4" (6 mm x 6 mm) Square notch	20 ft ² (1.9 m ²)

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0015-0401-2	
0015-0035-22	

15 PREMIUM MASTIC								Price
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		
0015-0401-2	1GAL	N/A	Each	50LB	30	1550LB		
0015-0035-22	3.5GAL	N/A	PAIL	49LB	24	1177LB		

AVAILABILITY LIMITATIONS: Sold in full pallets only.



Performance Level: BEST
Warranty: Lifetime
Refer to Data Sheet 328.0



MULTIMAX™ LITE

The ultimate lightweight, versatile, high performance non-sag Large and Heavy Tile mortar. A 25 lb (11.3 kg) bag provides the same coverage as a 50 lb (22.7 kg) bag of standard mortar

- Exceeds ANSI A118.15
- Lightweight – easy to trowel formula
- Contains no silica sand
- Maximum non-sag, non-slump performance
- 40 minute open time
- Submerged applications

APPROXIMATE COVERAGE Per 25 lb (11.3 kg) bag

NOTCH TROWEL	COVERAGE
FOR WALL APPLICATION	50 – 60 ft ²
1/4" x 3/8" (6 mm x 9 mm)	(4.6 – 5.5 m ²)
FOR LARGE HEAVY TILE	40 – 50 ft ²
1/2" x 1/2" (12 mm x 12 mm)	(3.7 – 4.6 m ²)
FOR THIN BEDS	85 – 95 ft ² (7.9 – 8.8 m ²)
1/4" x 1/4" (6 mm x 6 mm)	60 – 70 ft ² (5.5 – 6.5 m ²)
1/4" x 3/8" (6 mm x 9 mm)	

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
0289-0025-21	
0289-0025-22	

MULTIMAX™ LITE								Price
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		
0289-0025-21	25LB	GREY	BAG	26LB	56	1506LB		
0289-0025-22	25LB	WHITE	BAG	26LB	56	1506LB		

LARGE AND HEAVY TILE MORTARS



Performance Level: BETTER
Warranty: 25 Year Warranty

Refer to Data Sheet 320.0



TRI-LITE™

A lightweight, high performance tri-purpose mortar designed for large and heavy tile, thin-bed and wall installations. Lighter to transport, easier to trowel. A 30 lb (13.6 kg) bag provides the same coverage as a 50 lb (22.7 kg) bag of standard mortar.

- Lightweight
- Smooth creamy consistency
- Superior Non-Sag, Non-slump performance
- Exceeds ANSI A118.15
- Interior and exterior applications

APPROXIMATE COVERAGE Per 30 lb (13.6 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)	80 – 95 ft² (7.4 – 8.8 m²)
1/4" x 3/8" (6 mm x 9 mm)	60 – 70 ft² (5.6 – 6.5 m²)
1/2" x 1/2" (12 mm x 12 mm)	40 – 47 ft² (3.7 – 4.4 m²)

LATICRETE ITEM NUMBER

0279-0030-21

0279-0030-22

CUSTOMER ITEM NUMBER

TRI-LITE								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0279-0030-21	30LB	GREY	BAG	31LB	56	1786LB		
0279-0030-22	30LB	WHITE	BAG	31LB	56	1786LB		



Performance Level: BETTER
Warranty: 10 Year

Refer to Data Sheet 080.0



4-XLT*

A multi-use, polymer-fortified adhesive mortar for non-sag wall installations, large and heavy tile, and thin-set applications on floors. New improved formula offers superior workability.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)	80 – 95 ft² (7.4 – 8.8 m²)
1/4" x 3/8" (6 mm x 9 mm)	60 – 70 ft² (5.6 – 6.5 m²)
1/2" x 1/2" (12 mm x 12 mm)	40 – 47 ft² (3.7 – 4.4 m²)

LATICRETE ITEM NUMBER

0259-0050-21

0259-0050-22

0259-0050-21-DL

0259-0050-22-DL

CUSTOMER ITEM NUMBER



Special order only will take 4-6 weeks.
 Contact your local LATICRETE Sales Rep for further information.

4-XLT								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0259-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0259-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		
0259-0050-21-DL	50LB	GREY	BAG	51LB	56	2906LB		
0259-0050-22-DL	50LB	WHITE	BAG	51LB	56	2906LB		

* Also available in DUST LOCK™ Technology version, dramatically reducing respirable silica dust while mixing.

LARGE AND HEAVY TILE MORTARS



Warranty: 10 Year

Refer to Data Sheet 081.0

4-XLT RAPID

A fast-setting, multi-use, polymer-fortified adhesive mortar for large, heavy tile installations.

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

For Medium Beds

1/2" x 1/2" (12 mm x 12 mm) notched trowel	40 – 47 ft ² (3.7 – 4.4 m ²)
---	---

For Thin Beds

1/4" x 1/4" (6 mm x 6 mm)	80 – 95 ft ² (7.4 – 8.8 m ²)
1/4" x 3/8" (6 mm x 9 mm)	60 – 70 ft ² (5.6 – 6.5 m ²)



Special order only will take 4-6 weeks.
Contact your local LATICRETE Sales Rep for further information.

LATICRETE ITEM NUMBER

0259-0050-21-1

CUSTOMER ITEM NUMBER

0259-0050-22-1

4-XLT RAPID

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0259-0050-21-1	50LB	GREY	BAG	51LB	56	2906LB		
0259-0050-22-1	50LB	WHITE	BAG	50LB	56	2906LB		



Performance Level: GOOD

Warranty: 5 Year

Refer to Data Sheet 109.0



LHT™ PLUS

A polymer modified large and heavy tile mortar specifically formulated to provide a one-step installation for large format ceramic tile, porcelain tile, marble and stone on floors and walls. Approved for use over exterior glue plywood for interior installations.

- Smooth and creamy consistency
- Superior bond that meets the demands of challenging installations involving large and/or heavy tile
- Excellent Large Heavy Tile, 3/4" (19 mm) thick without shrinkage
- Interior and exterior floor installations
- For use with large format ceramic tile, porcelain tile and stone
- Meets ANSI A118.4 and A118.11 requirements

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/2" x 1/2" (12 mm x 12 mm)	40 – 50 ft ² (3.7 – 4.6 m ²)
-----------------------------	---

LATICRETE ITEM NUMBER

0231-0050-21

CUSTOMER ITEM NUMBER

0231-0050-22

LHT™ PLUS

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0231-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0231-0050-22	50LB	WHITE	BAG	51LB	56	2906LB		

LARGE AND HEAVY TILE MORTARS/PREMIUM MORTAR BEDS



Performance Level: GOOD

Warranty: 5 Year

Refer to Data Sheet 180.0



LHT

A polymer modified large and heavy tile mortar specifically formulated to provide a one-step installation for large format ceramic tile, porcelain tile, marble and stone on floors.

- Smooth and creamy consistency
- Superior bond that meets the demands of challenging installations involving large and/or heavy tile
- Excellent Large Heavy Tile, 3/4" (19 mm) thick without shrinkage
- Interior and exterior floor installations
- For use with large format ceramic tile, porcelain tile and stone
- Meets ANSI A118.4 requirements

APPROXIMATE COVERAGE Per 50 lb (22.7 kg) bag

NOTCH TROWEL

COVERAGE

1/2" x 1/2" (12 mm x 12 mm)

40 – 50 ft² (3.7 – 4.6 m²)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0230-0050-21

0230-0050-22

LHT								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0230-0050-21	50LB	GREY	BAG	51LB	56	2906LB		
0230-0050-22	50LB	WHITE	BAG	51LBS	56	2906LB		



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 100.0



3701 Fortified Mortar

A one-step polymer-fortified blend of raw materials, Portland cement, and graded aggregates.

APPROXIMATE COVERAGE

12 ft² at 1/2" (1.1 m² at 12 mm)

6 ft² at 1" (0.56 m² at 25 mm)

3 ft² at 2" (0.3 m² at 50 mm)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

0229-0060-21

0229-2000-21

3701 FORTIFIED MORTAR								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0229-0060-21	60LB	GREY	BAG	61LB	56	3466LB		
0229-2000-21	2000LB	GREY	SACK	2005LB	1	2055LB		

NEW



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheet 36590

3701 Lite Mortar

Contains no respirable crystalline silica and weighs half the amount of a conventional mortars. It can be used in a wide range of applications such as concrete repairs, wall renders and mortar beds.

- Light weight: 30 lbs. (13.6 kg.) vs 60 lbs. (27.2 kg.)
- Same coverage as conventional mortars
- Excellent for vertical and overhead applications
- Freeze-thaw compliant: Exterior or Interior
- Polymer fortified: no need for latex additives
- Economical and Versatile: saves time and money

APPROXIMATE COVERAGE		
RENDER/ REPAIR	MORTAR BED	DEPTH
12 ft (3.7 m)	10 ft (3 m)	1/2" (12 mm)
6 ft (1.8 m)	5 ft (1.5 m)	1" (25 mm)
4 ft (1.2 m)	3 ft (.9 m)	1 1/2" (38 mm)
3 ft (.9 m)	2 ft (.6 m)	2" (50 mm)



LATICRETE ITEM NUMBER

1060-0030-21

CUSTOMER ITEM NUMBER

3701 LITE MORTAR							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
1060-0030-21	30 lbs.	N/A	BAG	30 lbs.	56	1730 lbs.	

NEW



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheet 36603

3701 Lite Mortar R

This Rapid mortar contains no respirable crystalline silica. It will decrease the wait time significantly in applications such as concrete repairs, wall renders and mortar beds. All while weighing half the amount of a conventional mortar.

- Rapid formula: cure time of 2 hours
- Light weight: 30 lbs. (13.6 kg.) vs 60 lbs. (27.2 kg.)
- Same coverage as conventional mortars
- Excellent for vertical and overhead applications
- Freeze-thaw compliant: Exterior or Interior
- Polymer fortified: no need for latex additives
- Economical and Versatile: saves time and money

APPROXIMATE COVERAGE		
RENDER/ REPAIR	MORTAR BED	DEPTH
12 ft (3.7 m)	10 ft (3 m)	1/2" (12 mm)
6 ft (1.8 m)	5 ft (1.5 m)	1" (25 mm)
4 ft (1.2 m)	3 ft (.9 m)	1 1/2" (38 mm)
3 ft (.9 m)	2 ft (.6 m)	2" (50 mm)



LATICRETE ITEM NUMBER

2060-0030-21-1

CUSTOMER ITEM NUMBER

3701 LITE MORTAR R							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
2060-0030-21-1	30 lbs.	N/A	BAG	30 lbs.	56	1730 lbs.	

PREMIUM MORTAR BEDS



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 100.4



Quick Cure Mortar Bed

A rapid setting, polymer fortified, blend of carefully selected polymers, portland cement and graded aggregates.

- Ready for foot traffic in as soon as 60 minutes
- No need for latex additives, just add water
- No need for job site measuring and mixing of sand and cement
- Use with HYDRO BAN® Quick Cure for faster shower system installs

APPROXIMATE COVERAGE

14 ft² at 1/2" (1.3 m² at 12 mm)

7 ft² at 1" (0.7 m² at 25 mm)

3.5 ft² at 2" (0.3 m² at 50 mm)

LATICRETE ITEM NUMBER

0229-0060-21-1

CUSTOMER ITEM NUMBER

QUICK CURE MORTAR BED							
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
0229-0060-21-1	60LB	N/A	BAG	61LB	56	3466LB	





3701 Mortar Admix and 226 Thick Bed Mortar

When mixed together, these products form a thick-bed mortar that is strong and resistant to weather, frost, thermal, and physical shock.

APPROXIMATE COVERAGE

As thick bed mortar

45 ft² (4 m²) at 1" (25 mm) thick per 1 x 5 gallon (18.9 L) pail of admix and 7 x 60 lb (27.3 kg) bags of mortar.

Performance Level: BEST

Warranty: 25 Year

Refer to Data Sheets 231.0 and 239.1



LATICRETE ITEM NUMBER

3701-0005-2

CUSTOMER ITEM NUMBER

0226-0060-21

3701 MORTAR ADMIX

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
3701-0005-2	5GAL	N/A	PAIL	44LB	36	1634LB		
0226-0060-21	60LB	GREY	BAG	61LB	56	3466LB		



209 Floor Mud

Mixes with 3701 Mortar Admix to provide a conventional floor mortar bed.

APPROXIMATE COVERAGE

6 ft² (0.56 m²) at 1" (25 mm) thickness per 60 lb (27.3 kg) bag.

Performance Level: GOOD

Refer to Data Sheet 209.0

LATICRETE ITEM NUMBER

0209-0060-21

CUSTOMER ITEM NUMBER

0209-2000-21

209 FLOOR MUD

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
0209-0060-21	60LB	GREY	BAG	61LB	56	3344LB		
0209-2000-21	No Data	N/A	No Data	No Data	No Data	No Data		

ORDERING TIPS:

For mortar beds and screeds, mix with 3701 Mortar Admix (see above). One 60 lb (27.3 kg) bag of 209 Floor Mud will cover about 6 ft² (0.56 m²) at 1" (25 mm) thickness. For thick bed mortar consistency, mix 5 gallons (19 L) of 3701 Mortar Admix with 7 bags (420 lbs/191 kg) of 209 Floor Mud.



Warranty: Lifetime

Refer to Data Sheet 281.0



*Special order only will take 4-6 weeks.
Contact your local LATICRETE Sales Rep
for further information.

Industry Leading Performance

PERMACOLOR® Select[^] Color Kit and Base

PERMACOLOR® Select[^] is an advanced high performance cement grout that offers the industry's first dispersable dry pigment solution. PERMACOLOR Select is designed for virtually all types of residential and commercial installations and offers optimum performance on the most demanding exterior or interior applications. Easy to mix, grout, and clean, PERMACOLOR Select is fast setting and is suitable for joints 1/16" to 1/2" (1.5 mm - 12 mm) wide on floors or walls.

PERMACOLOR Select[^] offers the following industry leading performance features and benefits:

- Exceeds ANSI A118.7 & Achieves ISO 13007-3 CG2WAF
- No Sealing Required—equipped with STONETECH® Sealer Technology
- Vibrant consistent color—resists efflorescence
- Reinforced with Kevlar®—crack and shrink-resistant
- Fast setting—ready for foot traffic in 3 hours

Each PERMACOLOR® Select Color Kit contains two Color Packets.

Use 2 Color Packets when mixing with 25 lb PERMACOLOR Select[^]

Use 1 Color Packet when mixing with 12.5 lb PERMACOLOR Select

Introducing thousands of customizable color options with PERMACOLOR® Select ANYCOLOR!™

Visit www.laticrete.com/ANYCOLOR for more details.

In addition, PERMACOLOR® Select is also available in top selling competitor colors. For a complete list of colors, see DS281.0.

Refer to page 81 for available colors.

Refer to page 83 for grout coverage.

*Refer to page 87 for part numbers.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
26CC-0001-2	
2600-0125-2	
2600-0025-2	
2600-0125-2-DL	
2600-0025-2-DL	

COLOR KITS & ANYCOLOR™ CUSTOM COLOR KITS

ITEM NUMBER*	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
26CC-0001-2	10 X .5LB	EA	.48LB	58	340LB		

PERMACOLOR® SELECT[^] - BASE

ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2600-0125-2	12.5LB BAG	BAG	12.5LB	104	1350LB		
2600-0025-2	25LB BAG	BAG	25LB	104	2650LB		
2600-0125-2-DL	12.5LB BAG	BAG	12.5LB	104	1300LB		
2600-0025-2-DL	25LB BAG	No Data	25LB	104	2600LB		

* Also available in DUST LOCK™ Technology version, dramatically reducing respirable silica dust while mixing.



Warranty: Lifetime

Refer to Data Sheet 116.0




PERMACOLOR® Select NS - Base

An ultra premium, factory prepared, polymer fortified unsanded portland cement base grout designed for highly-delicate surfaces, such as high polish marble and soft glass. PERMACOLOR® Select NS Grout Base should be mixed with water and LATICRETE COLOR KITS — the industry's first dispersible dry pigment solution. Formulated from a blend of high strength portland cement, polymers and achieves ANSI 118.7. Provides a grout joint that is dense, hard and durable in a multitude of colors. Use on joints up to 1/4" (6 mm) between soft bisque glazed wall tile, non-vitreous clay tile, marble, stone and porcelain or glass.

- Mix with water and desired PERMACOLOR Select Color Kit
- Equipped with STONETECH Sealer Technology
- Contains anti-microbial technology
- Excellent for wet and dry areas
- Non-dusting, non-spalling and non-yellowing
- Non-shrinking
- Easy maintenance

Base Powder System:



Refer to page 81 for available colors.

Refer to page 83 for grout coverage.

*Refer to page 87 for part numbers.

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
2685-1001-2	
26NS-0408-2	

COLOR KIT							
ITEM NUMBER*	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
26xx-1001-2	10X1ALMOND	Each	5LB	580	340LB		

PERMACOLOR® SELECT NS - BASE							
ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
26NS-0408-2	8LB	Each	36LB	44	1056LB		



Warranty: Lifetime
Refer to Data Sheet 281.0



PERMACOLOR® Select Color Kit - Select Competitor Grout Colors

In addition to the existing 40 LATICRETE grout colors, the below PERMACOLOR® Select Color Kits have been matched to be comparable to the top competitor colors listed below. Simply mix your desired color with either PERMACOLOR Select Grout base 25 lb or 12.5 lb bags or the 8 lb base box of PERMACOLOR Select NS. LATICRETE COLOR KITS can also be used on other LATICRETE Products to achieve many color options such as:

- 254 Platinum
- Glass Tile Adhesive
- MVIS PREMIUM Pointing Mortar



COLOR KIT – Comparable to CUSTOM® BUILDING PRODUCTS Colors

ITEM NUMBER*	COMPARABLE TO	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2600-C001-2	CUSTOM BONE	10X1 Custom Bone	Each	5LB	580	340LB		
2600-C002-2	CUSTOM LINEN	10X1 Custom Linen	Each	5LB	580	340LB		
2600-C003-2	CUSTOM LIGHT SMOKE	10X1 Custom Light Smoke	Each	5LB	580	340LB		
2600-C004-2	CUSTOM HAYSTACK	10X1 Custom Haystack	Each	5LB	580	340LB		
2600-C005-2	CUSTOM ANTIGUE WHITE	10X1 Custom Antique White	Each	5LB	580	340LB		
2600-C006-2	CUSTOM OYSTER GRAY	10X1 Custom Oyster Gray	Each	5LB	580	340LB		
2600-C007-2	CUSTOM BRIGHT WHITE	10X1 Custom Bright White	Each	5LB	580	340LB		
2600-C008-2	CUSTOM TRUFFLE	10X1 Custom Antique Linen	Each	5LB	580	340LB		
2600-C009-2	CUSTOM NATURAL GREY	10X1 Custom Natural Grey	Each	5LB	580	340LB		
2600-C010-2	CUSTOM DELOREAN GREY	10X1 Custom Delorean Grey	Each	5LB	580	340LB		

COLOR KIT – Comparable to Competitor Color

ITEM NUMBER*	COMPARABLE TO	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2600-M001-2	MAPEI BLACK	10X1 M BLACK	Each	5LB	580	340LB		
2600-M002-2	MAPEI BISCUIT	10X1 M BISCUIT	Each	5LB	580	340LB		
2600-M003-2	MAPEI SHARA BEIGE	10X1 M SAHARA BEIGE	Each	5LB	580	340LB		
2600-M004-2	MAPEI WHITE	10X1 M WHITE	Each	5LB	580	340LB		
2600-M005-2	MAPEI CHARCOAL	10X1 M CHARCOAL	Each	5LB	580	340LB		
2600-M006-2	MAPEI IVORY	10X1 M IVORY	Each	5LB	580	340LB		
2600-M007-2	MAPEI ALABASTER	10X1 M ALABASTER	Each	5LB	580	340LB		
2600-M008-2	MAPEI SMOKE	10X1 M MOCHA	Each	5LB	580	340LB		
2600-M009-2	MAPEI ALMOND	10X1 M ALMOND	Each	5LB	580	340LB		
2600-M010-2	MAPEI PEWTER	10X1 M 02 PEWTER	Each	5LB	580	340LB		
2600-M011-2	N/A	10X1 M FROST	Each	5LB	580	340LB		
2600-M012-2	N/A	10X1 M COBBLESTONE	Each	5LB	580	340LB		
2600-M013-2	N/A	10X1 M WARM GRAY	Each	5LB	580	340LB		
2600-M014-2	N/A	10X1 M DRIFTWOOD	Each	5LB	580	340LB		
2600-M015-2	N/A	10X1 M AVALANCHE	Each	5LB	580	340LB		

CEMENTITIOUS GROUTS

COLOR KIT – Comparable to TEC® Colors

ITEM NUMBER*	COMPARABLE TO	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2600-T001-2	TEC ALMOND	10X1 Tec Almond	Each	5LB	580	340LB		
2600-T002-2	TEC LIGHT BUFF	10X1 Tec Light Buff	Each	5LB	580	340LB		
2600-T003-2	TEC LIGHT SMOKE	10X1 Tec Light Smoke	Each	5LB	580	340LB		
2600-T004-2	TEC BRIGHT WHITE	10X1 Tec Bright White	Each	5LB	580	340LB		
2600-T005-2	TEC PEARL	10X1 Tec Pearl	Each	5LB	580	340LB		
2600-T006-2	TEC SILVERADO	10X1 Tec Silverado	Each	5LB	580	340LB		
2600-T007-2	TEC SABLE	10X1 Tec Sable	Each	5LB	580	340LB		
2600-T008-2	TEC SUMMER WHEAT	10X1 Tec summer Wheat	Each	5LB	580	340LB		
2600-T009-2	TEC LIGHT PEWTER	10X1 Tec Light Pewter	Each	5LB	580	340LB		
2600-T010-2	TEC DOVE GRAY	10X1 Tec Dove Gray	Each	5LB	580	340LB		
2600-T011-2	N/A	10X1	Each	5LB	580	340LB		

COLOR KIT – Comparable to BOSTIK® Colors

ITEM NUMBER*	COMPARABLE TO	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2600-B001-2	BOS BRIGHT WHITE H177	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B002-2	BOS DELOREAN GRAY H160	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B003-2	BOS ANTIQUE WHITE H135	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B004-2	BOS ALABASTER H189	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B005-2	BOS MOBE PEARL H135	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B006-2	BOS LINEN H163	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B007-2	BOS KAHLUA CREAM H143	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B008-2	TEC SUMMER WHEAT	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B009-2	BOS LATTE H192	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		
2600-B010-2	BOS SAND BEIGE H148	PCS COLOR KIT: .48 LB (22 KGS)	CTN	5LB	580	340LB		

PERMACOLOR® SELECT - FIX-IT JUG

ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
26MT-0024-2	PERMACOLOR SELECT FIX-IT JUGS	EA	.3LB	20	144LB		

CEMENTITIOUS GROUTS



Performance Level: BETTER

Warranty: Lifetime

Refer to Data Sheet 250.0



PERMACOLOR® Grout[^]

One of the best performing cement-based grouts, for both floors and walls, and joint widths of 1/16" (1.5 mm) to 1/2" (12 mm).

Refer to page 81 for available colors.

Refer to page 84 for grout coverage.

*Refer to page 87 for part numbers.

PERMACOLOR® GROUT[^]

ITEM NUMBER*	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
25XX-0025-2	25LB	BAG	26LB	104	2754LB		
25XX-0408-2	8 lb	Each	34LB	44	1546LB		



Performance Level: GOOD

Warranty: 5 Year[†]

Refer to Data Sheet 256.0

*When mixed with 1776 Grout Enhancer.



1500 Sanded Grout

For dense, durable grout joints between 1/16" (1.5 mm) and 3/8" (9 mm). Designed for use with 1776 Grout Enhancer or water.

Refer to page 81 for available colors.

Refer to page 84 for grout coverage.

*Refer to page 89 for part numbers.

1500 SANDED GROUT

ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
15XX-0025-2	25LB		BAG	26LB	104	2754LB		
1524-0025-2	25LB		BAG	26LB	104	2754LB		
1524-0050-2	50LB		BAG	51LB	56	2906LB		

[^] United States Patent No.: 6,784,229 B2 (and other Patents).



Performance Level: GOOD

Warranty: 5 Year*

Refer to Data Sheet 258.0

*When mixed with 1776 Grout Enhancer.



1600 Unsanded Grout

For dense, durable grout joints 1/8" (3 mm) wide or less. Designed for use with 1776 Grout Enhancer or water.

Refer to page 81 for available colors.

Refer to page 85 for grout coverage.

*Refer to page 90 for part numbers.

NOTE: Certain colors of gable top SKUs stocked in Indianapolis only. Allow one week for delivery. See page 40 for SKU details.

1600 UNSANDED GROUT								
ITEM NUMBER*	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
1644-0408-2	8LB	BRIGHT WHITE	Each	34LB	44	1546LB		
1644-0025-2	25 lb	BRIGHT WHITE	Bag	26LB	104	2754LB		
16XX-0408-2	8LB		Each	34LB	44	1546LB		



Performance Level: BETTER

Warranty: 5 Year

Refer to Data Sheet 265.0

1776 Grout Enhancer

For use with 1500 Sanded Grout or 1600 Unsanded Grout.

MIXING

1500 SANDED GROUT	
PACKAGE SIZE	1776 GROUT ENHANCER
25 lb (11.3 kg) bag	1 x 64 oz (1.8 L) bottle
1600 UNSANDED GROUT	
PACKAGE SIZE	1776 GROUT ENHANCER
8 lb (3.6 kg)	1 x 47 oz (1.4 L) bottle
25 lb (11.3 kg) bag	3 x 47 oz (1.4 L) bottle

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
1776-0026-21	
1776-0047-21	
1776-0064-21	
1776-0005-21	

1776 GROUT ENHANCER							
ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
1776-0026-21	26 OZ	Each	25LB	40	1050LB		
1776-0047-21	47 oz	Each	22LB	48	1106LB		
1776-0064-21	64 OZ	Each	28LB	48	1394LB		
1776-0005-21	5 GALLON	PAIL	44LB	36	1634LB		



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 681.0



SPECTRALOCK® PRO Premium TRANSLUCENT Grout†

SPECTRALOCK® PRO Premium TRANSLUCENT Grout† is a patented, extreme high performance epoxy grout that offers a unique opaque color that diffuses light and makes any design look more vibrant. It also has increased durability and stain resistance with superior ease of use and cleaning.

- Very Durable
- Unique Glass beads transfer light
- Stainproof† and easy to install
- Never needs sealing
- Use interior or exterior
- Exceeds ANSI A118.3 standards
- Great for use with Spectralock DAZZLE

SPECTRALOCK® PRO PREMIUM TRANSLUCENT GROUT†

ITEM NUMBER*	SIZE	COLOR**	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-218P1-NS-02	FULL UNIT	N/A	PAIL	17LB	No Data	1360		
S-218CQ-NS-00	MINI UNIT	N/A	Each	6LB	No Data	960LB		



Performance Level: BEST

Warranty: 25 Year, Lifetime

Refer to Data Sheet 681.0



SPECTRALOCK PRO Premium Grout†

SPECTRALOCK PRO Premium Grout† is a patented, high performance epoxy grout that offers color uniformity, durability and stain resistance with extraordinary ease of use.

- Stainproof▲
- Improved non-sag formula
- Exceeds ANSI A118.3
- Easy to install; never needs sealing
- Inhibits the growth of stain-causing mold and mildew with anti-microbial
- Can be used on floors and walls
- Working time of 80 minutes

Refer to page 81 for available colors.

Refer to page 84 for grout coverage.

*Refer to page 91 for part numbers.

SPECTRALOCK PRO PREMIUM GROUT†

ITEM NUMBER*	SIZE	COLOR**	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-225CQ-NS-00	MINI UNIT	N/A	Each	5LB	45	275LB		
S-225P1-NS-02	FULL UNIT	N/A	PAIL	6LB	80	530LB		
S-225P4-NS-03	COMMERCIAL UNIT	N/A	CARTON	14LB	44	667LB		

▲StainProof (residential installation only) to common household cleaners, liquids and other goods. Clean all spills immediately.

† United States Patent No.: 6881768 (and other Patents).



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheet 685.0



SPECTRALOCK® DAZZLE™ Part D Component

Adds colorful enhancements to SPECTRALOCK® PRO Premium Grout and SPECTRALOCK PRO Grout including metallic and "glow-in-the-dark".

SPECTRALOCK® PRO GROUT ¹ LIQUIDS	AMOUNT OF SPECTRALOCK DAZZLE REQUIRED
Mini Unit	1 x jar Dazzle
Full Unit	4 x jar Dazzle
Commercial Unit	16 x jar Dazzle

LATICRETE ITEM NUMBER	CUSTOMER ITEM NUMBER
1299-0102-2	
1298-0102-2	
1297-0102-2	
1296-0102-2	
1295-0102-2	
1270-0102-2	
1271-0102-2	
1272-0102-2	
1273-0102-2	
1274-0102-2	
1275-0102-2	
1276-0102-2	
1277-0102-2	

SPECTRALOCK DAZZLE™								
ITEM NUMBER	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
1299-0102-2	2 x 5.5 OZ	GLOW	2 X CARTON	1LB	176	226LB		
1298-0102-2	2 x 6.5 OZ	PEARL	2 X CARTON	1LB	176	226LB		
1297-0102-2	2 x 6 OZ	COPPER	2 X CARTON	1LB	176	226LB		
1296-0102-2	2 x 6 OZ	SILVER	2 X CARTON	1LB	176	226LB		
1295-0102-2	2 x 6 OZ	GOLD	2 X CARTON	1LB	176	226LB		
1270-0102-2	2 x 5.7 OZ	LEMONADE	2 X CARTON	1LB	176	226 LB		
1271-0102-2	2 X 6.9 OZ	LIMEADE	2 X CARTON	1LB	226	226LB		
1272-0102-2	2 X 3.4 OZ	PRETTY IN PINK	2 X CARTON	1LB	176	226LB		
1273-0102-2	2 X 6 OZ	TANGERINE ORANGE	2 X CARTON	1LB	176	226LB		
1274-0102-2	2 X 8.5 OZ	BLUE HAWAII	2 X CARTON	1LB	176	226LB		
1275-0102-2	2 X 6.9 OZ	PURPLE HAZE	2 X CARTON	1LB	226	226LB		
1276-0102-2	2 X 7.9 OZ	RUBY SLIPPER	2 X CARTON	1LB	176	226LB		
1277-0102-2	2 X 8.5 OZ	CANDIED APPLE	2 X CARTON	1LB	176	226LB		



Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 685.0



SPECTRALOCK® PRO Grout†

For use on floors and walls for color uniformity, durability, and stain resistance.

- Stain resistant
- Meets ANSI A118.3
- Easy to install
- Never needs sealing
- Working time of 80 minutes
- Can be used on floors and walls

Refer to page 81 for available colors.

Refer to page 84 for grout coverage.

*Refer to page 91 for part numbers.

SPECTRALOCK® PRO GROUT

ITEM NUMBER*	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-216P1-NS-02	FULL UNIT	N/A	PAIL	6LB	80	530LB		
S-216P4-NS-03	COMMERCIAL UNIT	N/A	CARTON	14LB	44	667LB		



SPECTRALOCK Grout Part C†

For use with SPECTRALOCK® PRO Premium Grout AB liquids, SPECTRALOCK PRO Grout Part AB liquids, and SPECTRALOCK 2000 IG Part AB Liquids required; sold separately.

Refer to page 81 for available colors.

Refer to page 84 for grout coverage.

*Refer to page 91 for part numbers.

Performance Level: BEST

Warranty: Lifetime

Refer to Data Sheet 685.0



SPECTRALOCK GROUT PART C†

ITEM NUMBER*	SIZE	COLOR	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
12XX-0402-2	2LB	All Colors	Each	10LB	126	1310LB		
12XX-0409-2	9 LB	All Colors	Each	40LB	44	1722LB		

ORDERING TIPS: For use only with SPECTRALOCK® PRO Premium Grout* Parts AB liquid kits, SPECTRALOCK PRO Grout Parts AB liquid kits, SPECTRALOCK Part D Dazzle and SPECTRALOCK 2000 IG. Mixing ratio for all SPECTRALOCK PRO Grout Part AB liquid kits: SPECTRALOCK PRO Grout Mini Units Parts AB liquid kit requires 1 SPECTRALOCK Grout Mini Unit Part C color powder. SPECTRALOCK PRO Grout Full Unit Parts AB liquid kit requires 1 SPECTRALOCK Grout Full Unit Part C color powder. SPECTRALOCK PRO Grout Commercial Unit AB liquid only kit requires 4 x SPECTRALOCK Grout Full Unit Part C color powder.

Mixing ratio for all SPECTRALOCK 2000 IG Part AB Liquids kits: SPECTRALOCK 2000 IG #2 Unit (liquids only) requires 2 x SPECTRALOCK Grout Full Unit Part C color powder. SPECTRALOCK 2000 IG #4 Unit requires 4 x SPECTRALOCK Grout Full Unit Part C color powder.



Performance Level: BEST
Warranty: 25 Year
 Refer to Data Sheet 030.0



SPECTRALOCK® 2000 IG

Three-part, 100% solids epoxy grout for maximum chemical, stain, and temperature resistance. Recommended for industrial and commercial food processing applications, dairies, breweries, meat packing plants, clean-in-place rooms, veterinary hospitals, kennels, and commercial kitchens.

- Easy to install and clean
- Non-sag formula
- 80 minute working time
- Improved chemical resistance
- 20% more coverage than LATAPOXY® 2000 Industrial Grout
- Available in all LATICRETE grout colors except #44 Bright White – use SPECTRALOCK Grout Part C Powders

Refer to page 81 for available colors.

Refer to page 85 for grout coverage.

*Refer to page 91 for part numbers.

SPECTRALOCKLOCK® 2000 IG

ITEM NUMBER*	SIZE	COLOR**	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
2000-SL0001-21	#2 Unit	GREY	Pail	29LB	48	1401LB		
2000-SL0001-23	#2 UNIT	BLACK	PAIL	29LB	48	1401LB		

SPECTRALOCK 2000 IG LIQUID ONLY

ITEM NUMBER*	SIZE	COLOR**	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-2000C-SL-03	#4 UNIT		CARTON	16LB	56	930LB		
S-2000P-SL-03	#2 UNIT		PAIL	10.5LB	48	554LB		

Please select the desired SPECTRALOCK® Grout† Part C color powder from page 36 for use with SPECTRALOCK 2000 IG. See icons referencing which colors are acceptable for use with SPECTRALOCK 2000 IG.

AVAILABILITY LIMITATIONS: Stock Bethany, CT. All other plants 2 week lead time.

SHIPPING LIMITATIONS: All shipments via ground only, no air shipment allowed.



SPECTRALOCK PRO Grout Cleaning Additive Packets

Designed to assist in cleaning of surfaces grouted. Each carton contains 24 packs of initial wash and final wash cleaning packets with SPECTRALOCK PRO Premium Grout and SPECTRALOCK PRO Grout. Use in accordance with instructions on Data Sheet 685.0.

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

S-377IF-NS-48

SPECTRALOCK PRO GROUT CLEANING ADDITIVE PACKETS

ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
S-377IF-NS-48	CARTON (INITIAL	48 PC	3.5LB	126	491LB		



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheet 36589.1



SPECTRALOCK® 1

Never before has a pre-mixed grout offered the superior strength and performance of an epoxy, now found in SPECTRALOCK® 1. This patent pending, professional grade grout offers all the benefits of SPECTRALOCK epoxy grout without the hassle of mixing. SPECTRALOCK 1 provides exceptional durability, extreme versatility, and excellent color consistency even with the most demanding applications.



- Locks in color and blocks out stains
- Strongest pre-mixed grout on the market (meets ANSI A118.3)
- No mixing required
- No sealing required
- Low Odor and VOC
- Patent Pending

Refer to page 81 for available colors.

Refer to page 86 for grout coverage.

*Refer to page 92 for part numbers.

ALL 40 LATICRETE GROUT COLORS



SPECTRALOCK® 1

ITEM NUMBER*	SIZE	COLOR**	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price	
31XX-0001-2	1 GAL PAIL		14.2 LB	125	1775 LB			

PRE-MIXED GROUTS AND CAULK



Performance Level: BEST

Warranty: 25 Year

Refer to Data Sheet 027.0



READY-TO-USE™ Grout

READY-TO-USE™ Grout is a professional-grade, premixed grout that delivers superior color uniformity and excellent stain resistance

- Easy to use and clean
- No mixing required
- No sealing required
- Maximum stain resistance

Refer to page 81 for available colors.

Refer to page 85 for grout coverage.

ALL 40 LATICRETE GROUT COLORS PLUS TRANSLUCENT

READY-TO-USE™								
ITEM NUMBER*	SIZE	COLOR**	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
23XX-0014-2	Gallon/14LB		PAIL	No Data	No Data	No Data		
2300-0014-2	GALLON/14LB		PAIL	14 LB	No Data	1120 LB		



Performance Level: GOOD

Refer to Data Sheet 6257.0



Premium Acrylic Caulk

A siliconized acrylic latex sealant for interior use on ceramic tile and stone. Ideal for bathrooms, kitchens, and floors.

Refer to page 77 for available colors.

*Refer to page 86 for part numbers.

PREMIUM ACRYLIC CAULK – SANDED								
ITEM NUMBER*	SIZE		UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
72XX-0601-2	10.5 oz		Each	8LB	192	1586		

PREMIUM ACRYLIC CAULK – UNSANDED								
ITEM NUMBER*	SIZE		UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
71XX-0601-2	10.5 oz		Each	8LB	192	1586		



Performance Level: BEST
Warranty: Lifetime
 Refer to Data Sheets 6200.1



LATASIL™

A 100% silicone sealant for use in coves, corners, changes in plane, and expansion joints in exterior and interior applications of tile and stone.

Uses:

Exterior and interior use
 Swimming pools and other wet area applications
 Joints for ceramic tile & stone applications
 Expansion joints in residential and commercial applications

Advantages:

Available in ALL 40 LATICRETE grout colors and clear
 Conforms to the following properties under ASTM C-920: Type S, Grade NS, Class 25, Use NT, Use I, Use M, Use G
 Conforms to ASTM C-794 Adhesion Properties
 Equipped with anti-microbial technology
 Resistant to pool chemicals
 Easy to smooth and tool
 Excellent for masonry construction
 Excellent movement capacity—25% extension & compression
 Can be used where ceramic tile abuts glass and window framing

Refer to page 77 for available colors.

*Refer to page 94 for part numbers.

LATASIL™							
ITEM NUMBER*	SIZE		UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT	Price
62XX-0120-2	10.3 oz	Each	7LB	240	1730LB		
62XX-0045-2	5 Gal**	PAIL	42LB	26	960LB		

** 5 Gal. LATASIL™ version are all custom orders - please expect up to 3 weeks for delivery. Must be ordered in quantities of 10 per batch, per color.



Refer to Data Sheet 6528.1

LATASIL 9118 Primer

Increases adhesion for porous stone, submerged, and permanent wet area applications.

APPROXIMATE COVERAGE Per cartridge

THICKNESS

COVERAGE

1/4" x 1/4" (6 mm x 6 mm)

350 linear feet (106 m)

3/8" x 3/8" (9 mm x 9 mm)

175 linear feet (53 m)

LATICRETE ITEM NUMBER

CUSTOMER ITEM NUMBER

9118-0601-2

LATASIL 9118 PRIMER							
ITEM NUMBER	SIZE	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
9118-0601-2	8 oz	Each	6LB	50	250LB		

GROUT AND SEALANT COLOR CHART

Introducing thousands of customizable color options with PERMACOLOR® Select ANYCOLOR™!



Visit www.laticrete.com/ ANYCOLOR for more details. In addition, PERMACOLOR® Select is also available in top selling competitor's grout colors. For a complete list of colors, contact your local LATICRETE sales representative. For a complete list of colors, see DS281.0.

LATICRETE® and LATAPOXY® Grouts and Sealants

This chart shows available colors for the following grouts and sealants.

Grout and Sealant Selection Key

AVAILABLE IN ALL 40 COLORS:

SPECTRALOCK® 1
SPECTRALOCK® PRO Premium Grout† **SL**
SPECTRALOCK PRO Grout†
PERMACOLOR® Select
PERMACOLOR Select NS
PERMACOLOR Grout‡
Premium Acrylic Caulk Sanded
LATASIL™ Also available in Clear **L**
READY-TO-USE™** **RTU**

AVAILABLE IN SELECTED COLORS:

15 1500 Sanded Grout 25 lbs (11.3 kg)
1600 1600 Unsanded Grout 8 lbs (3.62 kg)
* (#44 Bright White also available in 25lb (11.3 kg) bag)
2KIG SPECTRALOCK 2000 IG
(not available in #44 Bright White)
PACU Premium Acrylic Caulk Unsanded
SPECTRALOCK 2000 IG is recommended only in these colors: 22, 45, 60, 34, 91, 42, 53, 67, 35, 59, 66, 43, 46, 58, 57
** Also available in Translucent

SPECTRALOCK® PRO Premium Grout†, SPECTRALOCK PRO Grout, PERMACOLOR® Select Color Kit PERMACOLOR® Grout‡, LATASIL™ and Premium Acrylic Caulk are available in all 40 colors. Use Grout Selection Key for all other products. SPECTRALOCK DAZZLE™ (Gold, Silver, Copper, and Mother-of-Pearl) can be mixed with all 40 colors of SPECTRALOCK PRO Premium Grout or SPECTRALOCK PRO Grout.

RTU READY-TO-USE**
SL SPECTRALOCK PRO Premium Grout**




Translucent



Clear



LATASIL



44 Bright White



18 Sauterne



16 Siltstone



85 Almond



03 Silk



23 Antique White



39 Mushroom



41 Kashmir



81 Butter Cream



52 Toasted Almond



55 Tawny



17 Marble Beige



40 Latte



61 Parchment



30 Sand Beige



56 Desert Khaki



38 River Rock



27 Hemp



57 Hot Cocoa



92 Saltillo



58 Terra Cotta



46 Quarry Red



43 Chocolate Truffle



66 Chestnut Brown



59 Espresso



35 Mocha



50 Sea Glass



67 Autumn Green



53 Twilight Blue



42 Platinum



91 Slate Grey



88 Silver Shadow



89 Smoke Grey



90 Light Pewter



78 Sterling Silver



24 Natural Grey



34 Sandstone



60 Dusty Grey



45 Raven



22 Midnight Black



NOTE: Grout color availability subject to change. Visit www.laticrete.com for the most current color selections.

† United States Patent No.: 6881768 and other Patents.

^ United States Patent No.: 6784229 and other Patents.

NEW

Be ready to tackle any NXT or SUPERCAP self-leveling underlayment / overlayment application with this high quality tool kit*, achieving smooth and consistent results.

CONTAINS THE FOLLOWING:

- 15 gallon mixing barrel
- Shoe-in spiked shoe - large
- Gauge rake frame
- Gauge rake kit - to set height
- Spiked roller with frame
- Oval mixing paddle
- Spreader smoother
- 2 Quart measuring container
- 3 Piece poll



LATICRETE TOOL KIT							
ITEM NUMBER	TOOL KIT	UNIT	UNIT WEIGHT	UNITS PER PALLET	PALLET WEIGHT		Price
7319-TOOL-CR	25 x 25 x 16 in.	15 gal. barrel	18 lbs.	No Data	486 lbs.		

*Kit is sold as a whole unit. Can not be separated.

PERMACOLOR® SELECT BASE/PERMACOLOR GROUT

United States Patent No.: 6,784,229 (and other Patents).

TILE SIZE	JOINT WIDTH				
	1/16"	1/8"	1/4"	3/8"	1/2"
1 x 1 x 1/4"	105	54	29	21	17
2 x 2 x 1/4"	207	105	54	38	29
4-1/4 x 4-1/4 x 5/16"	349	176	89	60	46
6 x 6 x 1/2"	308	155	78	53	40
12 x 12 x 3/8"	818	410	206	138	104
13 x 13 x 3/8"	886	444	223	149	113
16 x 16 x 3/8"	1090	546	274	183	138
18 x 18 x 3/8"	1226	614	308	206	155
TILE SIZE	1.5 mm	3 mm	6 mm	9 mm	12 mm
25 x 25 x 6 mm	10.8	5.6	3.0	2.1	1.7
50 x 50 x 6 mm	21.2	10.8	5.6	3.8	3.0
106 x 106 x 7.5 mm	36.2	18.5	9.6	6.2	5.2
150 x 150 x 12 mm	31.5	15.8	8.0	5.4	4.1
300 x 300 x 9 mm	83.8	42.0	21.1	14.1	10.7
325 x 325 x 9 mm	90.7	45.5	22.8	15.3	11.5
400 x 400 x 9 mm	111.6	55.9	28.1	18.8	14.1
425 x 425 x 9 mm	118.6	59.4	29.8	19.9	15.0

Approximate ft² (m²) coverage per 25 lb (11.3 kg) unit.

PERMACOLOR SELECT NS BASE

United States Patent No.: 6,784,229 (and other Patents).

TILE SIZE	JOINT WIDTH			
	1/16"	1/8"	3/16"	1/4"
1 x 1 x 1/4"	36	19	14	11
2 x 2 x 1/4"	68	36	25	19
4-1/4 x 4-1/4 x 5/16"	111	56	37	28
6 x 6 x 5/16"	156	79	53	40
12 x 12 x 3/8"	261	131	87	66
24 x 24 x 3/8"	522	262	175	132
TILE SIZE	1.5 mm	3 mm	4.5 mm	6 mm
25 x 25 x 6 mm	3.6	2	1.4	1.1
50 x 50 x 6 mm	7.0	3.6	2.5	2.0
106 x 106 x 7.5 mm	11.4	5.7	3.8	2.9
150 x 150 x 7.5 mm	16.2	8.2	5.6	4.2
300 x 300 x 9 mm	26.7	13.4	8.9	6.7
600 x 600 x 9 mm	53.4	26.8	17.9	13.5

Approximate ft² (m²) coverage per 8 lb unit.

GROUT AND SEALANT COLOR GUIDELINES

Grout and sealant samples are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types of tile or stone used, and may vary from this grout color chart, grout color channel kits and grout color swatch on product packaging. Verify actual appearance and compatibility with a test area before installing. Blend grouts with different control numbers. Follow ANSI A108.10/MMSA Bulletin #9 grouting practices. No claims for color shade variations will be honored.

Calculated coverage indicated is approximate, based on "nominal" tile size and is provided for purposes of estimation only. Actual coverage will vary depending on job site conditions, actual tile size and installed grout joint size. Add 10% for waste, spillage and clean-up, and another 10% – 15% when grouting unglazed quarry tile. Expanded coverage tables at www.laticrete.com/coverage.

GROUT COVERAGE CHARTS

SPECTRALOCK® PRO PREMIUM GROUT/SPECTRALOCK PRO GROUT

United States Patent No.: 6881768 (and other Patents).

TILE SIZE	JOINT WIDTH				
	1/16"	1/8"	1/4"	3/8"	1/2"
1 x 1 x 1/4"	41	21	11	8	7
2 x 2 x 1/4"	81	41	21	15	11
4-1/4 x 4-1/4 x 5/16"	136	69	35	24	18
6 x 6 x 1/2"	120	60	31	21	16
12 x 12 x 3/8"	320	160	81	54	41
13 x 13 x 3/8"	347	174	87	58	44
16 x 16 x 3/8"	426	214	107	72	54
18 x 18 x 3/8"	480	240	121	81	61
TILE SIZE	1.5 mm	3 mm	6 mm	9 mm	12 mm
25 x 25 x 6 mm	4.2	2.2	1.2	0.8	0.7
50 x 50 x 6 mm	8.3	4.2	2.2	1.5	1.2
106 x 106 x 7.5 mm	14.0	7.0	3.6	2.4	1.8
150 x 150 x 12 mm	12.3	6.2	3.1	2.1	1.6
300 x 300 x 9 mm	32.8	16.4	8.3	5.5	4.2
325 x 325 x 9 mm	35.5	17.8	8.9	6.0	4.5
400 x 400 x 9 mm	43.7	21.9	11.0	7.3	5.5
450 x 450 x 9 mm	49.1	24.6	12.3	8.3	6.2

Approximate ft² (m²) coverage per full unit.

1500 SANDED GROUT

TILE SIZE	JOINT WIDTH				
	1/16"	1/8"	1/4"	3/8"	1/2"
1 x 1 x 1/4"	100	51	28	20	16
2 x 2 x 1/4"	196	100	51	36	28
4-1/4 x 4-1/4 x 5/16"	331	167	85	57	44
6 x 6 x 1/2"	291	146	74	50	38
12 x 12 x 3/8"	774	388	195	131	99
13 x 13 x 3/8"	839	420	211	141	107
16 x 16 x 3/8"	1032	517	259	174	131
18 x 18 x 3/8"	1160	581	292	195	147
TILE SIZE	1.5 mm	3 mm	6 mm	9 mm	12 mm
25 x 25 x 6 mm	10.1	5.2	2.8	2.0	1.6
50 x 50 x 6 mm	19.8	10.1	5.2	3.6	2.8
106 x 106 x 7.5 mm	33.3	16.8	8.5	5.8	4.4
150 x 150 x 12 mm	29.4	14.8	7.5	5.0	3.8
300 x 300 x 9 mm	78.3	39.2	19.7	13.2	10.0
325 x 325 x 9 mm	84.8	42.5	21.3	14.3	10.8
400 x 400 x 9 mm	104.3	52.2	26.2	17.5	13.2
425 x 425 x 9 mm	110.8	55.5	27.8	18.6	14.0

Approximate ft² (m²) coverage per 25 lb (11.3 kg) unit.

As of 3/1/17 we will only offer these 10 colors of 1500 SANDED & 1600 UNSANDED:

44 - BRIGHT WHITE 40 - LATTE 78 - STERLING SILVER 89 - SMOKE GREY 88 - SILVER SHADOW
90 - LIGHT PEWTER 39 - MUSHROOM 24 - NATURAL GREY 17 - MARBLE BEIGE 23 - ANTIQUE WHITE

GROUT AND SEALANT COLOR GUIDELINES

Grout and sealant samples are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types of tile or stone used, and may vary from this grout color chart, grout color channel kits and grout color swatch on product packaging. Verify actual appearance and compatibility with a test area before installing. Blend grouts with different control numbers. Follow ANSI A108.10/MMSA Bulletin #9 grouting practices. No claims for color shade variations will be honored.

Calculated coverage indicated is approximate, based on "nominal" tile size and is provided for purposes of estimation only. Actual coverage will vary depending on job site conditions, actual tile size and installed grout joint size. Add 10% for waste, spillage and clean-up, and another 10% – 15% when grouting unglazed quarry tile. Expanded coverage tables at www.laticrete.com/coverage.

1600 UNSANDED GROUT

TILE SIZE	JOINT WIDTH	
	1/16"	1/8"
4-1/4 x 4-1/4 x 5/16"	144	72
6 x 6 x 5/16"	202	102
TILE SIZE	1.5 mm	3 mm
106 x 106 x 7.5 mm	14.7	7.4
150 x 150 x 7.5 mm	21.0	10.7

Approximate ft² (m²) coverage per 8 lb (3.6 kg) unit.

As of 3/1/17 we will only offer these 10 colors of 1500 SANDED & 1600 UNSANDED:

44 - BRIGHT WHITE 40 - LATTE 78 - STERLING SILVER 89 - SMOKE GREY 88 - SILVER SHADOW
90 - LIGHT PEWTER 39 - MUSHROOM 24 - NATURAL GREY 17 - MARBLE BEIGE 23 - ANTIQUE WHITE

SPECTRALOCK® 2000 IG

TILE SIZE	JOINT WIDTH		
	1/4"	3/8"	1/2"
4 x 8 x 1-3/16"	29	19	15
6 x 6 x 1/2"	77	52	39
TILE SIZE	6 mm	9 mm	12 mm
100 x 200 x 30 mm	2.8	1.9	1.4
150 x 150 x 12 mm	8.2	5.6	4.3

Approximate ft² (m²) coverage per #2 unit.

READY-TO-USE™ GROUT

TILE SIZE	JOINT WIDTH					
	1/16"	1/8"	3/16"	1/4"	3/8"	1/2"
1 x 1 x 1/4"	56	31	22	18	14	12
2 x 2 x 1/4"	108	56	39	31	22	18
6 x 6 x 1/4"	316	160	108	82	52	44
8 x 8 x 3/8"	279	140	95	72	49	38
12 x 12 x 3/8"	415	210	140	106	72	55
18 x 18 x 3/8"	623	312	210	158	106	81
24 x 6 x 3/8"	332	168	114	86	59	45
24 x 12 x 3/8"	552	552	186	140	95	72
TILE SIZE	2 mm	3 mm	5 mm	6 mm	10 mm	13 mm
25 x 25 x 6 mm	5.2	2.9	2.1	1.7	1.3	1.1
51 x 51 x 6 mm	10.0	5.2	3.6	2.9	2.1	1.7
152 x 152 x 6 mm	29.2	14.8	10.0	7.6	5.6	4.0
203 x 203 x 10 mm	25.8	13.1	8.8	6.7	4.6	3.5
305 x 305 x 10 mm	38.6	19.4	13.1	9.9	6.7	5.1
457 x 457 x 10 mm	57.7	29.0	19.4	14.7	9.9	7.5
610 x 152 x 10 mm	31.0	15.7	10.5	8.0	5.4	4.2
610 x 305 x 10 mm	51.4	25.8	17.3	13.1	8.8	6.7

Approximate ft² (m²) coverage per 1 Gallon (3.8L) unit.

GROUT AND SEALANT COLOR GUIDELINES

Grout and sealant samples are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types of tile or stone used, and may vary from this grout color chart, grout color channel kits and grout color swatch on product packaging. Verify actual appearance and compatibility with a test area before installing. Blend grouts with different control numbers. Follow ANSI A108.10/MMSA Bulletin #9 grouting practices. No claims for color shade variations will be honored.

Calculated coverage indicated is approximate, based on "nominal" tile size and is provided for purposes of estimation only. Actual coverage will vary depending on job site conditions, actual tile size and installed grout joint size. Add 10% for waste, spillage and clean-up, and another 10% - 15% when grouting unglazed quarry tile. Expanded coverage tables at www.laticrete.com/coverage.

SPECTRALOCK® 1

TILE SIZE	JOINT WIDTH			
	1/16"	1/8"	1/4"	3/8"
1 x 1 x 1/4"	53	27	15	11
2 x 2 x 1/4"	104	53	27	19
3 x 6 x 5/16"	168	86	45	31
4 1/4" x 4 1/4" x 5/16"	176	89	45	30
4" x 24" x 3/8"	238	121	62	43
6" x 24" x 3/8"	332	168	86	58
12" x 24" x 3/8"	551	277	140	95
24" x 24" x 3/8"	822	412	206	138
12" x 36" x 3/8"	619	311	158	106
TILE SIZE	2 mm	3 mm	6 mm	10 mm
25 x 25 x 6 mm	5.2	2.9	1.7	1.3
50 x 50 x 6 mm	10.7	5.4	2.8	1.9
76 x 152 x 8 mm	16.4	8.4	4.5	3.1
106 x 106 x 7.5 mm	18	9	4.5	3.0
102 x 610 x 9 mm	24.9	12.6	6.5	4.5
152 x 610 x 9 mm	34.5	17.4	8.9	6.0
305 x 610 x 9 mm	57.3	28.8	14.6	9.8
610 x 610 x 9 mm	85.8	43.1	21.7	14.6
305 x 914 x 9 mm	64.5	32.4	16.4	11

Approximate ft² (m²) coverage per 1 Gallon (3.8L) unit.

GROUT AND SEALANT COLOR GUIDELINES

Grout and sealant samples are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types of tile or stone used, and may vary from this grout color chart, grout color channel kits and grout color swatch on product packaging. Verify actual appearance and compatibility with a test area before installing. Blend grouts with different control numbers. Follow ANSI A108.10/MMSA Bulletin #9 grouting practices. No claims for color shade variations will be honored.

Calculated coverage indicated is approximate, based on "nominal" tile size and is provided for purposes of estimation only. Actual coverage will vary depending on job site conditions, actual tile size and installed grout joint size. Add 10% for waste, spillage and clean-up, and another 10% – 15% when grouting unglazed quarry tile. Expanded coverage tables at www.laticrete.com/coverage.

**PERMACOLOR® SELECT COLOR KIT for
PERMACOLOR Select and PERMACOLOR Select NS BASE**

COLOR NUMBER	COLOR NAME	GROUT COLOR KIT CONTENTS: .48 LB	CUSTOMER ITEM NUMBER
2603	Silk	2603-1001-2	
2616	Siltstone	2616-1001-2	
2617	Marble beige	2617-1001-2	
2618	Sauterne	2618-1001-2	
2622	Midnight black	2622-1001-2	
2623	Antique white	2623-1001-2	
2624	Natural grey	2624-1001-2	
2627	Hemp	2627-1001-2	
2630	Sand beige	2630-1001-2	
2634	Sandstone	2634-1001-2	
2635	Mocha	2635-1001-2	
2638	River rock	2638-1001-2	
2639	Mushroom	2639-1001-2	
2640	Latte	2640-1001-2	
2641	Kashmir	2641-1001-2	
2642	Platinum	2642-1001-2	
2643	Chocolate truffle	2643-1001-2	
2644	Bright white	2644-1001-2	
2645	Raven	2645-1001-2	
2646	Quarry red	2646-1001-2	
2650	Sea glass	2650-1001-2	
2652	Toasted almond	2652-1001-2	
2653	Twilight blue	2653-1001-2	
2655	Tawny	2655-1001-2	
2656	Desert khaki	2656-1001-2	
2657	Hot cocoa	2657-1001-2	
2658	Terra cotta	2658-1001-2	
2659	Espresso	2659-1001-2	
2660	Dusty grey	2660-1001-2	
2661	Parchment	2661-1001-2	
2666	Chestnut brown	2666-1001-2	
2667	Autumn green	2667-1001-2	
2678	Sterling silver	2678-1001-2	
2681	Butter cream	2681-1001-2	
2685	Almond	2685-1001-2	
2688	Silver shadow	2688-1001-2	
2689	Smoke grey	2689-1001-2	
2690	Light pewter	2690-1001-2	
2691	Slate grey	2691-1001-2	
2692	Saltillo	2692-1001-2	

PERMACOLOR Grout[^]

COLOR NUMBER	COLOR NAME	25 LB PART NUMBER	CUSTOMER ITEM NUMBER	CUSTOMER ITEM NUMBER
2544	Bright White	2544-0025-2		
2518	Sauterne	2518-0025-2		
2516	Siltstone	2516-0025-2		
2585	Almond	2585-0025-2		
2503	Silk	2503-0025-2		
2523	Antique White	2523-0025-2		
2539	Mushroom	2539-0025-2		
2541	Kashmir	2541-0025-2		
2581	Butter Cream	2581-0025-2		
2552	Toasted Almond	2552-0025-2		
2555	Tawny	2555-0025-2		
2517	Marble Beige	2517-0025-2		
2540	Latte	2540-0025-2		
2561	Parchment	2561-0025-2		
2530	Sand Beige	2530-0025-2		
2556	Desert Khaki	2556-0025-2		
2538	River Rock	2538-0025-2		
2527	Hemp	2527-0025-2		
2557	Hot Cocoa	2557-0025-2		
2592	Saltillo	2592-0025-2		
2558	Terra Cotta	2558-0025-2		
2546	Quarry Red	2546-0025-2		
2543	Chocolate Truffle	2543-0025-2		
2566	Chestnut Brown	2566-0025-2		
2559	Espresso	2559-0025-2		
2535	Mocha	2535-0025-2		
2550	Sea Glass	2550-0025-2		
2567	Autumn Green	2567-0025-2		
2553	Twilight Blue	2553-0025-2		
2542	Platinum	2542-0025-2		
2591	Slate Grey	2591-0025-2		
2588	Silver Shadow	2588-0025-2		
2589	Smoke Grey	2589-0025-2		
2590	Light Pewter	2590-0025-2		
2578	Sterling Silver	2578-0025-2		
2524	Natural Grey	2524-0025-2		
2534	Sandstone	2534-0025-2		
2560	Dusty Grey	2560-0025-2		
2545	Raven	2545-0025-2		
2522	Midnight Black	2522-0025-2		

[^] United States Patent No.: 6784229 B2 (and other Patents).

1500 Sanded Grout

COLOR NO.	COLOR NAME	CUSTOMER ITEM NUMBER	25 LB BAG PART NO.	CUSTOMER ITEM NUMBER
1522	Midnight Black			
1524	Natural Grey		1524-0025-2	
1530	Sand Beige			
1535	Mocha			
1542	Platinum			
1544	Bright White		1544-0025-2	
1588	Silver Shadow		1588-0025-2	
1523	Antique White		1523-0025-2	
1539	Mushroom		1539-0025-2	
1540	Latte		1540-0025-2	
1545	Raven			
1561	Parchment			
1578	Sterling Silver		1578-0025-2	
1585	Almond			
1590	Light Pewter		1590-0025-2	
1517	Marble Beige		1517-0025-2	
1518	Sauterne			
1527	Hemp			
1566	Chestnut Brown			
1589	Smoke Grey		1589-0025-2	

◆ SKUs stocked in Indianapolis only. Allow one week for delivery.

1600 Unsanded Grout

COLOR NO.	COLOR NAME	4 X 8 LB PART NO.	CUSTOMER ITEM NUMBER	25 LB PART NO.	CUSTOMER ITEM NUMBER
1622	Midnight Black				
1624	Natural Grey	1624-0408-2			
1630	Sand Beige				
1635	Mocha				
1642	Platinum				
1644	Bright White	1644-0408-2		1644-0025-2	
1646	Quarry Red				
1688	Silver Shadow	1688-0408-2			
1623	Antique White	1623-0408-2			
1634	Sandstone				
1639	Mushroom	1639-0408-2			
1640	Latte	1640-0408-2			
1641	Kashmir				
1645	Raven				
1650	Sea Glass				
1652	Toasted Almond				
1661	Parchment				
1678	Sterling Silver	1678-0408-2			
1681	Butter Cream				
1685	Almond				
1690	Light Pewter	1690-0408-2			
1691	Slate Grey				
1603	Silk				
1617	Marble Beige	1617-0408-2			
1618	Sauterne				
1627	Hemp				
1643	Chocolate Truffle				
1666	Chestnut Brown				
1689	Smoke Grey	1689-0408-2			
1692	Saltillo				

SPECTRALOCK® PRO Premium Grout†
SPECTRALOCK PRO Grout / SPECTRALOCK 2000 IG

COLOR NO.	COLOR NAME	4 X MINI UNIT POWDER PART NO.	CUSTOMER ITEM NUMBER.	4 X FULL UNIT POWDER PART NO.	CUSTOMER ITEM NUMBER.
1244	Bright White	1244-0402-2		1244-0409-2	
1218	Sauterne	1218-0402-2		1218-0409-2	
1216	Siltstone	1216-0402-2		1216-0409-2	
1285	Almond	1285-0402-2		1285-0409-2	
1203	Silk	1203-0402-2		1203-0409-2	
1223	Antique White	1223-0402-2		1223-0409-2	
1239	Mushroom	1239-0402-2		1239-0409-2	
1241	Kashmir	1241-0402-2		1241-0409-2	
1281	Butter Cream	1281-0402-2		1281-0409-2	
1252	Toasted Almond	1252-0402-2		1252-0409-2	
1255	Tawny	1255-0402-2		1255-0409-2	
1217	Marble Beige	1217-0402-2		1217-0409-2	
1240	Latte	1240-0402-2		1240-0409-2	
1261	Parchment	1261-0402-2		1261-0409-2	
1230	Sand Beige	1230-0402-2		1230-0409-2	
1256	Desert Khaki	1256-0402-2		1256-0409-2	
1238	River Rock	1238-0402-2		1238-0409-2	
1227	Hemp	1227-0402-2		1227-0409-2	
1257	Hot Cocoa	1257-0402-2		1257-0409-2	
1292	Saltillo	1292-0402-2		1292-0409-2	
1258	Terra Cotta	1258-0402-2		1258-0409-2	
1246	Quarry Red	1246-0402-2		1246-0409-2	
1243	Chocolate Truffle	1243-0402-2		1243-0409-2	
1266	Chestnut Brown	1266-0402-2		1266-0409-2	
1259	Espresso	1259-0402-2		1259-0409-2	
1235	Mocha	1235-0402-2		1235-0409-2	
1250	Sea Glass	1250-0402-2		1250-0409-2	
1267	Autumn Green	1267-0402-2		1267-0409-2	
1253	Twilight Blue	1253-0402-2		1253-0409-2	
1242	Platinum	1242-0402-2		1242-0409-2	
1291	Slate Grey	1291-0402-2		1291-0409-2	
1288	Silver Shadow	1288-0402-2		1288-0409-2	
1289	Smoke Grey	1289-0402-2		1289-0409-2	
1290	Light Pewter	1290-0402-2		1290-0409-2	
1234	Sandstone	1234-0402-2		1234-0409-2	
1278	Sterling Silver	1278-0402-2		1278-0409-2	
1224	Natural Grey	1224-0402-2		1224-0409-2	
1260	Dusty Grey	1260-0402-2		1260-0409-2	
1245	Raven	1245-0402-2		1245-0409-2	
1222	Midnight Black	1222-0402-2		1222-0409-2	

† United States Patent No.: 6881768 (and other Patents)

SPECTRALOCK® 1

COLOR #:	COLOR NAME:	1 GAL:	CUSTOMER ITEM NUMBER.
3103	Silk	3103-0001-2	
3116	Siltstone	3116-0001-2	
3117	Marble Beige	3117-0001-2	
3118	Sauterne	3118-0001-2	
3122	Mid Black	3122-0001-2	
3123	Antique White	3123-0001-2	
3124	Natural Grey	3124-0001-2	
3127	Hemp	3127-0001-2	
3130	Sand Beige	3130-0001-2	
3134	Sandstone	3134-0001-2	
3135	Mocha	3135-0001-2	
3138	River Rock	3138-0001-2	
3139	Mushroom	3139-0001-2	
3140	Latte	3140-0001-2	
3141	Kashmir	3141-0001-2	
3142	Platinum	3142-0001-2	
3143	Choc Truffle	3143-0001-2	
3144	Bright White	3144-0001-2	
3145	Raven	3145-0001-2	
3146	Quarry Red	3146-0001-2	
3150	Sea Glass	3150-0001-2	
3152	Tst Almond	3152-0001-2	
3153	Twilight Blue	3153-0001-2	
3155	Tawny	3155-0001-2	
3156	Dst Khaki	3156-0001-2	
3157	Hot Cocoa	3157-0001-2	
3158	Terra Cotta	3158-0001-2	
3159	Espresso	3159-0001-2	
3160	Dusty Grey	3160-0001-2	
3161	Parchment	3161-0001-2	
3166	Chest Brown	3166-0001-2	
3167	Autm Green	3167-0001-2	
3178	Ster Silver	3178-0001-2	
3181	Butt Cream	3181-0001-2	
3185	Almond	3185-0001-2	
3188	Sil Shadow	3188-0001-2	
3189	Smoke Grey	3189-0001-2	
3190	Light Pewter	3190-0001-2	
3191	Slate Grey	3191-0001-2	
3192	Saltillo	3192-0001-2	

COLOR CHART PART NUMBERS

Premium Acrylic Caulk – Sanded

COLOR NO.	COLOR NAME	PART NO.	CUSTOMER ITEM NO.
7244	Bright White	7244-0601-2	
7218	Sauterne	7218-0601-2	
7216+	Siltstone	7216-0601-2	
7285	Almond	7285-0601-2	
7203+	Silk	7203-0601-2	
7223	Antique White	7223-0601-2	
7239	Mushroom	7239-0601-2	
7241	Kashmir	7241-0601-2	
7281	Butter Cream	7281-0601-2	
7252+	Toasted Almond	7252-0601-2	
7255	Tawny	7255-0601-2	
7217	Marble Beige	7217-0601-2	
7240	Latte	7240-0601-2	
7261	Parchment	7261-0601-2	
7230	Sand Beige	7230-0601-2	
7256	Desert Khaki	7256-0601-2	
7238+	River Rock	7238-0601-2	
7227	Hemp	7227-0601-2	
7257	Hot Cocoa	7257-0601-2	
7292+	Saltillo	7292-0601-2	
7258	Terra Cotta	7258-0601-2	
7246+	Quarry Red	7246-0601-2	
7243	Chocolate Truffle	7243-0601-2	
7266	Chestnut Brown	7266-0601-2	
7259+	Espresso	7259-0601-2	
7235	Mocha	7235-0601-2	
7250+	Sea Glass	7250-0601-2	
7267+	Autumn Green	7267-0601-2	
7253+	Twilight Blue	7253-0601-2	
7242	Platinum	7242-0601-2	
7291+	Slate Grey	7291-0601-2	
7288	Silver Shadow	7288-0601-2	
7289	Smoke Grey	7289-0601-2	
7290	Light Pewter	7290-0601-2	
7234+	Sandstone	7234-0601-2	
7278	Sterling Silver	7278-0601-2	
7224	Natural Grey	7224-0601-2	
7260	Dusty Grey	7260-0601-2	
7245	Raven	7245-0601-2	
7222	Midnight Black	7222-0601-2	

Premium Acrylic Caulk – Unsanded

COLOR NO.	COLOR NAME	PART NO.	CUSTOMER ITEM NO.
7144	Bright White	7144-0601-2	
7118	Sauterne	7118-0601-2	
7185	Almond	7185-0601-2	
7123	Antique White	7123-0601-2	
7139	Mushroom	7139-0601-2	
7117	Marble Beige	7117-0601-2	
7140	Latte	7140-0601-2	
7127+	Hemp	7127-0601-2	
7135	Mocha	7135-0601-2	
7153+	Twilight Blue	7153-0601-2	
7142+	Platinum	7142-0601-2	
7191+	Slate Grey	7191-0601-2	
7188+	Silver Shadow	7188-0601-2	
7189	Smoke Grey	7189-0601-2	
7190+	Light Pewter	7190-0601-2	
7178+	Sterling Silver	7178-0601-2	
7124	Natural Grey	7124-0601-2	
7160	Dusty Grey	7160-0601-2	
7145+	Raven	7145-0601-2	
7122	Midnight Black	7122-0601-2	

◆ SKUs stocked in Texas only. Allow one week for delivery.

COLOR CHART PART NUMBERS

LATASIL™

COLOR NO.	COLOR NAME	10.3 OZ PART NUMBER	CUSTOMER ITEM NUMBER	5 GAL PART NUMBER	CUSTOMER ITEM NUMBER
6203	Silk	6203-0120-2		6203-0045-2	
6216	Siltstone	6216-0120-2		6216-0045-2	
6218	Sauterne	6218-0120-2		6218-0045-2	
6227	Hemp	6227-0120-2		6227-0045-2	
6234	Sandstone	6234-0120-2		6234-0045-2	
6238	River Rock	6238-0120-2		6238-0045-2	
6241	Kashmir	6241-0120-2		6241-0045-2	
6243	Chocolate Truffle	6243-0120-2		6243-0045-2	
6245	Raven	6245-0120-2		6245-0045-2	
6246	Quarry Red	6246-0120-2		6246-0045-2	
6253	Twilight Blue	6253-0120-2		6253-0045-2	
6281	Butter Cream	6281-0120-2		6281-0045-2	
6290	Light Pewter	6290-0120-2		6290-0045-2	
6291	Slate Grey	6291-0120-2		6291-0045-2	
6292	Saltillo	6292-0120-2		6292-0045-2	
6200	Clear	6200-0120-2		6200-0045-2	
6217	Marble Beige	6217-0120-2		6217-0045-2	
6222	Midnight Black	6222-0120-2		6222-0045-2	
6223	Antique White	6223-0120-2		6223-0045-2	
6224	Natural Grey	6224-0120-2		6224-0045-2	
6230	Sand Beige	6230-0120-2		6230-0045-2	
6235	Mocha	6235-0120-2		6235-0045-2	
6239	Mushroom	6239-0120-2		6239-0045-2	
6240	Latte	6240-0120-2		6240-0045-2	
6242	Platinum	6242-0120-2		6242-0045-2	
6244	Bright White	6244-0120-2		6244-0045-2	
6250	Sea Glass	6250-0120-2		6250-0045-2	
6252	Toasted Almond	6252-0120-2		6252-0045-2	
6255	Tawny	6255-0120-2		6255-0045-2	
6256	Desert Khaki	6256-0120-2		6256-0045-2	
6257	Hot Cocoa	6257-0120-2		6257-0045-2	
6258	Terra Cotta	6258-0120-2		6258-0045-2	
6259	Espresso	6259-0120-2		6259-0045-2	
6260	Dusty Grey	6260-0120-2		6260-0045-2	
6261	Parchment	6261-0120-2		6261-0045-2	
6266	Chestnut Brown	6266-0120-2		6266-0045-2	
6267	Autumn Green	6267-0120-2		6267-0045-2	
6278	Sterling Silver	6278-0120-2		6278-0045-2	
6285	Almond	6285-0120-2		6285-0045-2	
6288	Silver Shadow	6288-0120-2		6288-0045-2	
6289	Smoke Grey	6289-0120-2		6289-0045-2	

◆ SKUs stocked in Texas only. Allow one week for delivery. ** 5 Gal. LATASIL™ version are all custom orders - please expect up to 3 weeks for delivery. Must be ordered in quantities of 10 per batch, per color.

All products shown below have been discontinued. Please see alternate option listed.

Product Discontinuations - Effective March 1st, 2020

Discontinued SKU's - Effective March 1, 2020			Suggested Replacement SKU(s)		
Item Number	Product	Description/Size	Item Number	Product	Description/Size
Adhesives					
0253-0025-21-1	253R GOLD RAPID	GREY/25LB/11.3KG	0253-0050-21-1	253R GOLD RAPID	GREY/50LB/22.7KG
0253-0025-22-1	253R GOLD RAPID	WHITE/25LB/11.3KG	0253-0050-22-1	253R GOLD RAPID	WHITE/50LB/22.7KG
0258-0050-21	SURE SET	GREY/50LB/22.7KG			
0272-0050-21	272 MORTAR	GREY/50LB/22.7KG			
0251-0050-22	251 BRONZE	WHITE/50LB/22.7KG			
0258-0050-22	SURE SET	WHITE/50LB/22.7KG			
0295-0050-21	295 CST MORTAR	GREY/50LB/22.7KG	0295-0050-22	295 CST MORTAR	WHITE/50LB/22.7KG
Grouts & Sealants					
S-216P1-NS-02	SPECTRALOCK PRO GROUT	FULL UNIT			
S-228P4-NS-03	EPOXY POINTING MORTAR	COMMERCIAL UNIT			
1776-0064-21	1776 GROUT ENHANCER WITH MICRO	6X64OZ/1.85L			
1776-0047-21	1776 GROUT ADMIX WITH MICROBAN	6X47OZ CARTON			
1776-0005-21	1776 GROUT ENHANCER WITH MICRO	5 GAL/19L			
1690-0025-2	1600 UNSANDED GROUT	LIGHT PEWTER/25LB/11.3KG			
1344-0409-2	EPOXY POINTING MORTAR PART C P	BRIGHT WHITE/4X9LB/4.1KG	1244-0409-2	SPECTRALOCK GROUT PART C POWDE	BRIGHT WHITE/4X9LB/4.1KG
1776-0026-21	1776 GROUT ENHANCER WITH MICRO	12X26OZ/0.8L			
1324-0409-2	EPOXY POINTING MORTAR PART C P	NATURAL GREY/4X9LB/4.1KG	1224-0409-2	SPECTRALOCK GROUT PART C POWDE	NATURAL GREY/4X9LB/4.1KG
2200-0014-2	PLASMA	TRANSLUCENT/14.8LB/6.7KG	2300-0014-2	READY-TO-USE 1GAL TRANSLUCENT	TRANS 1 GAL/4.5L 14LB/6.3KG
2600-B005-2	PERMACOLOR SELECT COLOR KIT	10X1 BOSTIK MOBE PEARL H 145			
2600-B003-2	PERMACOLOR SELECT COLOR KIT	10X1 BOSTIK ANTIQUE WHITE H 189			
2600-B004-2	PERMACOLOR SELECT COLOR KIT	10X1 BOSTIK ALABASTER H 189			
2600-B009-2	PERMACOLOR SELECT COLOR KIT	10X1 BOSTIK LATTE H 192			
2600-B006-2	PERMACOLOR SELECT COLOR KIT	10X1 BOSTIK LINEN H 163			
2600-B010-2	PERMACOLOR SELECT COLOR KIT	10X1 BOSTIK SAND BEIGE H 148			
2600-M009-2	PERMACOLOR SELECT COLOR KIT	10X1 LIGHT ALMOND			
7103-0601-2	PREMIUM ACRYLIC CAULK	SILK/6X10.5OZ/310ML	6203-0120-2	LATASIL	SILK/10.3OZ/305ML CARTRIDGE
7156-0601-2	PREMIUM ACRYLIC CAULK	ACRYLIC/6X10.5OZ/310ML	6256-0120-2	LATASIL - DESERT KHAKI	DESERT KHAKI/10.3OZ/305ML
7130-0601-2	PREMIUM ACRYLIC CAULK	SAND BEIGE UNSANDED/6X10.5OZ/3	6230-0120-2	LATASIL - SAND BEIGE	SAND BEIGE/10.3OZ/305ML
7161-0601-2	PREMIUM ACRYLIC CAULK	PARCHMENT/6X10.5OZ/310ML	6261-0120-2	LATASIL - PARCHMENT	PARCHMENT/10.3OZ/305ML
7181-0601-2	PREMIUM ACRYLIC CAULK	BUTTER CREAM UNSANDED/6X10.5OZ	6281-0120-2	LATASIL	BUTTER CREAM/10.3OZ/305ML CART
7166-0601-2	PREMIUM ACRYLIC CAULK	CHESTNUT BROWN UNSANDED/6X10.5	6266-0120-2	LATASIL - CHESTNUT BROWN	CHESTNUT BROWN/10.5OZ/305 ML
7116-0601-2	PREMIUM ACRYLIC CAULK	SILTSTONE/6X10.5OZ/310ML	6216-0120-2	LATASIL	SILTSTONE/10.3OZ/305ML CARTRID
7152-0601-2	PREMIUM ACRYLIC CAULK	TOASTED ALMOND/6X10.5OZ/310ML	6252-0120-2	LATASIL - TOASTED ALMOND	TOASTED ALMOND/10.3OZ/305ML
7141-0601-2	PREMIUM ACRYLIC CAULK	KASHMIR UNSANDED/6X10.5OZ/310M	6241-0120-2	LATASIL	KASHMIR/10.3OZ/305ML CARTRIDGE
7159-0601-2	PREMIUM ACRYLIC CAULK	ESPRESSO/6X10.5OZ/310ML	6259-0120-2	LATASIL - ESPRESSO	ESPRESSO/10.3OZ/305ML
7143-0601-2	PREMIUM ACRYLIC CAULK	CHOCOLATE TRUFFLE UNSANDED/6X1	6243-0120-2	LATASIL	CHOC TRUFFLE/10.5OZ/310ML CART
7134-0601-2	PREMIUM ACRYLIC CAULK	SANDSTONE/6X10.5OZ/310ML	6234-0120-2	LATASIL	SANDSTONE/10.3OZ/305ML CARTRID
7158-0601-2	PREMIUM ACRYLIC CAULK	TERRA COTTA/6X10.5OZ/310ML	6258-0120-2	LATASIL - TERRA COTTA	TERRA COTTA/10.3OZ/305ML
7150-0601-2	PREMIUM ACRYLIC CAULK	SEA GLASS UNSANDED/6X10.5OZ/31	6250-0120-2	LATASIL	SEA GLASS/10.3OZ/305ML
7157-0601-2	PREMIUM ACRYLIC CAULK	HOT COCOA/6X10.5OZ/310ML	6257-0120-2	LATASIL	HOT COCOA/10.3OZ/305ML
7146-0601-2	PREMIUM ACRYLIC CAULK	QUARRY RED UNSANDED/6X10.5OZ/3	6246-0120-2	LATASIL	QUARRY RED/10.3OZ/305ML CARTRID
7155-0601-2	PREMIUM ACRYLIC CAULK	TAWNY/6X10.5OZ/310ML	6255-0120-2	LATASIL	TAWNY/10.3OZ/305ML CARTRIDGE
7192-0601-2	PREMIUM ACRYLIC CAULK	SALTILLO UNSANDED/6X10.5OZ/310	6292-0120-2	LATASIL	SALTILLO/10.3OZ/305ML CARTRIDG
7138-0601-2	PREMIUM ACRYLIC CAULK	RIVER ROCK UNSANDED/6X10.5OZ/3	6238-0120-2	LATASIL	RIVER ROCK/10.3OZ/305ML CARTRI
7167-0601-2	PREMIUM ACRYLIC CAULK	AUTUMN GREEN/6X10.5OZ/310ML	6276-0120-2		
Concrete Remediation					
4171-0401-2	DRYTEK LEVELEX PRIMER (1 GAL)	CARTON/4X1GAL/4X3.8L	0905-0401-2	NXT PRIMER	CARTON/4X1GAL/4X3.8L
4130-0055-21	DRYTEK LEVELEX FR	GREY/55LB/25KG		none	
4121-0055-22	DRYTEK LEVELEX DL	WHITE/55LB/25KG	0908-0055-22	NXT LEVEL DL	WHITE/55LB/25KG
4151-0003-2	DRYTEK MOISTURE VAPOR BARRIER	KIT.75GAL/2.8LIT/1.74GAL/6.6L	0906-0003-2, 9220-0003-2		
4171-0005-2	DRYTEK LEVELEX PRIMER (5 GAL)	PAIL/5GAL/19L	0905-0005-2	NXT PRIMER	PAIL/5GAL/19L
4151-0055-2	MVB PIGMENT BASE FULL KIT	KIT/A2 2GAL/7.5LIT/B3.8GAL/14L	9220-0055-2	SPARTACOTE MVB FULL KIT	PIGMENT BASE/6.0 GAL KIT
4151-0022-2	MVB PIGMENT BASE MINI KIT	KIT/A0.8GAL/3LIT/B1.4GAL/5.3LI	9220-0022-2	SPARTACOTE MVB MINI KIT	PIGMENT BASE/2.2 GAL KIT
4120-0055-21	DRYTEK LEVELEX DL	GREY/55LB/25KG	0907-0055-21	NXT LEVEL DL	GREY/55LB/25KG
4151-0006-2	DRYTEK MOISTURE VAPOR BARRIER	KIT/A2 5GAL/9.4LIT/B7GAL/26.4L	0906-0006-2, 9220-0006-2		
4168-0302-2	DRYTEK EPOXY PRIMER	2 GALLON KIT	0909-0302-2	NXT EPOXY PRIMER	2 GALLON KIT
4118-0055-21	DRYTEK LEVELEX PLUS	GREY/55LB/25KG	0901-0055-21	NXT LEVEL PLUS	GREY/55LB/25KG
S-09200-NS-05	BLUE 92 ANTI-FRACTURE MEMBRANE	5GAL/19L	9200-0001-2	BLUE 92 ANTI-FRACTURE MEMBRANE	5GAL/19L/300SQFT (27.6SQM)
4172-0325-2	DRYTEK DECOUPLING MAT	(blank)		none	
4135-0025-21	DRYTEK PATCH	GREY/25LB/11.3KG	0904-0025-21	NXT PATCH	GREY/25LB/11.3KG
4168-0010-2	DRYTEK EPOXY PRIMER	10 GALLON KIT	0909-0010-2	NXT EPOXY PRIMER	10 GALLON KIT
0904-CC25-21	PATCH (GREY)	GREY/25LB/11.3KG	0904-0025-21	NXT PATCH	GREY/25LB/11.3KG
4190-0410-21	DRYTEK SKIMCOAT	CARTON/4X10LB/4.5KG	0902-0410-21	NXT SKIM	CARTON/4X10LB/4.5KG
4111-0050-21	DRYTEK LEVELEX	GREY/50LB/22.7KG	0900-0050-21	NXT LEVEL	GREY/50LB/22.7KG
Surface Care					
D14608454	ST HEAVY DUTY GROUT SEALER	1 PINT/16OZ (473ML)	D14670191	ST HEAVY DUTY GROUT SEALER Quart	1 QUART/32OZ (946ML)
D15022163	ST HD SEALER + REVITALIZER KIT	HD SEALER QT+REVITALIZER® 24OZ			
D12512246	STCA QUARTZ & TILE CLEANER RTU	24OZ (709ML) SPRAY BO	D12752527	STCA STONE & TILE CLEANER RTU	24OZ (709ML) SPRAY BO
D14636883	ST ENHANCER SEALER	5 GALLON DRUM (18.9ML)	D14636898	ST ENHANCER SEALER	1 GALLON (3.8L)
D12781622	STCA ENHANCER PRO SEALER	1 PINT/16OZ (473ML)	D15125546	STCA ENHANCER PRO SEALER Quart	1 QUART/32OZ (946ML)
D15146554	STCA HD SEALER&REVITALIZER KIT	HD SLR PINT + REVITALIZER 24OZ			
D15130544	STCA HEAVY DUTY SEALER	1 GALLON (3.8L)	D15130536	STCA HEAVY DUTY SEALER Quart	1 QUART/32OZ (946ML)
D14906326	STCA QUARTZ & PORCLN TILE SEAL	1 QUART/32OZ (946ML)	D15130536	STCA HEAVY DUTY SEALER	1 QUART/32OZ (946ML)
D15064888	STCA HEAVY DUTY GROUT SEALER	1 PINT/16OZ (473ML)	D15064868	STCA HEAVY DUTY GROUT SEALER Pint	1 PINT/16OZ (473ML)
D15100383	STCA REVITALIZER C&P RTU CITR	CITRUS/24OZ SPRAY BO/GIFT BOX	D15100373	STCA REVITALIZER C&P RTU CITR	CITRUS/24OZ (709ML) SPRAY BO
D14608369	ST REVITALIZER C&P RTU CITRUS	CITRUS/24OZ (709ML) GIFT BOX	D14608351	ST REVITALIZER C&P RTU CITRUS	CITRUS/24OZ (709ML) SPRAY BO
D15130629	STCA SEALER	1 QUART/32OZ (946ML)	D15130536	STCA Heavy Duty Sealer	1 QUART/32OZ (946ML)
D14912021	ST QUARTZ & PORCLN TILE SEALER	2OZ SAMPLE /NOT FOR RESALE	D14924278	ST HEAVY DUTY SEALER sample	2OZ SAMPLE /NOT FOR RESALE

All products shown below have been discontinued. Please see alternate option listed.

Product Discontinuations - Effective March 1st, 2020

Discontinued SKU's - Effective March 1, 2020			Suggested Replacement SKU(s)		
Item Number	Product	Description/Size	Item Number	Product	Description/Size
Resinous Coatings / Construction Chemicals					
9156-0005-2	FLEX PURE PIG PT B	CLEAR/5 GAL	9146-0005-2	FLEX PURE PT B	CLEAR/5 GAL
9119-0005-2	FLEX SB PT B PIG	CLEAR/5 GAL	9106-0005-2	FLEX SB PT B	CLEAR/5 GAL
9234-0005-2	SURFACEBUILD 150 PT B	CLEAR/5 GAL	9805-0005-2	SL TOPPING KIT	5 GAL KIT (A + B)
9233-0005-2	SURFACEBUILD 150 PT A	CLEAR/5 GAL	9805-0005-2	SL TOPPING KIT	5 GAL KIT (A + B)
9505-0005-2	FAST-FIX PT A	PAIL/5GAL	9500-0002-2	FAST-FIX ; KIT	2 GAL KIT
9234-0005-7	SURFACEBUILD 150 PIG PT A	LIGHT GREY/5 GAL	9805-0005-7	SL TOPPING KIT LIGHT GREY	
9506-0005-2	FAST-FIX PT B	PAIL/5GAL	9500-0002-2	FAST-FIX ; KIT	2 GAL KIT
9110-0002-2	FLEX SB LOW GLOSS; KIT	CLEAR/2 GAL - KIT			
9230-0002-2	SURFACEBUILD 150 PART A	CLEAR/2 GAL	9805-0005-2	SL TOPPING KIT	5 GAL KIT (A + B)
9234-0005-8	SURFACEBUILD 150 PIG PT A	MEDIUM GREY/5 GAL	9805-0005-8	SL TOPPING KIT MED GREY	
9231-0001-2	SURFACEBUILD 150 PART B	CLEAR PT B/1 GAL	9805-0005-2	SL TOPPING KIT	5 GAL KIT (A + B)
9226-0005-2	SURFACEBUILD 110 PT A	CLEAR/5 GAL	9807-0005-2	GENERAL PRIMER KIT	5 GAL KIT (A + B)
9228-0005-2	SURFACEBUILD 110 PT B	CLEAR/5 GAL	9807-0005-2	GENERAL PRIMER KIT	5 GAL KIT (A + B)
9449-0032-2	METALLIC PIGMENT	CHROME/32OZ	9450-0008-2	METALLIC PIGMENT	CHROME/8OZ
9461-0032-2	METALLIC PIGMENT	GUNMETAL GREY/32OZ	9462-0008-2	METALLIC PIGMENT	GUNMETAL GREY/8OZ
9409-0005-2	SPARTACOTE VIVID DYE	CHOCOLATE/5OZ			
9219-0002-12	SURFACEBUILD 110 KIT	SAND BEIGE/2 GAL-KIT	9805-0005-12	SL TOPPING KIT SAND BEIGE	
9405-0005-2	SPARTACOTE VIVID DYE	CARAMEL/5OZ			
9130-0002-2	FLEX XT; KIT	CLEAR/2 GAL - KIT			
9457-0032-2	METALLIC PIGMENT	COPPER/32OZ	9458-0008-2	METALLIC PIGMENT	COPPER/8OZ
9218-0002-7	SURFACEBUILD 110 KIT	LIGHT GREY/2 GAL-KIT	9805-0005-7	SL TOPPING KIT LIGHT GREY	
9441-0032-2	METALLIC PIGMENT	ARCTIC ICE/32OZ	9442-0008-2	METALLIC PIGMENT	ARCTIC ICE/8OZ
9455-0032-2	METALLIC PIGMENT	COFFEE/32OZ	9456-0008-2	METALLIC PIGMENT	COFFEE/8OZ
9234-0005-10	SURFACEBUILD 150 PIG PT A	WHITE/5 GAL	9805-0005-2	SL TOPPING KIT	5 GAL KIT (A + B)
9413-0005-2	SPARTACOTE VIVID DYE	WALNUT/5OZ			
9408-0005-2	SPARTACOTE VIVID DYE	MAHOGANY/5OZ			
9401-0005-2	SPARTACOTE VIVID DYE	RAW SIENNA/5OZ			
9236-0001-15	EPOXY PIGMENTS	SAFTEY YELLOW/1 QT			
9451-0032-2	METALLIC PIGMENT	DEEP CHERRY/32OZ	9452-0008-2	METALLIC PIGMENT	DEEP CHERRY/8OZ
9447-0032-2	METALLIC PIGMENT	WALNUT/32OZ	9448-0008-2	METALLIC PIGMENT	WALNUT/8OZ
9443-0032-2	METALLIC PIGMENT	ASPEN SUNSET/32OZ	9444-0008-2	METALLIC PIGMENT	ASPEN SUNSET/8OZ
9137-0002-2	FLEX XT PIG BASE; KIT	CLEAR/2 GAL-KIT			
9459-0032-2	METALLIC PIGMENT	ELECTRIC ORANGE/32OZ	9460-0008-2	METALLIC PIGMENT	ELECTRIC ORANGE/8OZ
9416-0005-2	SPARTACOTE VIVID DYE	BLACK/5OZ			
9412-0005-2	SPARTACOTE VIVID DYE	DARK ALDER/5OZ			
9414-0005-2	SPARTACOTE VIVID DYE	SAPPHIRE/5OZ			
9453-0032-2	METALLIC PIGMENT	COBALT BLUE/32OZ	9454-0008-2	METALLIC PIGMENT	COBALT BLUE/8OZ
9464-0008-2	METALLIC PIGMENT	ROYAL PURPLE/8OZ			
9445-0032-2	METALLIC PIGMENT	SPANISH GOLD/32OZ	9446-0008-2	METALLIC PIGMENT	SPANISH GOLD/8OZ
9463-0032-2	METALLIC PIGMENT	ROYAL PURPLE/32OZ			
9410-0005-2	SPARTACOTE VIVID DYE	TURQUOISE/5OZ			
9406-0005-2	SPARTACOTE VIVID DYE	GREEN/5OZ			
9407-0005-2	SPARTACOTE VIVID DYE	PUMPKIN/5OZ			
9234-0005-17	SURFACEBUILD 150 PIG PT A	CUSTOM/5 GAL	9805-0005-2	SL TOPPING KIT	5 GAL KIT (A + B)
Membranes / Shower Systems / STRATA HEAT					
0800-0003-2S	FLOOR WARMING THERMOSTAT	SINGLE/120V/5MA/2LB			
9257-0401-2	LATICRETE AIR & WATER BARRIER	4X1GAL/4X3.8L	9257-0005-2	A&WB 5gal	5GAL/19L
9455-0412-MC	HYDRO BAN VALVE COLLAR 4 1/2"	MIXING VALVE COLLAR/4 1/2"/11	9455-0938-MV	HYDRO BAN Mixing Valve Seal	
9315-0808-S	HYDRO BAN PREFORMED NICHE	8X8IN/20X20CM SOAP			
9450-0112-2	HYDRO BAN BOARD	1 1/2"X3"X5' HYDRO BAN BOARD			
9305-1111-B	HYDRO BAN PREFORMED BENCH	11.5X11.5X20IN/29.2X29.2X50.8C	9305-3511-B	Bench 35" x 11.5" x 20"	35X11.5X20IN/88.2X29X50.8CM
9306-1111-T	HYDRO BAN PREFORMED SHELF	11X11IN/27.9X27.9CM TRIANGLE			
9450-0038-2	HYDRO BAN BOARD	3/8"X3"X5' HYDRO BAN BOARD			
9201-1875-2	TRANSITION TAPE	CARTON/12X1UNIT/3INX75FT	9202-3750-2	CARTON/6X1UNIT/6INX75FT	CARTON/6X1UNIT/6INX75FT
9306-0707-T	HYDRO BAN PREFORMED SHELF	7X7IN/17.8X17.8CM TRIANGLE			
9306-0909-T	HYDRO BAN PREFORMED SHELF	9X9IN/22.9X22.9CM TRIANGLE			
9306-1111-C	HYDRO BAN PREFORMED SHELF	11X11IN/27.9X27.9CM CONVEX			

ORDER PLACEMENT

- Purchase orders are accepted via EDI, FAX, E-mail and online from Customer
- Purchase orders must contain the following information for processing:
 1. Purchase order number
 2. Ship to full name and address
 3. Purchasing agent contact name and phone number
 4. LATICRETE item numbers
 5. Quantity including unit of measure
 6. Price (*unit price*)
 7. Customer requested ship date
 8. Detailed shipping instructions or special requests (*ex. delivery time, tarp, forklift, Moffitt, etc.*)
 9. Name of carrier and account number (*collect only*)
 10. Bill to address (*third party billing only*)

PAYMENT TERMS

- Past due accounts are subject to 1.5% per month charge and will be placed on Collect on Delivery, or Collect in Advance.

DELIVERY TERMS

- Distributor to be charged for any and all surcharges (drop-offs, fuel, etc.)
- Orders returned to LATICRETE due to Customers inability to accept or unload is subject to reconsignment fees
- FOB LATICRETE Plant

SPECIAL ORDER ITEMS

- A written purchase order is required
- Special orders are not cancelable or returnable

CUSTOM ORDERS

- Follow same guidelines as Special Orders above, In addition:
 1. Custom orders ship directly to Distributor and may not be picked-up
 2. Customers are responsible for custom order freight
 3. Custom orders ship prepay and add not eligible for collect or third party shipping

SHIPPING

- Our standard shipping windows for requested ship dates:
 1. Small parcel ship within 24 hours
 2. LTL & T/L ship within 48 hours

★ *Holidays and weekends are excluded from the calculation* ★

Orders received after 2pm local plant time are dated as received the next day (12pm for RFC orders). All shipping windows start when order is released from any holds and are subject to product availability.

RETURN GUIDELINES

- Material returns require an RMA/RGA request for a return #
- Return requests must contain the following information for processing:
 1. Purchase order number
 2. LATICRETE item number
 3. Quantity
 4. Reason for return
- No restocking fee for returns requested within 72 hours from invoice date
- 30% restocking fee applies for returns greater than 72 hours from invoice date
- 10% additional restocking fee applies if repackaging or rework is required
- 100% restocking fee applies for any returned product that is identified as scrap
- Returns denied if:
 - Greater than 6 months from invoice date
 - Discontinued or obsolete material

CLAIMS/RETURNS

- Claims submission required within 72 hours from receipt of shipment
- Claims made after 72 hours from receipt of shipment will be denied
- Claims require the following information:
 1. Purchase order number
 2. LATICRETE item #
 3. Quantity
 4. Reason for claim
 5. Supporting photo(s) of damaged product
 6. Signed carriers delivery receipt noting damage to the product (carrier claims)

★ *All credits are issued as an A/R credit* ★

CHANGES TO PURCHASE ORDERS PLACED

- Requests to add/remove/change item or quantity from existing purchase orders must be made to Customer Service via email.
- Changes requests after purchase orders are processed are very limited
 1. Additions — May be processed on a separate sales order with every attempt made to ship along with the original order.
 2. Removals/Cancellations — May be subject to a restock or carrier cancellation fee if picked, packed and/or scheduled. Loaded orders cannot be canceled.
 3. Changes — Changes to items or quantity may not be possible after the order picking process has started. These request will be reviewed on a case by case basis for feasibility.
- If change is possible, the ship date will be “reset” using the standard ship window calculation

BACKORDERS

- Communicated to Customers via email and electronic backorder notifications
- Will ship along with your next truckload or Collect LTL shipment
- If shipped from alternate plant due to availability and freight charges were originally applicable, charges will remain based on originating plant cost
- All backorders will remain open unless requested to cancel

FREIGHT CHARGES

- Applicable freight from plant
- Truckloads are classified as >40k lbs or >24 pallets

FUEL SURCHARGES

- % of Net Charges
 1. Ship From NC, CT, IN, TX, PA = 34%
 2. Ship From FL, CA, OR = 30%

NOTIFICATIONS

- Electronic Order Confirmation, Shipping & Backorder Acknowledgments are available, contact Customer Service at CustomerService2@laticrete.com to request or update your contact information.
- Electronic Invoices are available, contact Accounts Receivable to request or update existing contacts.



CONTACT INFORMATION

CUSTOMER PICK-UP TIMES

Customer pick-up purchase orders require a sales order pick up number prior to arrival.

ORDER PLACED	PICK UP
By 10 am	After 1 pm
After 10 am and before 3 pm	Next business day after 9 am

CONTACT US

DEPARTMENTS	PHONE/FAX/EMAIL
Customer Service - North America: For order inquiries within the United States and Canada.	
Bethany, CT	phone: +1.800.243.4788 / fax: +1.203.393.0016 email: BethanyCS@laticrete.com
Hamlet, NC	phone: +1.866.290.0019 phone / fax: +1.910.582.8417 email: NCCustomerService@laticrete.com
West Palm Beach, FL	phone: +1.800.777.9235 / fax: +1.561.844.4669 email: WestPalmBeachCS@laticrete.com
Grand Prairie, TX	phone: +1.800.666.4237 / fax: +1.972.660.5365 email: TXCustomerService@laticrete.com
Corona, CA	phone: +1.800.825.8510 / fax: +1.844.583.9263 email: CoronaOrderDesk@laticrete.com
Lebanon, OR	phone: +1.888.825.0507 / fax: +1.503.290.7962 email: ORCustomerService@laticrete.com
Indianapolis, IN	phone: +1.800.999.3701 / fax: +1.317.298.4237 email: INCustomerService@laticrete.com
STONETECH®	email: stonetechnorders@laticrete.com
SPARTACOTE™	phone: +1.800.900.8165 email: spartacoteorders@laticrete.com
Customer Service - International: For order inquiries outside the United States and Canada.	+1.203.393.4510
Marketing Info System: For questions regarding websites, web applications or mobile applications.	+1.203.393.4607
General Information: For general inquiries within the United States, Canada and International.	+1.800.243.4788
Marketing: For inquiries regarding marketing tools and support.	+1.203.393.4611
Sales - North America: For sales inquiries within the United States and Canada.	+1.203.393.3722
Sales - International: For sales inquiries outside the United States and Canada.	+1.203.393.4502
Technical Services: For questions related to product installation.	+1.800.243.4788 x1235
Fax Main Number	+1.203.393.1684
Fax Technical Service	+1.203.393.1948