



VINYL & RUBBER ACCESSORIES

Product Catalog 2022





The information in this catalog is gathered from customers, end users, and our personal experiences. The products have been created to provide you with solutions for today's transition challenges.

We would like to thank you for your patronage and for giving us the opportunity to become "Your Flooring Accessories Specialist". Being "Your Flooring Accessories Specialist" means ...

- We will provide the best service in the industry by utilizing a team of dedicated Customer Service Specialists.
- Our product will maintain a high degree of consistency and quality to meet the needs of our customers, by manufacturing our product to ISO standards.
- We will incorporate our customers input when making decisions, by using ideas and suggestions brought to us.
- All our business dealings will be handled with integrity, by ensuring customers and suppliers alike know the facts.
- New product innovation will be an integral part of our business strategy, by continually anticipating market trends and designing the accessories demanded by the industry.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

Toll free: 1 800 565 6653

E-mail: service@mdteam.com

Website: www.mdpro.com

TABLE OF CONTENTS

VINYL WALL BASE

VX250	Pg. 04
VX400	Pg. 04
VX600	Pg. 04

CONTRACTOR VINYL WALL BASE

CX400	Pg. 04
-------	--------

RUBBER WALL BASE

RR250	Pg. 05
RR400	Pg. 05
RR600	Pg. 05

DESIGNER WALL BASE

EB450	Pg. 05
CB425	Pg. 06
CB450	Pg. 06
PB450	Pg. 06

QUARTER ROUND

QR6875	Pg. 06
--------	--------

TUB MOLDING

CBTM150WHT60	Pg. 06
CBTM150WHT60DB	Pg. 06

PVC CHANNEL EXTENDER

CX1000	Pg. 07
CX1100	Pg. 07

VINYL E + T CAPS - NARROW

CM1110	Pg. 07
CM1120	Pg. 07
CM1111	Pg. 08
CM1121	Pg. 08
CM1125	Pg. 08

VINYL E + T CAPS - WIDE

CM1150	Pg. 09
CM1171	Pg. 09
CM1191	Pg. 09
CM1151	Pg. 10

CM1161	Pg. 10
CM1181	Pg. 10
CM1165	Pg. 11

VINYL REDUCERS

CM1200	Pg. 11
CM1300	Pg. 11
RD2400	Pg. 11
RD2330	Pg. 12
RD2320	Pg. 12
RD2010	Pg. 12
RD2020	Pg. 12
RD2030	Pg. 12
RD2040	Pg. 12
RD2050	Pg. 13
RDV149	Pg. 13
RD2150	Pg. 13
RD2130	Pg. 14
RD2147	Pg. 14
RD2148	Pg. 14
RD2151	Pg. 14

VINYL STAIR NOSING

NS4010	Pg. 14
NS4020	Pg. 14
NS4023	Pg. 14
NS4120	Pg. 15
NS4121	Pg. 15
NS4122	Pg. 15
NS4024	Pg. 15
NS4030	Pg. 15
NS4700	Pg. 16
NT4220	Pg. 16
NT4230	Pg. 16
NT4310	Pg. 17
NT4320	Pg. 17
NT4330	Pg. 17

VINYL STAIR TREADS

ST5010	Pg. 18
ST5030	Pg. 18
SR5080	Pg. 18

VINYL WALL CAPS

CC1010	Pg. 19
CC1020	Pg. 19
CC1060	Pg. 19
CC2050PS	Pg. 19
CC1040	Pg. 20
CC1030	Pg. 20

CORNER GUARD

CG1515	Pg. 20
--------	--------

FILLET STRIP

FL3010	Pg. 21
FL3011	Pg. 21
FL3020	Pg. 21

EXPANSION JOINT COVER

RD3000	Pg. 21
--------	--------

FLOOR EQUALIZER

RD9125	Pg. 22
RD9250	Pg. 22
RD9375	Pg. 22
RD9500	Pg. 22

COLOR ASSORTMENT


.....	Pg. 23
-------	--------

WARRANTY & POLICIES


.....	Pg. 24
-------	--------

VINYL & RUBBER PRODUCTS

The M-D PRO vinyl and rubber extrusion process is one that has been perfected over 60 years with the capability to provide a broad range of profiles and designer colors that are sure to aid in a well-crafted and finished end project. Our wall base, trim, stair treads, nosing and more are easy to install and maintain. Our vinyl and rubber extruded products are flexible, durable, scuff and scratch resistant and are made of 100% virgin material.



VINYL WALL BASE



High quality vinyl Cove Base manufactured using 100% virgin materials. Advanced co-extrusion technology allows for tough scuff-resistant surface while maintaining overall flexibility and ease of installation.

Unique "V-Groove" glue lines provide greater surface area on back of base for vastly improved contact area.

Top return ensures close fit to wall.


The compounds used consist of durable high resin vinyls. We welcome your custom color inquiries. Certain minimums apply.

Profile Numbers	Dimensions	Pack Size	Pallet Size	Colors
VX250	G=0.080"(2mm), H=2-1/2"(6.4cm)	120' rolls	72 cartons for 120'roll	Available in all colors, refer to page 23
TX250 (Toeless)	G=0.080"(2mm), H=2-1/2"(6.4cm)	or 4' strips	49 cartons for 4' strips	
VX400	G=0.080"(2mm)", H=4"(10.2cm)	120' rolls	40 cartons for 120'roll	
TX400 (Toeless)	G=0.080"(2mm), H=4"(10.2cm)	or 4' strips	49 cartons for 4' strips	
VX600	G=0.080"(2mm), H=6"(15.3cm)	120' rolls	20 cartons for 120'roll	
TX600 (Toeless)	G=0.080"(2mm), H=6"(15.3cm)	or 4' strips	30 cartons for 4' strips	
RV250	G=1/8"(3.2mm), H=2-1/2"(6.4cm)	120' rolls	72 cartons for 120'roll	
TV250 (Toeless)	G=1/8"(3.2mm), H=2-1/2"(6.4cm)	or 4' strips	49 cartons for 4' strips	
RV400	G=1/8"(3.2mm), H=4"(10.2cm)	120' rolls	40 cartons for 120'roll	
TV400 (Toeless)	G=1/8"(3.2mm), H=4"(10.2cm)	or 4' strips	49 cartons for 4' strips	
RV600	G=1/8"(3.2mm), H=6"(15.3cm)	120' rolls	20 cartons for 120'roll	
TV600 (Toeless)	G=1/8"(3.2mm), H=6"(15.3cm)	or 4' strips	30 cartons for 4' strips	

CONTRACTOR VINYL WALL BASE

Profile Numbers	Dimensions	Pack Size	Pallet Size	Colors
CX400	G=0.080"(2mm)", H=4"(10.2cm)	120' rolls or 4' Strips	40 cartons for 120'roll 49 cartons for 4' strips	Available in all colors, refer to page 23


PRE-MOLDED OUTSIDE CORNERS




Pre-Molded outside corners are available in 2 - 1/2", 4", 6" heights and in all colors. Please specify **VX, RV, Toeless** or **CX** (4" only) along with size and color.

VINYL BASE SPECIFICATIONS

Flooring accessories shown in the finishing schedule as VINYL WALL BASE shall be high resin content vinyl wall base as manufactured by M-D PRO. All base base shall be a height of (Specify 2 1/2"x 4" or 6") and a height of (Specify 4 foot strips or 120 foot coils) in (Specify toe or toeless) style. The wall base shall conform to the performance specifications fo CSA-AI 26.5 and to ASTM F1861-98. The wall base shall be supplied free of surface blemishes and imperfections. Only premium quality wall base adhesives will be used for installing this product. Use of any other adhesive will void the M-D PRO warranty.



RUBBER WALL BASE



High quality rubber Cove Base manufactured using 100% virgin materials. Advanced co-extrusion technology allows for a tough scuff-resistant surface while maintaining overall flexibility and ease of installation.

Unique "V-Groove" glue lines provide greater surface area on back of base for vastly improved contact area.

Top return ensures close fit to wall.

Profile Numbers	Dimensions	Pack Size	Pallet Size	Colors
RR250	G=1/8"(3.2mm), H=2-1/2"(6.4cm)	120' rolls	72 cartons for 120' roll	Available in all colors, refer to page 23
TR250 (Toeless)	G=1/8"(3.2mm), H=2-1/2"(6.4cm)	or 4' Strips	49 cartons for 4' strips	
RR400	G=1/8"(3.2mm), H=4"(10.2cm)	120' rolls	40 cartons for 120' roll	
TR400 (Toeless)	G=1/8"(3.2mm), H=4"(10.2cm)	or 4' Strips	49 cartons for 4' strips	
RR600	G=1/8"(mm), H=6"(15.3cm)	120' rolls	20 cartons for 120' roll	
TR600 (Toeless)	G=1/8"(mm), H=6"(15.3cm)	or 4' Strips	30 cartons for 4' strips	


PRE-MOLDED OUTSIDE CORNERS




Pre-Molded outside corners are available in 2 - 1/2", 4", 6" heights and in all colors. Please specify **RR** or **TR** along with size and color.

RUBBER BASE SPECIFICATIONS

Flooring accessories shown in the finishing schedule as RUBBER WALL BASE shall be high resin content vinyl rubber modified wall base as manufactured by M-D PRO. All base base shall be a height of (Specify 2 1/2"x 4" or 6") and a height of (Specify 4 foot strips or 120 foot coils) in (specify toe or toeless) style. The wall base shall conform to the performance specifications for CSA-AI 26.5 and ASTM F1861-98. The wall base shall be supplied free of surface blemishes and imperfections. Only premium quality wall base adhesives will be used for installing this product. Use of any other adhesive will void the M-D PRO warranty.



DESIGNER WALL BASE




Estate Base made of heavy gauge vinyl. Smooth satin finish and intrinsic flexibility helps hide substrate irregularities. Deep grooves and several uniquely - shaped surfaces simulate milled wood moldings. Easy to cut and install.

LENGTH: 8 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Color
EB450	H=4-1/2"(11.4cm), W=3/8"(9.5mm)	Available in all colors, refer to page 23

DESIGNER WALL BASE



Contemporary Base. The heavy gauge vinyl material with deep groove design and satin finishing gives a luxurious look to high-end commercial jobs. Easy to cut and install.

LENGTH: 8 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------


CB425

H=4-1/4"(10.8cm), W=5/16"(7.9mm)

Available in all colors, refer to page 23

CB450

H=4-1/2"(11.4cm), W=3/8"(9.5mm)



Pinnacle Base. The heavy gauge vinyl material with deep groove design and satin finishing gives a luxurious look to high-end commercial jobs. Easy to cut and install.

LENGTH: 8 FT | PACK SIZE: 8 PCS


Profile Numbers	Dimensions	Color
-----------------	------------	-------

PB450

H=4-1/2"(11.4cm), W=1/4"(6.4mm)

Available in all colors, refer to page 23

QUARTER ROUND



Dent and water resistant, super strong self adhesive with no nails or caulking required. Product adheres to all clean and dry surfaces. Saves installation time, easy to cut and paintable.

LENGTH: 12 FT | PACK SIZE: 10 PCS


Profile Numbers	Dimensions	Color
		WHT

QR6875

H=11/16"(1.8cm), W=11/16"(1.8cm)

•

TUB MOLDING



Protects bath tub and flooring from scratches and water damage. Applied where flooring meets base of tub.

Available in **Self Stick (SS)** or **Dry Back (DB)**

LENGTH: 5 FT

Profile Numbers	Dimensions	Backing		Color
		SS	DB	WHT

CBTM150WHT60

H=1-1/2"(3.8cm), W = 0.42"(1.1cm)

•

•


CBTM150WHT60DB

H=1-1/2"(3.8cm), W = 0.42"(1.1cm)

•

•

PVC CHANNEL EXTENDER



Channel Extender. Made of Rigid PVC. Can be used on ceramic tile installations when inserted into track. This extender increases effective height of channel by 3/8".


LENGTH: 12 FT
PACK SIZE: CX1000 - 25 PCS, CX1100 - 50 PCS

Profile Numbers	Dimensions	Style		Color	
		NARROW	WIDE	WHT	BLK
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks		

CX1000 H=5/8"(1.6cm), W1=3/16"(4.8 mm) • •

CX1100 H=5/8"(1.6cm), W1=1/8"(3.2 mm) • •

VINYL E + T CAPS - NARROW




Regular T Cap for use where adjacent floors meet and color coordination is important. For residential or light commercial purposes. Use with CM1651, CM1659, CM1751, CM1752.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA **CM1110** H=1/4"(6.4mm), W1=7/8"(2.2cm), W2=1/8"(3.2mm) •

Available in all colors, refer to page 23



Regular E Cap for use where adjacent floors meet and color coordination is important. For residential or light commercial purposes. Use with CM1651, CM1659, CM1751, CM1752.


LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA **CM1120** H=1/4"(6.4mm), W1=7/8"(2.2cm), W2=1/8"(3.2mm) •

Available in all colors, refer to page 23

VINYL E + T CAPS - NARROW



Commercial T Cap for use where adjacent floors meet and color coordination is important. E- Cap for use on height differentials under 5/8". Made for high traffic commercial purposes. Use with CM1651, CM1659, CM1751, CM1752.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1111

H=1/4"(6.4mm), W1=1-1/2"(3.8cm), W2=1/8"(3.2mm)

Available in all colors, refer to page 23



Commercial E Cap for use where adjacent floors meet and color coordination is important. E- Cap for use on height differentials under 5/8". Made for high traffic commercial purposes. Use with CM1651, CM1659, CM1751, CM1752.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1121

H=1/4"(6.4mm), W1=1-1/2"(3.8cm), W2=1/8"(3.2mm)

Available in all colors, refer to page 23



Commercial E Cap with wood grain finish for use where adjacent floors meet and color coordination is important. E Cap for use on height differentials under 5/8". Made for high traffic commercial purposes. Use with CM1651, CM1751, CM1752, CM1659, CM1658.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1125

H=5/16"(7.9mm), W1=1-3/8"(3.5cm), W2=1/8"(3.2mm)

VINYL E + T CAPS - WIDE



Regular E Cap for use where adjacent floors meet and color coordination is important. For residential or light traffic area. Made for height differentials up to 3/8". Fits wide channels such as CM1655, CM1755, CM1759, CM1140, CM14270, CM14271.


LENGTH: 12 FT | PACK SIZE: 20 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1150

H=3/8" (9.5mm), W1=1-3/16" (3cm)
W2=3/16" (4.8mm)

Available in all colors, refer to page 23



Regular T Cap for use where adjacent floors meet and color coordination is important. For residential or light traffic area. Made for height differentials up to 3/8". Fits wide channels such as CM1655, CM1755, CM1759, CM1140, CM14270, CM14271.


LENGTH: 12 FT | PACK SIZE: 20 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1171

H=5/16" (7.9mm), W1=1-3/8" (3.5cm),
W2=3/16" (4.8mm)

Available in all colors, refer to page 23



Regular T Cap for use where adjacent floors meet and color coordination is important. For residential or light traffic area. Made for height differentials up to 3/8". Fits wide channels such as CM1655, CM1755, CM1759, CM1140, CM14270, CM14271.

LENGTH: 12 FT | PACK SIZE: 10 PCS


Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1191

H=7/16" (11.1mm), W1=2" (5cm),
W2=3/16" (4.8mm)

Available in all colors, refer to page 23

VINYL E + T CAPS - WIDE



Regular T Cap for use where adjacent floors meet and color coordination is important. For residential or light traffic area. Made for height differentials up to 5/8". Fits wide channels such as CM1655, CM1755, CM1759, CM1140, CM14270, CM14271.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1151

H=5/16"(7.9mm) , W1=1-1/2"(3.8cm),
W2=3/16" (4.8mm)

Available in all colors, refer to page 23



Regular E Cap for use where adjacent floors meet and color coordination is important. For residential or light traffic area. Made for height differentials up to 5/8". Fits wide channels such as CM1655, CM1755, CM1759, CM1140, CM14270, CM14271.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1161

H=5/16"(7.9mm) , W1=1-1/2"(3.8cm),
W2=3/16"(4.8mm)

Available in all colors, refer to page 23



Regular E Cap for use where adjacent floors meet and color coordination is important. For residential or light traffic area. Made for height differences up to 5/8". Fits wide channels such as CM1655, CM1755, CM1759, CM1140, CM14270, CM14271.

LENGTH: 12 FT | PACK SIZE: 20 PCS


Profile Numbers	Dimensions	Style		Color
		NARROW	WIDE	
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks	

ADA CM1181

H=1/2"(1.3cm) , W1=1-1/2"(3.8cm),
W2=3/16"(4.8mm)

Available in all colors, refer to page 23

VINYL E + T CAPS - WIDE




Residential E Cap for use where adjacent floors meet and color coordination is important. Use on height differentials under 5/8".

LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Style		Color		
		NARROW	WIDE	Oak	Red Oak	Walnut
		Use with all 1/8" (3.2 mm) wide cap tracks	Use with all 3/16" (4.8 mm) wide cap tracks			

ADA CM1165 H=5/16"(7.9mm), W1=1-1/2"(3.8cm), W2=3/16"(4.8mm)

VINYL REDUCERS



Carpet to Tile Divider for use where commercial carpet meets tile. Flexible lip allows use with 3/16" - 1/4" carpet meeting 0.080" - 1/8" tile or LVT.


LENGTH: 12 FT | PACK SIZE: 20 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

ADA CM1200 H=3/16"(4.8mm), W1=1"(2.5cm), W2=7/8"(2.2cm)

Available in all colors, refer to page 23

ADA CM1300 H=1/4"(6.4mm), W1=1"(2.5cm), W2=1"(2.5cm)



Commercial carpet to ceramic or hardwood Divider. For heavy duty traffic where ceramic or hardwood meet carpet.

LENGTH: 12 FT | PACK SIZE: 5 PCS



Profile Numbers	Dimensions	Color
-----------------	------------	-------

ADA RD2400 H1=5/8"(1.6cm), H2=1/4"(6.4mm)", H3=3/8"(9.5mm),

Available in all colors, refer to page 23

W1=1-1/2"(3.8cm), W2=1-1/2" (3.8cm)

VINYL REDUCERS



Carpet to Tile Reducer. Creates an attractive, safe transition between carpet and 1/8" flooring. The edges of both floor coverings can easily be tucked in to protect them from damage. The bottom lip is designed to enable the carpet and molding to be glued together and secured to the floor.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

ADA RD2330

H1=1/8"(3.2mm), H2=1/4"(6.4mm), W1=1-3/8"(3.5cm),
W2=5/8"(1.6cm), W3=1"(2.5cm)

Available in all colors, refer to page 23



Overlap Tile Reducer for use with resilient or LVT flooring from 0.080 - 0.125" thick.


LENGTH: 12 FT | PACK SIZE: 20 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

ADA RD2320

H=1/8"(3.2mm), W1=1-1/2"(3.8cm), W2=3/8"(9.5mm)

Available in all colors, refer to page 23



Reducer Strip for butting up to tile or resilient flooring. Provides a smooth, safe transition to substrate or adjacent flooring.

LENGTH: 12 FT

Profile Numbers	Dimensions	Pack Size	Color
-----------------	------------	-----------	-------

ADA RD2010

H=.080"(2mm), W=1"(2.5cm)

25 pcs

ADA RD2020

H=1/8"(3.2mm), W=1"(2.5cm)

25 pcs

ADA RD2030

H=1/4"(6.4mm), W=1-3/8"(3.5cm)

10 pcs

ADA RD2040


H=3/8"(9.5mm), W=1-3/8"(3.5cm)

10 pcs

Available in all colors, refer to page 23

* **ADA** Denotes ADA Compliant Profiles


VINYL REDUCERS



The butt-type reducer is designed for applications where you need to reduce down from a 3/8" height differential and require a smooth sloping transition to the adjacent flooring surface.

LENGTH: 12 FT | PACK SIZE: 25 PCS


Profile Numbers	Dimensions	Color
ADA RD2050	H=3/8"(9.5mm), W=1-1/2"(3.8cm)	Available in all colors, refer to page 23



Insert Reducer for glue down carpet installations. Lip flexible up to 5/16". Also available with Peel & Stick back.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Color
ADA RDV149	H=1/4"(6.4mm), W=1-11/16"(4.3cm)	Available in all colors, refer to page 23




Insert Reducer for glue down carpet installations. Lip flexible up to 3/8". For light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
ADA RD2150	H=1/4"(6.4mm), W1=1-3/8"(3.5cm), W2=1-5/8"(4.1cm)	Available in all colors, refer to page 23

VINYL REDUCERS




Insert Reducer for glue down carpet installations. Can be used with carpet up to 40 oz. Lip flexible up to 3/8". For heavy commercial use. Also available with 1/8" butt RD2140. Special order.

LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

ADA RD2130 H=1/4" (6.4mm) - 3/8" (9.5mm), W1=1-1/2" (3.8cm), W2=3" (7.6cm) Available in all colors, refer to page 23



Tuck Reducer for glue down carpet installations. For light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 20 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------


ADA RD2147 H=3/16" (4.8mm), W1=1-1/16" (2.7cm), W2=1-3/4" (4.5cm)

ADA RD2148 H=1/4" (6.4mm), W1=1-1/4" (3.2cm), W2=2" (5.1cm)

Available in all colors, refer to page 23

ADA RD2151 H=5/16" (7.9mm), W1=1-11/32" (3.4cm), W2=2-1/16" (5.2cm)

VINYL STAIR NOSING



Drop Overlap Nosing. Used over LVT or resilient flooring. Protects edge of floor covering from damage at step face and provides extra traction for safety.

LENGTH: 12 FT

Profile Numbers	Dimensions	Pack Size	Color
-----------------	------------	-----------	-------


NS4010 H=1-5/8" (4.1cm), W=1-1/2" (3.8cm) 10 pcs

NS4020 H=1-7/8" (4.8cm), W=1-7/8" (4.8cm) 10 pcs

Available in all colors, refer to page 23

NS4023 H=2" (5.1cm), W=1-7/8" (4.8cm) 12 pcs

VINYL STAIR NOSING



Drop Butt - Type Nosing. Use to butt up to 1/8" LVT tile or resilient floor. Protects edge of floor covering from damage at step face and provides extra traction for safety.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

NS4120

H1=2"(5.1cm), H2=1/8"(3.2mm), W=1-7/8"(4.8cm)

Available in all colors, refer to page 23



Designed for Butt-style installations of various flooring types like VCT, LVT and some low pile carpets when installed on steps. Features a patent pending "glue lock" dovetail design on underside of the top face and a relief notch in the nose. These new features both secure and simplify installation.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

NS4121

H=2-1/16"(5.2cm), H2=11/64"(4.5mm), W=2-3/4"(7cm)

Available in all colors, refer to page 23



Designed as an "Over the Top" style installation of VCT, LVT and LVP type floors when installed on steps. Features a patent pending "glue lock" dovetail design on underside of the top face and a relief notch in the nose. These new features both secure and simplify installation.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

NS4122

H=2"(5.1cm), H2=3/16"(4.7mm), W=3"(7.6cm)

Available in all colors, refer to page 23



Bull Nose designed to be used with round nosed stairs. Flexible round nose allows for easy installation. 5/8" return helps to hide underside of stair.

LENGTH: 12 FT | PACK SIZE: 10 PCS


Profile Numbers	Dimensions	Color
-----------------	------------	-------

NS4024

H=1-3/16"(3cm), W1=1-5/8"(4.1cm), W2=5/8"(1.6cm)

Available in all colors, refer to page 23

VINYL STAIR NOSING



Square Nose covers and protects leading edge of stairs. Use over vinyl and sheet goods. Excellent slip resistance. Smaller profile nosing provides a clean finished edge.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

NS4030

H=1-1/8"(2.9cm), W=1-3/8"(3.5cm)

Available in all colors, refer to page 23



Overlap Nosing. This Rubber/Vinyl composite nosing has large legs to help cover damaged area or stairs with unusually large drops.


LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

NS4700

H=2-3/8"(6cm), W=2-3/8"(6cm)

Available in all colors, refer to page 23



Designed for insert-style installations of carpet or carpet tiles when installed on steps. The flexible lip covers the cut edge of the carpet. Features a patent pending "glue lock" dovetail design on underside of the top face and a relief notch in the nose. These new features both secure and simplify installation.


LENGTH: 12 FT | PACK SIZE: 6 PCS

Profile Numbers	Dimensions	Color
-----------------	------------	-------

NT4220

H1=2-1/8"(5.4cm), H2=1/4"(6.4mm), W=2"(5.1cm)

Available in all colors, refer to page 23



Commercial friction-double insert nosing. For carpet or tile up to 3/8" thick. Notched for easy installation.

LENGTH: 12 FT | PACK SIZE: 6 PCS


Profile Numbers	Dimensions	Color
-----------------	------------	-------

NT4230

H1=1"(2.5cm), H2=1/4"(6.4mm),
W1=2"(5.1cm), W2=1/4"(6.4mm)

Available in all colors, refer to page 23


VINYL STAIR NOSING



Commercial Single Butt-Type Nosing. For butting up to 1/4" tile or carpet.

LENGTH: 12 FT | PACK SIZE: 6 PCS


Profile Numbers	Dimensions	Color
NT4310	H1=1-3/4"(4.5cm), H2=9/32"(7.1mm), W=2"(5.1cm)	Available in all colors, refer to page 23



Double Butt Nosing. For butting up to carpet or tile. For use when flooring is installed on both step and riser.

LENGTH: 12 FT | PACK SIZE: 6 PCS

Profile Numbers	Dimensions	Color
NT4320	H1=1-1/2"(3.8cm), H2=9/32"(7.1mm), H3=1-1/2"(3.8cm) W1=2"(5.1cm), W2=9/32"(7.1mm)	Available in all colors, refer to page 23




Commercial Nosing. Designed to butt to 3/8" ceramic tile, providing excellent traction.

LENGTH: 12 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Color
NT4330	H1=2"(5.1cm), H2=3/8"(9.5mm), H3=1-5/8"(4.1cm), W=2"(5.1cm)	Available in all colors, refer to page 23


VINYL STAIR TREADS



Standard duty Stair Tread to suit most commercial applications. Safety grip top rib pattern.

LENGTH: 12 FT | PACK SIZE: 5 PCS


Profile Numbers	Dimensions	Color
ST5010	H=2" (5.1cm), W=12-1/4" (31.1cm)	
ST5010SA (Single Abrasive)	H=2" (5.1cm), W=12-1/4" (31.1cm)	Available in all color, refer to page 23
ST5010DA (Double Abrasive)	H=2" (5.1cm), W=12-1/4" (31.1cm)	



Heavy Duty Commercial Stair Tread. Safety grip top rib pattern. Easy flex leg for set back risers.

LENGTH: 12 FT | PACK SIZE: 5 PCS

Profile Numbers	Dimensions	Color
ST5030	H=2" (5.1cm), W=12-1/4" (31.1cm)	
ST5030SA (Single Abrasive)	H=2" (5.1cm), W=12-1/4" (31.1cm)	Available in all color, refer to page 23



Stair Riser. 6" Base may also be used as Stair Riser.



LENGTH: 60 FT COILS

Profile Numbers	Dimensions	Color
SR5080	G=7/64" (2.8mm), W=7-1/2" (19.1cm)	Available in all color, refer to page 23

VINYL STAIR TREAD SPECIFICATIONS

ALL VINYL STAIR TREADS supplied under these specifications shall be M-D PRO VINYL STAIR TREADS and are designated as (Specify ST5010, ST5030, ST5030SA, ST5010SA or ST5010DA for SAFETY GRIPS), and shall have a square nose that is 2" long as measured from the bottom of tread. The width of the tread shall be 12-1/4" and a length of (Specify length up to 12 feet). The color shall be.. (Specify color from M-D PRO color guide). The Stair Tread will be installed using only premium adhesives specifically designed to be used with stair treads and vinyl compatible. ST5010 and ST5030 are in full compliance with Federal Specification RR-T-650E, Composition B, Type 2 dated February 25, 1994 superseding RR-T-650C, September 22, 1988.


VINYL WALL CAPS



1/4" Cove Cap for use when coving carpet up to 5/16" thick.

LENGTH: 12 FT | PACK SIZE: 25 PCS



Profile Numbers	Dimensions	Color
CC1010	H=1-1/8"(2.9cm), H2=17/32"(1.35cm), W=5/16"(7.9mm)	Available in all colors, refer to page 23
CC1010PS (Self Stick)	H=1-1/8"(2.9cm), H2=17/32"(1.35cm), W=5/16"(7.9mm)	



Square Cove Cap for use when coving carpet up to 5/16" thick and where a square look is required. Available with peel and stick tape or dry back.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Color
CC1020	H=7/8"(2.2cm), H2=3/8"(9.5mm), W=5/16"(7.9mm)	Available in all colors, refer to page 23
CC1020PS (Self Stick)	H=7/8"(2.2cm), H2=3/8"(9.5mm), W=5/16"(7.9mm)	
CC1060	H=7/8"(2.2cm), H2=3/8"(9.5mm), W=1/8"(3.2mm)	
CC1060PS (Self Stick)	H=7/8"(2.2cm), H2=3/8"(9.5mm), W=1/8"(3.2mm)	





1/8" resilient cove cap for use when coving resilient floor up to 3/16" thick. Peel and stick tape for easy application.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Color
CC2050PS (Self Stick)	H=7/8"(2.2cm), H2=7/16"(11.1mm), W=1/8"(3.2mm)	Available in all colors, refer to page 23



VINYL WALL CAPS



1/8" resilient cove cap for use when coving resilient floor up to 3/16" thick. Peel and stick tape for easy application.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Color
CC1040	H=7/8"(2.2cm), H2=3/8"(9.5mm), W=1/8"(3.2mm)	Available in all colors, refer to page 23
CC1040PS (Self Stick)	H=7/8"(2.2cm), H2=3/8"(9.5mm), W=1/8"(3.2mm)	




Can be used for capping carpet, ceramic, or paneling up to 1/4" thick floor.

LENGTH: 12 FT | PACK SIZE: 50 PCS

Profile Numbers	Dimensions	Color
CC1030	H=13/16"(2.1cm), H2=5/32"(3.9mm), W=1/4"(6.4mm)	Available in all colors, refer to page 23
CC1030PS (Self Stick)	H=13/16"(2.1cm), H2=5/32"(3.9mm), W=1/4"(6.4mm)	

CORNER GUARD




Flexible Vinyl Corner Guard: Corner protector for walls and doorways where a bumper guard is needed. This product will not shrink, crack or chip like rigid plastics.

LENGTH: 12 FT | PACK SIZE: 10 PCS

Profile Numbers	Dimensions	Color
CG1515	H=1-1/2"(3.8cm), W=1-1/2"(3.8cm)	Available in all colors, refer to page 23

FILLET STRIP




Cove Former. Used with carpet or resilient flooring to support cove area of flooring material.

LENGTH: 12 FT

Profile Numbers	Dimensions	Pack Size	Color
FL3010 (Flexible)	H=7/8"(2.2cm), R=7/8"(2.2cm)	25 pcs	Black
FL3011 (Rigid PVC)	H=7/8"(2.2cm), R=7/8"(2.2cm)	25 pcs	Black
FL3020	H=1-5/16"(3.3cm), R=2"(5.1cm)	10 pcs	Black

EXPANSION JOINT COVER




Resilient floor expansion joint cover prevents cracking in floor covering due to expansion and contraction of concrete. Ribbed section of the trim is lined up over saw cut in the slab butting up to floor covering. Use with VCT, Solid Vinyl, Rubber, Linoleum or LVT flooring.

LENGTH: 50 FT | PACK SIZE: 1 ROLL

Profile Numbers	Dimensions	Color
ADA RD3000	H=1/8"(3.2mm), W1=2-1/2"(6.4cm), W2=1/2"(1.3cm)	Available in all colors, refer to page 23

FLOOR EQUALIZER



Floor Equalizer (Vinyl Reducer Strip) with V-Groove technology. Builds transition between floors up to 1/2" in height. Economical solution for height variances, quickly equalizes floor levels. Saves time and labor. Custom length sizes available. Glued, nailed and stapled directly to substrate. Floor covering can be adhered directly on top.


LENGTH: 4 FT

Profile Numbers	Dimensions	Pack Size	Color
ADA RD9125	H-1/8"(3.2mm), W=11"(27.9cm)	10 pcs	Black
ADA RD9250	H-1/4"(6.4mm), W=11"(27.9cm)	10 pcs	Black
ADA RD9375	H-3/8"(9.5mm), W=11"(27.9cm)	10 pcs	Black
ADA RD9500	H-1/2"(1.3cm), W=11"(27.9cm)	5 pcs	Black



COLOR ASSORTMENT

(Colors may not appear exactly as shown. Request a sample for actual color visual)



ST050
WHITE



ST003
SHELL WHITE



ST024
ANTIQUE WHITE



ST022
PEARL



ST129
HARVEST
WHEAT



ST046
BUTTER
CREAM



ST034
PUTTY



ST049
BEIGE



ST009
GREY BEIGE



ST006
LIGHT BEIGE



ST042
SABLE



ST045
SAND




ST130
SISAL



ST080
FAWN



ST095
SANDELWOOD



ST150
LANDSCAPE



ST053
MAUVE



ST060
TAUPE



ST007
CRANBERRY



ST085
BURGUNDY



ST166
TERRA
COTTA



ST781
RUSSET



ST047
BROWN



ST041
OCEAN BREEZE



ST059
HEATHER GREEN



ST190
GREEN
OLIVE



ST031
DARK FOREST



ST086
HUNTER GREEN



ST058
WINDSOR
BLUE



ST014
TROPICAL
RAIN



ST090
STEEL BLUE



ST018
MARITIME
BLUE



ST030
INK SPOT



ST005
TRUE BLUE



ST021
PLATINIUM GREY



ST055
SILVER GREY



ST038
PEWTER



ST028
MEDIUM
GREY



ST071
LAKESIDE
SLATE



ST048
GREY



ST283
FLAGSTONE



ST020
CHARCOAL



ST063
BURNT UMBER



ST052
BLACK
BROWN



ST040
BLACK

VINYL & RUBBER ORDER POLICIES

ANY COLOR SHIPPED IN 5 BUSINESS DAYS - GUARANTEED!

No more special order colors, special conditions or lead times.

All vinyl/rubber profiles are available in all of our colors in our published color assortment on page 23 and we will guarantee shipment within 5 business days of your order!

CUSTOM COLOR MATCH

Any request for custom vinyl/rubber colors outside of our published color assortment on page 23 can always be accommodated. Example; we can match any color for a minimum order of 10 cartons of 4" cove base and a \$350.00 custom color set-up fee will apply. On orders of 1 pallet or more of cove base, the custom color set-up fee will be waived.

The minimum order requirements are based on the size of the profile. Please contact your Customer Service Representative for more details.

*Please allow a minimum of 20 business days from the receipt of PO for shipment of color strike-off. We must have the customer's written authorization before proceeding with production of a custom color.

BROKEN CARTON POLICY

Less than full cartons may be purchased on select items with a minimum up charge of 20%, please contact your Customer Service Representatives for details. No returns will be granted for items that fall below the standard carton/pack size.

M-D PRO LIMITED WARRANTY

M-D PRO products are warranted for a period of 1 (one) year from date of shipment. All products will be subject to the following manufacture warranties; Products will conform to original product and contract description with only such reasonable variations as is acceptable in the trade. These products will be fit for the purposes for which they were intended and that they will be adequately packaged and labeled. M-D PRO will replace any defective product found if said defect is identified before installation. If a defect is found after installation, M-D PRO must be notified in writing within 10 days of installation. The customer must then, at M-D PRO's discretion, allow an inspection of the installation. If upon inspection, M-D PRO determines the product to be defective, M-D PRO will at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the goods in question. M-D PRO assumes no liability or responsibilities for labor or the cost of other materials used in such installations.

These warranties do not circumvent any individual product category warranties implied or stated by M-D PRO.

Warranties do not apply to the following specified items, terms and conditions:

- A.** Exact matching of color, shade, texturing or mottling.
- B.** Any warranties, other than expressed above, implied or promised by any sales representative.
- C.** Tears, scratches, burns, or other damage caused by improper installation, improper use or maintenance.
- D.** Sales of "Seconds", or "Imperfect" goods.
- E.** Problem caused by moisture, hydrostatic pressure or alkali in the sub-floor.
- F.** Problem caused by installation with non-approved adhesive. If you are unsure about the suitability of a particular adhesive, please call us for our recommendations.
- G.** Product installed outdoors. M-D PRO products are designed for interior use only.
- H.** Color degradation caused by sunlight or other U.V. exposure. These warranties are supplied in lieu of any other warranty, expressed or implied. All product specifications are subject to change without notice.

NOTES

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

NOTES

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



5720 Ambler Drive
Mississauga, ON, L4W 2B1
Telephone: 1 800 565 6653
E-mail: service@mdteam.com
Website: mdpro.com

Part #: MPCATVINYL
Print date: August 2022