

Seaside Nature Vinyl • Luxury Vinyl

Some products in this collection are discontinued.

Benefits

Family friendly (including pet)

100% Waterproof
Easy to clean
Stain resistant, including pet stains

Safe and healthy

Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful substances.
Antimicrobial protective treatment to inhibit the growth of mold and mildew.
Phthalates-Free products meaning that they will not affect your quality of life
FloorScore® Certified for compliance with rigorous indoor air quality requirements
E1 Certified meaning that the product meets the European standard for indoor air quality

Performant and durable construction

Commercial abrasion resistance
BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards.

Easy maintenance

100% Waterproof
Antimicrobial, anti-mold and anti-fungal
Easy to clean
Stain resistant, including pet stains

Easy and versatile Installation

Compatible with embedded radiant heating
Glued installation for a permanent and sturdy setup
Herringbone installation possible
Can be installed on all floor levels, even on walls
Coordinating moldings available

Notable look

Matte finish
Mix and match colors for a bold look

Best-in-class Warranty

30 Days No Questions Asked Replacement

Quickship

Stock product for faster delivery

Seaside Nature Vinyl • Luxury Vinyl

Product Specifications

Market Segments	Builder, Hospitality, Pro, Property Management, Residential, Senior Living, Workspace
Sub Category	LVP
Collection	Seaside Nature
Construction	Luxury Vinyl
Format	Plank
Abrasion Resistance	General Commercial Use
Material	Virgin PVC
Width	7.362" (187 mm)
Total Thickness	0.118" (3 mm)
Wear Layer Thickness	0.0220" (0.5500 mm)
Interlayer	None
Backing	Dry Back
Edges	4-Sided Micro Bevel
Locking System	None
Finish	Registered Embossed
Top Surface	UV-Cured Polyurethane & Ceramic Bead Technology
Gloss	Matte
Pattern Repeat	5
IIC	62
STC	68
Design	Wood
Formaldehyde	E1
Length	48.307" (1227 mm)
Certifications	Virgin PVC, FloorScore, E1 Certified, Phthalates-Free, BLC Certification, QuickShip
Installation Methods	Compatible with embedded radiant heating, Glued, Herringbone 🔗 Luxury Vinyl Installation Guide (DryBack) 🔗 Wall Installation Guide - Luxury Vinyl

Warranties

- [🔗 Luxury Vinyl Warranty Guide](#)
- [🔗 Luxury Vinyl Care & Maintenance Guide](#)

Residential use

Wear Lifetime
Stain Lifetime
Manufacturing Defects Lifetime
No Questions Asked Replacement 30 days
Petproof Lifetime
Fade Lifetime
Waterproof Lifetime

Commercial use

Manufacturing Defects 15 Years
Waterproof Lifetime
Petproof Lifetime
Wear 15 Years
Stain 15 Years
Fade 15 Years

Seaside Nature Vinyl • Luxury Vinyl

Packaging information

Units Per Box	14
Boxes Per Pallet	55
Box Weight	38.38 pounds (17410.58 grams)
Square Meters Per Box	3.21
Square Meters Per Pallet	176.69
Square Feet Per Box	34.58
Square Feet Per Pallet	1901.9

Moldings



PVC Stair Nose

Coordinating

94" X 1.16" X 2"

(2350 mm X 25.4 mm X 50.80 mm)



Multitrim

Coordinating

94" X 0.23" X 1.593"


(2350 mm X 5.842 mm X 40.481 mm)

Seaside Nature Vinyl • Luxury Vinyl


Styles offered




#2350 (Plank)
Alboran
Registered Embossed
Limited Stock



#2351 (Plank)
Bering
Registered Embossed




#2352 (Plank)
Levantine
Registered Embossed




#2353 (Plank)
Lincoln
Registered Embossed



#2354 (Plank)
Oman
Registered Embossed



#2355 (Plank)
Scotia
Registered Embossed



#2356 (Plank)
Barents
Registered Embossed

Seaside Nature Vinyl • Luxury Vinyl

Accessories



701 Luxury Vinyl Adhesive - 4 U.S. Gallons

4 Gallons (15.14 Litres)

Porous: 1/16" x 1/16" x 1/16" V-notch Trowel

Non-Porous: 1/16" x 1/32" x 1/32" V-notch Trowel

Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71 m² / 15 L)

Non-Porous Coverage

1,000 to 1,200 sq.ft. / 4 U.S. Gallons (93 to 112 m² / 15 L)

[🔗 Specifications - 701 Vinyl Flooring Adhesive](#)

[🔗 SDS - 701 Vinyl Flooring Adhesive](#)

[🔗 Label - 701 Vinyl Flooring Adhesive](#)