




Product Item Numbers





4.13 Schluter®-DILEX-EKE

Item No.

- EKE U 8/O 7 *color\**
- EKE U 9/O 8 *color\**
- EKE U 11/O 10 *color\**
- EKE U 13/O 12 *color\**
- EKE U 15/O 14 *color\**

Length supplied: 8' 2-1/2" – 2.5 m




\*Color Codes

- BW**  
Bright white
- SP**  
Sand pebble
- HB**  
Light beige
- PG**  
Classic grey
- G**  
Grey
- GS**  
Black

To complete the item number, add the *color* code (e.g., EKE U8/O7 **BW**).

- U:**  
 5/16" = 8 mm  
 11/32" = 9 mm  
 7/16" = 11 mm  
 33/64" = 13 mm  
 9/16" = 15 mm
- O:**  
 9/32" = 7 mm  
 5/16" = 8 mm  
 3/8" = 10 mm  
 1/2" = 12 mm  
 17/32" = 14 mm




4.12 Schluter®-DILEX-HKW

Item No.

- HKW U 7/O 7 *color\**
- HKW U 9/O 9 *color\**
- HKW U 11/O 11 *color\**

Length supplied: 8' 2-1/2" – 2.5 m



- U:** 9/32" = 7 mm    11/32" = 9 mm    7/16" = 11 mm  
**O:** 9/32" = 7 mm    11/32" = 9 mm    7/16" = 11 mm

Accessories

Item No.

Outside corner	A/HKW/ <i>color*</i>
Inside corner (2-way)	I/HKW 2 R18 <i>color*</i>
Inside corner (3-way)	I/HKW 3 R18 <i>color*</i>
End cap	E/HKW/G ( <i>grey only</i> )

\*Color Codes


- BW**  
Bright white
- HB**  
Light beige
- PG**  
Classic grey
- G**  
Grey

To complete the item number, add the *color* code (e.g., HKW U 9/O 9 **HB**).


Outside Corner








Inside Corner (2-way)




Inside Corner (3-way)




End Cap








### 4.11 Schluter®-DILEX-HK

Item No.  
 HK U 12/O 9 *color\**  
 Length supplied: 8' 2-1/2" — 2.5 m




U: 1/2" = 12 mm  
 O: 11/32" = 9 mm

**\*Color Codes**

 <b>BW</b> Bright white	 <b>HB</b> Light beige	 <b>G</b> Grey
---	--	--


To complete the item number, add the *color* code (e.g., HK U 12/O 9 **BW**).

Accessories	Item No.
Outside corner	A/HK/ <i>color*</i>
Inside corner (2-way)	I/HK 2 R18 <i>color*</i>
Inside corner (3-way)	I/HK 3 R18 <i>color*</i>
Connector	V/HK
End cap (left)	EL/HK/G ( <i>grey only</i> )
End cap (right)	ER/HK/G ( <i>grey only</i> )




### 4.22 Schluter®-DILEX-HKU (10 mm - 3/8" radius)

H = mm - in.	Item No.		
	Stainless steel 304 (1.4301 = V2A)	Brushed stainless steel 304 (1.4301 = V2A)	Stainless steel 316L (1.4404 = V4A)
(E)	(E)	(EB)	(EV4A)
10 - 3/8	HKUR 10 E	HKUR 10 EB	HKUR 10 EV4A



Accessories	Item No.
Outside corner 90°	EQ/HKUR 10 <i>finish*</i>
Outside corner 135°	E135/HKUR 10 <i>finish*</i>
Inside corner 90°	I/HKU 3 R 10 <i>finish*</i>
Inside corner 135°	I135/HKUR 10 <i>finish*</i>
Connector	V/HKUR 10 <i>finish*</i>

\* To complete the item number, add the *finish* code (e.g., EQ/HKUR 10 **E**).




### 4.22 Schluter®-DILEX-HKU (36 mm - 1-13/32" radius)

H = mm - in.	Item No.
	Stainless steel 304 (1.4301 = V2A)
(E)	(E)
36 - 1-13/32	HKUR 36 E

Length supplied: 8' 2-1/2" — 2.5 m

Accessories	Item No.
Outside corner 90°	E/HKUR 36 E
Inside corner 90°	I/HKU 3 R 36 10 E
Connector	V/HKUR 36 E
End Cap	EK/HKUR 36 E





**4.21 Schluter®-DILEX-AHK**


H = mm - in.	Item No.				
	Satin anodized aluminum (AE)	Polished chrome anodized aluminum (ACG)	Brushed chrome anodized aluminum (ACGB)	Satin nickel anodized aluminum (AT)	Polished nickel anodized aluminum (ATG)
8 - 5/16	AHK 1S 80 AE	AHK 1S 80 ACG	AHK 1S 80 ACGB	AHK 1S 80 AT	AHK 1S 80 ATG
10 - 3/8	AHK 1S 100 AE	AHK 1S 100 ACG	AHK 1S 100 ACGB	AHK 1S 100 AT	AHK 1S 100 ATG
12.5 - 1/2	AHK 1S 125 AE	AHK 1S 125 ACG	AHK 1S 125 ACGB	AHK 1S 125 AT	AHK 1S 125 ATG
15 - 9/16	-	-	-	AHK 1S 150 AT	-

H = mm - in.	Item No.				
	Brushed nickel anodized aluminum (ATGB)	Satin copper anodized aluminum (AK)	Polished copper anodized aluminum (AKG)	Brushed copper anodized aluminum (AKGB)	Satin brass anodized aluminum (AM)
8 - 5/16	AHK 1S 80 ATGB	AHK 1S 80 AK	AHK 1S 80 AKG	AHK 1S 80 AKGB	AHK 1S 80 AM
10 - 3/8	AHK 1S 100 ATGB	AHK 1S 100 AK	AHK 1S 100 AKG	AHK 1S 100 AKGB	AHK 1S 100 AM
12.5 - 1/2	AHK 1S 125 ATGB	AHK 1S 125 AK	AHK 1S 125 AKG	AHK 1S 125 AKGB	AHK 1S 125 AM

H = mm - in.	Item No.		
	Polished brass anodized aluminum (AMG)	Brushed brass anodized aluminum (AMGB)	Brushed graphite anodized aluminum (AGRB)
8 - 5/16	AHK 1S 80 AMG	AHK 1S 80 AMGB	AHK 1S 80 AGRB
10 - 3/8	AHK 1S 100 AMG	AHK 1S 100 AMGB	AHK 1S 100 AGRB
12.5 - 1/2	AHK 1S 125 AMG	AHK 1S 125 AMGB	AHK 1S 125 AGRB
15 - 9/16	-	-	AHK 1S 150 AGRB



Accessories	Item No.
Outside corner, 90°	E 90/AHK 1S/ <i>finish</i> *
Outside corner, 90° (to match Schluter®-QUADEC profile)	E90 Q/AHK 1S/ <i>finish</i> *
Outside corner, 135°	E 135/AHK 1S/ <i>finish</i> *
Inside corner, 90°	I 90/AHK 1S/ <i>finish</i> *
Inside corner, 135°	I 135/AHK 1S/ <i>finish</i> *
Connector	V/AHK
End cap	E/AHK 1S/ <i>finish</i> *



\* To complete the item number, add the **finish** code (e.g., E 90/AHK 1S/**AE**).  
**Note: E 90 Q** (outside corner piece to match QUADEC) is only available in AE, ACG, AT, TSB, TSOB, and TSG finishes.

**4.21 Schluter®-DILEX-AHK**


H = mm - in.	Item No.	Accessories	Item No.
		Textured color-coated aluminum (TS)	
8 - 5/16	AHK 1S 80 <i>color</i> *	Outside corner, 90°	E 90/AHK 1S/ <i>color</i> *
10 - 3/8	AHK 1S 100 <i>color</i> *	Outside corner, 90° (to match Schluter®-QUADEC profile)	E90 Q/AHK 1S/ <i>color</i> *
12.5 - 1/2	AHK 1S 125 <i>color</i> *	Outside corner, 135°	E 135/AHK 1S/ <i>color</i> *
15 - 9/16	AHK 1S 150 <i>color</i> *	Inside corner, 90°	I 90/AHK 1S/ <i>color</i> *
		Inside corner, 135°	I 135/AHK 1S/ <i>color</i> *
		Connector	V/AHK
		End cap	E/AHK 1S/ <i>color</i> *

Length supplied: 8' 2-1/2" — 2.5 m

**\*Color Codes**

<b>TSR</b> Rustic brown	<b>TSDA</b> Dark anthracite	<b>TSLA</b> Light anthracite	<b>TSSG</b> Stone grey	<b>TSC</b> Cream
<b>TSBG</b> Greige	<b>TSI</b> Ivory	<b>TSB</b> Beige	<b>TSOB</b> Bronze	<b>TSG</b> Pewter

\* To complete the item number, add the **color** code (e.g., Q 60 **TSC**).



**4.22 Schluter®-DILEX-AHKA**

H = mm - in.	Item No.			
	Satin anodized aluminum (AE)	Brushed chrome anodized aluminum (ACGB)	Satin nickel anodized aluminum (AT)	Brushed nickel anodized aluminum (ATGB)
8 - 5/16	AHKA 80 AE	AHKA 80 ACGB	AHKA 80 AT	AHKA 80 ATGB
10 - 3/8	AHKA 100 AE	AHKA 100 ACGB	AHKA 100 AT	AHKA 100 ATGB
12.5 - 1/2	AHKA 125 AE	AHKA 125 ACGB	AHKA 125 AT	AHKA 125 ATGB
15 - 9/16	AHKA 150 AE	AHKA 150 ACGB	AHKA 150 AT	AHKA 150 ATGB

**Accessories**

Accessories	Item No.
Outside corner, 90°	E 90/AHKA/ <i>finish</i> *
Outside corner, 135°	E 135/AHKA/ <i>finish</i> *
Inside corner, 90°	I 90/AHKA/ <i>finish</i> *
Inside corner, 135°	I 135/AHKA/ <i>finish</i> *
End cap (Left)	EL/AHKA/ <i>finish</i> *
End cap (Right)	ER/AHKA/ <i>finish</i> *

\* To complete the item number, add the **finish** code (e.g., E 90/AHKA/**AE**).


**4.22 Schluter®-DILEX-AHKA**

H = mm - in.	Item No.		Accessories	Item No.	
	Textured color-coated aluminum (TS)			Textured color-coated aluminum (TS)	
8 - 5/16	AHKA 80 <i>color</i> *		Outside corner, 90°	E 90/AHKA/ <i>color</i> *	
10 - 3/8	AHKA 100 <i>color</i> *		Outside corner, 135°	E 135/AHKA/ <i>color</i> *	
12.5 - 1/2	AHKA 125 <i>color</i> *		Inside corner, 90°	I 90/AHKA/ <i>color</i> *	
15 - 9/16	AHKA 150 <i>color</i> *		Inside corner, 135°	I 135/AHKA/ <i>color</i> *	
			End cap (left)	EL/AHKA/ <i>color</i> *	
			End cap (right)	ER/AHKA/ <i>color</i> *	

**\*Color Codes**

<b>TSR</b> Rustic brown	<b>TSDA</b> Dark anthracite	<b>TSLA</b> Light anthracite	<b>TSSG</b> Stone grey	<b>TSC</b> Cream
<b>TSBG</b> Greige	<b>TSI</b> Ivory	<b>TSB</b> Beige	<b>TSOB</b> Bronze	<b>TSG</b> Pewter

\* To complete the item number, add the **color** code (e.g., Q 60 **TSC**).



**4.21 Schluter®-DILEX-PHK**

H = mm - in.	Item No.
8 - 5/16	PHK 1S 80 <i>color</i> *
10 - 3/8	PHK 1S 100 <i>color</i> *
12.5 - 1/2	PHK 1S 125 <i>color</i> *

Length supplied: 8' 2-1/2" — 2.5 m


**\*Color Codes**


<b>BW</b> Bright white	<b>W</b> White	<b>SP</b> Sand pebble	<b>BH</b> Bahama
<b>HB</b> Light beige	<b>PG</b> Classic grey	<b>G</b> Grey	

\* To complete the item number, add the **color** code (e.g., PHK 1S 80 **BW**).

**Accessories**

Accessories	Item No.
Outside corner, 90°	E 90/PHK 1S/ <i>color</i> *
Outside corner, 135°	E 135/PHK 1S/ <i>color</i> *
Inside corner, 90°	I 90/PHK 1S/ <i>color</i> *
Inside corner, 135°	I 135/PHK 1S/ <i>color</i> *
Connector	V/PHK
End cap	E/PHK 1S/ <i>color</i> *





**4.15 Schluter®-DILEX-EHK**

Item No.		
<b>Stainless steel 304</b> (1.4301 - V2A)	<b>Stainless steel 316 L</b> (1.4404 - V4A)	<b>Brushed stainless steel 304</b> (1.4301 = V2A) (EB)
<b>(E)</b>	<b>(EV4A)</b>	
EHK U 7/O 7	EHK U 7/O 7/V4A	EBHK U 7/O 7
EHK U 9/O 9	EHK U 9/O 9/V4A	EBHK U 9/O 9
EHK U 11/O 11	EHK U 11/O 11/V4A	EBHK U 11/O 11
-	EHK U 16/O 16/V4A	-


Length supplied: 8' 2-1/2" – 2.5 m

<b>U:</b>	9/32" = 7 mm	11/32" = 9 mm	7/16" = 11 mm	5/8" = 16 mm
<b>O:</b>	9/32" = 7 mm	11/32" = 9 mm	7/16" = 11 mm	5/8" = 16 mm




Accessories	Item No.	
	Stainless steel 316 L (1.4404 = V4A)	Brushed stainless steel 304 (1.4301 = V2A) (EB)
Outside corner	A/EHK 2 R18	A/EBHK 2 R18
Outside corner, 135°	E135/EHK 2 R18	E135/EBHK2R18
Inside corner (2-way)	I/EHK 2 R18	I/EBHK 2 R18
Inside corner (3-way)	I/EHK 3 R18	I/EBHK 3 R18
Inside corner, 135°	I135/EHK 2 R18	I135/EBHK2R18
Connector	V/EHK	V/EBHK
End cap	E/HKW/G *	E/HKW/G *

*\*Available in grey PVC only*

Outside Corner





Inside Corner (2-way)





Inside Corner (3-way)





Connector



End Cap







### 4.15 Schluter®-DILEX-HKS

Item No.
<b>Stainless steel 304 (1.4301 - V2A) (E)</b>
<b>U = floor or wall, O = wall</b>
HKS V2A U 8 / O 7 <i>color*</i>
HKS V2A U 10 / O 7 <i>color*</i>
HKS V2A U 12 / O 7 <i>color*</i>
HKS V2A U 14 / O 7 <i>color*</i>
HKS V2A U 16 / O 7 <i>color*</i>
HKS V2A U 18 / O 7 <i>color*</i>
HKS V2A U 21 / O 7 <i>color*</i>
HKS V2A U 25 / O 7 <i>color*</i>
HKS V2A U 30 / O 7 <i>color*</i>
HKS V2A U 8 / O 9 <i>color*</i>
HKS V2A U 10 / O 9 <i>color*</i>
HKS V2A U 12 / O 9 <i>color*</i>
HKS V2A U 14 / O 9 <i>color*</i>
HKS V2A U 16 / O 9 <i>color*</i>
HKS V2A U 18 / O 9 <i>color*</i>
HKS V2A U 21 / O 9 <i>color*</i>
HKS V2A U 25 / O 9 <i>color*</i>
HKS V2A U 30 / O 9 <i>color*</i>
HKS V2A U 8 / O 11 <i>color*</i>
HKS V2A U 10 / O 11 <i>color*</i>
HKS V2A U 12 / O 11 <i>color*</i>
HKS V2A U 14 / O 11 <i>color*</i>
HKS V2A U 16 / O 11 <i>color*</i>
HKS V2A U 18 / O 11 <i>color*</i>
HKS V2A U 21 / O 11 <i>color*</i>
HKS V2A U 25 / O 11 <i>color*</i>
HKS V2A U 30 / O 11 <i>color*</i>

Length supplied: 8' 2-1/2" – 2.5 m

<b>U:</b> 5/16" = 8 mm	3/8" = 10 mm	15/32" = 12 mm	17/32" = 14 mm	5/8" = 16 mm
23/32" = 18 mm	13/16" = 21 mm	1" = 25 mm	1-3/16" = 30 mm	
<b>O:</b> 9/32" = 7 mm	11/32" = 9 mm	7/16" = 11 mm		

### Accessories

Accessories	Item No.
Outside corner, 90°	A/EHK 2 R18
Inside corner, 90° (2-way)	I/EHK 2 R18
Inside corner, 90° (3-way)	I/EHK 3 R18
Outside corner, 135°	E135/EHK2R18
Inside corner, 135°	I135/EHK2R18
Connector	V/EHK
End cap	E/HKW/G ( <i>Grey only</i> )

**Note:** DILEX-HKS is also available in stainless steel 316 L (1.4404 = V4A).

### \*Color Codes


	<b>HB</b> Light beige		<b>PG</b> Classic grey
	<b>G</b> Grey		<b>GS</b> Black

To complete the item number, add the *color* code (e.g., HKS V2A U 18/O 7 **G**).

### 4.15 Schluter®-DILEX-HKS

Accessories	Item No.
<b>Stainless steel 304 (1.4301 - V2A) (E)</b>	
90° outside corner with pre-cut profile sections	E90 V2A U ... / O ... + <i>color**</i>
<b>Stainless steel 316L (1.4404 = V4A) (E)</b>	
90° outside corner with pre-cut profile sections	E90 V4A U ... / O ... + <i>color**</i>

\*\* To complete the item number, add the "U" and "O" values, and the *color* code (e.g., E90 V2A U 12 / O 9 **G**). Available for U = 8, 10, 12, 14 and 16 mm only.



**Note:** 3-way corners are to be used with DILEX-EHK on the vertical.