

Johnsonite®

Triumph | Inertia® | Replay®

RUBBER SPORTS FLOORING

 **Tarkett®**


**MADE
RIGHT
MEANS
JOHNSONITE™**

Combine style with grit

With multiple thicknesses and endurance levels to choose from, Johnsonite® rubber sports flooring maximizes your budget while supporting every athlete, therapy patient, instructor, and traveler. From the yoga studio to the ice rink, our latest patterns and colorways work as hard as you do to inspire next-level performance. With a coordinated color palette across multiple patterns and tile weights, your most physical spaces will be as beautiful as they are tough. Just one more reason why **MADE RIGHT MEANS JOHNSONITE.**

Triumph and Inertia are available in three stylish, coordinating patterns that elevate the design of health and wellness spaces for every activity and fitness level.

- **Olio®** captures the fluid movement of oil and watercolor paints
- **Minerality** emulates the color variation found in natural stone
- **Speckled** features small, multi-colored chips for subtle patterning



Minerality, Olio, and Speckled




ON COVER: Inertia XB9 George, LB4 Mottled Egg
RIGHT: Triumph XB5 Sparkle, XC5 Onondaga | Replay 525 Stony

Triumph and Inertia

3 patterns | 23 colors

Johnsonite's unique Olio, Minerality, and Speckled patterns are offered in soft, coordinating palettes to elevate the design of sports and fitness areas. We can also match your specific team or brand colors to create a completely tailored design.



Wall base coordinates

* We've identified Color Foundations® neutrals in the following way:
WB (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey),
B (Black), **W** (White).

* Suggested colors for finishing borders (wall base).
 Coordinated Johnsonite® accessories are a printed approximation.
 Please refer to the Color Guide for accurate color representation.

000 Color Name
 00 Coordinating Color



A
H
S


Replay

Chipped pattern | 12 colors


To complete Johnsonite's rubber sports flooring lineup, Replay is an economical choice for high-performance spaces. Often used in ice skating rinks and locker rooms, its simple Chipped pattern is available in both sheet and tile formats.




507 Night B
40 Black B *




524 Chromatic B
TB3 Dover CG *



520 Sandusky B
09 Clay WB *




RA3 Biscuit B
09 Clay WB *




517 Cloud B
38 Pewter CG *




525 Stony B
TA3 Castaway CB *




RA6 Mantis B
VL2 Whispering Mist CB *




RA5 Bluestone B
VN5 The Blues *




523 Sky B
84 Blue Jeans *




RA2 Infrared B
TB6 Flame *



RA1 Mellowed B
TG7 Canary *



RA4 Gala B
40 Black B *



Triumph Olio Custom Color | Replay RA3 Biscuit



* See the wall base coordinates key on page 2.

Sports flooring selection guide

Triumph

Designed with a 3/8" thickness to resist ice skates, golf cleats and dropped weights, Triumph is our toughest, most durable tile in the lineup. The additional cushion helps absorb noise and resist impact on joints, while a closed-cell surface makes these tiles easy to maintain.



Choose from a Square Edge, Interlocking, or SlideLock® tile format. SlideLock allows a modular, glueless installation that provides access to mechanical systems beneath the floor. Triumph is Cradle to Cradle Certified® Silver and made with 40% recycled content.



Inertia

Offering the ideal balance between performance and price, Inertia's 1/4" thickness is perfect for areas that don't involve heavy foot traffic, free weights, or heavy exercise equipment, such as locker rooms, yoga studios and light fitness centers. Choose between a Square Edge or Interlocking tile format.

To help you transition easily between spaces, Inertia is available by special order in a 3/8" thickness. This heavier weight is available in Square Edge, Interlocking, or SlideLock formats, but still isn't suitable for areas with spikes, or ice skates. Inertia is Cradle to Cradle Certified® Silver and made with 40% recycled content.



Replay


This no-nonsense sports flooring is made from recycled truck tires and comes in both sheet and tile formats to work wherever you need it. Replay's unique construction is highly impact-resistant and shock-absorbing, making it easy on muscles and joints, while absorbing sound.

With a 3/8" thickness and 92% recycled content, Replay supports a variety of activities and budgets, but this economical choice never skimps on performance.

	Triumph			Inertia			Replay				
	3/8" Square Edge	3/8" Interlocking	3/8" SlideLock	1/4" Square Edge	1/4" Interlocking	3/8" Square Edge*	3/8" Interlocking*	3/8" SlideLock*	3/8" Square Edge	3/8" Interlocking	3/8" Sheet

	Triumph			Inertia			Replay				
	3/8" Square Edge	3/8" Interlocking	3/8" SlideLock	1/4" Square Edge	1/4" Interlocking	3/8" Square Edge*	3/8" Interlocking*	3/8" SlideLock*	3/8" Square Edge	3/8" Interlocking	3/8" Sheet
AVAILABLE FORMATS											
Glue down	✓			✓		✓			✓		✓
Floating		✓	✓		✓		✓	✓		✓	
TILE SIZE											
24" x 24" (23" x 23" net)		✓			✓		✓				
24" x 24"	✓		✓	✓		✓		✓	✓		
25" x 25 (24" x 24" net)										✓	
48" wide (200 sq. ft. roll)											✓
THICKNESS											
1/4"				✓	✓						
3/8"	✓	✓	✓			✓	✓	✓	✓	✓	✓
WEAR LAYER THICKNESS											
0.090" (2.3mm)	✓	✓	✓	✓	✓	✓	✓	✓			
SURFACE TEXTURE											
Hammered	✓	✓		✓	✓	✓	✓				
Studded back			✓					✓			
PATTERNS											
Olio	✓	✓	✓	✓	✓	✓	✓	✓			
Minerality	✓	✓	✓	✓	✓	✓	✓	✓			
Speckled	✓	✓	✓	✓	✓	✓	✓	✓			
Chipped									✓	✓	✓
RECOMMENDED USES											
Fitness areas	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dressing and locker rooms	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pro shops and ski lodges	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Childcare / daycare centers	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Workout / weight rooms	✓	✓	✓						✓	✓	✓
Ice rinks	✓	✓	✓						✓	✓	✓
Cleat and spike resistant	✓	✓	✓						✓	✓	✓
Correctional facilities	✓			✓		✓			✓		✓
WARRANTY											
5 year limited	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Special order only



Tarkett Solution SPECtrum™

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

1. Johnsonite rubber sports flooring
Triumph / Inertia Minerality XC5 Onandoga
2. LinoFloor xf2™
Veneto 703 Fog
3. Heterogeneous sheet
Performa 55024 Rubberwood Myrtle
4. Homogeneous sheet
iQ® Optima® 864 Concrete Slab
5. Johnsonite wall base
Millwork Equinox MW-72-R Harbor
6. Johnsonite rubber sports flooring
Triumph / Inertia Chipped Custom Color
7. Luxury vinyl tile
iD Latitude™ PLWD 7540 Millenium Oak
8. Johnsonite rubber tile
Minerality PB7 Barn Wood
9. Johnsonite rubber sports flooring
Triumph / Inertia Olio XB5 Sparkle
10. Carpet tile + Powerbond® hybrid carpet
Create Balance 11770 Resourceful 32813
11. Johnsonite rubber sports flooring
Replay 525 Stoney

Color may vary from actual swatch. To order a sample and to learn more, please visit tarkett.com.



Tarkett's holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making.

For decades, we've been scrutinizing every detail of our business for its impact on resources like soil, water, air, and climate—because when you're trailblazing a more sustainable future, **every step matters**.

The **proof** is in the numbers.



Circular economy



Certifications you can trust



Transparency you can trust



Healthy impacts



Global excellence

94%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business

100ppm

raw materials content revealed down to 100 parts per million

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

2010

first flooring manufacturer to join the UN Global Compact

2016

Began reporting to the Carbon Disclosure Project (CDP). In 2023, Tarkett scored A-, the CDP management level.

2020

first assessment by EcoVadis. In 2024, Tarkett's score of 81/100 earned us a Platinum medal and placed us in the top 1% of rated companies.

2023

SBTi deemed our target ambition in line with a 1.5°C trajectory, currently the most ambitious designation available through the SBTi process.

69%

of raw materials are abundant, rapidly renewable or recycled.

2013

first commercial flooring Certified **Asthma & Allergy Friendly**®

2022

Powerbond® RS is the first soft surface product in the industry to be Certified **Asthma & Allergy Friendly**®.

13

zero-waste-to-landfill manufacturing plants

2.1 million lb.

of flooring recycled in 2024 in North America

Tailored solutions



Create your signature palette

You could say we're a bit obsessive about color. Johnsonite's industry-leading color technology and highly skilled color experts allow us to precisely match any hue for a beautifully tailored palette. Send us any inspiration—from a favorite flower to a specific brand tone—and our team will get to work creating a product sample. With Johnsonite rubber flooring, you can select both the field and the accent colors within a Minerality, Olio, or Speckled visual to design a flooring experience as unique as your project.



Scan the QR code to begin tailoring your sports flooring.

IMAGINATIONS® Custom floor design

For interiors that require a completely signature touch, Tarkett's IMAGINATIONS program delivers. Create a variety of intricate designs suitable for any market segment, from company logos and school mascots to playful shapes and helpful wayfinding.



Program benefits

- Custom images can be created using virtually any flooring category—including Powerbond® hybrid carpet, LVT, rubber, vinyl, and linoleum—so they're able to meet both your aesthetic and your functional needs for the space.
- Tarkett uses the world's most sophisticated ultrasonic cutting technology, paired with state-of-the-art CAD software, so virtually no design is too intricate, no cut too precise.



MADE RIGHT MEANS JOHNSONITE™

Since the early 1960s, the Johnsonite name has been synonymous in the flooring industry with lasting quality, creative flexibility, and unwavering integrity.

With the category's broadest selection of patterns, textures, colors, and profiles—plus the ability to match any tailored palette with quick lead times and low minimums—we'll help you turn what used to be basic rubber tile and finishing accessories into fully coordinated design statements.

We come to work every day to help you win, crafting solutions you can rely on. That's why Made Right Means Johnsonite.

Discover Johnsonite



ColorMatch® palette

We'll perfectly match 32 leading colors across Johnsonite's rubber and vinyl product categories without dye lots



Design flexibility

Industry's broadest selection of colors, patterns, textures and profiles



Healthy materials

Non-PVC and free of ortho-phthalates, PFAS and antimicrobials



Made in USA

Designed and manufactured in USA; Buy America Build America Act (BABAA) compliant



Tailored by Tarkett

Precisely match any color with quick lead times and low minimum order quantities



Meet Guy, Johnsonite's Senior Technician and an important part of the manufacturing team since 1995. With so many years of experience, Guy is a superior craftsman in tailoring Johnsonite products to our customers' exact color specifications, including translating the depth of this amethyst crystal into dynamic rubber tiles and stair treads.










ColorMatch®

This designer palette of leading colors is coordinated across multiple product categories with no dye lots...ever! Our rigorous manufacturing and quality standards enable you to confidently mix and match a color across all Johnsonite rubber flooring products, finishing borders, and finishing accessories.

40 Black B	63 Burnt Umber B	TA4 Gateway WG	20 Charcoal WG	48 Grey WG
44 Dark Brown B	47 Brown	76 Cinnamon	45 Sandalwood WB	09 Clay WB
167 Fudge	283 Toast	TA8 Welsh Castle CB	49 Beige WB	11 Canvas WB
TB1 Peppercorn	80 Fawn CB	31 Zephyr CB	22 Pearl CB	01 Snow White W
29 Moon Rock WG	32 Pebble WG	55 Silver Grey WG	24 Grey Haze WG	08 Icicle W
TA6 Bedrock CG	71 Storm Cloud CG	28 Medium Grey CG	38 Pewter CG	21 Platinum CG
18 Navy Blue	86 Hunter Green			



Specifications

Style Name	Triumph			Inertia			Replay		
Warranty:	5 year limited			5 year limited			5 year limited		
	Square Edge	Interlock	SlideLock	Square Edge	Interlock	SlideLock	Square Edge	Interlock	Roll
									
Tile sizes:	24" x 24"	24" x 24" (23" x 23" net)	24" x 24"	24" x 24"	24" x 24" (23" x 23" net)	24" x 24"	24" x 24"	25" x 25" (24" x 24" net)	48" wide (200 sq. ft.)
Carton size:	12 sq. ft.	11 sq. ft.	12 sq. ft.	16 sq. ft.	12 sq. ft.	16 sq. ft.	n/a	n/a	n/a
Quantity:	3 pieces	3 pieces	3 pieces	4 pieces	3 pieces	4 pieces	n/a	n/a	n/a
Weight:	40 lb.	38 lb.	38 lb.	34 lb. (1/4") 40 lb. (3/8")	34 lb. (1/4") 40 lb. (3/8")	40 lb.	8 lb. per tile	9.5 lb. per tile	2 lb. per sq. ft.
Total thickness:	3/8"	3/8"	3/8"	1/4"; 3/8"	1/4"; 3/8"	3/8"	3/8"	3/8"	3/8"
Edge treatment:	Square Edge	Interlock	SlideLock	Square Edge	Interlock	SlideLock	Square Edge	Interlock	n/a
Wear layer thickness:	0.090"			0.090"			n/a		
Finish:	Hammered			Hammered			n/a		
Colors available:	23			23			12		
Install methods:	Glue down (Square Edge) Floating (Interlock and SlideLock)			Glue down (Square Edge) Floating (Interlock and SlideLock)			Glue down (Square Edge and Roll) Floating (Interlock)		

Sustainability attributes

RUBBER SPORTS FLOORING

Carbon neutrality:
Carbon neutral available upon request

Healthy materials:
94% raw materials third-party assessed; non-PVC

Indoor air quality:
FloorScore® certified; meets CA DPH Section 01350

Multi-attribute certifications:
Cradle to Cradle Certified® Silver
(Triumph and Inertia)

Transparency documentation:
Product-specific EPD (Triumph and Inertia)
Material Health Statement (Triumph and Inertia)

Responsible end of use management:
Part of Tarkett's ReStart® take-back
and recycling program

Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren't add-ons—they're part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit [Tarkett.ecomedes.com](https://www.tarkett.com/ecomedes) to learn more.





Testing

Classification:	ASTM F1344	Type II A (Solid) & B (Mottled) Grade 2 (Triumph) Grade 1 (Inertia) Type I (Replay)
Static-load:	ASTM F1859	Type I (Replay) 250 psi, $\leq 0.005"$
Slip-resistance:	ASTM F970	≥ 0.5 SCOF
Dimensional stability (for tiles):	ASTM D2047	Passes
Resistance to heat:	ASTM F2199	$\Delta \Sigma \leq 8.0$
Chemical-resistance:	ASTM F1514	Passes
Fire-performance:	ASTM F925	Class 1 (≥ 0.45 watts/cm ²)
	ASTM E648	FSR 35 / SDR 380 (Inertia)
	CAN / ULC S102.2	FSR 30 / SDR 275 (Triumph) FSV 163 / SDV 537 (Replay)

Adhesives

A brief comparison of adhesive products recommended for use with Johnsonite rubber sports flooring, in multiple installation scenarios.

Adhesive	Moisture RH
901 SpraySmart	90% Spray pattern cannot exceed 80 sq. ft. per can.
965 Flooring and tread adhesive	90% Adhesive is sensitive to substrate porosity. Determine substrate porosity and follow the adhesive label instructions regarding porous and non-porous substrate drying times prior to the installation.
975 Two-part urethane adhesive	90% For installations with heavy point loads, intense direct sunlight, topical moisture, and extreme temperature variation.
996 Two-part epoxy adhesive	90% For installations with heavy point loads, intense direct sunlight, topical moisture, and extreme temperature variation.



Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | [tarkett.com](https://www.tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | [tarkett.com](https://www.tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America **42399400076** 03/2025