

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

MAPEI Corporation

1144 E Newport Center Drive, Deerfield Beach, FL, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-IAQ-06042

Valid from: March 23, 2021 to March 22, 2022



INDOOR ADVANTAGE GOLD
BUILDING MATERIALS



ANSI National Accreditation Board

ACCREDITED

ISO/IEC 17065

PRODUCT CERTIFICATION
BODY

SCSglobal
SERVICES

A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President

SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Adhesives:**

Epoxy Adhesives: Epojet, Epojet LV, MapeWrap 11, MapeWrap 12 Planibond AE, Planibond AE Fast

Carpet Installation Adhesives: Ultrabond ECO 120, Ultrabond ECO 185, Ultrabond ECO 20, Ultrabond ECO 220, Ultrabond ECO 285, Ultrabond ECO 420, Ultrabond ECO 811, Ultrabond ECO 85

Carpet Installation Accessories: Ultrabond ECO 2285, Ultrabond ECO 3185

Cove and Wall Adhesive: Ultrabond ECO 901, Ultrabond ECO 575

Resilient Flooring Adhesive: Ultrabond ECO 222, Ultrabond ECO 290, Ultrabond ECO 300, Ultrabond ECO 350, Ultrabond ECO 360, Ultrabond ECO 373, Ultrabond ECO 390, Ultrabond ECO 399, Ultrabond ECO 560, Ultrabond ECO 570, Ultrabond ECO 611, Ultrabond ECO 711, Ultrabond ECO MS 4 LVT, Ultrabond ECO MS 4 LVT Wall, Ultrabond G17, Ultrabond G19, Ultrabond G21

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Wood Flooring Adhesives:** Ultrabond ECO 905, Ultrabond ECO 907, Ultrabond ECO 960, Ultrabond ECO 962, Ultrabond ECO 975, Ultrabond ECO 977, Ultrabond ECO 980, Ultrabond ECO 983, Ultrabond ECO 985, Ultrabond ECO 995, Ultrabond ECO WPA

Mortars:

Concrete Repair Mortar: Mapecem 102, Mapecem 202, Planitop 11, Planitop 11 SCC, Planitop 12 SR, Planitop 15, Planitop 18, Planitop 18 ES, Planitop 18 TG, Planitop 200, Planitop 23, Planitop 25, Planitop EL, Planitop FD, Planitop Shotcrete, Planitop VO, Planitop X, Planitop XS, Topcem Pronto

Dry-Set Mortars: Floor Tile Mortar, Kerabond, Kerabond T, Keraflor, Keraset, Uncoupling Membrane Mortar

Dry-Set Mortar Latex Additives: Keralastic, Keraply, Polymer Additive

Flexible Mortar Systems: GraniRapid System, Kerabond/Keralastic System, Kerabond T/Keralastic System

Full Contact Mortars: Ultracontact, Ultracontact RS

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Lightweight Polymer Modified Mortars:** Light Mortar for Tile and Stone, Ultralite™ Mortar, Ultralite™ Mortar Pro, Ultralite™ S1 Quick, Ultralite™ S2

Polymer Modified Mortars: Adesilex P10 Mosaic & Glass Tile, Ceramic Tile Mortar, Ker 111, Ker 121, Keraflex Plus, Keraflex RS, Keraflex SG, Keraflex Super, Large Format Floor & Wall Tile Mortar, Large Format Floor Tile Mortar, Large Tile and Stone Mortar, Mosaic & Glass Tile Mortar, Multipurpose Tile Mortar, Porcelain Tile Mortar, Rapid Setting Tile Mortar, Ultraflex 1, Ultraflex 2, Ultraflex 3, Ultraflex LFT, Ultraflex LFT Rapid, Ultraflex LHT, Ultraflex LHT SG, Ultraflex RS, Ultraflor, Ultraflor Plus

Specialty Mortars: Glass Block Mortar, Kerapoxy 410, Planicrete W, Ultrabond ECO GPT

Mud Beds, Render Mortars & Repair Systems: 4 to 1 Mud Bed Mix, Mapecem Premix, Modified Mortar Bed, Planislope RS, Planitop 330 Fast, Scratch Coat Mortar, Topcem Premix

Synthetic Landscape Golf Turf Installation: Ultrabond Landscape Turf CG, Ultrabond Landscape Turf RG

Synthetic Turf Installation: Ultrabond Turf PU 1K-HV, Ultrabond Turk PU 1K, Ultrabond Turf PU 1K-LV, Ultrabond Turf PU 2K, Ultrabond Turf PU 2K Accelerator

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Sports Flooring:** Ultrabond Track PU 2K, Ultrasport PU 2K

Screed Mortar: Mapecem 100

Resinous Flooring Epoxy Mortars: Mapefloor EP 19 NA, Mapefloor EP 20 NA

Shower System 4 LVT: Mapecoat 4 LVT

Wood Flooring Adhesives: Ultrabond ECO 903