Safety Data Sheet PLANIPREP AR Safety Data Sheet dated: 06/16/202

Safety Data Sheet dated: 06/16/2021 - version 6 Date of first edition: 09/01/2015



### **1. IDENTIFICATION**

**Product identifier** Mixture identification:

Trade name: PLANIPREP AR

#### Trade code: 37168

### Recommended use of the chemical and restrictions on use

Recommended use: Cleaner

Restrictions on use: N.A.

## Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive

33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

#### **Emergency 24 hour numbers:**

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



## **Classification of the chemical**

Label elements	
STOT SE 3	May cause drowsiness or dizziness.
STOT SE 3	May cause respiratory irritation.
Eye Dam. 1	Causes serious eye damage.
Skin Corr. 1B	Causes severe skin burns and eye damage.
Acute Tox. 4	Harmful if swallowed.

# Pictograms and Signal Words



### Hazard statements:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

#### **Precautionary statements:**

P233	Keep container tightly closed.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310	Immediately call a doctor.
P370+P378	In case of fire, use a dry powder fire extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.

#### Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

N.A.

## Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

# List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
20-25 %	ETHANOLAMINE	CAS:141-43-5	Skin Corr. 1B, H314; STOT SE 3, H335; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Flam. Liq. 4, H227	
20-25 %	2-BUTOXYETHANOL	CAS:111-76-2	Eye Irrit. 2A, H319; Skin Irrit. 2, H315; Flam. Liq. 4, H227; Acute Tox. 4, H302; Acute Tox. 4, H312 Acute Tox. 4, H332	:

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

## In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

## In case of Ingestion:

Give nothing to eat or drink.

#### In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

## Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

#### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

## **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

Suitable extinguishing media:

#### Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A. Explosive properties: N.A. Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Always keep in a well ventilated place.

Keep away from food, drink and feed.

#### Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

# List of components with OEL value

Component	OEL Type	Country	Ceiling	Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
ETHANOLAMINE	OSHA			6	3				
	ACGIH				3		6		eye and skin irritation;
	EU			2,5	1	7,6	3	Indicative	Possibility of significant uptake through the skin;
	MAK	GERMANY		0,51	0,2				
	ACGIH				3		6		eye and skin irritation
	EU			2,5	1	7,6	3	Indicative	Possibility of significant uptake through the skin
	MAK	AUSTRIA		2,5	1	7,6	3		
	MAK	SWITZERLAND	1	5	2				
2-BUTOXYETHANOL	OSHA			240	50				prevent or reduce skin absorption;

Date 6/29/2021 Production Name PLANIPREP AR

ACGIH			20				A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;eye and upper respiratory tract irritation;
EU		98	20	246	50	Indicative	Possibility of significant uptake through the skin;
MAK	GERMANY	49	10				
OSHA		240	50				prevent or reduce skin absorption
ACGIH			20				A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;eye and upper respiratory tract irritation
МАК	AUSTRIA	98	20	200	40		
MAK	SWITZERLAND	49	10				
EU		98	20	246	50	Indicative	Possibility of significant uptake through the skin

### **Biological Exposure Index**

CAS-No.	Component	Value	UoM	Medium	<b>Biological Indicator</b>	Sampling Period
111-76-2	2- BUTOXYETHANC L	200 )	MGGCREAT	Urine	Butoxyacetic acid ( BAA )	) End of turn

## Appropriate engineering controls: N.A.

## Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

#### Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Liquid
Appearance and colour: Yellow
Odour: Like: Soap
Odour threshold: No data available
pH: 11.10
Melting point / freezing point: No data available
Initial boiling point and boiling range: No data available
Flash point: 94 °C (201,2 °F)
Evaporation rate: No data available
Upper/lower flammability or explosive limits: No data available
Vapour density: No data available
Vapour pressure: No data available
Relative density: 1.10 g/cm3
Solubility in water: soluble
Solubility in oil: No data available
Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: No data available Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

#### **Other information**

Substance Groups relevant properties No data available Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## **10. STABILITY AND REACTIVITY**

### Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

#### Hazardous decomposition products

None.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

#### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information on main components of the mixture:

ETHANOLAMINE	a) acute toxicity	LD50 Skin Rabbit = 1 ml/kg
		LD50 Oral Rat = 1720 mg/kg
		LD50 Skin Rabbit = 1000 mg/kg
		LD50 Oral Rat = 1720 mg/kg
2-BUTOXYETHANOL	a) acute toxicity	LD50 Skin Rabbit = 220 mg/kg
		LC50 Inhalation Rat = 450 ppm 4h
		LD50 Oral Rat = 470 mg/kg
		LD50 Skin Rabbit = 435 mg/kg
		LC50 Inhalation Rat = 450 ppm 4h
		LC50 Inhalation Rat = 486 ppm 4h
		LD50 Oral Rat = 470 mg/kg

#### If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism

ogical Information:	report on Carcino ION nat the product is r	not released into the environment.
ne (s) listed on the NTP ne DGICAL INFORMAT working practices, so th	report on Carcino	
ne (s) listed on the NTP ne	report on Carcino	ogens:
ne (s) listed on the NTP		ogens:
	arcinogen(s):	
(s) listed as NIOSH C	arcinogen(s):	
ne		
(s) listed as OSHA Ca	rcinogen(s):	
(s) listed on the IARC BUTOXYETHANOL	C Monographs: Group 3	
aspiration hazard		
	2	
a ( 3 (	spiration hazard s) listed on the IARC UTOXYETHANOL s) listed as OSHA Ca	(s) listed on the IARC Monographs:   UTOXYETHANOL Group 3   (s) listed as OSHA Carcinogen(s):

ETHANOLAMINE	CAS: 141-43-5	a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 227 mg/L 96h IUCLID
		a) Aquatic acute toxicity: LC50 Fish Brachydanio rerio = 3684 mg/L 96h IUCLID
		a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus 300 mg/L 96h EPA
		a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 114 mg/L 96h EPA
		a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 65 mg/L 48h IUCLID
		a) Aquatic acute toxicity: EC50 Algae Desmodesmus subspicatus = 15 mg/L 72h IUCLID
		a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss > 200 mg/L 96h EPA
2-BUTOXYETHANOL	CAS: 111-76-2	a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 1490 mg/L 96h EPA
		a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna > 1000 mg/L 48h EPA
		a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 2950 mg/L 96h IUCLID
Persistence and degradability		
N.A.		

**Bioaccumulative potential** 

N.A.

Mobility in soil

N.A.

## Other adverse effects

N.A.

## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

## Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

#### **UN number**

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

#### **UN proper shipping name**

ADR-Shipping Name: N.A. DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A. IMDG-Technical name: N.A.

#### Transport hazard class(es)

ADR-Class: N.A. DOT-Hazard Class: N.A. IATA-Class: N.A. IMDG-Class: N.A.

#### Packing group

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

#### **Environmental hazards**

Marine pollutant: No Environmental Pollutant: N.A.

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

## **Special precautions** Department of Transportation (DOT): N.A. Road and Rail (ADR-RID): N.A. Air (IATA): N.A. Sea ( IMDG ) : N.A.

## **15. REGULATORY INFORMATION**

## **USA - Federal regulations**

TSCA - Toxic Substances Control	Act
TSCA inventory:	
All the components are listed	d on the TSCA inventory
TSCA listed substances:	
ETHANOLAMINE	is listed in TSCA
2-BUTOXYETHANOL	is listed in TSCA

## in TSCA Section 8b in TSCA Section 8b

## SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: No substances listed

## Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

2-BUTOXYETHANOL

## CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

## CAA listed substances:

ETHANOLAMINE	is listed in CAA	Section 112(b) - HON
2-BUTOXYETHANOL	is listed in CAA	Section 112(b) - HON

## CWA - Clean Water Act

**CWA listed substances:** 

No substances listed

## **USA - State specific regulations**

#### **California Proposition 65**

Substance(s) listed under California Proposition 65:

No substances listed

#### Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

ETHANOLAMINE

2-BUTOXYETHANOL

#### Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

ETHANOLAMINE

2-BUTOXYETHANOL

#### New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

ETHANOLAMINE

2-BUTOXYETHANOL

## **Canada - Federal regulations**

## **DSL - Domestic Substances List**

### **DSL Inventory:**

All the substances are listed in the DSL.

## **NDSL - Non Domestic Substances List**

NDSL Inventory:

No substances listed

## NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

No substances listed

## **16. OTHER INFORMATION**

Safety Data Sheet dated: 6/16/2021 - version 6 Additional classification information

> NFPA Health: 3 = Serious NFPA Flammability: 1 = Combustible if heated NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

## Code Description

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
- IMDG: International Maritime Code for Dangerous Goods.
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- CLP: Classification, Labeling, Packaging.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- INCI: International Nomenclature of Cosmetic Ingredients.
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- LC50: Lethal concentration, for 50 percent of test population.
- LD50: Lethal dose, for 50 percent of test population.
- DNEL: Derived No Effect Level.
- PNEC: Predicted No Effect Concentration.
- TLV: Threshold Limiting Value.
- TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
- STEL: Short Term Exposure limit.
- STOT: Specific Target Organ Toxicity.
- WGK: German Water Hazard Class.
- KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 16. OTHER INFORMATION