Safety Data Sheet PLANISEAL VS PART B

Safety Data Sheet dated: 06/10/2021 - version 5

Date of first edition: 05/12/2017



1. Identification

Product identifier

Mixture identification:

Trade name: PLANISEAL VS PART B

Other means of identification Trade code: 9024356

Recommended use and restrictions on useRecommended use: Hardener for epoxy products

Restrictions on use: N.A. **Supplier's details**

Company: MAPEI INC. (Canada)

2900 Francis-Hughes Avenue H7L 3J5 - Laval - QC - CAN

Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. Hazard identification







Classification of the product

Acute Tox. 4 Harmful if swallowed.

Skin Corr. 1B Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1A May cause an allergic skin reaction.

Repr. 1B May damage fertility. May damage the unborn child.

STOT RE 2 May cause damage to organs through prolonged or repeated exposure if swallowed.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Label elements

Pictograms and Signal Words



Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 1 of 11

P301+P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P310 Immediately call a POISON CENTER. P321 Specific treatment (see supplementary instructions on this label) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations.

Other hazards

None

Ingredient(s) with unknown acute toxicity

None

3. Composition/information on ingredients

Substances

N.A.

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of components

| Concentra tion (% w/w) | Name | Ident. Numb. | Classification | Registration Number |
|------------------------------|---|----------------|---|---------------------|
| 25-50 % | isophorone diamine; 3- aminomethyl-3,5,5- trimethylcyclohexylamine | CAS:2855-13-2 | Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Chronic 3, H412; Acute Tox. 4, H302; Acute Tox. 4, H312 | |
| 20-25 % | benzyl alcohol; benzenemethanol | CAS:100-51-6 | Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319 | |
| 10-20 % | 2,4,6- tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6- tris(dimethylamino)- | CAS:90-72-2 | Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Chronic 3, H412 | |
| 5-10 % | bisphenol a epoxy resin; 1-Chloro- 4 Trifluromethyl Bisphenol A Epoxy Resin | | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 2, H411; Skin Sens. 1B, H317 | |
| 5-10 % | triethylene tetramine; trientine | CAS:112-24-3 | Skin Sens. 1, H317; Aquatic Chronic 3, H412; Acute Tox. 4, H312; Acute Tox. 4, H302; Skin Corr. 1B, H314 | |
| 2.5-5 % | copolymer of benzenamine and formaldehyde, hydrogenated; polymeric cycloaliphatic amines | | Acute Tox. 4, H302; STOT RE 2, H373; Aquatic Chronic 3, H412; Skin Corr. 1C, H314; Skin Sens. 1, H317 | |
| 2.5-5 % | aminoethylpiperazine; 2-piperazin- 1-ylethylamine | CAS:140-31-8 | Acute Tox. 3, H311; Eye Dam. 1, H318; Skin Corr. 1B, H314; Skin Sens. 1, H317; Repr. 1B, H360 | |
| 1-2.5 % | bis[(dimethylamino)methyl] phenol; | CAS:71074-89-0 | Skin Corr. 1B, H314 | |

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 2 of 11

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 3 of 11

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters

List of components with OEL value

| Component | OEL Type | Country | Ceiling | Long Term mg/m3 | Long Term ppm | Short Term mg/m3 | Short Term ppm | Behaviour Note |
|------------------------------------|-------------|-------------|---------|-----------------------|---------------------|------------------------|----------------------|----------------|
| benzyl alcohol; benzenemethanol | MAK | GERMANY | | 22 | 5 | | | |
| | MAK | SWITZERLAND | | 22 | 5 | | | |

Appropriate engineering controls

N.A.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: liquid Amber

Odour: Like: Amines

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available
Initial boiling point and boiling range: No data available

Flash point: 94 °C (201 °F)

Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: 1.00 g/cm3 Solubility in water: Insoluble Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

Other information

Substance Groups relevant properties No data available

Miscibility: No data available

 Print date
 11/10/2022
 Production Name
 PLANISEAL VS PART B
 Page n.
 4 of 11

Fat Solubility: No data available Conductivity: No data available

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

isophorone diamine; 3-

a) acute toxicity

LD50 Oral Rat = 1030 mg/kg

aminomethyl-3,5,5-

trimethylcyclohexylamine

LD50 Skin Rat > 2000 mg/kg LD50 Oral Rat = 1030 mg/kg

benzyl alcohol; benzenemethanol a) acute toxicity

LD50 Skin Rabbit = 2000,00000 mg/kg

LC50 Inhalation Rat = 8,80000 mg/l 4h

LD50 Oral Rat = 1230 mg/kg LD50 Skin Rabbit = 2 g/kg LD50 Oral Rat = 1230 mg/kg

2,4,6-

a) acute toxicity

LD50 Skin Rat = 1280 mg/kg

tri(dimethylaminomethyl) phenol; Mesitol,

alpha2,alpha4,alpha6tris(dimethylamino)-

> LD50 Oral Rat = 1000 mg/kg LD50 Skin Rat = 1280 mg/kg LD50 Oral Rat = 1200 mg/kg

triethylene tetramine;

trientine

a) acute toxicity

LD50 Skin Rabbit = 550 mg/kg

LD50 Oral Rat = 2500 mg/kg LD50 Skin Rabbit = 550 mg/kg LD50 Oral Rat = 2500 mg/kg

aminoethylpiperazine; 2- a) acute toxicity

piperazin-1-ylethylamine

LD50 Skin Rabbit = 880 µL/kg

LD50 Oral Rat = 2140 mg/kg LD50 Oral Rat = 2140 μ L/kg LD50 Skin Rabbit = 880 μ L/kg

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 5 of 11

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with eco-toxicological properties

| List of components with eco-to | Alcological prop | ei des | |
|--|----------------------|--|---|
| Component | Ident. Numb. | Ecotox Infos | |
| isophorone diamine; 3- aminomethyl-3,5,5- trimethylcyclohexylamine | CAS: 2855-13-2 | a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna 14,60000 mg/L 48h EPA | |
| | | a) Aquatic acute toxicity: EC50 Daphnia magna = 42,00000 mg/L - 24hr | |
| | | a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 37 mg/L 72h IUCLID | |
| | | a) Aquatic acute toxicity: EC50 Algae idus = 110,00000 mg/L 96h | |
| benzyl alcohol; benzenemethanol | CAS: 100-51-6 | a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 460 mg/L 96h EPA | |
| | | a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 10 mg/L 96h EPA | ı |
| | | a) Aquatic acute toxicity: EC50 Daphnia water flea = 23 mg/L 48h | |
| triethylene tetramine; trientine | CAS: 112-24-3 | a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 570 mg/L 96h IUCLID | |
| | | a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 495 mg/L 96h IUCLID | |
| | | a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 2,50000 mg/L 72h IUCLID | |
| | | a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = $20 $ mg/L 72h IUCLID | |
| | | a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata = 3,70000 mg/L 96h EPA | |
| | | a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 31,1 mg/L 48h IUCLID | |
| copolymer of benzenamine and formaldehyde, hydrogenated; polymeric cycloaliphatic amines | CAS: 135108- 88-2 | a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 63 mg/L 96h ECHA | |

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 6 of 11

aminoethylpiperazine; 2-piperazin- CAS: 140-31-8 a) Aquatic acute toxicity: LC50 Fish Pimephales promelas 1950 mg/L 96h EPA 1-ylethylamine

a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata > 1000 mg/L 96h

IUCLID

a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss >= 100 mg/L 96h

IUCLID

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 32 mg/L 48h

IUCLID

a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata = 495

mg/L 72h IUCLID

Persistence and degradability

N.A.

Bioaccumulative potential

NΑ

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

UN number

TDG-UN number: UN2735 ADR-UN number: 2735 DOT-UN Number: UN2735 IATA-Un number: 2735 IMDG-Un number: 2735

UN proper shipping name

TDG-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine -

2,4,6-tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-tris(dimethylamino)-)

ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine -

 $2,\!4,\!6\text{-tri}(dimethylaminomethyl) phenol; \ Mesitol, \ alpha 2, alpha 4, alpha 6\text{-tris}(dimethylamino)-)$

DOT-Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophorone diamine; 3-aminomethyl-3,5,5-

trimethylcyclohexylamine - 2,4,6-tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-

tris(dimethylamino)-)

IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine -

2,4,6-tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-tris(dimethylamino)-)

IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine - 2,4,6-tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-tris(dimethylamino)-)

Transport hazard class(es)

TDG-Class: 8

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 7 of 11

```
ADR-Class: 8
DOT-Hazard Class: 8
IATA-Class: 8
IMDG-Class: 8

Packing group
TDG-Packing Group: II
ADR-Packing Group: II
DOT Packing Group: II
```

Environmental hazards

Marine pollutant: No

IATA-Packing group: II IMDG-Packing group: II

Environmental Pollutant: N.A.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions in connection with transport or conveyance

TDG:

TDG Special provisions: 16 Department of Transportation (DOT):

DOT-Special Provision(s): B2, IB2, T11, TP1, TP27

DOT-Label(s): 8

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail (ADR-RID) :
ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Transport category (Tunnel restriction code): 2 (E)

Air (IATA):

IATA-Passenger Aircraft: 851 IATA-Cargo Aircraft: 855

IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisioning: A3 A803

Sea ($\ensuremath{\mathsf{IMDG}}$) :

IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 SGG18

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 274

IMDG-Page: N/A
IMDG-Label: N/A
IMDG-EMS: F-A, S-B
IMDG-MFAG: N/A

15. Regulatory information

Canada - Federal regulations

DSL - Domestic Substances List

DSL Inventory:

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL Inventory:

No substances listed

NPRI - National Pollutant Release Inventory

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 8 of 11

Substances listed in NPRI:

No substances listed

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

isophorone diamine; 3aminomethyl-3,5,5trimethylcyclohexylamine is listed in TSCA Section 8b

benzyl alcohol; benzenemethanol is listed in TSCA Section 8b 2,4,6- is listed in TSCA Section 8b

2,4,6tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-

tris(dimethylamino)-

bisphenol a epoxy resin; 1-Chloro- is listed in TSCA Section 8b 4 Trifluromethyl Bisphenol A Epoxy

Resin

triethylene tetramine; trientine is listed in TSCA Section 8b copolymer of benzenamine and is listed in TSCA Section 8b

formaldehyde, hydrogenated; polymeric cycloaliphatic amines

aminoethylpiperazine; 2-piperazin- is listed in TSCA Section 8b 1-ylethylamine

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

benzyl alcohol; benzenemethanol is listed in CAA Section 112(b) - HON

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

benzyl alcohol; benzenemethanol triethylene tetramine; trientine

aminoethylpiperazine; 2-piperazin-1-ylethylamine

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

benzyl alcohol; benzenemethanol triethylene tetramine; trientine

aminoethylpiperazine; 2-piperazin-1-ylethylamine

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 9 of 11

isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine

triethylene tetramine; trientine

aminoethylpiperazine; 2-piperazin-1-ylethylamine

16. Other information

Safety Data Sheet dated: 6/10/2021 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

| Code | Description |
|--------|---|
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H360 | May damage fertility or the unborn child. |
| H360FD | May damage fertility. May damage the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure if swallowed. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 6. ACCIDENTAL RELEASE MEASURES
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 10of 11

- 14. TRANSPORT INFORMATION

Print date 11/10/2022 Production Name PLANISEAL VS PART B Page n. 11of 11