

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

MAPEI Corporation

1144 E Newport Center Drive, Deerfield Beach, FL, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m² per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m³ and 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-IAQ-06041

Valid from: March 23, 2021 to March 22, 2022



INDOOR ADVANTAGE GOLD
BUILDING MATERIALS



A handwritten signature in black ink that reads 'Stanley Mathuram'.

Stanley Mathuram, PE, Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06041 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m² per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m³ and 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Sealants:**

Caulks: Keracaulk S, Keracaulk U, Mapesil 3D, Mapesil T, Mapesil T Plus

Cement Grouts: 2-1/2 to 1, Keracolor S, Keracolor U, Ultracolor Plus FA, Ultracolor Plus MAX

Coatings and Sealers: Elastocolor Primer WB, Mapefloor Finish 450, Mapefloor Finish 53 W/L, Mapefloor Finish 54 W/S, Mapefloor Finish 58 W, Mapefloor PU Primer, Planiseal CR1, Planiseal LVB, Planiseal Traffic Coat, Primer SN, Primer SN Fast, Elastocolor Coat, Elastocolor Flex, Elastocolor Paint, Elastocolor Primer AR, Elastocolor Texture, Mapecrete Protector FF, Mapefinish Wet Look, Mapefloor Finish 415 NA, Mapefloor PU 400 FC, Planiseal HG, Planiseal Traffic Coat FS, Planiseal WR, Planiseal WR 100, Planiseal WR 40

Construction Grouts: Planigrout 350, Planigrout 712, Planigrout 728, Planigrout 740, Planigrout 755

Cure and Seals: Mapecrete Film, Mapecure DR

Epoxy Grouts: Kerapoxy, Kerapoxy CQ, Kerapoxy IEG CQ

Finishes: Ultracare High Gloss Sealer & Finish, Ultracare Low Sheen Sealer & Finish, Ultracoat HT 2K

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06041 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m² per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m³ and 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Ready-to-Use Grouts and Mortar:** Flexcolor 3D, Flexcolor CQ, Flexcolor Design, Premium Mortar
Moisture Control: Planiseal ESP, Planiseal MSP, Planiseal PMB, Planiseal VS, Planiseal VS Fast, Planiseal MB
Patching & Skimcoating Products: Planitex UNS
Problem Solvers: Ultracare Grout Refresh, Ultracare Grout Release
Sealants and Joint Fillers: Mapeflex EMC-1, Mapeflex P2 SL, Planibond JF, Planiseal RapidJoint 15
Sealers: Ultracare Enhancing Plus Stone Sealer, Ultracare Enhancing Stone Sealer, Ultracare Grout Maximizer, Ultracare Grout Sealer, Ultracare Penetrating Plus SB Stone & Porcelain Tile Sealer, Ultracare Penetrating Plus Stone Tile & Grout Sealer, Ultracare Penetrating SB Stone Tile & Grout Sealer, Ultracare Penetrating Stone Tile & Grout Sealer
Subfloor Treatment Products: Planiprep AR, Planiprep ET, Planiprep SA
CRS Waterproofing: Mapebond 700, Mapebond 710, Mapebond 720, Mapeflex P2 NS, Mapelastic, Mapeproof Sealant, Mapethene Mastic, Planiseal 288, Planiseal 88, Planiseal Plug, Resfoam HB 45, Resfoam HL 35, Resfoam PF, Resfoam SS 75

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06041 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005).

Standard Product Application Amount: 46.4 m² per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 mg/m³ and 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Waterproofing Membranes:** Mapelastic 315, Mapelastic AquaDefense, Mapelastic HPG, Mapelastic Smart, Mapelastic Turbo, Mapelastic Waterstop