

# Safety Data Sheet ULTRAPLAN LITE

Safety Data Sheet dated: 12/04/2019 - version 3

Date of first edition: 05/26/2015

#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: ULTRAPLAN LITE

#### Recommended use of the chemical and restrictions on use

Recommended use: Cement based levelling mortar

Restrictions on use: N.A.

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico) 1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

# **Emergency 24 hour numbers:**

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION







# Classification of the chemical

Skin Corr. 1A Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1 May cause an allergic skin reaction.

Carc. 1A May cause cancer if inhaled.

STOT SE 3 May cause respiratory irritation.

#### **Label elements**

#### **Pictograms and Signal Words**



Danger

## **Hazard statements:**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.H318 Causes serious eye damage.

H335 May cause respiratory irritation.
H350 May cause cancer if inhaled.

# **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 1 of 8

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a doctor.

P321 Specific treatment (see supplementary instructions on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Ingredient(s) with unknown acute toxicity:

None

## Hazards not otherwise classified identified during the classification process:

None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

N.A.

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Quantity	Name	Ident. Numb.	Classification	Registration Number
25-50 %	FLY ASH	CAS:68131-74-8	STOT SE 3, H335	
5-10 %	Portland cement	CAS:65997-15-1	STOT SE 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H317; Skin Corr. 1A, H314	
0.49-1 %	Silica Sand	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	

## 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

# Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 5. FIRE-FIGHTING MEASURES

# Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 2 of 8

## Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

## Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Always keep in a well ventilated place.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

# List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Portland cement	OSHA			15					
	OSHA			5					
	ACGIH			1					A4 - Not Classifiable as a Human Carcinogen; pulmonary function;respiratory symptoms;asthma;
	ACGIH			1					A4 - Not Classifiable as a Human Carcinogen; pulmonary

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 3 of 8

MAK **AUSTRIA** 5 MAK **SWITZERLAN** 5

Silica Sand **ACGIH** 0,025 A2 - Suspected Human Carcinogen; lung cancer; pulmonary fibrosis;

Appropriate engineering controls: N.A. **Individual protection measures** 

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: Powder grey

Odour: Cement like Odour threshold: N.A. pH in water dispersion: 11.50 Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A.

Flash point: Not Applicable Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.20 g/cm3 Solubility in water: Soluble Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A.

# Other information

Substance Groups relevant properties N.A.

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

# 10. STABILITY AND REACTIVITY

## Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

# Possibility of hazardous reactions

None.

#### Conditions to avoid

Stable under normal conditions.

Date 12/5/2019 Production Name **ULTRAPLAN LITE** Page n. 4 of 8

## **Incompatible materials**

None in particular.

#### **Hazardous decomposition products**

None.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

#### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information on main components of the mixture:

FLY ASH a) acute toxicity LD50 Oral Rat > 2000 mg/kg

Silica Sand a) acute toxicity LD50 Oral Rat = 500 mg/kg

# If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- k) Toxicological kinetics, metabolism and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

# Substance(s) listed on the IARC Monographs:

Silica Sand Group 1

# Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

#### Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

#### Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of components with eco-toxicological properties

Quantity Component Ident. Numb. Ecotox Infos

0.49-1 % Silica Sand CAS: 14808-60- a) Aquatic acute toxicity: LC50 carp > 10000,00000 mg/L 72h

7

# Persistence and degradability

N.A.

# **Bioaccumulative potential**

N.A.

#### Mobility in soil

N.A.

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 5 of 8

#### Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

#### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

### **UN** proper shipping name

ADR-Shipping Name: N.A.
DOT-Proper Shipping Name: N.A.
IATA-Technical name: N.A.
IMDG-Technical name: N.A.

#### Transport hazard class(es)

ADR-Class: N.A.
DOT-Hazard Class: N.A.
IATA-Class: N.A.
IMDG-Class: N.A.

#### Packing group

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

## **Special precautions**

Department of Transportation (DOT):

N.A

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG): N.A.

# 15. REGULATORY INFORMATION

## **USA - Federal regulations**

## **TSCA - Toxic Substances Control Act**

## **TSCA** inventory:

All the components are listed on the TSCA inventory

# **TSCA listed substances:**

FLY ASH is listed in TSCA Section 8b Portland cement is listed in TSCA Section 8b Silica Sand is listed in TSCA Section 8b

### **SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:** 

no substances listed

## Section 304 - Hazardous substances:

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 6 of 8

no substances listed

#### Section 313 - Toxic chemical list:

no substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

no substances listed

#### **CAA - Clean Air Act**

#### **CAA listed substances:**

no substances listed

#### **CWA - Clean Water Act**

#### **CWA listed substances:**

no substances listed

#### **USA - State specific regulations**

#### **California Proposition 65**

# Substance(s) listed under California Proposition 65:

Silica Sand Listed as carcinogen

#### Massachusetts Right to know

#### Substance(s) listed under Massachusetts Right to know:

Portland cement

Silica Sand

#### Pennsylvania Right to know

# Substance(s) listed under Pennsylvania Right to know:

Portland cement

Silica Sand

#### New Jersey Right to know

# Substance(s) listed under New Jersey Right to know:

Portland cement

Silica Sand

# **Canada - Federal regulations**

# **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

# **NDSL - Non Domestic Substances List**

NDSL Inventory:

no substances listed

# **NPRI - National Pollutant Release Inventory**

Substances listed in NPRI:

Description

no substances listed

# **16. OTHER INFORMATION**

Code

Code	Description			
H314	Causes severe skin burns and eye damage.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
H350	May cause cancer .			
H350	May cause cancer if inhaled.			
H372	Causes damage to organs through prolonged or repeated exposure .			
Cafety Data Cheet dated, 13/4/2010, yearing 2				

Safety Data Sheet dated: 12/4/2019 - version 3

Product code: 9074929

#### **Additional classification information**

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 7 of 8



HMIS Health: 2 = Moderate

HMIS Health - Is health hazard chronic? Yes HMIS Flammability: 0 = Not Combustible

HMIS Reactivity: 0 = Minimal

HMIS P.P.E.: Safety glasses, gloves, dust respirator

NFPA Health: 2 = Moderate

NFPA Flammability: 0 = Not Combustible

NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

 ${\sf GefStoffVO:}\ \ {\sf Ordinance}\ \ {\sf on}\ \ {\sf Hazardous}\ \ {\sf Substances},\ {\sf Germany}.$ 

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

\* Sheet model entirely changed in compliance to regulatory update.

Date 12/5/2019 Production Name ULTRAPLAN LITE Page n. 8 of 8