

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

MAPEI Corporation

1144 E Newport Center Drive, Deerfield Beach, FL, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, SCAQMD Rule 1113 - Architectural Coatings (September 2013); European Decopaint (2004/42/EC); Canadian VOC Concentration Limits for Architectural Coatings (SOR/2009-264: April 16, 2014); Hong Kong Air Pollution Control (VOC) Regulation.

Standard Product Application Amount: 37.2 m² per gallon

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-IAQ-06040

Valid from: March 23, 2021 to March 22, 2022



INDOOR ADVANTAGE GOLD
BUILDING MATERIALS



ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17065
PRODUCT CERTIFICATION
BODY

A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President

SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

The logo for SCS Global Services, featuring the letters "SCS" in a large, bold, green font, followed by "global" in a smaller, black, lowercase font, and "SERVICES" in a very small, black, uppercase font below it.

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06040 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, SCAQMD Rule 1113 - Architectural Coatings (September 2013); European Decopaint (2004/42/EC); Canadian VOC Concentration Limits for Architectural Coatings (SOR/2009-264: April 16, 2014); Hong Kong Air Pollution Control (VOC) Regulation. Standard Product Application Amount: 37.2 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products:

Architectural Coatings:

Admixtures: Mapecure SRA, Planicrete AC, Planicrete LA, Planicrete UA, Planitop Accelerator

Wood Base Coats: Ultracoat Premium Base, Ultracoat Toning Base, Ultracoat Universal Base

Bond Promoting Primer: ECO Prim Grip

Corrosion Protection: Mapefer 1K, Mapeshield CI 100, Planibond 3C

Crack Isolation: Mapelastic CI

Decorative Toppings: Ultratop, Ultratop PC, Ultratop SP

Densifiers: Mapecrete Hard FS, Mapecrete Hard LI, Mapecrete Hard SB, Mapecrete Hard SI

Wood Finishes: Ultracoat Aqua Plus, Ultracoat Easy Plus, Ultracoat Gym, Ultracoat Gym Pro, Ultracoat High Traffic

Mastics: Ker 909, Type 1, Ultramastic Eco

Moisture-Vapor Reducing Epoxy & Alkalinity Barrier: Planiseal MVR

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06040 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, SCAQMD Rule 1113 - Architectural Coatings (September 2013); European Decopaint (2004/42/EC); Canadian VOC Concentration Limits for Architectural Coatings (SOR/2009-264: April 16, 2014); Hong Kong Air Pollution Control (VOC) Regulation. Standard Product Application Amount: 37.2 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Patching Compounds, Skimcoats & Additives:** Mapecem Quickpatch, Planipatch, Planipatch Plus, Planiprep MRS, Planiprep SC, Tilt Finish

Primers / Self-Leveling: Mapei HM Primer, Mapei SM Primer, Mapei SM Primer Fast, Mapewrap Primer 1, Planibond EBA, Primer CE, Primer E, Primer L, Primer T, Primer X, Primer WE

Wood Refinishing System: Ultracoat ReNewIt Primer, Ultracoat ReNewIt Remover

Self-Leveling Underlayments & Primers: Novoplan 1, Novoplan 2 Plus, Novoplan 710 SL, Novoplan DPL, Novoplan Easy Plus, Novoplan HFL, Novoplan SP, PlaniLevel 360, PlaniLevel 420, PlaniLevel 450, PlaniLevel 500, PlaniLevel 560, Planitex SL, Planitex SLF, Polyplan RSL, Self-Leveler Plus, Ultraplan 1 Plus, Ultraplan Easy, Ultraplan Extreme 2, Ultraplan Lite, Ultraplan LSC, Ultraplan M20 Plus

Hardcourt Sports Surfaces: Mapecoat TNS Base Gray, Mapecoat TNS Base White, Mapecoat TNS Binder, Mapecoat TNS Finish 1, Mapecoat TNS Line Seal, Mapecoat TNS Line Tex

Certification Addendum

MAPEI Corporation

Certification: Registration # SCS-IAQ-06040 | Valid from: March 23, 2021 to March 22, 2022

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, SCAQMD Rule 1113 - Architectural Coatings (September 2013); European Decopaint (2004/42/EC); Canadian VOC Concentration Limits for Architectural Coatings (SOR/2009-264: April 16, 2014); Hong Kong Air Pollution Control (VOC) Regulation. Standard Product Application Amount: 37.2 m² per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Cement Based Flooring System:** Mapefloor CPU/MF, Mapefloor CPU/HD, Mapefloor CPU/RT, Mapefloor CPU/COVE, Mapefloor CPU/TC, Mapefloor CPU/SB, Mapecolor Paste, Mapecolor CPU, Mapefloor Finish 630, Mapefloor Finish PU 418
Resinous Flooring System: Mapefloor I 900, Mapefloor I 302 SL, Mapefloor I 320 SL Concept, Mapecoat Universal, Mapefloor Compact, Mapecoat I 24
Saturants: MapeWrap 21, MapeWrap 21 TG, MapeWrap 31, MapeWrap 31 Slow Set