

Safety Data Sheet MAPESIL T

Safety Data Sheet dated: 12/18/2018 - version 3 Date of first edition: 8/15/2016

1. IDENTIFICATION

Product identifier

Mixture identification: Trade name: MAPESIL T

Recommended use of the chemical and restrictions on use

Recommended use: Sealant

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA Phone: 954-246-8888

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Skin Sens. 1	May cause an allergic skin reaction.
STOT SE 3	May cause respiratory irritation.

Label elements

Pictograms and Signal Words



Hazard statements:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

Precautionary statements:

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy P305+P351+P338 to do. Continue rinsing. P312 Call a POISON CENTER if you feel unwell. P321 Specific treatment (see supplementary instructions on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

. . .

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components	6			
Quantity	Name	Ident. Numb.	Classification	Registration Number
25-50 %	Calcium Carbonate	CAS:1317-65-3	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
25-50 %	Siloxanes and silicones, dimethyl, hydroxy-terminated	CAS:70131-67-8	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
5-10 %	VINYLTRIS(METHYLETHYLKETOXIME) SILANE	CAS:2224-33-1	Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Flam. Liq. 4, H227; Eye Irrit. 2B, H320	
5-10 %	Silica, hydrophobic colloidal	CAS:68611-44-9	STOT SE 3, H335	
1-2.5 %	Methyl alcohol	CAS:67-56-1	Flam. Liq. 2, H225; STOT SE 1, H370; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
1-2.5 %	N-[3- (TRIMETHOXYSILYL)PROPYL] ETHYLENEDIAMINE	CAS:1760-24-3	Eye Dam. 1, H318; Skin Corr. 1A, H314; Skin Sens. 1, H317	
0.49-1 %	Silica Sand	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	
0.49-1 %	Titanium dioxide	CAS:13463-67-7	Carc. 2, H351	

4. FIRST AID MEASURES

Description of first aid measures

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Do not use on extensive surface areas in premises where there are occupants. Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Always keep in a well ventilated place.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

List of components with OEL value

Component	OEL Type	Cou	ntry	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Calcium Carbonate	OSHA				15					
	OSHA				5					
Methyl alcohol	OSHA				260	200				
	ACGIH					200		250		Skin - potential significant contribution to overall exposure by the cutaneous route;eye damage;headache; dizziness;nausea;
	EU				260	200			Indicative	Possibility of significant uptake through the skin;
Silica Sand	ACGIH				0,025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;
Titanium dioxide	OSHA				15					
	ACGIH				10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation;
Biological Expos	ure Index	C C								
CAS-No.	Compone	nt	Value	UoM	Me	edium	Biologica	Indicator	Sampling	Period
67-56-1 N	ethyl alco	bhol	15	mg/L	Ur	ine	Methyl ald	cohol	End of tur	n
Protection for skin Use clothi Protection for hand	fitting safe ng that pr ls: ctive glove	ety go ovides	ggles, do compret	nensive p	rotection to	the skin, e.g. ection, e.g. P				
. ,.		ection	where v	entilation	is insufficier	nt or exposur	e is prolona	ed.		

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: paste various Odour: N.A. Odour threshold: N.A. pH: N.A. Melting point / freezing point: N.A. Initial boiling point and boiling range: >=>100 °C (>212 °F) Flash point: 96 °C (204,8 °F) Evaporation rate: N.A. Upper/lower flammability or explosive limits: N.A. Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.35 g/l Solubility in water: Soluble Solubility in oil: N.A. Partition coefficient (n-octanol/water): N.A. Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. Explosive properties: N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A. Substance Groups relevant properties N.A.

Other information

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None. **Conditions to avoid**

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

Calcium Carbonate	a) acute toxicity	LD50 Oral Rat = 500,00000 mg/kg	Crystalline silica
		LD50 Oral Rat = 6450,00000 mg/kg	Limestone 1317065-3

Siloxanes and silicones, dimethyl, hydroxy- terminated	a) acute toxicity	LD50 Skin Rabbit > 16 ml/kg
		LC50 Inhalation Rat > 8750 mg/m3 7h
Methyl alcohol	a) acute toxicity	LC50 Inhalation Rat = 832 mg/l 4h LD50 Oral Rat = 5628 mg/kg LC50 Inhalation Rat = 22500 ppm 8h
N-[3- (TRIMETHOXYSILYL) PROPYL] ETHYLENEDIAMINE	a) acute toxicity	LD50 Oral Rat = 2413 mg/kg
Silica Sand	a) acute toxicity	LD50 Oral Rat = 500 mg/kg
Titanium dioxide	a) acute toxicity	LD50 Oral Rat > 10000 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

Silica Sand	Group 1
Titanium dioxide	Group 2B

Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

Titanium dioxide

Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

Titanium dioxide

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
1-2.5 %	Methyl alcohol	CAS: 67-56-1	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 28200 mg EPA

			a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 19500 mg/ EPA
			a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 18 mL/L 96
			a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus 13500 mg/L EPA
			d) Terrestrial toxicity : LC50 Worm Eisenia foetida > 1 mg/cm2 48h IU
0.49-1 %	Silica Sand	CAS: 14808-60- 7	a) Aquatic acute toxicity : LC50 carp > 10000,00000 mg/L 72h
Persistence an	nd degradability		
N.A.			
Bioaccumulati	ve potential		
N.A.			
Mobility in soil	I		
N.A.			
Other adverse	effects		

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

14. TRANSPORT INFORMATION
UN number
ADR-UN number: N/A
DOT-UN Number: N/A
IATA-Un number: N/A
IMDG-Un number: N/A
UN proper shipping name
ADR-Shipping Name: N/A
DOT-Proper Shipping Name: N/A
IATA-Technical name: N/A
IMDG-Technical name: N/A
Transport hazard class(es)
ADR-Class: N/A
DOT-Hazard Class: N/A
IATA-Class: N/A
IMDG-Class: N/A
Packing group
ADR-Packing Group: N/A
DOT-Packing group: N/A
IATA-Packing group: N/A
IMDG-Packing group: N/A
Environmental hazards
Marine pollutant: No
Environmental Pollutant: N.A.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
N.A.
Special precautions
Department of Transportation (DOT):
DOT-Special Provision(s): N/A
DOT-Label(s): N/A
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A DOT-Bulk: N/A DOT-Non-Bulk: N/A Road and Rail (ADR-RID): ADR-Label: N/A ADR-Hazard identification number: N/A ADR-Transport category (Tunnel restriction code): N/A Air (IATA): IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A IATA-Label: N/A IATA-Subrisk: N/A IATA-Erg: N/A IATA-Special Provisions: N/A Sea (IMDG): IMDG-Stowage Code: N/A IMDG-Stowage Note: N/A IMDG-Subrisk: N/A IMDG-Special Provisions: N/A IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: N/A IMDG-MFAG: N/A

15. REGULATORY INFORMATION

USA - Federal regulations TSCA - Toxic Substances Control Act TSCA inventory: All the components are listed on the TSCA inventory **TSCA listed substances:** Calcium Carbonate is listed in TSCA Section 8b Siloxanes and silicones, dimethyl, is listed in TSCA Section 8b Section 8a - PAIR hydroxy-terminated VINYLTRIS is listed in TSCA Section 8b (METHYLETHYLKETOXIME)SILANE Silica, hydrophobic colloidal is listed in TSCA Section 8b Methyl alcohol is listed in TSCA Section 8b N-[3is listed in TSCA Section 8b (TRIMETHOXYSILYL)PROPYL] **ÈTHYLENEDIAMINE** Silica Sand is listed in TSCA Section 8b is listed in TSCA Section 8b Titanium dioxide SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: no substances listed Section 304 - Hazardous substances: no substances listed Section 313 - Toxic chemical list: Methyl alcohol CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA: Methyl alcohol Reportable quantity: 5000 pounds CAA - Clean Air Act **CAA listed substances:** Methyl alcohol is listed in CAA Section 112(b) - HAP Section 112(b) - HON

	CWA listed substances:		
	no substances listed		
USA - S	tate specific regulations		
	a Proposition 65		
	Substance(s) listed under Ca	lifornia Prop	osition 65:
	Methyl alcohol	Listed as	reproductive toxicant
	Silica Sand	Listed as	carcinogen
	Titanium dioxide	Listed as	carcinogen
	usetts Right to know		
	Substance(s) listed under Ma	ssachusetts	Right to know:
	Methyl alcohol		
	Silica Sand		
	Titanium dioxide		
-	/ania Right to know		
	Substance(s) listed under Pe	nnsylvania I	Right to know:
	Methyl alcohol		
	Silica Sand		
	Titanium dioxide		
	sey Right to know		
	Substance(s) listed under Ne	w Jersey Ri	ght to know:
	Methyl alcohol		
	Silica Sand		
	Titanium dioxide		
Canada	- Federal regulations		
DSL - Do	mestic Substances List		
	DSL Inventory:		
	All the substances are listed in the	he DSL.	
NDSL - M	Ion Domestic Substances Lis	t	
	NDSL Inventory:		
	List of substances included in the	e NDSL:	Calcium Carbonate
NPRI - N	lational Pollutant Release Inv	ventory	
	Substances listed in NPRI:		

16. OTHER INFORMATION

Code Description

- H225 Highly flammable liquid and vapour.
- H227 Combustible liquid.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

cas: 1317-65

- H350 May cause cancer .
- H351 Suspected of causing cancer .
- H370 Causes damage to organs .
- H372 Causes damage to organs through prolonged or repeated exposure .

Safety Data Sheet dated: 12/18/2018 - version 3

Product code: 3BT000091

Additional classification information



HMIS Health: 1 = Slight HMIS Health - Is health hazard chronic? Yes HMIS Flammability: 1 = Combustible if heated HMIS Reactivity: 0 = Minimal HMIS P.P.E.: Safety glasses, gloves NFPA Health: 1 = Slight NFPA Flammability: 1 = Combustible if heated NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION