

Safety Data Sheet ULTRACOLOR PLUS FA

Safety Data Sheet dated: 02/19/2020 - version 5 Date of first edition: 09/08/2016

1. Identification

Product identifier Mixture identification:

Trade name: ULTRACOLOR PLUS FA

Recommended use and restrictions on use

Recommended use: Ready-mixed cement mortar for ceramic tile joints

Restrictions on use: N.A.

Supplier's details

Company: MAPEI INC. (Canada)

2900 Francis-Hughes Avenue H7L 3J5 - Laval - QC - CAN Phone: 1-450-662-1212

Emergency phone number

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

2. Hazard identification



Classification of the product

Carc. 1AMay cause cancer if inhaled.STOT RE 1Causes damage to organs through prolonged or repeated exposure if inhaled.

Label elements

Pictograms and Signal Words



Hazard statements:

H350 May cause cancer if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.
Other hazards	

None

Ingredient(s) with unknown acute toxicity

None

3. Composition/information on ingredients Substances

N.A.

Mixtures

. . .

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of cor	nponents			
Quantity	Name	Ident. Numb.	Classification	Registration Number
25-50 %	Silica Sand	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	
2.5-5 %	Titanium dioxide	CAS:13463-67-7	' Carc. 2, H351	
0.49-1 %	Lithium carbonate	CAS:554-13-2	Acute Tox. 4, H302; Eye Irrit. 2A, H319	

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

N.A.

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Silica Sand	ACGIH			0,025					A2 - Suspected Human Carcinogen; lung cancer; pulmonary fibrosis;
Titanium dioxide	OSHA			15					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen; lower respiratory tract irritation;
	MAK	GERMANY		0,3					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen; lower respiratory tract irritation
	MAK	AUSTRIA		5		10			
	MAK	SWITZERLAN	I	3					

Appropriate engineering controls

N.A.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands:

D

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection:

Use adequate protective respiratory equipment.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Solid Appearance and colour: Powder Odour: characteristic Odour threshold: N.A. pH: N.A. Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A. Flash point: N.A. Evaporation rate: N.A. Upper/lower flammability or explosive limits: N.A. Vapour density: N.A. Vapour pressure: N.A. Relative density: N.A. Solubility in water: Dispersible Solubility in oil: N.A. Partition coefficient (n-octanol/water): N.A. Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. Explosive properties: N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A.

Other information

Substance Groups relevant properties N.A. Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

10. Stability and reactivity

Reactivity

Stable under normal conditions
Chemical stability
Data not available.
Possibility of hazardous reactions
None.
Conditions to avoid
Stable under normal conditions.
Incompatible materials
None in particular.
Hazardous decomposition products
None.

11. Toxicological information Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

Silica Sand		a) acute toxicity	LD50 Oral Rat = 500 mg/kg
Titanium dioxide		a) acute toxicity	LD50 Oral Rat > 10000 mg/kg
Lithium carbonate		a) acute toxicity	LD50 Oral Rat = 525 mg/kg
Date	2/20/2020	Production Name	ULTRACOLOR PLUS FA

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

	a) acute toxicity			
	b) skin corrosion/irritatior	ı		
	c) serious eye damage/irr	itation		
	d) respiratory or skin sen	sitisation		
	e) germ cell mutagenicity			
	f) carcinogenicity			
	g) reproductive toxicity			
	h) STOT-single exposure			
	 k) Toxicological kinetics, metabolism and distributi information 	on		
	i) STOT-repeated exposur	е		
	j) aspiration hazard			
Substa	nce(s) listed on the IAR	C Monographs:		
	Silica Sand	Group 1		
	Titanium dioxide	Group 2	B	
Substa	nce(s) listed as OSHA Ca	arcinogen(s):		
	Silica Sand			
	Titanium dioxide			
Substa	nce(s) listed as NIOSH (Carcinogen(s):		
	Silica Sand			
	Titanium dioxide			
Substa	nce(s) listed on the NTP	report on Carci	nogens:	
	Silica Sand	•	5	
Ecotoxi	•			
Adopt g	ood working practices, so t	hat the product is	not released into the enviro	onment.
List of	components with eco-to	xicological prop	erties	
Compo	nent	Ident. Numb.	Ecotox Infos	
Silica Sa	and	CAS: 14808-60- 7	a) Aquatic acute toxicity :	LC50 carp > 10000,00000 mg/L 72h
Lithium	carbonate	CAS: 554-13-2	a) Aquatic acute toxicity : ECHA	LC50 Fish Oncorhynchus mykiss = 30

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

mykiss = 30,3 mg/L 96h

UN number	
TDG-UN number: N.A.	
ADR-UN number: N.A.	
DOT-UN Number: N.A.	
IATA-Un number: N.A.	
IMDG-Un number: N.A.	
UN proper shipping name	
TDG-Shipping Name: N.A.	
ADR-Shipping Name: N.A.	
DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A.	
IMDG-Technical name: N.A.	
Transport hazard class(es)	
TDG-Class: N.A.	
ADR-Class: N.A.	
DOT-Hazard Class: N.A.	
IATA-Class: N.A.	
IMDG-Class: N.A.	
Packing group	
TDG-Packing Group: N.A.	
ADR-Packing Group: N.A.	
DOT Packing Group: N.A.	
IATA-Packing group: N.A.	
IMDG-Packing group: N.A.	
Environmental hazards	
Marine pollutant: No	
Environmental Pollutant: N.A.	
Transport in bulk (according to Annex I N.A.	1 of MARPOL 73/78 and the IBC Code)
Special precautions in connection with	transport or conveyance
TDG:	
TDG Special provisions: N/A	
Department of Transportation (DOT):	
N.A.	
Road and Rail (ADR-RID):	
N.A.	
Air (IATA):	
N.A.	
Sea (IMDG):	
N.A.	
15. Regulatory information	
Canada - Federal regulations	
DSL - Domestic Substances List	
DSL Inventory:	
All the substances are listed in the	DSL.
NDSL - Non Domestic Substances List	
NDSL Inventory:	
no substances listed	
NPRI - National Pollutant Release Inve	ntory
Substances listed in NPRI:	
no substances listed	
USA - Federal regulations	
TSCA - Toxic Substances Control Act	
TSCA inventory:	
-	
All the components are listed on th	e TSCA inventory
All the components are listed on th TSCA listed substances:	e TSCA inventory
TSCA listed substances:	e TSCA inventory is listed in TSCA Section 8b

Titaniu	m dioxide	is listed in TSCA Section 8b
	n carbonate	is listed in TSCA Section 8b
	und Amendments and R	
-	n 302 - Extremely Haza	
	stances listed	
Sectio	n 304 - Hazardous subs	tances:
	stances listed	
	n 313 - Toxic chemical l	ist:
	n carbonate	
		tal Response, Compensation, and Liability Act
	ance(s) listed under CEF	
	stances listed	
CAA - Clean Ai	r Act	
CAA lis	sted substances:	
no sub	stances listed	
CWA - Clean W	Vater Act	
CWA li	isted substances:	
no sub:	stances listed	
USA - State s	specific regulations	
California Prop		
	ance(s) listed under Cal	
Silica S		Listed as carcinogen
	m dioxide	Listed as carcinogen
	n carbonate	Listed as reproductive toxicant
	s Right to know	anahusatta Diakt ta know
Silica S		ssachusetts Right to know:
	m dioxide	
	n carbonate	
Pennsylvania		
-	-	nnsylvania Right to know:
Silica S		
	m dioxide	
New Jersey Ri	aht to know	
-		<i>w</i> Jersey Right to know:
Silica S	Sand	
Titaniu	m dioxide	
Lithium	n carbonate	
16. Other inf	ormation	
Code	Description	
H302	Harmful if swallowed.	tion
H319 H350	Causes serious eye irrita May cause cancer .	
H350	May cause cancer if inha	Nod
H351	Suspected of causing ca	
H372 H372		ns through prolonged or repeated exposure .
		ns through prolonged or repeated exposure if inhaled.
Salely Data She	eet dated: 2/19/2020 - ver 906BU0000	

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION